

Treated problem alcohol use in Ireland 2005 to 2010

Appendix

Anne Marie Carew, Delphine Bellerose and Suzi Lyons

National Drug
Treatment Reporting
System

This online Appendix is a supplement to HRB Trends Series 11,
Treated problem alcohol use in Ireland 2005 to 2010, available at
www.drugsandalcohol.ie/16037

The Appendix may be cited as follows:

Carew AM, Bellerose D and Lyons S (2011) *Treated problem alcohol use in Ireland 2005 to 2010. Appendix.* HRB Trends Series 11. Dublin: Health Research Board.

© Health Research Board

ISSN 2009-0250

Published in 2011 by:

Health Research Board
Knockmaun House
42-47 Lower Mount Street
Dublin 2

Improving people's health through research and information



Table A1 Number (%) of cases treated, by regional drugs task force area of residence and by treatment status (NDTRS 2005–2010)

Regional drugs task force area of residence	2005		2006		2007		2008		2009		2010	
	n	(%)										
All cases	5190		5539		6879		7644		7671		7748	
North Dublin City and County	205	(3.9)	281	(5.1)	546	(7.9)	562	(7.4)	603	(7.9)	662	(8.5)
South Western	522	(10.1)	598	(10.8)	591	(8.6)	985	(12.9)	996	(13.0)	992	(12.8)
East Coast	84	(1.6)	149	(2.7)	189	(2.7)	233	(3.0)	306	(4.0)	267	(3.4)
North Eastern	362	(7.0)	601	(10.9)	724	(10.5)	671	(8.8)	632	(8.2)	358	(4.6)
Midland	356	(6.9)	391	(7.1)	435	(6.3)	483	(6.3)	442	(5.8)	426	(5.5)
Southern	1169	(22.5)	990	(17.9)	1222	(17.8)	1224	(16.0)	1177	(15.3)	1533	(19.8)
South East	1251	(24.1)	1321	(23.8)	1282	(18.6)	1324	(17.3)	1616	(21.1)	1519	(19.6)
Mid West	488	(9.4)	379	(6.8)	584	(8.5)	570	(7.5)	441	(5.7)	505	(6.5)
North West	635	(12.2)	736	(13.3)	871	(12.7)	958	(12.5)	945	(12.3)	1038	(13.4)
Western	88	(1.7)	87	(1.6)	431	(6.3)	633	(8.3)	509	(6.6)	439	(5.7)
Place of residence unknown	30	(0.6)	5	(0.1)	4	(0.1)	1	(0.0)	4	(0.1)	9	(0.1)
New cases	3110		3317		3655		3772		4184		4143	
North Dublin City and County	118	(3.8)	180	(5.4)	288	(7.9)	249	(6.6)	315	(7.5)	379	(9.1)
South Western	279	(9.0)	332	(10.0)	206	(5.6)	399	(10.6)	537	(12.8)	544	(13.1)
East Coast	45	(1.4)	96	(2.9)	90	(2.5)	85	(2.3)	174	(4.2)	146	(3.5)
North Eastern	228	(7.3)	395	(11.9)	410	(11.2)	369	(9.8)	383	(9.2)	187	(4.5)
Midland	197	(6.3)	224	(6.8)	214	(5.9)	221	(5.9)	241	(5.8)	239	(5.8)
Southern	777	(25.0)	669	(20.2)	734	(20.1)	656	(17.4)	621	(14.8)	790	(19.1)
South East	730	(23.5)	707	(21.3)	642	(17.6)	665	(17.6)	903	(21.6)	827	(20.0)
Mid West	313	(10.1)	236	(7.1)	341	(9.3)	284	(7.5)	246	(5.9)	256	(6.2)
North West	353	(11.4)	420	(12.7)	513	(14.0)	510	(13.5)	490	(11.7)	538	(13.0)
Western	49	(1.6)	54	(1.6)	215	(5.9)	333	(8.8)	272	(6.5)	231	(5.6)
Place of residence unknown	21	(0.7)	4	(0.1)	2	(0.1)	1	(0.0)	2	(0.0)	6	(0.1)
Previously treated cases	2027		2142		2863		3405		3418		3513	
North Dublin City and County	81	(4.0)	96	(4.5)	201	(7.0)	201	(5.9)	268	(7.8)	268	(7.6)
South Western	235	(11.6)	254	(11.9)	290	(10.1)	458	(13.5)	447	(13.1)	423	(12.0)
East Coast	39	(1.9)	49	(2.3)	64	(2.2)	107	(3.1)	128	(3.7)	107	(3.0)
North Eastern	130	(6.4)	196	(9.2)	278	(9.7)	244	(7.2)	241	(7.1)	162	(4.6)
Midland	157	(7.7)	160	(7.5)	195	(6.8)	223	(6.5)	199	(5.8)	185	(5.3)
Southern	384	(18.9)	302	(14.1)	471	(16.5)	558	(16.4)	549	(16.1)	735	(20.9)
South East	519	(25.6)	603	(28.1)	614	(21.4)	623	(18.3)	708	(20.7)	684	(19.5)
Mid West	164	(8.1)	140	(6.5)	222	(7.8)	261	(7.7)	190	(5.6)	244	(6.9)
North West	270	(13.3)	311	(14.5)	343	(12.0)	440	(12.9)	452	(13.2)	499	(14.2)
Western	39	(1.9)	30	(1.4)	183	(6.4)	290	(8.5)	234	(6.8)	203	(5.8)
Place of residence unknown	9	(0.4)	1	(0.0)	2	(0.1)	0	(0.0)	2	(0.1)	3	(0.1)
Treatment status unknown	53		80		361		467		69		92	




Figure A1 Average annual incidence of treated problem alcohol use among 15–64-year-olds, by regional drugs task force area of residence (NDTRS 2005–2007)




Figure A2 Average annual incidence of treated problem alcohol use among 15–64-year-olds, by regional drugs task force area of residence (NDTRS 2008–2010)

Table A2 Number of problem substances used, by treatment status (NDTRS 2005–2010)

Number of problem substances used	2005		2006		2007		2008		2009		2010	
	n	(%)										
All cases	5190		5539		6879		7644		7671		7748	
One substance (alcohol)	4058	(78.2)	4436	(80.1)	5533	(80.4)	6187	(80.9)	6335	(82.6)	6383	(82.4)
Two substances	545	(10.5)	579	(10.4)	666	(9.7)	719	(9.4)	746	(9.7)	776	(10.0)
Three substances	279	(5.4)	255	(4.6)	363	(5.3)	372	(4.9)	339	(4.4)	333	(4.3)
Four substances or more	308	(5.9)	269	(4.9)	317	(4.6)	366	(4.8)	251	(3.3)	256	(3.3)
New cases	3110		3317		3655		3772		4184		4143	
One substance (alcohol)	2386	(76.7)	2642	(79.6)	2872	(78.6)	2974	(78.8)	3441	(82.2)	3411	(82.3)
Two substances	351	(11.3)	351	(10.6)	370	(10.1)	383	(10.2)	427	(10.2)	420	(10.1)
Three substances	190	(6.1)	174	(5.2)	215	(5.9)	203	(5.4)	187	(4.5)	192	(4.6)
Four substances or more	183	(5.9)	151	(4.6)	198	(5.4)	212	(5.6)	129	(3.1)	120	(2.9)
Previously treated cases	2027		2142		2863		3405		3418		3513	
One substance (alcohol)	1633	(80.5)	1738	(81.1)	2328	(81.3)	2781	(81.7)	2842	(83.1)	2902	(82.6)
Two substances	188	(9.3)	215	(10.0)	277	(9.7)	317	(9.3)	306	(9.0)	343	(9.8)
Three substances	85	(4.2)	77	(3.6)	141	(4.9)	158	(4.6)	148	(4.3)	134	(3.8)
Four substances or more	121	(6.0)	112	(5.2)	117	(4.1)	149	(4.4)	122	(3.6)	134	(3.8)
Treatment status unknown	53		80		361		467		69		92	

Table A3 Additional problem substances used, by treatment status (NDTRS 2005–2010)

Additional problem substance(s) used*	2005		2006		2007		2008		2009		2010	
	n	(%)										
All cases	5190		5539		6879		7644		7671		7748	
Cannabis	895	(17.3)	839	(15.1)	976	(14.2)	1016	(13.3)	961	(12.5)	937	(12.1)
Ecstasy	400	(7.7)	334	(6.0)	400	(5.8)	418	(5.5)	261	(3.4)	229	(3.0)
Cocaine	385	(7.4)	360	(6.5)	538	(7.8)	601	(7.9)	476	(6.2)	426	(5.5)
Amphetamines	109	(2.1)	116	(2.1)	94	(1.4)	94	(1.2)	60	(0.8)	73	(0.9)
Opiates	90	(1.7)	88	(1.6)	129	(1.9)	182	(2.4)	140	(1.8)	145	(1.9)
Benzodiazepines	99	(1.9)	106	(1.9)	148	(2.2)	179	(2.3)	193	(2.5)	231	(3.0)
Volatile inhalants	8	(0.2)	10	(0.2)	10	(0.1)	18	(0.2)	13	(0.2)	13	(0.2)
Other substances	27	(0.5)	43	(0.8)	48	(0.7)	53	(0.7)	73	(1.0)	156	(2.0)
New cases	3110		3317		3655		3772		4184		4143	
Cannabis	586	(18.8)	526	(15.9)	581	(15.9)	582	(15.4)	555	(13.3)	521	(12.6)
Ecstasy	271	(8.7)	221	(6.7)	261	(7.1)	265	(7.0)	160	(3.8)	117	(2.8)
Cocaine	247	(7.9)	226	(6.8)	345	(9.4)	342	(9.1)	263	(6.3)	231	(5.6)
Amphetamines	59	(1.9)	65	(2.0)	47	(1.3)	54	(1.4)	30	(0.7)	33	(0.8)
Opiates	44	(1.4)	34	(1.0)	52	(1.4)	63	(1.7)	56	(1.3)	56	(1.4)
Benzodiazepines	40	(1.3)	52	(1.6)	82	(2.2)	94	(2.5)	87	(2.1)	113	(2.7)
Volatile inhalants	6	(0.2)	5	(0.2)	8	(0.2)	6	(0.2)	12	(0.3)	6	(0.1)
Other substances	15	(0.5)	17	(0.5)	11	(0.3)	19	(0.5)	25	(0.6)	87	(2.1)
Previously treated cases	2027		2142		2863		3405		3418		3513	
Cannabis	301	(14.8)	300	(14.0)	370	(12.9)	408	(12.0)	396	(11.6)	401	(11.4)
Ecstasy	123	(6.1)	108	(5.0)	137	(4.8)	152	(4.5)	101	(3.0)	108	(3.1)
Cocaine	132	(6.5)	124	(5.8)	187	(6.5)	245	(7.2)	209	(6.1)	190	(5.4)
Opiates	45	(2.2)	52	(2.4)	76	(2.7)	111	(3.3)	81	(2.4)	85	(2.4)
Benzodiazepines	58	(2.9)	49	(2.3)	63	(2.2)	81	(2.4)	104	(3.0)	114	(3.2)
Amphetamines	49	(2.4)	49	(2.3)	47	(1.6)	39	(1.1)	30	(0.9)	40	(1.1)
Volatile inhalants	1	(0.0)	3	(0.1)	2	(0.1)	11	(0.3)	1	(0.0)	7	(0.2)
Other substances	11	(0.5)	20	(0.9)	28	(1.0)	33	(1.0)	46	(1.3)	68	(1.9)

* By cases reporting use of one, two or three additional substances.




Figure A3 Characteristics of new cases, by substance-use status (NTDRS 2005–2007)




Figure A4 Characteristics of new cases, by substance-use status (NDTRS 2008–2010)




Figure A5 New cases: additional problem substances associated with alcohol as a main problem substance (NDTRS 2005–2010)




Figure A6 Percentage of all cases, by the number of treatment interventions availed of (NDTRS 2010)