Factsheet: Young people, drugs and alcohol - the Irish situation

May 2024

Table of Contents

Glossary of terms	. 2
Key research on drug use in young people in Ireland	. 3
All illicit drugs	. 4
Cannabis	. 4
How many young people use cannabis in the Republic of Ireland?	. 4
Alcohol	. 5
Alcohol use by young people	. 5
How many young people receive treatment for alcohol and drug use?	. 6
How many young people die from using alcohol and drugs?	. 7
What does the law say about underage drinking?	. 8
References	. 8

Glossary of terms

Alcohol use disorder (AUD) – defined according to the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5) criteria. It is a maladaptive pattern of alcohol use leading to clinically significant impairment or distress, as manifested by 2 or more of the following 11 criteria occurring at any time in the last 12 months: role impairment; hazardous use; social problems; tolerance; withdrawal; longer or more use than intended; unsuccessful attempts to quit/cut down; much time spent using alcohol; reduced activities because of drinking; continued drinking despite psychological or physical problems; and alcohol cravings.

Heavy episodic drinking (HED) – sometimes referred to as 'binge drinking' and defined as consuming six or more standard drinks on a single occasion. This is approximately equivalent to three pints of beer or cider, six pub measures of spirits, or just under one bottle of wine.

Last month prevalence – refers to the proportion of the sample that reported using a named drug in the 30-day period prior to the survey. Last month prevalence is often referred to as current use. A proportion of those reporting current use may be occasional (or first-time) users who happen to have used in the period leading up to the survey. It should therefore be noted that current use is not synonymous with regular use.

Last year prevalence – refers to the proportion of the sample that reported using a named drug in the year prior to the survey. Last year prevalence is often referred to as recent use.

Lifetime prevalence – refers to the proportion of the sample that reported ever having used the named drug at the time they were surveyed. A person who records lifetime prevalence may or may not be currently using the drug. Lifetime prevalence should not be interpreted as meaning that people have necessarily used a drug over a long period of time or that they will use the drug again in future.

Mean (average) versus Median – **One** of the most used statistical measures is the mean (more often simply termed the 'average'). The mean/average is the sum of the characteristics of the group (e.g. ages, wages or prices) divided by the number in the group. To represent the central tendency of a group, median is the appropriate statistical measure. The median is found by ordering the group characteristics in ascending value and selecting the middle one. The median is a better measure of the central tendency of the group as it is not skewed by exceptionally high or low characteristic values.

Prevalence – refers to the proportion of a population that has used a drug over a particular time period.

Introduction

This factsheet includes key Irish research on young people up to the age of 24 and will be updated as new data is published. The studies cited may report on different age groups and these are noted in the text.

Key research on drug use in young people in Ireland

There are numerous studies that include information on drug use in young people; for prevalence data we have chosen the four sources below.

HBSC- Health Behaviour in School age Children¹

In 2022, Ireland participated for the seventh time in the Health Behaviour in School-aged Children¹ <u>HBSC</u> study. The survey included 9,071 school-children from 9 to 18 years old; 191 primary and postprimary schools across Ireland participated. Among other health indicators, data were collected on smoking and the use of alcoholconsumption and drunkeness and cannabis.

ESPAD- European Schools Project on Alcohol and Other Drugs²

The seventh European Schools Project on Alcohol and Other Drugs³ <u>ESPAD</u> survey was undertaken in 39 European countries during 2019 and collected information on alcohol, tobacco and other substance use among 15-16-year-old students. In Ireland, 1,949 questionnaires were completed by young people who were born in 2003 from 50 randomly selected post-primary schools.

GUI- Growing up in Ireland study³

<u>Growing Up in Ireland</u> is the national longitudinal study of children in Ireland.⁴ The study follows the progress of two cohorts: Cohort '98 (the 'Child Cohort') who were aged 9 years at first interview in 2007 and Cohort '08 (the Infant Cohort) who were just 9 months in the first wave in 2008.

Most recently, Growing up in Ireland has presented summary information on the lives and circumstances of the 20-year-olds from the fourth wave of 5,191 interviews with the Child Cohort '98 between August 2018 and June 2019.⁴

NDAS- National drug and alcohol survey⁵

Every four years a survey of the general population takes place to estimate the number of people in Ireland who use alcohol and other drugs. Face-to-face interviews take place with respondents aged 15+ normally resident in households in Ireland. This type of survey is not designed to include people who do not normally live in private households, such as prisoners or hostel dwellers.⁵

Drug prevalence surveys were undertaken in 2002–03, 2006–07, 2010–11, and 2014–15. These surveys were commissioned on an all-island basis by the National Advisory Committee on Drugs and Alcohol in the Republic of Ireland, and the Department of Health, Social Services and Public Safety in Northern Ireland.

The most recent survey 2019–20 National Drug and Alcohol Survey (NDAS), which took place in the Republic of Ireland, was managed by the Health Research Board.

All illicit drugs

A number of these surveys ask young people about their use of illicit drugs. Table 1 provides trends in drug use by young people over the five general population surveys (NDAS).⁵

	2002–3	2006–7	2010–11	2014–15	2019–20
Any illegal drug	12.7	15.4	15.1	18.7	18.5
Cannabis	11.0	13.1	12.9	16.2	14.5
Ecstasy	2.8	2.8	1.1	6.7	7.2
Cocaine	2.7	3.8	2.5	3.2	4.6
Poppers	0.9	1.2	0.2	2.1	4.6
M Mushrooms	1.1	1.9	1.0	1.6	0.6
Amphetamines	1.2	0.8	1.5	0.5	2.4
LSD	0.2	0.2	0.9	0.8	2.4
Methadone	0.2	0	0.3	0.4	0.0
Heroin	0.2	0	0.3	0.1	0.0
Solvents	0.2	0.0	0.6	0.5	0.0

Table 1 Last year illicit drug use by 15-24-year-olds, by year (%), NDAS

Figure 1 shows illicit drug use for young people compared to all ages in the most recent NDAS 2019–20. Use of any illegal drug in the last year is highest amongst the 15-to-24 age group (18.5%).⁵




Figure 1: Percentage of those reporting illegal drug use in the last year by age group, 2019-20, NDAS

Cannabis

How many young people use cannabis in the Republic of Ireland?

The 2019–20 NDAS survey involved 5,762 people in Ireland.⁵ The results for Ireland for those aged 15-24 showed that:

- Cannabis use has increased from 11% in 2002–3 to 14.5% in 2019–20 (Table 1)
- Those aged 15 to 24 are the most likely to have used cannabis in the last year (14.5%) (Figure 1).
- There has been a decrease in last year use among males aged 15–24 years since 2014–15, from 21.5% to 16.3%.
- Among females aged 15–24 years, last year use has increased from 6.8% in 2002–03 to 12.8% in 2019–20.

In the 2022 HBSC study, based on children aged 9 to 18, 6% of boys and 6% of girls report cannabis use in the last 12 months. Older children are more likely to report cannabis use in the last 12 months than younger children.¹

The 2019 ESPAD study of 15-16-year-old students also asked how many times in their lives they had used cannabis. Male students (23.8%) were more likely than females (14.7%) to have ever tried cannabis. Overall, 19.1% of students had ever tried cannabis, of these most had tried it once or twice. There was also a sizeable minority of students who had smoked cannabis 20 times or more (4.1%).²

In the latest Growing Up in Ireland (GUI) study, (70%) of 17/18-year-olds reported that they had never used cannabis³. Nearly one-third (30%) of the 17/18-year-olds reported having tried cannabis, with between 2% and 4% having tried each of ecstasy, cocaine, painkillers and aerosols/glue. Almost 10% stated that they currently smoked cannabis occasionally or more than once per week.

Also, a key findings report from the GUI study⁷ presents findings on the lives of 20-year-olds, and shows:

- 59% of all 20-year-olds reported that they had 'ever tried cannabis'
- 26% said they had tried cannabis once or twice
- 18% said that they took it occasionally
- 6% took it more than once a week
- 9% don't take cannabis anymore
- 13% reported that they had tried 'ecstasy, cocaine etc.' less than 5 times
- 9% of all young adults had used 'prescription drugs for "recreational" use.

Alcohol

Alcohol use by young people

In the most recent ESPAD survey² 73% of respondents had tried alcohol and 41% were current users (had used alcohol in the previous 30 days), while 16% reported having been drunk in the previous 30 days. Increased alcohol use was associated with lower parental education levels and lower parental monitoring, as well as with truancy, lower school grades, and peer alcohol use. The reasons given most frequently for using alcohol were to make social gatherings more fun (49%) and to help respondents "to enjoy a party" (48%).

In the 2024 HBSC study 19% of children report that they have had an alcoholic drink in the last 30 days (19% in 2018). Girls and older children are more likely to report that they have had an alcoholic drink in the last 30 days.¹

Overall, 18% of children report ever having been 'really drunk' (19% in 2018). Girls and older children are more likely to report ever having been 'really drunk'.¹

The 2019–20 NDAS survey involved 5,762 people in Ireland.⁵ The results for Ireland showed that:

- The median age at which 15–24-year-olds initiated alcohol consumption has increased from 16 years to 17 years since 2002–03.
- Young males were most likely to have hazardous or harmful drinking patterns. Among male drinkers aged 15–24 years, 63.1% engage in monthly heavy episodic drinking (HED) and 37.0% had an alcohol use disorder (AUD).
- The highest prevalence of AUD was observed among female drinkers aged 15–24 years (38.0%).
- While young people drank less frequently than those in older age groups, they consumed more alcohol per typical drinking occasion, with 45.5% of 15–24-year-olds consuming at least six standard drinks per drinking occasion.
- This level of consumption was almost twice as common among 15–24-year-old males (58.4%) than 15–24-year-old females (31.3%).

According to the 2024 HRB alcohol overview:⁶

- The 2023 Healthy Ireland Survey shows 75% of 15–24-year-olds reported alcohol use in the previous 12 months; 76% of males and 74% of females.
- Among adolescents aged 14–16 years participating in the Planet Youth survey in North Dublin in 2021, 63% reported alcohol use in their lifetime, 29% indicated that they had consumed alcohol in the last month, and 35% indicated that they tried alcohol at the age of 13 years or under.
- Among 15–16-year-olds in the west of Ireland, lifetime use of alcohol ranged between 67.4% in Galway City and 77.8% in Roscommon.

Data from the GUI the lives of 20-year-olds⁷, shows the vast majority of young adults (96%) had consumed alcohol by the age of 20, increasing from 90 per cent at age 17/18. The average age for having their first full alcoholic drink was 16. Amongst those 20-year-olds who had ever drank alcohol, 22 per cent drank monthly, 49 per cent drank two to four times per month, 22 per cent drank two to three times per week, 3 per cent drank 4+ times per week and just 3 per cent never drank.

How many young people receive treatment for alcohol and drug use?

The <u>National Drug Treatment Reporting System</u> (NDTRS) provides data on treated drug and alcohol misuse in Ireland.

Unpublished data from the NDTRS shows that in 2022, 76 (1.0%) cases aged under 18 were in treatment for alcohol as a main problem drug. This has decreased from 124 (1.6%) in 2016.

76 cases entered alcohol treatment under the age of 18 in 2022.^a

Of these:

- 34 (44.7%) were male.
- 11 (14.5%) were referred to treatment by social services.
- 37 (47.8%) use more than one drug.
- 67 (88.2%) were new cases and 9 (11.8%) were previously treated.

443 cases entered alcohol treatment aged 18 to 24 in 2022.

Of these:

- 326 (73.6%) were male.
- 216 (48.8%) use more than one drug.
- 287 (64.8%) were new cases and 147 (33.2%) were previously treated.

616 cases entered drug treatment under the age of 18 in 2022.

Of these:

- The majority, 520 (84.4%), were in treatment for cannabis as their main problem drug.
- 474 (76.9%) were male.
- 123 (20.0%) were referred to treatment by social services.
- 280 (45.5%) use more than one drug.
- 495 (80.4%) were new cases.

1,921 cases entered drug treatment aged 18 to 24 in 2022.

Of these:

- The majority, 768 (40.0%), were in treatment for cocaine as their main problem drug.
- 1,467 (76.4%) were male.
- 1,090 (56.7%) use more than one drug.
- 1,173 (61.1%) were new cases and 681 (35.5%) were previously treated.

[For more detailed treatment data (age, gender, employment status, treatment status, frequency of use) up to 2021 see library <u>interactive tables</u>]

How many young people die from using alcohol and drugs?

The <u>National Drug-Related Deaths Index</u> (NDRDI) is a database which records cases of death by drug and alcohol poisoning, and deaths among drug users and those who are alcohol dependent. NDRDI

^aThe NDTRS contains information only on those who started treatment in a particular year (for the first time or returning to treatment). It does not include the number in continuous care.

data shows that there was a total of 86 drug and/or alcohol related deaths among persons aged 24 years or younger in 2017 (Table 3) (unpublished data from the NDRDI).

Table 3: Number of NDRDI* deaths by gender among persons aged 24 years or younger, in 2017

2017	Male	Female
Poisoning	15	~
Non poisoning	26	12

*These deaths do not include deaths among those known to be 'alcohol dependent only' (i.e. no history of drug misuse) who died of non-poisoning death.

~Less than five deaths.

What does the law say about underage drinking?

Intoxicating Liquor Acts

- It is an offence to sell alcohol to anyone under the age of 18.
- It is an offence to buy alcohol for people under the age of 18.
- It is also an offence to give alcohol to anyone under the age of 18 unless in a domestic home and they have parental consent.

See more at Citizens Information

The <u>Public Health (Alcohol) Act 2018</u> aims to reduce alcohol consumption in Ireland to 9.1 litres per person per annum by 2020 and to reduce the harms associated with alcohol. The Act consists of 29 sections and includes five main provisions. These are: minimum unit pricing; health labelling of alcohol products; the regulation of advertising and sponsorship of alcohol products; structural separation of alcohol products in mixed trading outlets; and the regulation of the sale and supply of alcohol in certain circumstances.

References

- Gavin, Aoife and Kolto, Andras and Lunney, Louise and Maloney, Rachel and Walker, Larri and Nic Gabhainn, Saoirse and Kelly, Colette (2024) <u>The Irish Health Behaviour in School-aged Children</u> (<u>HBSC</u>) <u>Study 2022</u>. Galway: Department of Health, and University of Galway.
- 2. Sunday Salome, Keogan Sheila, Hanafin Joan and Clancy Luke (2020) <u>ESPAD 2019 Ireland</u>. Dublin: TobaccoFree Research Institute Ireland.
- 3. Economic and Social Research Institute, Trinity College Dublin (2020) <u>Growing up in Ireland: the</u> <u>Lives of 17/18-year-olds</u> Dublin: Economic and Social Research Institute.
- 4. Economic and Social Research Institute, Trinity College Dublin (2019) <u>Growing Up in Ireland.</u> <u>Wave 4 at 20-years</u>. Dublin: Economic and Social Research Institute.
- 5. Mongan D, Millar SR, and Galvin B (2021) <u>The 2019–20 Irish National Drug and Alcohol Survey:</u> <u>main findings.</u> Dublin: Health Research Board.
- 6. Doyle, A Mongan D and Galvin B (2024) <u>Alcohol: availability, affordability, related harm, and</u> <u>policy</u> Dublin: Health Research Board.

 O'Mahony, D McNamara E, McClintock R et al. (2021) Growing Up in Ireland: The lives of 20-yearolds: making the transition to adulthood. Dublin: ESRI; Trinity College Dublin; Department of Children Equality, Disability, Integration and Youth. Cohort '98. Report 9.

Further reading:

- Doyle, A Sunday, S Galvin B and Mongan D (2022) <u>Alcohol and other drug use among children</u> and young people in Ireland: prevalence, risk and protective factors, consequences, responses, and policies. Dublin: Health Research Board
- Ipsos B&A. (2023) <u>Healthy Ireland survey 2023 summary report.</u> Dublin: Stationery Office.

How to cite this factsheet:

HRB National Drugs Library (2024) Young people, drugs and alcohol - the Irish situation. HRB National Drugs Library, Dublin <u>www.drugsandalcohol.ie/28138</u>

Other factsheets in this series:

<u>Alcohol - the Irish situation</u> <u>Cannabis - the Irish situation</u> <u>Cocaine - the Irish situation</u> <u>Gambling - the Irish situation</u> <u>MDMA/ecstasy - the Irish situation</u> <u>New psychoactive substances (NPS) - the Irish situation</u> <u>Opioids - the Irish situation</u> <u>Sedatives and tranguillisers - the Irish situation</u> <u>Smoking - the Irish situation</u>

HRB National Drugs Library – Find the evidence

www.drugsandalcohol.ie

- Freely available collection of Irish and international drug and alcohol research
- Quick updates e-newsletter, Drugnet Ireland and **X** (@HRBdrugslibrary)
- Key Irish data resources treatment, deaths, prevalence, regional data, alcohol links
- Key Irish data summaries factsheets & annual national reports
- Policy policy webpage & Dail debates
- Practitioner portal specific webpages for those working in the area
- Course directory
- Glossary with explanations of terms and acronyms
- Research resources for those conducting literature searches and other research
- Search our collection basic and advanced (you can save your results)

HRB National Drugs Library

w <u>www.drugsandalcohol.ie</u> e <u>drugslibrary@hrb.ie</u> **X** @HRBdrugslibrary