



Impact Measurement Tool Drug & Alcohol Services

2019/20 Summary Report Prepared for the Public Health Agency

April 2021





Impact Measurement Tool 2019/20

Summary Report Prepared for the Public Health Agency

Public Health Information & Research Branch, Information Analysis Directorate

Department of Health
Castle Buildings, Belfast BT4 3SQ
Tel: 02890 522 607
Ext: 22607

Email: phirb@health-ni.gov.uk

The impact measurement tool (IMT) is a data collection system used to assess the effectiveness of tier one and tier two drug & alcohol services commissioned by the Public Health Agency (PHA). It is a live data collection system and this report reflects the 2019/20 position at the end of September 2020. It covers services across Northern Ireland and all services that submitted a return during 2019/20 have been included.

Table of Contents

Introduction	Page 3
Adult Treatment	
Youth Treatment	Page 7
Parental Substance Misuse	Page 9
Low Threshold Services	Page 12
Workforce Development	Page 15
Targeted Prevention	Page 16
Youth Engagement Services	Page 20

Impact Measurement Tool- Overview of Results

The impact measurement tool (IMT) is a data collection system used to assess the effectiveness of tier one and tier two services commissioned by the Public Health Agency (PHA) and is split into the following typologies:

- Adult Treatment (step 2);
- Young Persons Treatment;
- Low Threshold Services;
- Parental Substance Misuse;
- Workforce Development;
- Targeted Prevention;
- Youth engagement services.

The main purpose of this report is to inform policy makers within Department of Health and Public Health Agency about the impact Alcohol and Drug projects had on clients and their families in Northern Ireland in 2019/20.

Information is collected before, during and after intervention and is used to measure the impact of the service upon several different aspects of lifestyle and behaviour, referred to as domains.

Data collection & Methodology

Results for all clients discharged between 1st April 2019 and the 31st March 2020 have been included in this report, this includes automatic closure for any client whose record was not closed 6 months (182 days) after the date of their initial assessment. IMT returns represent a live system, updated quarterly by services; the figures included in this release were taken from the *September 2020-21* quarterly returns, with the exception of one provider of the Adult Treatment Typology whose service provided no return for this quarter due to Covid-19 pressures, and data was instead retrieved from the previous quarterly returns for *June 2020-21*. It should be noted that the impact on services due to Covid-19 may have resulted in fewer clients seen, and fewer measurable impacts than would ordinarily have been recorded. Any client recorded multiple times in the same calendar year, using the same client reference and initial assessment date is reported only once. Matched client records included in the previous annual publication, whose updated details meant they would otherwise be eligible for this publication have also been excluded to avoid duplication.

Measuring Impact

In order for the impact of treatment to be measurable, a client record must contain at least two assessments. There are a number of scenarios where it would be expected that a client be discharged without having a subsequent review, for example, an unplanned discharge where a client disengages with service; or if a client is given an immediate referral to a more appropriate service.

Please note that due to the nature of some of the services, not all clients will engage for a duration or level suitable for inclusion on the IMT. For this reason the impact data captured in this report should not be taken as a comprehensive record of the number of clients seen or treated within each service, but as a subset representing those who were suitable for impact measurement. As well as this, it must be remembered that a number of individual clients may have been seen for a large number of sessions.

Adult Treatment


The Adult Treatment typology collects data relating to individuals aged 18 and over, who are receiving step 2 treatment or aftercare for alcohol and / or drug misuse.

During 2019/20 the number of IMT clients whose treatment ended, or were otherwise discharged was **819**; of these a total number of **376 (46%)** clients had measurable impacts.



Main Substance Used

Total number of clients on IMT = 819




Adult Treatment Domains

The following Adult (step 2) domains are measured, each receiving a score of 1 to 8; with 1 indicating highest risk or harm and 8 being lowest risk. The number of impact scores available is indicated by the base number of clients against each Domain.

	Base		
Domain	No. Clients	Domain Score - 1	Domain Score - 8
Accommodation	362	Homeless	Accommodation is satisfactory and all bills are being paid
Alcohol consumption/ dependency	287	Drinking at harmful levels	Effectively using strategies to avoid relapse
Crime and community safety	324	In contact with police and / or courts and / or known to have offended in the past fortnight	No criminal activity or not offending for at least one year
Daily lifestyle	370	Drug / drinking lifestyle chaotic	Involved in worthwhile daily activities and reasonably satisfied with their situation
Drug use/ dependency	182	Drug use at harmful levels	Effectively using strategies to avoid relapse
Managing physical health	371	Drug using / drinking at dangerous levels and exposed to high-risk situations	Health improved over a period of weeks or months
Mental and emotional health	369	Frequent crisis and / or severe problems	Reasonably stable emotionally over a period of weeks or months
Relationships	363	No significant relationships due to rejection by others, not fully engaged with service	Sustained healthy contact with significant relationships or positive separation
Personal responsibility	372	Not aware / acknowledging problem	Increased integration into "normal life" and becoming more independent of service
Social contact/ networks	373	Isolated or only social contact within a drug use or drinking culture	Integrated into social networks

Impact by Domain



Note- The high proportion of clients seeing no change in both the Crime and Accommodation domains can be attributed in part to their first assessment being at the top of the scale (i.e. no criminal activity or satisfactory accommodation), thus no improvement could be made.

positive

No change

Impact

Youth Treatment

The Youth Treatment typology covers the provision of community based early intervention services for young people aged 11 - 25 who are identified as having substance misuse difficulties.

During 2019/20, the number of IMT clients whose treatment ended, or were otherwise discharged was **771**; of these a total number of **611 (79%)** clients had measurable impacts.



Main Substance Used

Total number of clients on IMT = 771




Youth Treatment Domains

The following Youth treatment domains are measured, each given a score of 1 to 4; with 1 indicating highest risk or harm and 4 being lowest risk. The number of impact scores available is indicated by the base number of clients against each Domain.

	Base		Domain Score
Domain	No. Clients	Domain Score - 1	- 4
Mental and emotional health	611	Very Poor	Very Good
Physical Health	611	Very Poor	Very Good
Affect family / other relationships	611	Very badly	Not at all
Substance Use	611	Very high risk use significantly affecting day- to-day functioning	No Use
Affect work / study	611	Very badly	Not at all

Impact by Domain



Parental Substance Misuse

The Parental Substance Misuse typology collects data relating to the provision of therapeutic services for children, young people and families affected by parental substance misuse; it measures the progress of clients involved with these services across a number of key domains.

During 2019/20, the number of IMT families whose treatment ended, or were otherwise discharged was **174**; of these a total number of **171 (98%)** clients had measurable impacts.



Main Substance Used

Total number of families = 174



Parental Substance Misuse Domains

The following Parental Substance Misuse treatment domains are measured, each given a score of 1 to 8; with 1 indicating highest risk or harm and 8 being lowest risk. The number of impact scores available is indicated by the base number of families against each Domain.


	Base		
Domain	No. Clients	Domain Score - 1	Domain Score - 8
Family Lifestyle	171	Chaotic family lifestyle - lacks structure, routines, boundaries, appropriate activities	Changes maintained
Parental Responsibility	171	No awareness and/or acknowledgement	Fulfils parental responsibilities independently or with low level supports
Family Relationships	171	Family relationships dysfunctional, featuring e.g. conflict/disharmony/lack of communication	Stable/functional relationships maintained
Safeguarding	171	Serious risks posed to safety, protection and well-being of child - no awareness/acknowledgement	No concerns regarding the safety, protection and well-being of the child
Family social contact/ network	171	Family/user isolated and little awareness of negative impact. Few social contacts outside drug using/drinking culture	Social contacts/ support networks relevant to family's/ individuals wishes and needs are established and maintained
Substance Misuse Consumption/ Dependency	90	Drinking/using drugs at harmful levels - e.g. continuous, patterned use	Effectively using strategies to avoid relapse - leaving treatment


Substance misuse consumption/dependency domain also includes the following options in addition to the scale 1 - 8:

X - Substance misusing parent is no longer in the family unit

N - Substance misusing parent is not attending Parental Misuse Treatment

Impact by Domain





Low Threshold Services

Low threshold services IMT

The low threshold services typology covers the provision of support, care, facilitation and harm reduction services for people who are misusing substances; it measures the progress of clients involved with these services across a number of key domains.

During 2019/20, the number of IMT clients whose treatment ended, or were otherwise discharged was **827**; of these a total number of **364 (44%)** clients had measurable impacts.



Main Substance Used

Total number of clients on IMT = 827





Low Threshold Domains

The following Low Threshold domains are measured, each receiving a score of 0, 1 or 2; with 2 indicating highest risk or harm and 0 being lowest risk. The number of impact scores available is indicated by the base number of clients against each Domain.

	Base		
Domain	No. Clients	Domain Score - 0	Domain Score - 2
Alcohol related harm	323	Alcohol use is not causing/linked to any harm to the client	Alcohol use is causing/linked to significant harm to the client
Criminal involvement	363	Client has none/no recent criminal involvement	Client has increased criminal involvement
Activities of daily living	363	Client is managing daily activities	Client needs substantial help with daily activities
Drug related harm	234	Drug use is not causing/linked to any harm to the client	Drug use is causing/linked to significant harm to the client
General Health	363	Client has reported no significant health problems	Client has reported major health problems
Housing status	364	Client has permanent accommodation	Clientis homeless
Injecting risk behaviour	153	Client states not injecting	Client injecting but not minimising risks
Psychological status	363	Client is managing or has no significant mental health problems	Client has a mental health problem that has a significant impact on their life
Relationship with family members	363	Regular healthy contact with significant individual/separated from bad relationship	No contact/strained relationship with significant individuals and children
Sexual risk behaviour	306	Client states abstinence	Client discloses unsafe sexual encounters
Level of outreach support needed	362	Client does not need/no longer needs support	Client continues to need a high level of support
Drug/ Alcohol Tier 3 or 4 treatment	279	Client is engaged in treatment/aim achieved	Client has refused/left treatment

Impact by Domain






Note- The high proportion of clients seeing no change in several domains can be attributed in part to their first assessment being at zero (i.e. no reported difficulties in that given domain), thus no improvement could be made.

Workforce Development

The Workforce Development typology collects data from agencies providing Workforce Development training for Alcohol and Drug workers. Participants complete a pre-course questionnaire to establish base knowledge, and similarly a post-course questionnaire including a rating for course relevance. The assessments are scored from one (lowest) to five (highest).

During 2019/20, of the **949** number of Attendees at **94** workforce development courses across agencies in Northern Ireland.


Work Sector of Attendees



Self-report Ratings

Knowledge before and after course

Post course relevance



Targeted Prevention

The Targeted Prevention typology covers the provision of substance misuse education courses to young people in the form of life skills or harm reduction sessions. Attendees are asked a series of questions before and after training events regarding their behaviour (alcohol and drug use), knowledge (effects / risks & harm of alcohol and drugs) and attitudes (getting help for problem use and making decisions about alcohol / drug use).

During 2019/20, 230 courses were undertaken with 1,976 young people recorded as having commenced the training and 1,870 young people as having completed.

Participants are asked to rate their knowledge on the following areas

Decisions, decisions - it's your choice

How much do you know about the process of decision making?

Say what? - Effective Communication Skills

How would you rate your own communication skills?

• When the going gets tough - dealing with difficult emotions

How good are you at recognising your feelings/emotions?

Health = Wealth? Looking after your health & wellbeing

How much do you know about good health and wellbeing?

Like or Dislike - Media and its influence

How much do you know about the influence of media?


Family, Friends and Everything in Between - Relationships

How much do you know about relationships and how they influence behaviour/their influence?


A risk worth taking? - Risk taking behaviour

How likely are you to take risks?

Knowledge Before and After Course



Intended Behaviour Following Course



Targeted Prevention Harm Reduction courses

Attendees at Harm reduction modules are asked to indicate if they are currently using a substance (have used in the last month) and if they intend to use in future

	No. of		% Indicated	% Intending to Use in
Module	Courses	No. Clients	using	future
Alcohol	98	806	55.6%	62.2%
Energy Drinks	56	436	82.3%	55.2%
Cannabis	40	331	38.1%	36.0%
Nicotine	18	188	43.1%	30.4%
Depressants	3	18	55.6%	38.9%
Opiates	3	18	38.9%	22.2%
New Psychoactive Substances	0	0	-	-
Stimulants	0	0	-	-
Solvents	0	0	-	-
Misuse of Medicines	0	0	-	-
Hallucinogens	0	0	-	-

Youth Engagement Services

Youth Engagement Service covers the provision of a youth friendly, holistic health and well-being service to young people (aged 11 - 25). The Youth Engagement typology captures those engagements which led to an indepth assessment measuring the impact on well-being across a series of key domains.

During 2019/20, the number of IMT clients whose treatment ended, or were otherwise discharged was **574**; of these a total number of **525 (91%)** clients had measurable impacts.



Primary Issue

Total number of clients on IMT = 574




Youth Engagement Services Domains


The following Youth engagement domains are measured, each given a score of 1 to 10; with 1 indicating "not true of me at all," and 10 being "very true of me." The number of impact scores available is indicated by the base number of clients against each Domain.

Domain	Base No. Clients
I am achieving	525
I am healthy	525
I am responsible	525
I feel active	525
I feel included	525
I feel nurtured	525
I feel respected	525
I feel safe	525

Impact by Domain



Wellbeing Web- Average domain score at initial and final assessments



Wellbeing web is Crown copyright. Reproduced with the permission of the Scottish Government.