



Supplementary Analysis Report

A Closer Look at Teenager Substance
Use and Gambling through Family, Peer,
and School Data

ESPAD Ireland 2024

**TobaccoFree Research Institute Ireland
TU Dublin
for the Department of Health**

Joan Hanafin, Salome Sunday,
Helen Fitzmaurice, Luke Clancy



ESPAD Ireland 2024

Supplementary Analysis Report

A Closer Look at Teenager Substance Use and Gambling
through Family, Peer, and School Data

May 2025

Joan Hanafin, Salome Sunday, Helen Fitzmaurice, Luke Clancy

TobaccoFree Research Institute Ireland (TFRI)
TU Dublin
for the Department of Health

www.tri.ie/espac-ireland



An Roinn Sláinte
Department of Health



Citation

Hanafin J, Sunday S, Fitzmaurice H, Clancy, L. (2025). *ESPAD Ireland 2024 Supplementary Analysis Report. A Closer Look at Teenager Substance Use and Gambling through Family, Peer, and School Data.*

Dublin: TobaccoFree Research Institute Ireland for the Department of Health Ireland.

ISBN: 978-1-90-045498-8

DOI: <https://doi.org/10.21427/qnen-gg90>

© Copyright 2025 TobaccoFree Research Institute Ireland (TFRI), TU Dublin

Published by the TobaccoFree Research Institute Ireland (TFRI) for the Department of Health

Design and layout by Dearbhla Gowen, cover concept by Salome Sunday

This report is available online at www.tri.ie/espac-ireland and <https://doi.org/10.21427/qnen-gg90>

ESPAD Ireland 2024 is available on line at www.tri.ie/espac-ireland and
<https://doi.org/10.21427/bqh8-5p87>

Contents

CLICK ICONS TO NAVIGATE

5	List of Tables
10	A Closer Look at Teenager Smoking and E-Cigarette Use through Family, Peer, and School Data
10	Factors Associated with Cigarette Use
10	Socioeconomic Status
11	Familial Regulation
13	Parental and Peer Support
15	Teenager School-Related Measures
16	Peer and Parental Substance Use
18	Teenager Polysubstance Use
19	Substance-Use Prevention Activities
19	Factors Associated with E-Cigarette Use
19	Socioeconomic Status
20	Familial Regulation
21	Parental and Peer Support
22	Teenager School-Related Measures
23	Peer and Parental Substance Use
28	Teenager Polysubstance Use
29	A Closer Look at Teenager Alcohol Use through Family, Peer, and School Data
29	Alcohol Use
29	Prevalence
31	Perceived Availability
33	Level of Intoxication
34	Factors Associated with Alcohol Use
34	Socioeconomic Status
35	Familial Regulation
36	Parental and Peer Support
37	Teenager School-Related Measures
39	Peer and Parental Substance Use
41	Teenager Polysubstance Use



ToC

43	A Closer Look at Teenager Use of Cannabis and Other Illicit Drugs and Substances through Family, Peer, and School Data
43	Cannabis Use
43	Prevalence
45	Factors Associated with Cannabis Use
45	Socioeconomic Status
46	Familial Regulation
48	Parental and Peer Support
49	Teenager School-Related Measures
50	Peer and Parental Substance Use
51	Teenager Polysubstance Use
54	Other Illicit Drug and Substance Use
54	Prevalence
56	A Closer Look at Teenager Gambling through Family, Peer, and School Data
56	Factors Associated with Gambling
56	Socioeconomic Status
59	Familial Regulation
64	Parental and Peer Support
69	Teenager School-Related Measures
72	Peer Substance Use
74	Teenager Gambling and Substance Use
78	TFRI ESPAD Publications 2015-2024
81	ESPAD Ireland 2024 Student Questionnaire
112	Acknowledgements
113	Research Team
	ESPAD Ireland 2024 Report



List of Tables

10	Table S3.1 Associations between paternal education and cigarette use
10	Table S3.2 Associations between maternal education and cigarette use
11	Table S3.3 Associations between perceived relative familial wealth and cigarette use
11	Table S3.4 Associations between parental rule-setting in the home and cigarette use
11	Table S3.5 Associations between parental rule-setting outside the home and cigarette use
12	Table S3.6 Associations between parental knowledge of children's evening company and cigarette use
12	Table S3.7 Associations between parental knowledge of children's evening whereabouts and cigarette use
12	Table S3.8 Associations between maternal reaction to cigarette use and cigarette use
13	Table S3.9 Associations between paternal reaction to cigarette use and cigarette use
13	Table S3.10 Associations between ease of borrowing money from parent(s) and cigarette use
13	Table S3.11 Associations between ease of receiving money from parent(s) and cigarette use
14	Table S3.12 Associations between satisfaction with maternal relationship and cigarette use
14	Table S3.13 Associations between satisfaction with paternal relationship and cigarette use
14	Table S3.14 Associations between satisfaction with peer relationships and cigarette use
15	Table S3.15 Associations between school absence through illness and cigarette use
15	Table S3.16 Associations between school absence through other reasons and cigarette use
15	Table S3.17 Associations between educational attainment and cigarette use
16	Table S3.18 Associations between peer e-cigarette use and cigarette use
16	Table S3.19 Associations between peer alcohol use and cigarette use
16	Table S3.20 Associations between peer drunkenness and cigarette use
17	Table S3.21 Associations between peer cannabis use and cigarette use
17	Table S3.22 Associations between parental e-cigarette use and cigarette use
17	Table S3.23 Associations between parental alcohol use and cigarette use
17	Table S3.24 Associations between parental intoxication and cigarette use
18	Table S3.25 Associations between e-cigarette use and cigarette use
18	Table S3.26 Associations between alcohol use and cigarette use
18	Table S3.27 Associations between cannabis use and cigarette use
19	Table S3.28 Associations between tobacco education activities and cigarette use
19	Table S3.29 Associations between paternal education and e-cigarette use
20	Table S3.30 Associations between maternal education and e-cigarette use
20	Table S3.31 Associations between perceived relative familial wealth and e-cigarette use
20	Table S3.32 Associations between parental rule-setting in the home and e-cigarette use
21	Table S3.33 Associations between parental rule-setting outside the home and e-cigarette use



- 21 Table S3.34 Associations between parental knowledge of children's evening company and e-cigarette use
- 21 Table S3.35 Associations between parental knowledge of children's evening whereabouts and e-cigarette use
- 22 Table S3.36 Associations between maternal reaction to e-cigarette use and e-cigarette use
- 22 Table S3.37 Associations between paternal reaction to e-cigarette use and e-cigarette use
- 22 Table S3.38 Associations between ease of borrowing money from parent(s) and e-cigarette use
- 23 Table S3.39 Associations between ease of receiving money from parent(s) and e-cigarette use
- 23 Table S3.40 Associations between satisfaction with maternal relationship and e-cigarette use
- 23 Table S3.41 Associations between satisfaction with paternal relationship and e-cigarette use
- 24 Table S3.42 Associations between satisfaction with peer relationships and e-cigarette use
- 24 Table S3.43 Associations between school absence through illness and e-cigarette use
- 24 Table S3.44 Associations between school absence through other reasons and e-cigarette use
- 25 Table S3.45 Associations between educational attainment and e-cigarette use
- 25 Table S3.46 Associations between peer cigarette use and e-cigarette use
- 25 Table S3.47 Associations between peer e-cigarette use and teenager e-cigarette use
- 26 Table S3.48 Associations between peer alcohol use and e-cigarette use
- 26 Table S3.49 Associations between peer drunkenness and e-cigarette use
- 26 Table S3.50 Associations between peer cannabis use and e-cigarette use
- 26 Table S3.51 Associations between parental cigarette use and e-cigarette use
- 27 Table S3.52 Associations between parental e-cigarette use and teenager e-cigarette use
- 27 Table S3.53 Associations between parental alcohol use and e-cigarette use
- 27 Table S3.54 Associations between parental drunkenness and e-cigarette use
- 28 Table S3.55 Associations between cigarette use and e-cigarette use
- 28 Table S3.56 Associations between alcohol use and e-cigarette use
- 28 Table S3.57 Associations between cannabis use and e-cigarette use
- 29 Table S4.1 Beer: prevalence of use in the last 30 days
- 29 Table S4.2 Cider: prevalence of use in the last 30 days
- 30 Table S4.3 Premixed drinks: prevalence of use in the last 30 days
- 30 Table S4.4 Wine: prevalence of use in the last 30 days
- 31 Table S4.5 Spirits: prevalence of use in the last 30 days
- 31 Table S4.6 Perceived availability of beer
- 32 Table S4.7 Perceived availability of cider
- 32 Table S4.8 Perceived availability of premixed drinks
- 32 Table S4.9 Perceived availability of wine
- 33 Table S4.10 Perceived availability of spirits
- 33 Table S4.11 Level of intoxication on last day of alcohol use
- 34 Table S4.12 Associations between paternal education and alcohol use



34	Table S4.13 Associations between maternal education and alcohol use
34	Table S4.14 Associations between perceived relative familial wealth and alcohol use
35	Table S4.15 Associations between parental rule-setting in the home and alcohol use
35	Table S4.16 Associations between parental rule-setting outside the home and alcohol use
35	Table S4.17 Associations between parental knowledge of children's evening company and alcohol use
36	Table S4.18 Associations between parental knowledge of children's evening whereabouts and alcohol use
36	Table S4.19 Associations between maternal reaction to getting drunk and alcohol use
36	Table S4.20 Associations between paternal reaction to getting drunk and alcohol use
37	Table S4.21 Associations between ease of borrowing money from parent(s) and alcohol use
37	Table S4.22 Associations between ease of receiving money from parent(s) and alcohol use
37	Table S4.23 Associations between satisfaction with maternal relationship and alcohol use
38	Table S4.24 Associations between satisfaction with paternal relationship and alcohol use
38	Table S4.25 Associations between satisfaction with peer relationships and alcohol use
38	Table S4.26 Associations between alcohol use and school absence through illness
39	Table S4.27 Associations between alcohol use and school absence through other reasons
39	Table S4.28 Associations between educational attainment and alcohol use
39	Table S4.29 Associations between peer cigarette use and alcohol use
39	Table S4.30 Associations between peer e-cigarette use and alcohol use
40	Table S4.31 Associations between peer cannabis use and alcohol use
40	Table S4.32 Associations between peer intoxication and alcohol use
40	Table S4.33 Associations between parental cigarette use and alcohol use
40	Table S4.34 Associations between parental e-cigarette use and alcohol use
41	Table S4.35 Associations between parental cannabis use and alcohol use
41	Table S4.36 Associations between parental drunkenness and alcohol use
41	Table S4.37 Associations between cigarette use and lifetime alcohol use
41	Table S4.38 Associations between cigarette use and current alcohol use
42	Table S4.39 Associations between e-cigarette use and lifetime alcohol use
42	Table S4.40 Associations between e-cigarette use and current alcohol use
42	Table S4.41 Associations between cannabis use and lifetime alcohol use
42	Table S4.42 Associations between cannabis use and current alcohol use
43	Table S5.1 Cannabis resin/hashish: prevalence of use in the last 12 months
43	Table S5.2 Herbal cannabis/weed: prevalence of use in the last 12 months
44	Table S5.3 Cannabis oil: prevalence of use in the last 12 months
44	Table S5.4 Edible cannabis-based products: prevalence of use in the last 12 months
44	Table S5.5 Cannabis-based e-liquids: prevalence of use in the last 12 months
45	Table S5.6 Associations between paternal education and cannabis use



45	Table S5.7 Associations between maternal education and cannabis use
46	Table S5.8 Associations between perceived relative familial wealth and cannabis use
46	Table S5.9 Associations between parental rule-setting in the home and cannabis use
46	Table S5.10 Associations between parental rule-setting outside the home and cannabis use
47	Table S5.11 Associations between parental knowledge of children's evening company and cannabis use
47	Table S5.12 Associations between parental knowledge of children's evening whereabouts and cannabis use
47	Table S5.13 Associations between maternal reaction to using cannabis and cannabis use
47	Table S5.14 Associations between paternal reaction to using cannabis and cannabis use
48	Table S5.15 Associations between ease of borrowing money from parent(s) and cannabis use
48	Table S5.16 Associations between ease of receiving money from parent(s) and cannabis use
48	Table S5.17 Associations between satisfaction with maternal relationship and cannabis use
49	Table S5.18 Associations between satisfaction with paternal relationship and cannabis use
49	Table S5.19 Associations between satisfaction with peer relationships and cannabis use
49	Table S5.20 Associations between school absence through illness and cannabis use
50	Table S5.21 Associations between school absence through other reasons and cannabis use
50	Table S5.22 Associations between educational attainment and cannabis use
50	Table S5.23 Associations between peer cigarette use and cannabis use
50	Table S5.24 Associations between peer e-cigarette use and cannabis use
51	Table S5.25 Associations between peer alcohol use and cannabis use
51	Table S5.26 Associations between peer drunkenness and cannabis use
51	Table S5.27 Associations between parental cigarette use and cannabis use
51	Table S5.28 Associations between parental e-cigarette use and cannabis use
52	Table S5.29 Associations between parental alcohol use and cannabis use
52	Table S5.30 Associations between parental drunkenness and cannabis use
52	Table S5.31 Associations between cigarette use and lifetime cannabis use
52	Table S5.32 Associations between cigarette use and current cannabis use
53	Table S5.33 Associations between e-cigarette use and lifetime cannabis use
53	Table S5.34 Associations between e-cigarette use and current cannabis use
53	Table S5.35 Associations between alcohol use and lifetime cannabis use
53	Table S5.36 Associations between alcohol use and current cannabis use
54	Table S5.37 Tranquillisers or sedatives with prescription: prevalence of lifetime use
54	Table S5.38 Tranquillisers or sedatives without prescription: prevalence of lifetime use
54	Table S5.39 Drugs for attention or hyperactivity with prescription: prevalence of lifetime use
55	Table S5.40 Drugs for attention or hyperactivity without prescription: prevalence of lifetime use
55	Table S5.41 Painkillers in order to get high without prescription: prevalence of lifetime use
55	Table S5.42 Sleeping tablets without prescription: prevalence of lifetime use



- 56** Table S6.1 Associations between paternal education and gambling in the last 12 months
- 57** Table S6.2 Associations between maternal education and gambling in the last 12 months
- 58** Table S6.3 Associations between perceived relative familial wealth and gambling in the last 12 months
- 59** Table S6.4 Associations between parental rule-setting in the home and gambling in the last 12 months
- 60** Table S6.5 Associations between parental rule-setting outside the home and gambling in the last 12 months
- 61** Table S6.6 Associations between parental knowledge of children's evening company and gambling in the last 12 months
- 62** Table S6.7 Associations between parental knowledge of children's evening whereabouts and gambling in the last 12 months
- 63** Table S6.8 Associations between parental monitoring of children's whereabouts on Saturday nights and gambling in the last 12 months
- 64** Table S6.9 Associations between ease of borrowing money from parent(s) and gambling in the last 12 months
- 65** Table S6.10 Associations between ease of receiving money from parent(s) and gambling in the last 12 months
- 66** Table S6.11 Associations between satisfaction with maternal relationship and gambling in the last 12 months
- 67** Table S6.12 Associations between satisfaction with paternal relationship and gambling in the last 12 months
- 68** Table S6.13 Associations between satisfaction with peer relationships and gambling in the last 12 months
- 69** Table S6.14 Associations between school absence through illness and gambling in the last 12 months
- 70** Table S6.15 Associations between school absence through truancy and gambling in the last 12 months
- 71** Table S6.16 Associations between school absence through other reasons and gambling in the last 12 months
- 72** Table S6.17 Associations between educational attainment and gambling in the last 12 months
- 72** Table S6.18 Associations between peer cigarette use and gambling in the last 12 months
- 73** Table S6.19 Associations between peer e-cigarette use and gambling in the last 12 months
- 73** Table S6.20 Associations between peer alcohol use and gambling in the last 12 months
- 74** Table S6.21 Associations between cigarette use and gambling in the last 12 months
- 75** Table S6.22 Associations between e-cigarette use and gambling in the last 12 months
- 76** Table S6.23 Associations between alcohol use and gambling in the last 12 months
- 77** Table S6.24 Associations between cannabis use and gambling in the last 12 months



A Closer Look at Teenager Smoking and E-Cigarette Use through Family, Peer, and School Data¹

Factors Associated with Cigarette Use

Socioeconomic Status

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and measures of socioeconomic status, namely paternal and maternal education levels, and students' perceptions of their family's wealth relative to other families in Ireland.

Table S3.1 Associations between paternal education and cigarette use
(Q. C50. What is the highest level of education your father completed?)

Smoking Status	Father's Education, p=0.54						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/Does not apply
Never	1362 (76.3)	31 (70.5)	180 (70.9)	204 (74.7)	100 (74.6)	703 (77.9)	126 (83.4)
Ever	423 (23.7)	13 (29.5)	74 (29.1)	69 (25.3)	34 (25.4)	200 (22.1)	25 (16.6)
Current (last 30 days)	206 (11.5)	5 (11.4)	40 (15.7)	33 (12.1)	16 (11.9)	94 (10.4)	13 (8.6)
Total	1785 (100.0)	44 (2.5)	254 (14.2)	273 (15.3)	134 (7.5)	903 (50.6)	151 (8.5)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=26).

Table S3.2 Associations between maternal education and cigarette use
(Q. C51. What is the highest level of education your mother completed?)

Smoking Status	Mother's Education, p=0.22						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/Does not apply
Never	1362 (76.3)	18 (81.8)	59 (65.6)	193 (75.7)	144 (76.2)	842 (76.7)	92 (81.4)
Ever	423 (23.7)	4 (18.2)	31 (34.4)	62 (24.3)	45 (23.8)	256 (23.3)	21 (18.6)
Current (last 30 days)	206 (11.5)	1 (4.5)	14 (15.6)	30 (11.8)	23 (12.2)	129 (11.7)	6 (5.3)
Total	1785 (100.0)	22 (1.2)	90 (5.0)	255 (14.3)	189 (10.6)	1098 (61.5)	113 (6.3)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=18).



¹ Additional analyses related to Chapter 3, Smoking and E-Cigarette Use, [ESPAD Ireland 2024](#)

Table S3.3 Associations between perceived relative familial wealth and cigarette use
(Q. C52. How well off is your family compared to other families in your country?)

Smoking Status	Perceived Relative Familial Wealth, $p<0.001$							
	Total	Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
Never	1345 (76.2)	78 (74.3)	202 (77.7)	463 (79.1)	512 (76.6)	67 (65.0)	9 (40.9)	14 (63.6)
Ever	420 (23.8)	27 (25.7)	58 (22.3)	122 (20.9)	156 (23.4)	36 (35.0)	13 (59.1)	8 (36.4)
Current (last 30 days)	203 (11.5)	17 (16.2)	26 (10.0)	50 (8.5)	74 (11.1)	25 (24.3)	5 (22.7)	6 (27.3)
Total	1765 (100)	105 (5.9)	260 (14.7)	585 (33.1)	668 (37.8)	103 (5.8)	22 (1.2)	22 (1.2)

Familial Regulation

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and a range of familial regulation measures and attitudes, such as how much parents set rules about what students can do, both at home and outside home, parental monitoring of students' whereabouts in the evenings, and with whom they spend their time, and students' perceptions of their parents' attitudes to cigarette use. Associations between another measure of familial monitoring (of teenagers' whereabouts on Saturday nights) and teenager cigarette use are described in the main ESPAD report.

Table S3.4 Associations between parental rule-setting in the home and cigarette use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do at home)

Smoking Status	Parental Rule-Setting in the Home, $p=0.18$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1357 (76.3)	228 (79.2)	344 (77.3)	445 (77.0)	170 (73.6)	170 (72.0)
Ever	421 (23.7)	60 (20.8)	101 (22.7)	133 (23.0)	61 (26.4)	66 (28.0)
Current (last 30 days)	204 (11.5)	32 (11.1)	43 (9.7)	61 (10.6)	28 (12.1)	40 (16.9)
Total	1778 (100)	288 (16.2)	445 (25.0)	578 (32.5)	231 (13.0)	236 (13.3)

Table S3.5 Associations between parental rule-setting outside the home and cigarette use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do outside the home)

Smoking Status	Parental Rule-Setting outside the Home, $p=0.34$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1349 (76.3)	253 (79.8)	367 (78.6)	425 (75.6)	170 (74.2)	134 (69.4)
Ever	419 (23.7)	64 (20.2)	100 (21.4)	137 (24.4)	59 (25.8)	59 (30.6)
Current (last 30 days)	202 (11.4)	29 (9.1)	44 (9.4)	65 (11.6)	31 (13.5)	33 (17.1)
Total	1768 (100)	317 (17.9)	467 (26.4)	562 (31.8)	229 (13.0)	193 (10.9)



Table S3.6 Associations between parental knowledge of children's evening company and cigarette use

(Q. C54. How often do the following statements apply to you? My parent(s) know whom I am with in the evenings)

Smoking Status	Parental Knowledge of Children's Evening Company, p<0.001					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1346 (76.2)	875 (82.0)	298 (74.7)	110 (60.1)	26 (43.3)	37 (64.9)
Ever	420 (23.8)	192 (18.0)	101 (25.3)	73 (39.9)	34 (56.7)	20 (35.1)
Current (last 30 days)	203 (11.5)	89 (8.3)	50 (12.5)	36 (19.7)	16 (26.7)	12 (21.1)
Total	1766 (100)	1067 (60.4)	399 (22.6)	183 (10.4)	60 (3.4)	57 (3.2)

Table S3.7 Associations between parental knowledge of children's evening whereabouts and cigarette use

(Q. C54. How often do the following statements apply to you? My parent(s) know where I am in the evenings)

Smoking Status	Parental Knowledge of Children's Evening Whereabouts, p<0.001					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1347 (76.2)	935 (82.0)	277 (71.6)	86 (57.0)	23 (48.9)	26 (60.5)
Ever	421 (23.8)	205 (18.0)	110 (28.4)	65 (43.0)	24 (51.1)	17 (39.5)
Current (last 30 days)	204 (11.5)	88 (7.7)	59 (15.2)	37 (24.5)	9 (19.1)	11 (25.6)
Total	1768 (100)	1140 (64.5)	387 (21.9)	151 (8.5)	47 (2.7)	43 (2.4)

Table S3.8 Associations between maternal reaction to cigarette use and cigarette use

(Q. O17. What do you think your mother's reaction would be if you did the following things? Smoke cigarettes)

Smoking Status	Mother's reaction to Smoking Cigarettes, p<0.001					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't Know
Never	1318 (76.5)	1158 (79.8)	104 (55.3)	8 (34.8)	6 (60.0)	42 (85.7)
Ever	404 (23.5)	294 (20.2)	84 (44.7)	15 (65.2)	4 (40.0)	7 (14.3)
Current (last 30 days)	196 (11.4)	126 (8.7)	48 (25.5)	13 (56.5)	2 (20.0)	7 (14.3)
Total	1722 (100.0)	1452 (84.3)	188 (10.9)	23 (1.3)	10 (0.6)	49 (2.8)



Table S3.9 Associations between paternal reaction to cigarette use and cigarette use
(Q. O18. What do you think your father's reaction would be if you did the following things? Smoke cigarettes)

Smoking Status	Father's Reaction to Smoking Cigarettes, $p<0.001$					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't Know
Never	1313 (76.5)	1102 (80.3)	115 (62.2)	17 (42.5)	9 (52.9)	70 (69.3)
Ever	403 (23.5)	271 (19.7)	70 (37.8)	23 (57.5)	8 (47.1)	31 (30.7)
Current (last 30 days)	195 (11.4)	121 (8.8)	35 (18.9)	15 (37.5)	4 (23.5)	20 (19.8)
Total	1716 (100.0)	1373 (80.0)	185 (10.8)	40 (2.3)	17 (1.0)	101 (5.9)

Parental and Peer Support

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and parental financial support, namely ease of borrowing and receiving money from parents, and students' satisfaction with their relationships with parents and friends.

Table S3.10 Associations between ease of borrowing money from parent(s) and cigarette use
(Q. C54. How often do the following statements apply to you? I can easily borrow money from my mother and/or father)

Smoking Status	Ease of Borrowing Money from Parent(s), $p<0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1348 (76.2)	483 (79.3)	404 (78.8)	310 (73.5)	89 (65.0)	62 (70.5)
Ever	421 (23.8)	126 (20.7)	109 (21.2)	112 (26.5)	48 (35.0)	26 (29.5)
Current (last 30 days)	204 (11.5)	64 (10.5)	46 (9.0)	52 (12.3)	22 (16.1)	20 (22.7)
Total	1769 (100)	609 (34.4)	513 (29.0)	422 (23.9)	137 (7.7)	88 (5.0)

Table S3.11 Associations between ease of receiving money from parent(s) and cigarette use
(Q. C54. How often do the following statements apply to you? I can easily get money as a gift from my mother and/or father)

Smoking Status	Ease of Receiving Money from Parent(s), $p=0.04$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1347 (76.2)	439 (78.5)	350 (77.8)	357 (77.4)	137 (69.5)	64 (64.0)
Ever	420 (23.8)	120 (21.5)	100 (22.2)	104 (22.6)	60 (30.5)	36 (36.0)
Current (last 30 days)	204 (11.5)	59 (10.6)	43 (9.6)	50 (10.8)	32 (16.2)	20 (20.0)
Total	1767 (100)	559 (31.6)	450 (25.5)	461 (26.1)	197 (11.1)	100 (5.7)



Table S3.12 Associations between satisfaction with maternal relationship and cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your mother?)

Smoking Status	Satisfaction – Relationship with Mother, p<0.001						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1329 (76.6)	694 (82.7)	453 (73.3)	83 (65.9)	68 (69.4)	22 (52.4)	9 (75.0)
Ever	406 (23.4)	145 (17.3)	165 (26.7)	43 (34.1)	30 (30.6)	20 (47.6)	3 (25.0)
Current (last 30 days)	197 (11.4)	66 (7.9)	82 (13.3)	21 (16.7)	12 (12.2)	13 (31.0)	3 (25.0)
Total	1735 (100.0)	839 (48.4)	618 (35.6)	126 (7.3)	98 (5.6)	42 (2.4)	12 (0.7)

Table S3.13 Associations between satisfaction with paternal relationship and cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your father?)

Smoking Status	Satisfaction – Relationship with Father, p<0.001						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1317 (76.5)	628 (83.3)	445 (75.7)	109 (71.2)	57 (64.8)	42 (51.9)	36 (62.1)
Ever	405 (23.5)	126 (16.7)	143 (24.3)	44 (28.8)	31 (35.2)	39 (48.1)	22 (37.9)
Current (last 30 days)	197 (11.4)	59 (7.8)	73 (12.4)	17 (11.1)	12 (13.6)	23 (28.4)	13 (22.4)
Total	1722 (100.0)	754 (43.8)	588 (34.1)	153 (8.9)	88 (5.1)	81 (4.7)	58 (3.4)

Table S3.14 Associations between satisfaction with peer relationships and cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your friends?)

Smoking Status	Satisfaction – Relationship with Friends, p=0.03						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1317 (76.4)	584 (78.3)	548 (75.9)	119 (72.6)	42 (73.7)	19 (79.2)	5 (50.0)
Ever	406 (23.6)	162 (21.7)	174 (24.1)	45 (27.4)	15 (26.3)	5 (20.8)	5 (50.0)
Current (last 30 days)	197 (11.4)	80 (10.7)	76 (10.5)	26 (15.9)	10 (17.5)	1 (4.2)	4 (40.0)
Total	1723 (100.0)	746 (43.3)	722 (41.9)	164 (9.5)	57 (3.3)	24 (1.4)	10 (0.6)



Teenager School-Related Measures

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and three school-related measures, namely school absence through illness or for some other reason, and the student's reported average grade. Associations between school absence through truancy and teenager cigarette use are described in the main ESPAD report.

Table S3.15 Associations between school absence through illness and cigarette use

(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because of illness)

Smoking Status	Missing school – Illness, $p=0.01$						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1250 (76.1)	507 (80.1)	214 (74.8)	203 (75.5)	188 (73.2)	66 (75.0)	72 (65.5)
Ever	393 (23.9)	126 (19.9)	72 (25.2)	66 (24.5)	69 (26.8)	22 (25.0)	38 (34.5)
Current (last 30 days)	197 (12.0)	59 (9.3)	34 (11.9)	30 (11.2)	34 (13.2)	15 (17.0)	25 (22.7)
Total	1643 (100.0)	633 (38.5)	286 (17.4)	269 (16.4)	257 (15.6)	88 (5.4)	110 (6.7)

Table S3.16 Associations between school absence through other reasons and cigarette use

(Q. C04. During the last 30 days on how many days have you missed one or more lessons? For other reasons)

Smoking Status	Missing school – Other Reasons, $p<0.001$						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1332 (76.2)	561 (79.7)	309 (78.2)	205 (75.9)	144 (72.0)	54 (73.0)	59 (56.2)
Ever	416 (23.8)	143 (20.3)	86 (21.8)	65 (24.1)	56 (28.0)	20 (27.0)	46 (43.8)
Current (last 30 days)	208 (11.9)	58 (8.2)	39 (9.9)	39 (14.4)	33 (16.5)	9 (12.2)	30 (28.6)
Total	1748 (100.0)	704 (40.3)	395 (22.6)	270 (15.4)	200 (11.4)	74 (4.2)	105 (6.0)

Table S3.17 Associations between educational attainment and cigarette use

(Q. O15. Which of the following best describes your average grade at the end of the last term?)

Smoking Status	Average Grade, $p<0.001$				
	Total	A and B	C	D	E or lower
Never	1323 (76.8)	814 (83.4)	398 (69.9)	92 (65.2)	19 (51.4)
Ever	400 (23.2)	162 (16.6)	171 (30.1)	49 (34.8)	18 (48.6)
Current (last 30 days)	192 (11.1)	75 (7.7)	79 (13.9)	28 (19.9)	10 (27.0)
Total	1723 (100.0)	976 (56.6)	569 (33.0)	141 (8.2)	37 (2.1)



Peer and Parental Substance Use

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and their friends' and parents' use of a range of substances, such as e-cigarettes, alcohol and cannabis.

Table S3.18 Associations between peer e-cigarette use and cigarette use
(Q. O19a. How many of your friends would you estimate ... use e-cigarettes?)

Smoking Status	Peer E-cigarette Use, $p < 0.001$					
	Total	None	A few	Some	Most	All
Never	1313 (76.7)	463 (93.9)	463 (80.0)	208 (73.2)	161 (50.8)	18 (47.4)
Ever	398 (23.3)	30 (6.1)	116 (20.0)	76 (26.8)	156 (49.2)	20 (52.6)
Current (last 30 days)	194 (11.3)	12 (2.4)	36 (6.2)	30 (10.6)	103 (32.5)	13 (34.2)
Total	1711 (100.0)	493 (28.8)	579 (33.8)	284 (16.6)	317 (18.5)	38 (2.2)

Table S3.19 Associations between peer alcohol use and cigarette use
(Q. O19a. How many of your friends would you estimate ... drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits?)

Smoking Status	Peer Alcohol Use, $p < 0.001$					
	Total	None	A few	Some	Most	All
Never	1311 (76.7)	355 (92.9)	388 (82.0)	243 (81.3)	273 (61.5)	52 (46.4)
Ever	399 (23.3)	27 (7.1)	85 (18.0)	56 (18.7)	171 (38.5)	60 (53.6)
Current (last 30 days)	195 (11.4)	11 (2.9)	28 (5.9)	27 (9.0)	88 (19.8)	41 (36.6)
Total	1710 (100.0)	382 (22.3)	473 (27.7)	299 (17.5)	444 (26.0)	112 (6.5)

Table S3.20 Associations between peer drunkenness and cigarette use
(Q. O19a. How many of your friends would you estimate ... get drunk?)

Smoking Status	Peer Drunkenness, $p < 0.001$					
	Total	None	A few	Some	Most	All
Never	1313 (76.7)	462 (94.1)	379 (78.6)	243 (76.9)	195 (56.4)	34 (44.2)
Ever	399 (23.3)	29 (5.9)	103 (21.4)	73 (23.1)	151 (43.6)	43 (55.8)
Current (last 30 days)	195 (11.4)	10 (2.0)	41 (8.5)	24 (7.6)	90 (26.0)	30 (39.0)
Total	1712 (100.0)	491 (28.7)	482 (28.2)	316 (18.5)	346 (20.2)	77 (4.5)



Table S3.21 Associations between peer cannabis use and cigarette use

(Q. O19a. How many of your friends would you estimate ... smoke cannabis?)

Smoking Status	Peer Cannabis Use, $p<0.001$					
	Total	None	A few	Some	Most	All
Never	1312 (76.7)	988 (85.9)	240 (63.7)	57 (50.4)	18 (32.1)	9 (60.0)
Ever	399 (23.3)	162 (14.1)	137 (36.3)	56 (49.6)	38 (67.9)	6 (40.0)
Current (last 30 days)	195 (11.4)	70 (6.1)	60 (15.9)	32 (28.3)	28 (50.0)	5 (33.3)
Total	1711 (100.0)	1150 (67.2)	377 (22.0)	113 (6.6)	56 (3.3)	15 (0.9)

Table S3.22 Associations between parental e-cigarette use and cigarette use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? use e-cigarettes)

Smoking Status	Parental E-cigarette Use, $p<0.001$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1289 (76.7)	891 (83.7)	113 (65.3)	70 (63.6)	91 (57.6)	124 (71.3)
Ever	391 (23.3)	174 (16.3)	60 (34.7)	40 (36.4)	67 (42.4)	50 (28.7)
Current (last 30 days)	190 (11.3)	67 (6.3)	34 (19.7)	26 (23.6)	38 (24.1)	25 (14.4)
Total	1680 (100.0)	1065 (63.4)	173 (10.3)	110 (6.5)	158 (9.4)	174 (10.4)

Table S3.23 Associations between parental alcohol use and cigarette use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits))

Smoking Status	Parental Alcohol Use, $p<0.01$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1291 (76.8)	146 (88.5)	84 (77.8)	36 (66.7)	988 (75.3)	37 (86.0)
Ever	391 (23.2)	19 (11.5)	24 (22.2)	18 (33.3)	324 (24.7)	6 (14.0)
Current (last 30 days)	190 (11.3)	5 (3.0)	11 (10.2)	12 (22.2)	161 (12.3)	1 (2.3)
Total	1682 (100.0)	165 (9.8)	108 (6.4)	54 (3.2)	1312 (78.0)	43 (2.6)

Table S3.24 Associations between parental intoxication and cigarette use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Get drunk)

Smoking Status	Parental Drunkenness, $p<0.001$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1287 (76.7)	321 (87.5)	95 (75.4)	29 (59.2)	719 (72.8)	123 (83.1)
Ever	391 (23.3)	46 (12.5)	31 (24.6)	20 (40.8)	269 (27.2)	25 (16.9)
Current (last 30 days)	190 (11.3)	19 (5.2)	15 (11.9)	11 (22.4)	139 (14.1)	6 (4.1)
Total	1678 (100.0)	367 (21.9)	126 (7.5)	49 (2.9)	988 (58.9)	148 (8.8)



Teenager Polysubstance Use

This section presents results from analyses that examine associations between teenagers' cigarette use (lifetime and current) and other substance use (e-cigarettes, alcohol, and cannabis).

Table S3.25 Associations between e-cigarette use and cigarette use
(Q. C10. Have you ever used e-cigarettes?)

Smoking Status	E-cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1430 (76.2)	1234 (96.7)	196 (15.4)	62 (21.0)
Ever	446 (23.8)	42 (3.3)	404 (84.6)	233 (79.0)
Current (last 30 days)	219 (11.7)	15 (1.2)	204 (94.9)	184 (62.4)
Total	1876 (100.0)	1276 (68.0)	600 (32.0)	295 (15.7)

Table S3.26 Associations between alcohol use and cigarette use
(Q. C17. On how many occasions (if any) have you had any alcoholic beverage to drink?
In your lifetime; During the last 12 months; During the last 30 days)

Smoking Status	Alcohol Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1428 (76.2)	603 (96.2)	825 (66.2)	360 (55.0)
Ever	446 (23.8)	24 (3.8)	422 (33.8)	295 (45.1)
Current (last 30 days)	219 (11.7)	7 (1.1)	212 (17.0)	170 (26.0)
Total	1874 (100.0)	627 (33.5)	1247 (66.5)	655 (35.0)

Table S3.27 Associations between cannabis use and cigarette use
(Q. C27. On how many occasions (if any) have you used cannabis? In your lifetime; During the last 12 months; During the last 30 days)

Smoking Status	Cannabis Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1432 (76.4)	1393 (84.3)	39 (17.6)	18 (19.6)
Ever	442 (23.6)	232 (15.7)	183 (82.4)	74 (80.4)
Current (last 30 days)	217 (11.6)	104 (6.3)	113 (50.9)	59 (64.1)
Total	1874 (100.0)	1625 (86.7)	249 (13.3)	92 (4.9)



Substance-Use Prevention Activities

This section presents results from analysis that examines associations between teenagers' cigarette use (lifetime and current) and their participation in tobacco education activities.

Table S3.28 Associations between tobacco education activities and cigarette use

(Q. C58. Think about the last two years. Do you recall having participated in the following activities? Awareness events/information activities about effects and possible harms of: Tobacco)

Smoking Status	Participation in Activities about Effects and Harms of Tobacco, p<0.001			
	Total	Never	Once	More than once
Never	1330 (76.4)	1026 (83.4)	174 (68.8)	130 (50.4)
Ever	411 (23.6)	204 (16.6)	79 (31.2)	128 (49.6)
Current (last 30 days)	198 (11.4)	87 (7.1)	32 (12.6)	79 (30.6)
Total	1741 (100.0)	1230 (70.6)	253 (14.5)	258 (14.8)

Factors Associated with E-Cigarette Use

Socioeconomic Status

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and measures of socioeconomic status, namely paternal and maternal education levels, and students' perceptions of their family's wealth relative to other families in Ireland.

Table S3.29 Associations between paternal education and e-cigarette use

(Q. C50. What is the highest level of education your father completed?)

E-cigarette Use	Father's Education, p=0.03						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	1207 (67.7)	30 (68.2)	149 (58.7)	185 (67.8)	90 (67.2)	621 (68.8)	117 (78.0)
Ever	576 (32.3)	14 (31.8)	105 (41.3)	88 (32.2)	44 (32.8)	281 (31.2)	33 (22.0)
Current (last 30 days)	282 (15.8)	7 (15.9)	58 (22.8)	33 (12.1)	27 (20.1)	133 (14.7)	18 (12.0)
Total	1783 (100.0)	44 (2.5)	254 (14.2)	273 (15.3)	134 (7.5)	902 (50.6)	150 (8.4)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=26).



Table S3.30 Associations between maternal education and e-cigarette use
(Q. C51. What is the highest level of education your mother completed?)

E-cigarette Use	Mother's Education, p=0.23						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	1207 (67.7)	15 (68.2)	52 (57.8)	168 (65.9)	743 (67.7)	88 (77.9)	11 (61.1)
Ever	565 (31.7)	7 (31.8)	38 (42.2)	87 (34.1)	354 (32.3)	25 (22.1)	7 (38.9)
Current (last 30 days)	282 (15.8)	3 (13.6)	23 (25.6)	38 (14.9)	169 (15.4)	11 (9.7)	4 (22.2)
Total	1783 (100.0)	22 (1.2)	90 (5.0)	255 (14.3)	1097 (61.5)	113 (6.3)	18 (1.0)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=18).

Table S3.31 Associations between perceived relative familial wealth and e-cigarette use
(Q. C52. How well off is your family compared to other families in your country?)

E-cigarette Use	Perceived Relative Familial Wealth, p<0.001							
	Total	Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
Never	1191 (67.6)	71 (67.6)	188 (72.3)	400 (68.4)	457 (68.6)	55 (53.4)	8 (36.4)	12 (54.5)
Ever	565 (32.0)	34 (32.4)	72 (27.7)	183 (31.3)	209 (31.4)	48 (46.6)	14 (63.6)	5 (22.7)
Current (last 30 days)	279 (15.8)	21 (20.0)	34 (13.1)	81 (13.8)	98 (14.7)	34 (33.0)	6 (27.3)	5 (22.7)
Total	1763 (100.0)	105 (6.0)	260 (14.7)	585 (33.2)	666 (37.8)	103 (5.8)	22 (1.2)	22 (1.2)

Familial Regulation

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and a range of familial regulation measures and attitudes, such as how much parents set rules about what students can do, both at home and outside home, parental monitoring of students' whereabouts in the evenings, and with whom they spend their time, and students' perceptions of their parents' attitudes to e-cigarette use. Associations between another measure of familial monitoring (of teenagers' whereabouts on Saturday nights) and teenager e-cigarette use are described in the main ESPAD report.

Table S3.32 Associations between parental rule-setting in the home and e-cigarette use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do at home)

E-cigarette Use	Parental Rule-Setting in the Home, p=0.14					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1202 (67.7)	198 (69.0)	308 (69.4)	400 (69.2)	148 (63.8)	148 (63.0)
Ever	494 (27.8)	69 (24.0)	106 (23.9)	178 (30.8)	121 (52.2)	20 (8.5)
Current (last 30 days)	280 (15.8)	51 (17.8)	63 (14.2)	77 (13.3)	43 (18.5)	46 (19.6)
Total	1776 (100.0)	287 (16.2)	444 (25.0)	578 (32.5)	232 (13.1)	235 (13.2)



Table S3.33 Associations between parental rule-setting outside the home and e-cigarette use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do outside the home)

E-cigarette Use	Parental Rule-Setting outside the Home, p=0.30					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1194 (67.6)	225 (71.2)	322 (69.1)	378 (67.3)	148 (64.9)	121 (62.4)
Ever	572 (32.3)	91 (28.8)	144 (30.9)	184 (32.7)	80 (35.1)	73 (37.6)
Current (last 30 days)	278 (15.7)	44 (13.9)	64 (13.7)	90 (16.0)	39 (17.1)	41 (21.1)
Total	1766 (100.0)	316 (17.9)	466 (26.4)	562 (31.8)	228 (12.9)	194 (11.0)

Table S3.34 Associations between parental knowledge of children's evening company and e-cigarette use

(Q. C54. How often do the following statements apply to you? My parent(s) know whom I am with in the evenings)

E-cigarette Use	Parental Knowledge of Children's Evening Company, p<0.001					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1191 (67.5)	796 (74.6)	240 (60.3)	100 (54.9)	23 (38.3)	32 (56.1)
Ever	573 (32.5)	271 (25.4)	158 (39.7)	82 (45.1)	37 (61.7)	25 (43.9)
Current (last 30 days)	279 (15.8)	123 (11.5)	76 (19.1)	43 (23.6)	20 (33.3)	17 (29.8)
Total	1764 (100.0)	1067 (60.5)	398 (22.6)	182 (10.3)	60 (3.4)	57 (3.2)

Table S3.35 Associations between parental knowledge of children's evening whereabouts and e-cigarette use

(Q. C54. How often do the following statements apply to you? My parent(s) know where I am in the evenings)

E-cigarette Use	Parental Knowledge of Children's Evening Whereabouts, p<0.001					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1193 (67.6)	849 (74.5)	224 (58.0)	74 (49.0)	22 (47.8)	24 (55.8)
Ever	573 (32.4)	291 (25.5)	162 (41.9)	77 (51.0)	24 (52.2)	19 (44.2)
Current (last 30 days)	279 (15.8)	124 (10.9)	83 (21.5)	44 (29.1)	14 (30.4)	14 (32.6)
Total	1766 (100.0)	1140 (64.6)	386 (21.9)	151 (8.6)	46 (2.6)	43 (2.4)



Table S3.36 Associations between maternal reaction to e-cigarette use and e-cigarette use
(Q. O17. What do you think your mother's reaction would be if you did the following things? Use e-cigarettes)

E-cigarette Use	Mother's Reaction to Using E-cigarettes, $p<0.001$					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't Know
Never	1162 (67.6)	996 (73.6)	108 (42.2)	13 (31.7)	7 (35.0)	38 (76.0)
Ever	558 (32.4)	357 (26.4)	148 (57.8)	28 (68.3)	13 (65.0)	12 (24.0)
Current (last 30 days)	272 (15.8)	143 (10.6)	89 (34.8)	22 (53.7)	11 (55.0)	7 (14.0)
Total	1720 (100.0)	1353 (78.7)	256 (14.9)	41 (2.4)	20 (1.2)	50 (2.9)

Table S3.37 Associations between paternal reaction to e-cigarette use and e-cigarette use
(Q. O18. What do you think your father's reaction would be if you did the following things? Use e-cigarettes)

E-cigarette Use	Father's Reaction to Using E-cigarettes, $p<0.001$					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't Know
Never	1158 (67.5)	969 (72.6)	104 (49.3)	18 (36.7)	5 (31.3)	62 (59.6)
Ever	557 (32.5)	366 (27.4)	107 (50.7)	31 (63.3)	11 (68.7)	42 (40.4)
Current (last 30 days)	271 (15.8)	159 (11.9)	55 (26.1)	22 (44.9)	9 (56.3)	26 (25.0)
Total	1715 (100.0)	1335 (77.8)	211 (12.3)	49 (2.9)	16 (0.9)	104 (6.1)

Parental and Peer Support

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and parental financial support, namely ease of borrowing and receiving money from parents, and students' satisfaction with their relationships with parents and friends.

Table S3.38 Associations between ease of borrowing money from parent(s) and e-cigarette use
(Q. C54. How often do the following statements apply to you? I can easily borrow money from my mother and/or father)

E-cigarette Use	Ease of Borrowing Money from Parent(s), $p=0.03$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1193 (67.5)	434 (71.5)	352 (68.8)	278 (65.7)	76 (55.5)	53 (60.2)
Ever	574 (32.5)	173 (28.5)	160 (31.2)	145 (34.3)	61 (44.5)	35 (39.8)
Current (last 30 days)	280 (15.8)	85 (14.0)	75 (14.6)	65 (15.4)	34 (24.8)	21 (23.9)
Total	1767 (100.0)	607 (34.4)	512 (29.0)	423 (23.9)	137 (7.8)	88 (5.0)



Table S3.39 Associations between ease of receiving money from parent(s) and e-cigarette use
(Q. C54. How often do the following statements apply to you? I can easily get money as a gift from my mother and/or father)

E-cigarette Use	Ease of Receiving Money from Parent(s), p=0.01					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1192 (67.5)	393 (70.6)	313 (69.6)	307 (66.6)	119 (60.4)	60 (60.0)
Ever	573 (32.5)	164 (29.4)	137 (30.4)	154 (33.4)	78 (39.6)	40 (40.0)
Current (last 30 days)	280 (15.9)	80 (14.4)	71 (15.8)	63 (13.7)	43 (21.8)	23 (23.0)
Total	1765 (100.0)	557 (31.6)	450 (25.5)	461 (26.1)	197 (11.2)	100 (5.7)

Table S3.40 Associations between satisfaction with maternal relationship and e-cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your mother?)

E-cigarette Use	Satisfaction - Relationship with Mother, p<0.001						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1173 (67.7)	624 (74.5)	395 (63.8)	71 (56.8)	57 (58.8)	17 (40.5)	9 (75.0)
Ever	560 (32.3)	214 (25.5)	224 (36.2)	54 (43.2)	40 (41.2)	25 (59.5)	3 (25.0)
Current (last 30 days)	273 (15.8)	87 (10.4)	118 (19.1)	32 (25.6)	17 (17.5)	18 (42.9)	1 (8.3)
Total	1733 (100.0)	838 (48.4)	619 (35.7)	125 (7.2)	97 (5.6)	42 (2.4)	12 (0.7)

Table S3.41 Associations between satisfaction with paternal relationship and e-cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your father?)

E-cigarette Use	Satisfaction - Relationship with Father, p<0.001						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1162 (67.6)	564 (74.9)	388 (65.9)	98 (64.5)	43 (48.9)	34 (42.5)	35 (60.3)
Ever	558 (32.4)	189 (25.1)	201 (34.1)	54 (35.5)	45 (51.1)	46 (57.5)	23 (39.7)
Current (last 30 days)	271 (15.8)	70 (9.3)	109 (18.5)	25 (16.4)	24 (27.3)	28 (35.0)	15 (25.9)
Total	1720 (100.0)	753 (43.8)	589 (34.2)	152 (8.8)	88 (5.1)	80 (4.7)	58 (3.4)



Table S3.42 Associations between satisfaction with peer relationships and e-cigarette use
(Q. O16. How satisfied are you usually with ... your relationship with your friends?)

E-cigarette Use	Satisfaction - Relationship with Friends, p=0.04						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1161 (67.5)	521 (70.0)	482 (66.8)	105 (64.0)	32 (56.1)	16 (66.7)	5 (50.0)
Ever	560 (32.5)	223 (30.0)	240 (33.2)	59 (36.0)	25 (43.9)	8 (33.3)	5 (50.0)
Current (last 30 days)	273 (15.9)	96 (12.9)	118 (16.3)	36 (22.0)	15 (26.3)	3 (12.5)	5 (50.0)
Total	1721 (100.0)	744 (43.2)	722 (42.0)	164 (9.5)	57 (3.3)	24 (1.4)	10 (0.6)

Teenager School-Related Measures

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and three school-related measures, namely school absence through illness or for some other reason, and the student's reported average grade. Associations between school absence through truancy and teenager e-cigarette use are described in the main ESPAD report.

Table S3.43 Associations between school absence through illness and e-cigarette use
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because of illness)

E-cigarette Use	Missing school - Illness, p=0.01						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1118 (68.1)	463 (73.1)	187 (65.4)	180 (67.2)	163 (63.2)	59 (67.0)	66 (60.6)
Ever	524 (31.9)	170 (26.9)	99 (34.6)	88 (32.8)	95 (36.8)	29 (33.0)	43 (39.4)
Current (last 30 days)	259 (15.8)	80 (12.6)	45 (15.7)	44 (16.4)	46 (17.8)	17 (19.3)	27 (24.8)
Total	1642 (100.0)	633 (38.6)	286 (17.4)	268 (16.3)	258 (15.7)	88 (5.4)	109 (6.6)

Table S3.44 Associations between school absence through other reasons and e-cigarette use
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? For other reasons)

E-cigarette Use	Missing school - Other Reasons, p<0.001						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1187 (67.9)	511 (72.6)	279 (70.6)	170 (63.0)	129 (64.5)	44 (59.5)	54 (51.9)
Ever	560 (32.1)	193 (27.4)	116 (29.4)	100 (37.0)	71 (35.5)	30 (40.5)	50 (48.1)
Current (last 30 days)	277 (15.9)	84 (11.9)	51 (12.9)	55 (20.4)	41 (20.5)	12 (16.2)	34 (32.7)
Total	1747 (100.0)	704 (40.3)	395 (22.6)	270 (15.5)	200 (11.4)	74 (4.2)	104 (6.0)



Table S3.45 Associations between educational attainment and e-cigarette use

(Q. O15. Which of the following best describes your average grade at the end of the last term?)

E-cigarette Use	Average Grade, p<0.01				
	Total	A and B	C	D	E or lower
Never	1168 (67.9)	718 (73.6)	355 (62.5)	79 (56.0)	16 (43.2)
Ever	553 (32.1)	257 (26.4)	213 (37.5)	63 (44.7)	20 (54.1)
Current (last 30 days)	266 (15.5)	115 (43.2)	100 (17.6)	37 (13.9)	14 (5.3)
Total	1721 (100.0)	975 (56.7)	568 (33.0)	141 (8.2)	37 (2.1)

Peer and Parental Substance Use

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and their friends' and parents' use of a range of substances, such as cigarettes, e-cigarettes, alcohol and cannabis.

Table S3.46 Associations between peer cigarette use and e-cigarette use

(Q. O19a. How many of your friends would you estimate ... smoke cigarettes?)

E-cigarette Use	Peer Cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
Never	1164 (67.8)	748 (78.0)	291 (57.9)	87 (55.8)	29 (34.1)	9 (60.0)
Ever	554 (32.2)	211 (21.9)	212 (42.1)	69 (44.2)	56 (65.9)	6 (40.0)
Current (last 30 days)	271 (15.8)	72 (7.5)	107 (21.3)	42 (26.9)	44 (51.8)	6 (40.0)
Total	1718 (100.0)	959 (55.8)	503 (29.3)	156 (9.1)	85 (4.9)	15 (0.9)

Table S3.47 Associations between peer e-cigarette use and teenager e-cigarette use

(Q. O19a. How many of your friends would you estimate ... use e-cigarettes?)

E-cigarette Use	Peer E-cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
Never	1158 (67.9)	449 (90.9)	414 (71.8)	163 (57.6)	117 (36.9)	15 (39.5)
Ever	551 (32.1)	45 (9.1)	163 (28.2)	120 (42.4)	200 (63.1)	23 (60.5)
Current (last 30 days)	269 (15.7)	11 (2.2)	46 (8.0)	49 (17.3)	140 (44.2)	23 (60.5)
Total	1709 (100.0)	494 (28.9)	577 (33.8)	283 (16.6)	317 (18.5)	38 (2.2)



Table S3.48 Associations between peer alcohol use and e-cigarette use

(Q. O19a. How many of your friends would you estimate ... drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits?))

E-cigarette Use	Peer Alcohol Use, p<0.001					
	Total	None	A few	Some	Most	All
Never	1156 (67.7)	346 (90.3)	352 (74.7)	206 (68.9)	212 (47.9)	40 (35.7)
Ever	552 (32.3)	37 (9.7)	119 (25.3)	93 (31.1)	231 (52.1)	72 (64.3)
Current (last 30 days)	270 (15.8)	10 (2.6)	38 (8.1)	40 (13.4)	129 (29.1)	53 (47.3)
Total	1708 (100.0)	383 (22.4)	471 (27.6)	299 (17.5)	443 (25.9)	112 (6.6)

Table S3.49 Associations between peer drunkenness and e-cigarette use

(Q. O19a. How many of your friends would you estimate ... get drunk?)

E-cigarette Use	Peer Drunkenness, p<0.001					
	Total	None	A few	Some	Most	All
Never	1157 (67.7)	446 (90.8)	335 (69.6)	207 (65.5)	141 (40.9)	28 (36.4)
Ever	553 (32.3)	57 (10.3)	146 (30.4)	109 (34.5)	204 (59.1)	49 (63.6)
Current (last 30 days)	271 (15.8)	11 (2.2)	51 (10.6)	44 (13.9)	128 (37.1)	37 (48.1)
Total	1710 (100.0)	491 (28.7)	481 (28.1)	316 (18.5)	345 (20.2)	77 (4.5)

Table S3.50 Associations between peer cannabis use and e-cigarette use

(Q. O19a. How many of your friends would you estimate ... smoke cannabis?)

E-cigarette Use	Peer Cannabis Use, p<0.001					
	Total	None	A few	Some	Most	All
Never	1157 (67.7)	897 (78.0)	192 (51.1)	44 (39.3)	16 (28.6)	8 (53.3)
Ever	552 (32.3)	253 (22.0)	184 (48.9)	68 (60.7)	40 (71.4)	7 (46.7)
Current (last 30 days)	270 (15.8)	96 (8.3)	90 (23.9)	46 (41.1)	31 (55.4)	7 (46.7)
Total	1709 (100.0)	1150 (67.3)	376 (22.0)	112 (6.6)	56 (3.3)	15 (0.9)

Table S3.51 Associations between parental cigarette use and e-cigarette use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Smoke cigarettes)

E-cigarette Use	Parental Cigarette Use, p<0.001					
	Total	None	Only father	Only mother	Both	Don't know
Never	1141 (67.8)	346 (86.3)	206 (68.7)	105 (66.5)	355 (54.1)	129 (76.3)
Ever	543 (32.2)	55 (13.7)	94 (31.3)	53 (33.5)	301 (45.9)	40 (23.7)
Current (last 30 days)	266 (15.8)	27 (6.7)	39 (13.0)	27 (17.1)	162 (24.7)	11 (6.5)
Total	1684 (100.0)	401 (23.8)	300 (17.8)	158 (9.4)	656 (39.0)	169 (10.0)



Table S3.52 Associations between parental e-cigarette use and teenager e-cigarette use
(Q. O19b. Do you think one or both of your parents have had any of these experiences? Use e-cigarettes)

E-cigarette Use	Parental E-cigarette Use, $p<0.001$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1136 (67.7)	811 (76.1)	96 (55.5)	55 (50.5)	70 (44.6)	104 (60.1)
Ever	542 (32.3)	255 (23.9)	77 (44.5)	54 (49.5)	87 (55.4)	69 (39.9)
Current (last 30 days)	265 (15.8)	107 (10.0)	44 (25.4)	32 (29.4)	52 (33.1)	30 (17.3)
Total	1678 (100.0)	1066 (63.5)	173 (10.3)	109 (6.5)	157 (9.4)	173 (10.3)

Table S3.53 Associations between parental alcohol use and e-cigarette use
(Q. O19b. Do you think one or both of your parents have had any of these experiences? Drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits))

E-cigarette Use	Parental Alcohol Use, $p<0.001$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1139 (67.8)	141 (85.5)	82 (75.9)	34 (63.0)	847 (64.7)	35 (81.4)
Ever	541 (32.2)	24 (14.5)	26 (24.1)	20 (37.0)	463 (35.3)	8 (18.6)
Current (last 30 days)	264 (15.7)	9 (5.5)	13 (12.0)	11 (20.4)	229 (17.5)	2 (4.7)
Total	1680 (100.0)	165 (9.8)	108 (6.4)	54 (3.2)	1310 (78.0)	43 (2.6)

Table S3.54 Associations between parental drunkenness and e-cigarette use
(Q. O19b. Do you think one or both of your parents have had any of these experiences? Get drunk)

E-cigarette Use	Parental Drunkenness, $p<0.001$					
	Total	None	Only father	Only mother	Both	Don't know
Never	1136 (67.7)	308 (83.9)	88 (69.8)	28 (57.1)	599 (60.7)	113 (76.4)
Ever	541 (32.3)	59 (16.1)	38 (30.2)	21 (42.9)	388 (39.3)	35 (23.6)
Current (last 30 days)	265 (15.8)	24 (6.5)	18 (14.3)	14 (28.6)	193 (19.6)	16 (10.8)
Total	1677 (100.0)	367 (21.9)	126 (7.5)	49 (2.9)	987 (58.9)	148 (8.8)



Teenager Polysubstance Use

This section presents results from analyses that examine associations between teenagers' e-cigarette use (lifetime and current) and other substance use (cigarettes, alcohol, and cannabis).

Table S3.55 Associations between cigarette use and e-cigarette use

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

E-cigarette Use	Cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1276 (68.0)	1234 (86.3)	42 (7.0)	15 (6.8)
Ever	600 (32.0)	196 (13.7)	404 (93.0)	204 (93.2)
Current (last 30 days)	295 (15.7)	62 (4.3)	233 (52.2)	184 (84.0)
Total	1876 (100.0)	1430 (76.2)	446 (23.8)	219 (11.7)

Table S3.56 Associations between alcohol use and e-cigarette use

(Q. C17. On how many occasions (if any) have you had any alcoholic beverage to drink? In your lifetime; During the last 12 months; During the last 30 days)

E-cigarette Use	Alcohol Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1272 (67.9)	588 (93.9)	684 (54.9)	277 (42.2)
Ever	601 (32.1)	38 (6.1)	563 (45.1)	379 (57.8)
Current (last 30 days)	295 (15.8)	8 (1.3)	287 (23.0)	232 (35.4)
Total	1873 (100.0)	626 (33.4)	1247 (66.6)	656 (35.2)

Table S3.57 Associations between cannabis use and e-cigarette use

(Q. C27. On how many occasions (if any) have you used cannabis? In your lifetime; During the last 12 months; During the last 30 days)

E-cigarette Use	Cannabis Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1276 (68.2)	1253 (75.9)	23 (10.4)	10 (10.9)
Ever	596 (31.8)	397 (24.1)	199 (89.6)	82 (89.1)
Current (last 30 days)	294 (15.7)	148 (9.0)	146 (65.8)	66 (71.7)
Total	1872 (100.0)	1650 (88.1)	222 (11.9)	92 (4.9)



A Closer Look at Teenager Alcohol Use through Family, Peer, and School Data²

Alcohol Use

Prevalence

This section presents results from analyses that examine prevalence of specific alcoholic drinks, namely beer, cider, premixed drinks, wine, and spirits.

Table S4.1 Beer: prevalence of use in the last 30 days

(Q. C18. Think back over the last 30 days. On how many occasions (if any) have you had any of the following to drink? Beer)

Number of Occasions	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Never	1414 (75.3)	623 (68.9)	767 (81.8)	24 (68.6)
Yes	463 (24.7)	281 (31.1)	171 (18.2)	11 (31.4)
1-2 times	285 (15.2)	151 (16.7)	125 (13.3)	9 (25.7)
3-5 times	99 (5.3)	73 (8.1)	26 (2.8)	0 (0.0)
6-9 times	41 (2.2)	28 (3.1)	12 (1.3)	1 (2.9)
10-19 times	27 (1.4)	20 (2.2)	6 (0.6)	1 (2.9)
20-39 times	6 (0.3)	4 (0.4)	2 (0.2)	0 (0.0)
40 or more times	5 (0.3)	5 (0.6)	0 (0.0)	0 (0.0)
Total	1877 (100.0)	904 (48.2)	938 (50.0)	35 (1.9)

$p < 0.001$

Table S4.2 Cider: prevalence of use in the last 30 days

(Q. C18. Think back over the last 30 days. On how many occasions (if any) have you had any of the following to drink? Cider)

Number of Occasions	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Never	1532 (81.8)	723 (80.1)	784 (83.7)	25 (73.5)
Yes	342 (18.2)	180 (19.9)	153 (16.3)	9 (26.5)
1-2 times	205 (10.9)	101 (11.2)	98 (10.5)	6 (17.6)
3-5 times	77 (4.1)	40 (4.4)	36 (3.8)	1 (2.9)
6-9 times	32 (1.7)	18 (2.0)	13 (1.4)	1 (2.9)
10-19 times	20 (1.1)	15 (1.7)	5 (0.5)	0 (0.0)
20-39 times	7 (0.4)	5 (0.6)	1 (0.1)	1 (2.9)
40 or more times	1 (0.1)	1 (0.1)	0 (0.0)	0 (0.0)
Total	1874 (100.0)	903 (48.2)	937 (50.0)	34 (1.8)

$p = 0.07$



² Additional analyses related to Chapter 4, Alcohol Use, [ESPAD Ireland 2024](#)

Table S4.3 Premixed drinks: prevalence of use in the last 30 days

(Q. C18. Think back over the last 30 days. On how many occasions (if any) have you had any of the following to drink? Premixed drinks (spritz, alcopops))

Number of Occasions	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Never	1512 (80.6)	790 (87.5)	695 (74.1)	27 (79.4)
Yes	363 (19.4)	113 (12.5)	243 (25.9)	7 (20.6)
1-2 times	240 (12.8)	75 (8.3)	163 (17.4)	2 (5.9)
3-5 times	70 (3.7)	20 (2.2)	48 (5.1)	2 (5.9)
6-9 times	32 (1.7)	9 (1.0)	22 (2.3)	1 (2.9)
10-19 times	11 (0.6)	3 (0.3)	7 (0.7)	1 (2.9)
20-39 times	3 (0.2)	1 (0.1)	2 (0.2)	0 (0.0)
40 or more times	7 (0.4)	5 (0.6)	1 (0.1)	1 (2.9)
Total	1875 (100.0)	903 (48.2)	938 (50.0)	34 (1.8)

$p < 0.001$

Table S4.4 Wine: prevalence of use in the last 30 days

(Q. C18. Think back over the last 30 days. On how many occasions (if any) have you had any of the following to drink? Wine)

Number of Occasions	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Never	1668 (89.1)	829 (91.9)	811 (86.6)	28 (82.4)
Yes	205 (10.9)	73 (8.1)	126 (13.4)	6 (17.6)
1-2 times	159 (8.5)	55 (6.1)	100 (10.7)	4 (11.8)
3-5 times	26 (1.4)	12 (1.3)	13 (1.4)	1 (2.9)
6-9 times	13 (0.7)	5 (0.6)	8 (0.9)	0 (0.0)
10-19 times	3 (0.2)	0 (0.0)	3 (0.3)	0 (0.0)
20-39 times	1 (0.1)	0 (0.0)	1 (0.1)	0 (0.0)
40 or more times	3 (0.2)	1 (0.1)	1 (0.1)	1 (2.9)
Total	1873 (100.0)	902 (48.2)	937 (50.0)	34 (1.8)

$p < 0.001$



Table S4.5 Spirits: prevalence of use in the last 30 days

(Q. C18. Think back over the last 30 days. On how many occasions (if any) have you had any of the following to drink? Spirits)

Number of Occasions	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Never	1492 (79.7)	750 (83.1)	718 (76.6)	24 (70.6)
Yes	381 (20.3)	152 (16.9)	219 (23.4)	10 (29.4)
1-2 times	236 (12.6)	93 (10.3)	138 (14.7)	5 (14.7)
3-5 times	80 (4.3)	33 (3.7)	45 (4.8)	2 (5.9)
6-9 times	34 (1.8)	13 (1.4)	19 (2.0)	2 (5.9)
10-19 times	21 (1.1)	9 (1.0)	12 (1.3)	0 (0.0)
20-39 times	7 (0.4)	4 (0.4)	3 (0.3)	0 (0.0)
40 or more times	3 (0.2)	0 (0.0)	2 (0.2)	1 (2.9)
Total	1873 (100.0)	902 (48.2)	937 (50.0)	34 (1.8)

$p < 0.001$

Perceived Availability

This section presents results from analyses that examine perceived difficulty in accessing specific alcoholic drinks, namely beer, cider, premixed drinks, wine, and spirits.

Table S4.6 Perceived availability of beer

(Q. C16. How difficult do you think it would be for you to get each of the following, if you wanted? Beer)

Difficulty Getting Beer	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Impossible	93 (5.0)	37 (4.1)	55 (5.9)	1 (2.9)
Very difficult	117 (6.2)	46 (5.1)	68 (7.2)	3 (8.8)
Fairly difficult	340 (18.1)	163 (18.0)	173 (18.4)	4 (11.8)
Fairly easy	615 (32.8)	294 (32.5)	316 (33.7)	5 (14.7)
Very easy	569 (30.3)	298 (33.0)	252 (26.9)	19 (55.9)
Don't know	142 (7.6)	66 (7.3)	74 (7.9)	2 (5.9)
Total	1876 (100.0)	904 (48.2)	938 (50.0)	34 (1.8)

$p = 0.01$



Table S4.7 Perceived availability of cider

(Q. C16. How difficult do you think it would be for you to get each of the following, if you wanted?
Cider)

Difficulty Getting Cider	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Impossible	96 (5.1)	40 (4.5)	54 (5.8)	2 (5.7)
Very difficult	133 (7.1)	60 (6.7)	70 (7.5)	3 (8.6)
Fairly difficult	330 (17.7)	153 (17.1)	172 (18.4)	5 (14.3)
Fairly easy	610 (32.7)	283 (31.5)	319 (34.2)	8 (22.9)
Very easy	509 (27.3)	272 (30.3)	222 (23.8)	15 (42.9)
Don't know	188 (10.1)	89 (9.9)	97 (10.4)	2 (5.7)
Total	1866 (100.0)	897 (48.1)	934 (50.1)	35 (1.9)

$p=0.10$

Table S4.8 Perceived availability of premixed drinks

(Q. C16. How difficult do you think it would be for you to get each of the following, if you wanted?
Premixed drinks (spritz, alcopops))

Difficulty Getting Premixed Drinks	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Impossible	112 (6.0)	49 (5.5)	61 (6.5)	2 (5.7)
Very difficult	156 (8.4)	82 (9.2)	73 (7.8)	1 (2.9)
Fairly difficult	370 (19.8)	193 (21.5)	173 (18.5)	4 (11.4)
Fairly easy	552 (29.6)	242 (27.0)	301 (32.2)	9 (25.7)
Very easy	418 (22.4)	194 (21.7)	209 (22.4)	15 (42.9)
Don't know	258 (13.8)	136 (15.2)	118 (12.6)	4 (11.4)
Total	1866 (100.0)	896 (48.0)	935 (50.1)	35 (1.9)

$p=0.03$

Table S4.9 Perceived availability of wine

(Q. C16. How difficult do you think it would be for you to get each of the following, if you wanted?
Wine)

Difficulty Getting Wine	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Impossible	116 (6.2)	57 (6.4)	58 (6.2)	1 (2.9)
Very difficult	204 (11.0)	96 (10.7)	105 (11.2)	3 (8.8)
Fairly difficult	415 (22.3)	207 (23.1)	204 (21.8)	4 (11.8)
Fairly easy	523 (28.1)	246 (27.5)	268 (28.7)	9 (26.5)
Very easy	396 (21.3)	180 (20.1)	200 (21.4)	16 (47.1)
Don't know	209 (11.2)	109 (12.2)	99 (10.6)	1 (2.9)
Total	1863 (100.0)	895 (48.0)	934 (50.1)	34 (1.8)

$p=0.06$



Table S4.10 Perceived availability of spirits

(Q. C16. How difficult do you think it would be for you to get each of the following, if you wanted? Spirits)

Difficulty Getting Spirits	Total N (%)	Male N (%)	Female N (%)	Rather not say N (%)
Impossible	136 (7.3)	66 (7.4)	68 (7.3)	2 (5.7)
Very difficult	197 (10.6)	91 (10.2)	103 (11.1)	3 (8.6)
Fairly difficult	340 (18.3)	175 (19.6)	160 (17.2)	5 (14.3)
Fairly easy	517 (27.8)	240 (26.9)	269 (28.9)	8 (22.9)
Very easy	411 (22.1)	194 (21.7)	204 (21.9)	13 (37.1)
Don't know	257 (13.8)	126 (14.1)	127 (13.6)	4 (11.4)
Total	1858 (100.0)	892 (48.0)	931 (50.1)	35 (1.9)

$p=0.70$

Level of Intoxication

This section presents results from analysis that examines level of intoxication on last day of alcohol use.

Table S4.11 Level of intoxication on last day of alcohol use

(Q. O07f. Please indicate on this scale from 1 to 10 how drunk you would say you were that last day you drank alcohol. (If you felt no effect at all you should mark "1".))

Intoxication Level	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
No effect (1)	672 (35.8)	327 (36.2)	330 (35.3)	15 (42.9)
Mild (2-3)	238 (12.7)	117 (12.9)	116 (12.4)	5 (14.3)
Moderate (4-6)	249 (13.3)	120 (13.3)	126 (13.5)	3 (8.6)
Substantial (7-8)	144 (7.7)	68 (7.5)	75 (8.0)	1 (2.9)
Heavily Intoxicated (9-10)	60 (3.2)	24 (2.7)	31 (3.3)	5 (14.3)
I never drink alcohol	512 (27.3)	248 (27.4)	258 (27.6)	6 (17.1)
Total	1875 (100.0)	904 (48.2)	936 (49.9)	35 (1.9)

$p=0.17$



Factors Associated with Alcohol Use

Socioeconomic Status

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and measures of socioeconomic status, namely paternal and maternal education levels, and students' perceptions of their family's wealth relative to other families in Ireland.

Table S4.12 Associations between paternal education and alcohol use
(Q. C50. What is the highest level of education your father completed?)

Alcohol Use	Father's Education						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	595 (33.4)	17 (38.6)	64 (25.2)	73 (26.7)	55 (41.0)	303 (33.6)	72 (48.3)
Lifetime, $p<0.001$	1186 (66.6)	27 (61.4)	190 (74.8)	200 (73.3)	79 (59.0)	598 (66.4)	77 (51.7)
Last 30 days, $p<0.001$	620 (34.8)	17 (38.6)	110 (43.5)	107 (39.3)	40 (30.1)	306 (34.0)	31 (20.9)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=26).

Table S4.13 Associations between maternal education and alcohol use
(Q. C51. What is the highest level of education your mother completed?)

Alcohol Use	Mother's Education						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	595 (33.4)	10 (45.5)	30 (33.3)	82 (32.0)	58 (30.7)	351 (32.1)	56 (50.0)
Lifetime, $p<0.01$	1186 (66.6)	12 (54.5)	60 (66.7)	174 (68.0)	131 (69.3)	743 (67.9)	56 (50.0)
Last 30 days, $p<0.01$	620 (34.9)	7 (31.8)	33 (36.7)	100 (39.1)	74 (39.4)	381 (35.0)	19 (17.0)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=18).

Table S4.14 Associations between perceived relative familial wealth and alcohol use
(Q. C52. How well off is your family compared to other families in your country?)

Alcohol Use	Perceived Relative Familial Wealth							
	Total	Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
Never	582 (33.0)	32 (30.5)	85 (32.9)	197 (33.7)	229 (34.3)	28 (27.2)	3 (13.6)	8 (38.1)
Lifetime, $p=0.37$	1179 (67.0)	73 (69.5)	173 (67.1)	387 (66.3)	439 (65.7)	75 (72.8)	19 (86.4)	13 (61.9)
Last 30 days, $p=0.06$	615 (35.0)	43 (41.3)	80 (31.4)	205 (35.1)	220 (33.0)	48 (46.6)	10 (47.6)	9 (40.9)



Familial Regulation

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and a range of familial regulation measures and attitudes, such as how much parents set rules about what students can do, both at home and outside home, parental monitoring of students' whereabouts in the evenings, and with whom they spend their time, and students' perceptions of their parents' attitudes to alcohol use. Associations between another measure of familial monitoring (of teenagers' whereabouts on Saturday nights) and teenager alcohol use are described in the main ESPAD report.

Table S4.15 Associations between parental rule-setting in the home and alcohol use

(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do at home)

Alcohol Use	Parental Rule-Setting in the Home					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	593 (33.4)	118 (41.0)	140 (31.6)	204 (35.4)	54 (23.3)	77 (32.9)
Lifetime, $p<0.001$	1181 (66.6)	170 (59.0)	303 (68.4)	373 (64.6)	178 (76.7)	157 (67.1)
Last 30 days, $p=0.06$	617 (34.9)	85 (29.7)	146 (33.1)	203 (35.3)	97 (41.8)	86 (36.8)

Table S4.16 Associations between parental rule-setting outside the home and alcohol use

(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do outside the home)

Alcohol Use	Parental Rule-Setting outside the Home					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	586 (33.2)	136 (42.9)	160 (34.4)	168 (29.9)	56 (24.7)	66 (34.0)
Lifetime, $p<0.001$	1178 (66.8)	181 (57.1)	305 (65.6)	393 (70.1)	171 (75.3)	128 (66.0)
Last 30 days, $p=0.02$	614 (34.9)	91 (28.9)	152 (32.8)	203 (36.3)	95 (41.7)	73 (37.8)

Table S4.17 Associations between parental knowledge of children's evening company and alcohol use

(Q. C54. How often do the following statements apply to you? My parent(s) know whom I am with in the evenings)

Alcohol Use	Parental Knowledge of Children's Evening Company					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	585 (33.2)	414 (38.9)	101 (25.4)	41 (22.4)	12 (20.0)	17 (29.8)
Lifetime, $p<0.001$	1177 (66.8)	651 (61.1)	296 (74.6)	142 (77.6)	48 (80.0)	40 (70.2)
Last 30 days, $p<0.001$	612 (34.9)	294 (27.6)	166 (42.1)	94 (51.6)	30 (51.7)	28 (49.1)



Table S4.18 Associations between parental knowledge of children's evening whereabouts and alcohol use

(Q. C54. How often do the following statements apply to you? My parent(s) know where I am in the evenings)

Alcohol Use	Parental Knowledge of Children's Evening Whereabouts					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	587 (33.3)	434 (38.1)	97 (25.2)	31 (20.5)	11 (23.4)	14 (32.6)
Lifetime, $p<0.001$	1177 (66.7)	704 (61.9)	288 (74.8)	120 (79.5)	36 (76.6)	29 (67.4)
Last 30 days, $p<0.001$	612 (34.8)	315 (27.7)	178 (46.7)	75 (50.7)	22 (46.8)	22 (51.2)

Table S4.19 Associations between maternal reaction to getting drunk and alcohol use

(Q. O17. What do you think your mother's reaction would be if you did the following things? Get drunk)

Alcohol Use	Mother's Reaction to Getting Drunk					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't know
Never	575 (33.4)	412 (49.8)	112 (18.9)	17 (8.1)	5 (18.5)	29 (43.9)
Lifetime, $p<0.001$	1148 (66.6)	415 (50.2)	481 (81.1)	193 (91.9)	22 (81.5)	37 (56.1)
Last 30 days, $p<0.001$	597 (34.8)	159 (19.3)	267 (45.3)	142 (67.3)	16 (59.3)	13 (20.0)

Table S4.20 Associations between paternal reaction to getting drunk and alcohol use

(Q. O18. What do you think your father's reaction would be if you did the following things? Get drunk)

Alcohol Use	Father's Reaction to Getting Drunk					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't know
Never	574 (33.4)	379 (48.8)	109 (21.9)	32 (11.9)	8 (12.5)	46 (40.0)
Lifetime, $p<0.001$	1147 (66.6)	398 (51.2)	388 (78.1)	236 (88.1)	56 (87.5)	69 (60.0)
Last 30 days, $p<0.001$	598 (34.8)	156 (20.2)	204 (41.2)	160 (59.7)	43 (67.2)	35 (30.4)



Parental and Peer Support

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and parental financial support, namely ease of borrowing and receiving money from parents, and students' satisfaction with their relationships with parents and friends.

Table S4.21 Associations between ease of borrowing money from parent(s) and alcohol use

(Q. C54. How often do the following statements apply to you? I can easily borrow money from my mother and/or father)

Alcohol Use	Ease of Borrowing Money from Parent(s)					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	587 (33.3)	212 (35.0)	152 (29.7)	144 (34.0)	46 (33.6)	33 (37.9)
Lifetime, $p=0.32$	1178 (66.7)	394 (65.0)	360 (70.3)	279 (66.0)	91 (66.4)	54 (62.1)
Last 30 days, $p=0.49$	613 (34.8)	197 (32.5)	178 (35.1)	151 (35.8)	53 (39.0)	34 (39.1)

Table S4.22 Associations between ease of receiving money from parent(s) and alcohol use

(Q. C54. How often do the following statements apply to you? I can easily get money as a gift from my mother and/or father)

Alcohol Use	Ease of Receiving Money from Parent(s)					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	586 (33.2)	208 (37.3)	132 (29.3)	151 (32.8)	64 (32.7)	31 (31.3)
Lifetime, $p=0.12$	1177 (66.8)	350 (62.7)	318 (70.7)	309 (67.2)	132 (67.3)	68 (68.7)
Last 30 days, $p=0.14$	612 (34.8)	177 (31.8)	176 (39.4)	153 (33.5)	69 (35.0)	37 (37.4)

Table S4.23 Associations between satisfaction with maternal relationship and alcohol use

(Q. O16. How satisfied are you usually with ... your relationship with your mother?)

Alcohol Use	Satisfaction – Relationship with Mother						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	578 (33.4)	324 (38.8)	181 (29.3)	29 (23.0)	31 (32.0)	10 (23.8)	3 (25.0)
Lifetime, $p<0.001$	1153 (66.6)	512 (61.2)	437 (70.7)	97 (77.0)	66 (68.0)	32 (76.2)	9 (75.0)
Last 30 days, $p=0.01$	601 (34.8)	260 (31.1)	232 (37.8)	49 (39.2)	33 (34.0)	21 (51.2)	6 (50.0)



Table S4.24 Associations between satisfaction with paternal relationship and alcohol use
(Q. O16. How satisfied are you usually with ... your relationship with your father?)

Alcohol Use	Satisfaction – Relationship with Father						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	570 (33.2)	284 (37.8)	187 (31.9)	40 (26.1)	18 (20.5)	21 (25.9)	20 (34.5)
Lifetime, $p=0.002$	1148 (66.8)	467 (62.2)	400 (68.1)	113 (73.9)	70 (79.5)	60 (74.1)	38 (65.5)
Last 30 days, $p=0.002$	597 (34.9)	231 (30.8)	205 (35.0)	60 (39.7)	35 (39.8)	41 (51.2)	25 (43.1)

Table S4.25 Associations between satisfaction with peer relationships and alcohol use
(Q. O16. How satisfied are you usually with ... your relationship with your friends?)

Alcohol Use	Satisfaction – Relationship with Friends						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	570 (33.2)	261 (35.2)	232 (32.1)	47 (28.7)	19 (33.3)	8 (33.3)	3 (30.0)
Lifetime, $p=0.66$	1149 (66.8)	481 (64.8)	490 (67.9)	117 (71.3)	38 (66.7)	16 (66.7)	7 (70.0)
Last 30 days, $p=0.16$	599 (35.0)	262 (35.4)	248 (34.4)	55 (33.7)	22 (39.3)	5 (21.7)	7 (70.0)

Teenager School-Related Measures

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and three school-related measures, namely school absence through illness or for some other reason, and the student's reported average grade. Associations between school absence through truancy and teenager alcohol use are described in the main ESPAD report.

Table S4.26 Associations between alcohol use and school absence through illness
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because of illness)

Alcohol Use	Missing School – Illness						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	544 (33.2)	226 (35.8)	96 (33.6)	83 (30.9)	76 (29.5)	27 (30.7)	36 (33.3)
Lifetime, $p=0.49$	1097 (66.8)	406 (64.2)	190 (66.4)	186 (69.1)	182 (70.5)	61 (69.3)	72 (66.7)
Last 30 days, $p<0.001$	578 (35.4)	180 (28.5)	109 (38.1)	91 (34.3)	109 (42.6)	41 (46.6)	48 (44.4)



Table S4.27 Associations between alcohol use and school absence through other reasons
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? For other reasons)

Alcohol Use	Missing School – Other Reasons						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	572 (32.8)	257 (36.5)	133 (33.7)	83 (30.9)	53 (26.5)	25 (33.8)	21 (20.4)
Lifetime, $p=0.007$	1173 (67.2)	447 (63.5)	262 (66.3)	186 (69.1)	147 (73.5)	49 (66.2)	82 (79.6)
Last 30 days, $p<0.001$	624 (35.9)	217 (30.8)	132 (33.7)	103 (38.1)	87 (43.5)	32 (43.2)	53 (53.0)

Table S4.28 Associations between educational attainment and alcohol use
(Q. O15. Which of the following best describes your average grade at the end of the last term?)

Alcohol Use	Average Grade				
	Total	A and B	C	D	E or lower
Never	575 (33.4)	360 (37.0)	167 (29.5)	39 (27.7)	9 (24.3)
Lifetime, $p=0.01$	1144 (66.6)	614 (63.0)	400 (70.5)	102 (72.3)	28 (75.7)
Last 30 days, $p=0.02$	595 (34.7)	316 (32.5)	201 (35.5)	60 (42.6)	18 (50.0)

Peer and Parental Substance Use

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and their friends' and parents' use of a range of substances, such as cigarettes, e-cigarettes, cannabis, and alcohol.

Table S4.29 Associations between peer cigarette use and alcohol use
(Q. O19a. How many of your friends would you estimate ... smoke cigarettes?)

Alcohol Use	Peer Cigarette Use					
	Total	None	A few	Some	Most	All
Never	575 (33.5)	394 (41.2)	130 (25.8)	34 (21.9)	14 (16.3)	3 (20.0)
Lifetime, $p<0.001$	1141 (66.5)	562 (58.8)	374 (74.2)	121 (78.1)	72 (83.7)	12 (80.0)
Last 30 days, $p<0.001$	595 (34.8)	246 (25.8)	211 (42.2)	76 (48.7)	52 (60.5)	10 (71.4)

Table S4.30 Associations between peer e-cigarette use and alcohol use
(Q. O19a. How many of your friends would you estimate ... use e-cigarettes?)

Alcohol Use	Peer E-cigarette Use					
	Total	None	A few	Some	Most	All
Never	572 (33.5)	265 (53.8)	184 (31.9)	68 (24.0)	48 (15.1)	7 (18.4)
Lifetime, $p<0.001$	1135 (66.5)	228 (46.2)	392 (68.1)	215 (76.0)	269 (84.9)	31 (81.6)
Last 30 days, $p<0.001$	593 (34.8)	83 (16.8)	184 (32.1)	119 (42.0)	180 (57.1)	27 (73.0)



Table S4.31 Associations between peer cannabis use and alcohol use

(Q. O19a. How many of your friends would you estimate ... smoke cannabis?)

Alcohol Use	Peer Cannabis Use					
	Total	None	A few	Some	Most	All
Never	571 (33.5)	454 (39.6)	89 (23.6)	17 (15.2)	9 (16.1)	2 (13.3)
Lifetime, $p<0.001$	1136 (66.5)	693 (60.4)	288 (76.4)	95 (84.8)	47 (83.9)	13 (86.7)
Last 30 days, $p<0.001$	594 (34.9)	312 (27.2)	172 (46.0)	67 (59.8)	31 (55.4)	12 (85.7)

Table S4.32 Associations between peer intoxication and alcohol use

(Q. O19a. How many of your friends would you estimate ... get drunk?)

Alcohol Use	Peer Drunkenness					
	Total	None	A few	Some	Most	All
Never	571 (33.4)	286 (58.2)	156 (32.4)	76 (24.1)	47 (13.7)	6 (7.8)
Lifetime, $p<0.001$	1137 (66.6)	205 (41.8)	325 (67.6)	239 (75.9)	297 (86.3)	71 (92.2)
Last 30 days, $p<0.001$	594 (34.9)	62 (12.7)	130 (27.1)	120 (38.2)	215 (62.7)	67 (88.2)

Table S4.33 Associations between parental cigarette use and alcohol use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Smoke cigarettes)

Alcohol Use	Parental Cigarette Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	564 (33.5)	217 (54.1)	99 (33.0)	49 (31.0)	132 (20.2)	67 (39.6)
Lifetime, $p<0.001$	1118 (66.5)	184 (45.9)	201 (67.0)	109 (69.0)	522 (79.8)	102 (60.4)
Last 30 days, $p<0.001$	581 (34.6)	75 (18.7)	103 (34.7)	53 (33.5)	314 (48.1)	36 (21.4)

Table S4.34 Associations between parental e-cigarette use and alcohol use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Use e-cigarettes)

Alcohol Use	Parental E-cigarette Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	560 (33.4)	417 (39.2)	42 (24.3)	26 (23.6)	24 (15.3)	51 (29.8)
Lifetime, $p<0.001$	1116 (66.6)	648 (60.8)	131 (75.7)	84 (76.4)	133 (84.7)	120 (70.2)
Last 30 days, $p<0.001$	580 (34.7)	291 (27.4)	75 (43.9)	56 (50.9)	96 (61.1)	62 (36.3)



Table S4.35 Associations between parental cannabis use and alcohol use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Smoke cannabis)

Alcohol Use	Parental Cannabis Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	559 (33.4)	457 (40.3)	26 (21.5)	3 (9.4)	9 (7.9)	64 (23.4)
Lifetime, $p<0.001$	1116 (66.6)	678 (59.7)	95 (78.5)	29 (90.6)	105 (92.1)	209 (76.6)
Last 30 days, $p<0.001$	579 (34.7)	309 (27.3)	65 (54.2)	22 (68.8)	70 (60.9)	113 (41.5)

Table S4.36 Associations between parental drunkenness and alcohol use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Get drunk)

Alcohol Use	Parental Drunkenness					
	Total	None	Only father	Only mother	Both	Don't know
Never	560 (33.4)	218 (59.4)	45 (35.7)	13 (26.5)	214 (21.7)	70 (47.6)
Lifetime, $p<0.001$	1115 (66.6)	149 (40.6)	81 (64.3)	36 (73.5)	772 (78.3)	77 (52.4)
Last 30 days, $p<0.001$	577 (34.6)	56 (15.3)	35 (28.2)	28 (57.1)	431 (43.7)	27 (18.5)

Teenager Polysubstance Use

This section presents results from analyses that examine associations between teenagers' alcohol use (lifetime and current) and other substance use (cigarettes, e-cigarettes, and cannabis).

Table S4.37 Associations between cigarette use and lifetime alcohol use

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

Lifetime Alcohol Use	Cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	627 (33.5)	603 (42.2)	24 (5.4)	7 (3.2)
Ever	1247 (66.5)	825 (57.8)	422 (94.6)	212 (96.8)
Total	1874 (100.0)	1428 (76.2)	446 (23.8)	219 (11.7)

Table S4.38 Associations between cigarette use and current alcohol use

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

Current Alcohol Use	Cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1212 (64.9)	1066 (74.8)	146 (25.2)	44 (20.6)
Yes	655 (35.1)	360 (25.2)	295 (74.8)	170 (79.4)
Total	1867 (100.0)	1426 (76.4)	441 (23.6)	214 (11.5)



Table S4.39 Associations between e-cigarette use and lifetime alcohol use
(Q. C10. Have you ever used e-cigarettes?)

Lifetime Alcohol Use	E-cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	626 (33.4)	588 (46.2)	38 (6.3)	8 (2.7)
Ever	1247 (66.6)	684 (53.8)	563 (93.7)	287 (97.3)
Total	1873 (100.0)	1272 (67.9)	601 (32.1)	295 (15.8)

Table S4.40 Associations between e-cigarette use and current alcohol use
(Q. C10. Have you ever used e-cigarettes?)

Current Alcohol Use	E-cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1210 (64.8)	996 (78.2)	214 (36.3)	59 (20.3)
Yes	656 (35.2)	277 (21.8)	379 (63.7)	232 (79.7)
Total	1866 (100.0)	1273 (68.2)	593 (31.8)	291 (15.6)

Table S4.41 Associations between cannabis use and lifetime alcohol use

(Q. C27. On how many occasions (if any) have you used cannabis? In your lifetime; During the last 12 months; During the last 30 days)

Lifetime Alcohol Use	Cannabis Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	624 (33.4)	617 (37.4)	7 (3.2)	5 (5.4)
Ever	1246 (66.6)	1031 (62.6)	215 (96.8)	87 (94.6)
Total	1870 (100.0)	1648 (88.1)	222 (11.9)	92 (4.2)

NOTE: Ever use and current use totals differ as they are based on responses to separate questions (C17a and C17c respectively).

Table S4.42 Associations between cannabis use and current alcohol use

(Q. C27. On how many occasions (if any) have you used cannabis? In your lifetime; During the last 12 months; During the last 30 days)

Current Alcohol Use	Cannabis Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1208 (64.8)	1157 (70.4)	51 (23.3)	18 (20.0)
Yes	655 (32.2)	487 (29.6)	168 (76.7)	72 (80.0)
Total	1863 (100.0)	1644 (88.2)	(219 (11.8))	90 (4.8)

NOTE: Ever use and current use totals differ as they are based on responses to separate questions (C17a and C17c respectively).



A Closer Look at Teenager Use of Cannabis and Other Illicit Drugs and Substances through Family, Peer, and School Data³

Cannabis Use

Prevalence

This section presents results from analyses that examine prevalence of specific cannabis products, namely cannabis resin/hashish, herbal cannabis/weed, cannabis oil, edible cannabis-based products, and cannabis-based e-liquids.

Table S5.1 Cannabis resin/hashish: prevalence of use in the last 12 months

(Q. C29. During the past 12 months, did you use the following types of cannabis?
Cannabis resin/hashish)

Cannabis resin/hashish Last 12 months	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1812 (96.7)	864 (95.8)	919 (98.0)	29 (85.3)
Rarely	43 (2.3)	23 (2.5)	17 (1.8)	3 (8.8)
Often	19 (1.0)	15 (1.7)	2 (0.2)	2 (5.9)
Total	1874 (100.0)	902 (48.1)	938 (50.1)	34 (1.8)

$p < 0.001$

Table S5.2 Herbal cannabis/weed: prevalence of use in the last 12 months

(Q. C29. During the past 12 months, did you use the following types of cannabis?
Herbal cannabis/Weed)

Herbal cannabis/Weed Last 12 months	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1718 (91.6)	826 (91.6)	866 (92.2)	26 (76.5)
Rarely	85 (4.5)	34 (3.8)	49 (5.2)	2 (5.9)
Often	72 (3.8)	42 (4.7)	24 (2.6)	6 (17.6)
Total	1875 (100.0)	902 (48.1)	939 (50.1)	34 (1.8)

$p < 0.001$



³ Additional analyses related to Chapter 5, Cannabis and Other Drug Use, [ESPAD Ireland 2024](#)

Table S5.3 Cannabis oil: prevalence of use in the last 12 months

(Q. C29. During the past 12 months, did you use the following types of cannabis? Cannabis oil)

Cannabis oil Last 12 months	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1792 (95.6)	860 (95.3)	904 (96.4)	28 (82.4)
Rarely	50 (2.7)	29 (3.2)	18 (1.9)	3 (8.8)
Often	32 (1.7)	13 (1.4)	16 (1.7)	3 (8.8)
Total	1874 (100.0)	902 (48.1)	938 (50.1)	34 (1.8)

$p < 0.001$

Table S5.4 Edible cannabis-based products: prevalence of use in the last 12 months

(Q. C29. During the past 12 months, did you use the following types of cannabis?
Edible cannabis-based products)

Edible cannabis-based products Last 12 months	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1787 (95.4)	861 (95.6)	897 (95.5)	29 (85.3)
Rarely	68 (3.6)	29 (3.2)	35 (3.7)	4 (11.8)
Often	19 (1.0)	11 (1.2)	7 (0.7)	1 (2.9)
Total	1874 (100.0)	901 (48.1)	939 (50.1)	34 (1.8)

$p < 0.001$

Table S5.5 Cannabis-based e-liquids: prevalence of use in the last 12 months

(Q. C29. During the past 12 months, did you use the following types of cannabis?
Cannabis-based e-liquids)

Cannabis-based e-liquids Last 12 months	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1737 (92.7)	834 (92.6)	877 (93.4)	26 (76.5)
Rarely	83 (4.4)	41 (4.6)	39 (4.2)	3 (8.8)
Often	54 (2.9)	26 (2.9)	23 (2.4)	5 (14.7)
Total	1874 (100.0)	901 (48.1)	939 (50.1)	34 (1.8)

$p < 0.001$



Factors Associated with Cannabis Use

Socioeconomic Status

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and measures of socioeconomic status, namely paternal and maternal education levels, and students' perceptions of their family's wealth relative to other families in Ireland.

Table S5.6 Associations between paternal education and cannabis use
(Q. C50. What is the highest level of education your father completed?)

Cannabis Use	Father's Education						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	1578 (88.6)	38 (86.4)	221 (87.4)	246 (90.8)	119 (88.8)	799 (88.4)	135 (89.4)
Lifetime, $p=0.70$	204 (11.4)	6 (13.6)	32 (12.6)	25 (9.2)	15 (11.2)	105 (11.6)	16 (10.6)
Last 30 days, $p=0.87$	83 (4.7)	2 (4.7)	14 (5.6)	11 (4.1)	4 (3.0)	42 (4.7)	8 (5.3)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=26).

Table S5.7 Associations between maternal education and cannabis use
(Q. C51. What is the highest level of education your mother completed?)

Cannabis Use	Mother's Education						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
Never	1578 (88.6)	21 (95.5)	69 (77.5)	223 (87.5)	166 (87.8)	981 (89.4)	106 (93.8)
Lifetime, $p<0.01$	204 (11.4)	1 (4.5)	20 (22.5)	32 (12.5)	23 (12.2)	116 (10.6)	7 (6.2)
Last 30 days, $p=0.12$	83 (4.7)	0 (0.0)	6 (6.8)	16 (6.3)	7 (3.7)	51 (4.7)	1 (0.9)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=18).



Table S5.8 Associations between perceived relative familial wealth and cannabis use
(Q. C52. How well off is your family compared to other families in your country?)

Cannabis Use	Perceived Relative Familial Wealth							
	Total	Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
Never	1559 (88.5)	87 (82.9)	239 (92.3)	518 (88.7)	605 (90.6)	78 (75.7)	17 (77.3)	15 (71.4)
Lifetime, $p<0.001$	203 (11.5)	18 (17.1)	20 (7.7)	66 (11.3)	63 (9.4)	25 (24.3)	5 (22.7)	6 (28.6)
Last 30 days, $p<0.01$	82 (4.7)	4 (3.9)	7 (2.7)	31 (5.3)	24 (3.6)	11 (10.7)	2 (9.5)	3 (14.3)

Familial Regulation

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and a range of familial regulation measures and attitudes, such as how much parents set rules about what students can do, both at home and outside home, parental monitoring of students' whereabouts in the evenings, and with whom they spend their time, and students' perceptions of their parents' attitudes to cannabis use. Associations between another measure of familial monitoring (of teenagers' whereabouts on Saturday nights) and teenager cannabis use are described in the main ESPAD report.

Table S5.9 Associations between parental rule-setting in the home and cannabis use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do at home)

Cannabis Use	Parental Rule-Setting in the Home					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1572 (88.6)	245 (85.1)	408 (91.7)	521 (90.6)	203 (87.5)	195 (83.3)
Lifetime, $p<0.01$	202 (11.4)	43 (14.9)	37 (8.3)	54 (9.4)	29 (12.5)	39 (16.7)
Last 30 days, $p=0.01$	83 (4.7)	17 (5.9)	11 (2.5)	24 (4.2)	12 (5.2)	19 (8.2)

Table S5.10 Associations between parental rule-setting outside the home and cannabis use
(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do outside the home)

Cannabis Use	Parental Rule-Setting outside the Home					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1563 (88.6)	282 (89.0)	419 (89.9)	503 (89.7)	200 (87.3)	159 (83.2)
Lifetime, $p=0.12$	201 (11.4)	35 (11.0)	47 (10.1)	58 (10.3)	29 (12.7)	32 (16.8)
Last 30 days, $p=0.01$	83 (4.7)	14 (4.4)	14 (3.0)	25 (4.5)	12 (5.3)	18 (9.4)



Table S5.11 Associations between parental knowledge of children's evening company and cannabis use

(Q. C54. How often do the following statements apply to you? My parent(s) know whom I am with in the evenings)

Cannabis Use	Parental Knowledge of Children's Evening Company					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1560 (88.5)	987 (92.6)	343 (86.0)	149 (81.9)	43 (72.9)	38 (67.9)
Lifetime, $p<0.001$	202 (11.5)	79 (7.4)	56 (14.0)	33 (18.1)	16 (27.1)	18 (32.1)
Last 30 days, $p<0.001$	83 (4.7)	24 (2.3)	29 (7.3)	14 (7.7)	8 (13.6)	8 (14.3)

Table S5.12 Associations between parental knowledge of children's evening whereabouts and cannabis use

(Q. C54. How often do the following statements apply to you? My parent(s) know where I am in the evenings)

Cannabis Use	Parental Knowledge of Children's Evening Whereabouts					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1562 (88.5)	1058 (93.0)	332 (85.6)	116 (77.3)	29 (63.0)	27 (64.3)
Lifetime, $p<0.001$	202 (11.5)	80 (7.0)	56 (14.4)	34 (22.7)	17 (37.0)	15 (35.7)
Last 30 days, $p<0.001$	83 (4.7)	24 (2.1)	27 (7.0)	14 (9.5)	10 (21.3)	8 (19.0)

Table S5.13 Associations between maternal reaction to using cannabis and cannabis use

(Q. O17. What do you think your mother's reaction would be if you did the following things? Use cannabis)

Cannabis Use	Mother's Reaction to Using Cannabis					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't know
Never	1527 (88.8)	1403 (91.4)	66 (61.7)	6 (33.3)	9 (81.8)	43 (89.6)
Lifetime, $p<0.001$	192 (11.2)	132 (8.6)	41 (38.3)	12 (66.7)	2 (18.2)	5 (10.4)
Last 30 days, $p<0.001$	79 (4.6)	45 (2.9)	20 (19.0)	10 (55.6)	1 (10.0)	3 (6.1)

Table S5.14 Associations between paternal reaction to using cannabis and cannabis use

(Q. O18. What do you think your father's reaction would be if you did the following things? Use cannabis)

Cannabis Use	Father's Reaction to Using Cannabis					
	Total	Would not allow	Would discourage	Would not mind	Would approve	Don't know
Never	1521 (88.8)	1337 (91.9)	79 (75.2)	17 (47.2)	10 (62.5)	78 (77.2)
Lifetime, $p<0.001$	192 (11.2)	118 (8.1)	26 (24.8)	19 (52.8)	6 (37.5)	23 (22.8)
Last 30 days, $p<0.001$	79 (4.6)	38 (2.6)	12 (11.5)	12 (33.3)	4 (25.0)	13 (13.0)



Parental and Peer Support

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and parental financial support, namely ease of borrowing and receiving money from parents, and students' satisfaction with their relationships with parents and friends.

Table S5.15 Associations between ease of borrowing money from parent(s) and cannabis use (Q. C54. How often do the following statements apply to you? I can easily borrow money from my mother and/or father)

Cannabis Use	Ease of Borrowing Money from Parent(s)					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1563 (88.6)	546 (89.8)	468 (91.2)	371 (87.9)	106 (77.4)	72 (84.7)
Lifetime, $p<0.001$	202 (11.4)	62 (10.2)	45 (8.8)	51 (12.1)	31 (22.6)	13 (15.3)
Last 30 days, $p<0.001$	83 (4.7)	24 (3.9)	14 (2.7)	22 (5.3)	17 (12.6)	6 (7.0)

Table S5.16 Associations between ease of receiving money from parent(s) and cannabis use (Q. C54. How often do the following statements apply to you? I can easily get money as a gift from my mother and/or father)

Cannabis Use	Ease of Receiving Money from Parent(s)					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
Never	1562 (88.6)	497 (89.1)	396 (88.2)	418 (90.5)	169 (86.2)	82 (83.7)
Lifetime, $p=0.26$	201 (11.4)	61 (10.9)	53 (11.8)	44 (9.5)	27 (13.8)	16 (16.3)
Last 30 days, $p=0.68$	82 (4.7)	23 (4.1)	19 (4.2)	22 (4.8)	13 (6.6)	5 (5.2)

Table S5.17 Associations between satisfaction with maternal relationship and cannabis use (Q. O16. How satisfied are you usually with ... your relationship with your mother?)

Cannabis Use	Satisfaction – Relationship with Mother						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1536 (88.7)	771 (92.1)	543 (87.7)	100 (80.0)	85 (87.6)	26 (61.9)	11 (91.7)
Lifetime, $p<0.001$	196 (11.3)	66 (7.9)	76 (12.3)	25 (20.0)	12 (12.4)	16 (38.1)	1 (8.3)
Last 30 days, $p=0.003$	79 (4.6)	29 (3.5)	31 (5.0)	3 (2.5)	9 (9.2)	6 (14.3)	1 (8.3)



Table S5.18 Associations between satisfaction with paternal relationship and cannabis use
(Q. O16. How satisfied are you usually with ... your relationship with your father?)

Cannabis Use	Satisfaction – Relationship with Father						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1524 (88.7)	693 (92.0)	523 (88.9)	134 (88.2)	67 (77.0)	63 (77.8)	44 (75.9)
Lifetime, $p<0.001$	195 (11.3)	60 (8.0)	65 (11.1)	18 (11.8)	20 (23.0)	18 (22.2)	14 (24.1)
Last 30 days, $p<0.001$	79 (4.6)	25 (3.3)	22 (3.7)	3 (2.0)	12 (13.8)	9 (11.1)	8 (13.8)

Table S5.19 Associations between satisfaction with peer relationships and cannabis use
(Q. O16. How satisfied are you usually with ... your relationship with your friends?)

Cannabis Use	Satisfaction – Relationship with Friends						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
Never	1525 (88.7)	676 (91.0)	629 (87.1)	141 (86.0)	48 (84.2)	24 (100.0)	7 (70.0)
Lifetime, $p=0.01$	195 (11.3)	67 (9.0)	93 (12.9)	23 (14.0)	9 (15.8)	0 (0.0)	3 (30.0)
Last 30 days, $p=0.72$	79 (4.6)	32 (4.3)	35 (4.9)	7 (4.3)	4 (7.0)	0 (0.0)	1 (10.0)

Teenager School-Related Measures

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and three school-related measures, namely school absence through illness or for some other reason, and the student's reported average grade. Associations between school absence through truancy and teenager cannabis use are described in the main ESPAD report.

Table S5.20 Associations between school absence through illness and cannabis use
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because of illness)

Cannabis Use	Missing School – Illness						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1445 (88.0)	572 (90.4)	249 (87.1)	233 (86.6)	228 (88.7)	75 (86.2)	88 (80.0)
Lifetime, $p=0.05$	197 (12.0)	61 (9.6)	37 (12.9)	36 (13.4)	29 (11.3)	12 (13.8)	22 (20.0)
Last 30 days, $p=0.01$	85 (5.2)	27 (4.3)	12 (4.2)	13 (4.9)	12 (4.7)	8 (9.1)	13 (11.8)



Table S5.21 Associations between school absence through other reasons and cannabis use
(Q. C04. During the last 30 days on how many days have you missed one or more lessons? For other reasons)

Cannabis Use	Missing school – Other Reasons						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
Never	1542 (88.3)	634 (89.9)	362 (91.6)	235 (87.0)	171 (85.9)	62 (84.9)	78 (74.3)
Lifetime, $p<0.001$	205 (11.7)	71 (10.1)	33 (8.4)	35 (13.0)	28 (14.1)	11 (15.1)	27 (25.7)
Last 30 days, $p<0.001$	84 (4.8)	27 (3.8)	12 (3.0)	15 (5.6)	13 (6.6)	6 (8.3)	11 (10.6)

Table S5.22 Associations between educational attainment and cannabis use
(Q. O15. Which of the following best describes your average grade at the end of the last term?)

Cannabis Use	Average Grade				
	Total	A and B	C	D	E or lower
Never	1531 (89.0)	904 (92.6)	489 (86.1)	114 (81.4)	24 (66.7)
Lifetime, $p<0.001$	189 (11.0)	72 (7.4)	79 (13.9)	26 (18.6)	12 (33.3)
Last 30 days, $p<0.001$	76 (4.4)	26 (2.7)	33 (5.8)	11 (7.8)	6 (16.2)

Peer and Parental Substance Use

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and their friends' and parents' use of a range of substances, such as cigarettes, e-cigarettes, and alcohol.

Table S5.23 Associations between peer cigarette use and cannabis use
(Q. O19a. How many of your friends would you estimate ... smoke cigarettes?)

Cannabis Use	Peer Cigarette Use					
	Total	None	A few	Some	Most	All
Never	1526 (88.9)	916 (95.5)	425 (84.3)	124 (80.0)	55 (65.5)	6 (40.0)
Lifetime, $p<0.001$	191 (11.1)	43 (4.5)	79 (15.7)	31 (20.0)	29 (34.5)	9 (60.0)
Last 30 days, $p<0.001$	78 (4.6)	15 (1.6)	29 (5.8)	11 (7.1)	16 (19.3)	7 (50.0)

Table S5.24 Associations between peer e-cigarette use and cannabis use
(Q. O19a. How many of your friends would you estimate ... use e-cigarettes?)

Cannabis Use	Peer E-cigarette Use					
	Total	None	A few	Some	Most	All
Never	1520 (89.0)	486 (98.4)	542 (93.6)	253 (89.1)	221 (70.6)	18 (47.4)
Lifetime, $p<0.001$	188 (11.0)	8 (1.6)	37 (6.4)	31 (10.9)	92 (29.4)	20 (52.6)
Last 30 days, $p<0.001$	78 (4.6)	4 (0.8)	14 (2.4)	8 (2.8)	40 (12.8)	12 (32.4)



Table S5.25 Associations between peer alcohol use and cannabis use

(Q. O19a. How many of your friends would you estimate ... drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits?)

Cannabis Use	Peer Alcohol Use					
	Total	None	A few	Some	Most	All
Never	1518 (88.9)	377 (98.4)	446 (94.3)	272 (91.6)	359 (81.0)	64 (57.7)
Lifetime, $p < 0.001$	189 (11.1)	6 (1.6)	27 (5.7)	25 (8.4)	84 (19.0)	47 (42.3)
Last 30 days, $p < 0.001$	78 (4.6)	3 (0.8)	11 (2.3)	12 (4.0)	28 (6.4)	24 (21.6)

Table S5.26 Associations between peer drunkenness and cannabis use

(Q. O19a. How many of your friends would you estimate ... get drunk?)

Cannabis Use	Peer Drunkenness					
	Total	None	A few	Some	Most	All
Never	1520 (88.9)	486 (98.8)	449 (93.5)	283 (89.6)	260 (75.4)	42 (55.3)
Lifetime, $P < 0.001$	189 (11.1)	6 (1.2)	31 (6.5)	33 (10.4)	85 (24.6)	34 (44.7)
Last 30 days, $P < 0.001$	78 (4.6)	3 (0.6)	12 (2.5)	11 (3.5)	32 (9.3)	20 (26.7)

Table S5.27 Associations between parental cigarette use and cannabis use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Smoke cigarettes)

Cannabis Use	Parental Cigarette Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	1497 (88.9)	382 (95.3)	276 (92.0)	143 (89.9)	539 (82.5)	157 (92.4)
Lifetime, $p < 0.001$	186 (11.1)	19 (4.7)	24 (8.0)	16 (10.1)	114 (17.5)	13 (7.6)
Last 30 days, $p < 0.001$	76 (4.5)	8 (2.0)	8 (2.7)	5 (3.2)	49 (7.5)	6 (3.5)

Table S5.28 Associations between parental e-cigarette use and cannabis use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Use e-cigarettes)

Cannabis Use	Parental E-cigarette Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	1492 (89.0)	985 (92.5)	145 (84.3)	88 (80.7)	126 (79.7)	148 (85.5)
Lifetime, $p < 0.001$	185 (11.0)	80 (7.5)	27 (15.7)	21 (19.3)	32 (20.3)	25 (14.5)
Last 30 days, $p < 0.001$	76 (4.5)	28 (2.6)	12 (7.0)	9 (8.4)	14 (8.9)	13 (7.6)



Table S5.29 Associations between parental alcohol use and cannabis use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits))

Cannabis Use	Parental Alcohol Use					
	Total	None	Only father	Only mother	Both	Don't know
Never	1494 (89.0)	154 (93.9)	100 (92.6)	42 (77.8)	1158 (88.4)	40 (93.0)
Lifetime, $p=0.01$	185 (11.0)	10 (6.1)	8 (7.4)	12 (22.2)	152 (11.6)	3 (7.0)
Last 30 days, $p=0.40$	75 (4.5)	6 (3.6)	3 (2.8)	5 (9.4)	59 (4.5)	2 (4.7)

Table S5.30 Associations between parental drunkenness and cannabis use

(Q. O19b. Do you think one or both of your parents have had any of these experiences? Get drunk)

Cannabis Use	Parental Drunkenness					
	Total	None	Only father	Only mother	Both	Don't know
Never	1490 (89.0)	352 (96.2)	110 (87.3)	37 (77.1)	854 (86.5)	137 (92.6)
Lifetime, $p<0.001$	185 (11.0)	14 (3.8)	16 (12.7)	11 (22.9)	133 (13.5)	11 (7.4)
Last 30 days, $p=0.01$	75 (4.5)	6 (1.6)	6 (4.9)	5 (10.2)	54 (5.5)	4 (2.7)

Teenager Polysubstance Use

This section presents results from analyses that examine associations between teenagers' cannabis use (lifetime and current) and other substance use (cigarettes, e-cigarettes, and alcohol).

Table S5.31 Associations between cigarette use and lifetime cannabis use

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

Lifetime Cannabis Use	Cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1652 (88.2)	1393 (97.3)	259 (55.6)	104 (47.9)
Ever	222 (11.8)	39 (2.7)	183 (44.4)	113 (52.1)
Total	1874 (100)	1432 (76.4)	442 (23.6)	217 (11.6)

Table S5.32 Associations between cigarette use and current cannabis use

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

Current Cannabis Use	Cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1777 (95.1)	1412 (98.7)	365 (83.3)	156 (72.6)
Yes	92 (4.9)	18 (1.3)	74 (16.7)	59 (27.4)
Total	1869 (100)	1430 (76.5)	439 (23.5)	215 (11.5)



Table S5.33 Associations between e-cigarette use and lifetime cannabis use

(Q. C10. Have you ever used e-cigarettes?)

Lifetime Cannabis Use	E-cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1650 (88.1)	1253 (98.2)	397 (67.2)	148 (50.3)
Ever	222 (11.9)	23 (1.8)	199 (32.8)	146 (49.7)
Total	1872 (100)	1276 (68.2)	596 (31.8)	294 (15.7)

Table S5.34 Associations between e-cigarette use and current cannabis use

(Q. C10. Have you ever used e-cigarettes?)

Current Cannabis Use	E-cigarette Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1775 (95.1)	1264 (99.2)	511 (86.3)	225 (77.3)
Yes	92 (4.9)	10 (0.8)	82 (13.7)	66 (22.7)
Total	1867 (100)	1274 (68.2)	593 (31.8)	291 (15.6)

Table S5.35 Associations between alcohol use and lifetime cannabis use

(Q. C17. On how many occasions (if any) have you had any alcoholic beverage to drink?
In your lifetime; During the last 12 months; During the last 30 days)

Lifetime Cannabis Use	Alcohol Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
Never	1648 (88.1)	617 (98.9)	1031 (82.7)	487 (74.4)
Ever	222 (11.9)	7 (1.1)	215 (17.3)	168 (25.6)
Total	1870 (100.0)	624 (33.4)	1246 (66.6)	655 (35.2)

NOTE: Ever use and current use totals differ as they are based on responses to separate questions (C27a and C27c respectively).

Table S5.36 Associations between alcohol use and current cannabis use

(Q. C17. On how many occasions (if any) have you had any alcoholic beverage to drink?
In your lifetime; During the last 12 months; During the last 30 days)

Current Cannabis Use	Alcohol Use, $p<0.001$			
	Total	Never	Ever	Yes, in the last 30 days
No	1773 (95.1)	620 (99.2)	1153 (93.0)	579 (88.9)
Yes	92 (4.9)	5 (0.8)	87 (7.0)	72 (11.1)
Total	1865 (100.0)	625 (33.5)	1240 (66.5)	651 (35.0)

NOTE: Ever use and current use totals differ as they are based on responses to separate questions (C27a and C27c respectively).



Other Illicit Drug and Substance Use

Prevalence

This section presents results from analyses that examine prevalence of specific drugs, namely tranquillisers or sedatives, drugs for attention or hyperactivity, painkillers, and sleeping tablets (with/without prescription).

Table S5.37 Tranquillisers or sedatives with prescription: prevalence of lifetime use

(Q. C23. Have you ever taken one or more of the following drugs because a doctor told you to take them? Tranquillisers or sedatives)

Tranquillisers or Sedatives with Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
No, never	1722 (92.2)	826 (91.9)	869 (92.9)	27 (79.4)
Yes, but for less than 3 weeks	117 (6.3)	59 (6.6)	54 (5.8)	4 (11.8)
Yes, for 3 weeks or more	29 (1.6)	14 (1.6)	12 (1.3)	3 (8.8)
Total	1868 (100)	899 (48.1)	935 (50.1)	34 (1.8)

$p=0.01$

Table S5.38 Tranquillisers or sedatives without prescription: prevalence of lifetime use

(Q. C24. On how many occasions in your lifetime (if any) have you used any of the following drugs without a doctor's prescription? Tranquillisers or sedatives)

Tranquillisers or Sedatives without Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1819 (97.1)	877 (97.0)	912 (97.4)	30 (88.2)
1-2 times	35 (1.9)	15 (1.7)	18 (1.9)	2 (5.9)
3 or more times	20 (1.1)	12 (1.3)	6 (0.6)	2 (5.9)
Total	1874 (100)	904 (48.2)	936 (49.9)	34 (1.8)

$p=0.01$

Table S5.39 Drugs for attention or hyperactivity with prescription: prevalence of lifetime use

(Q. C23. Have you ever taken one or more of the following drugs because a doctor told you to take them? Drugs for attention or hyperactivity)

Drugs for Attention or Hyperactivity with Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
No, never	1780 (96.7)	849 (96.4)	903 (97.4)	28 (84.8)
Yes, but for less than 3 weeks	36 (2.0)	19 (2.2)	14 (1.5)	3 (9.1)
Yes, for 3 weeks or more	25 (1.4)	13 (1.5)	10 (1.1)	2 (6.1)
Total	1841 (100)	881 (47.9)	927 (50.4)	33 (1.8)

$p<0.01$



Table S5.40 Drugs for attention or hyperactivity without prescription: prevalence of lifetime use
(Q. C24. On how many occasions in your lifetime (if any) have you used any of the following drugs without a doctor's prescription? Drugs for attention or hyperactivity)

Drugs for Attention or Hyperactivity without Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1819 (97.7)	881 (98.4)	907 (97.3)	31 (91.2)
1-2 times	21 (1.1)	7 (0.8)	13 (1.4)	1 (2.9)
3 or more times	21 (1.1)	7 (0.8)	12 (1.3)	2 (5.9)
Total	1861 (100)	895 (48.1)	932 (50.1)	34 (1.8)

$p=0.03$

Table S5.41 Painkillers in order to get high without prescription: prevalence of lifetime use
(Q. C24. On how many occasions in your lifetime (if any) have you used any of the following drugs without a doctor's prescription? Painkillers in order to get high)

Painkillers in order to Get High without Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1791 (96.1)	873 (97.3)	891 (95.5)	27 (79.4)
1-2 times	52 (2.8)	17 (1.9)	32 (3.4)	3 (8.8)
3 or more times	21 (1.1)	7 (0.8)	10 (1.1)	4 (11.8)
Total	1864 (100)	897 (48.1)	933 (50.1)	34 (1.8)

$p<0.001$

Table S5.42 Sleeping tablets without prescription: prevalence of lifetime use
(Q. C24. On how many occasions in your lifetime (if any) have you used any of the following drugs without a doctor's prescription? Sleeping tablets)

Sleeping Tablets without Prescription	Total N (%)	Male N (%)	Female N (%)	Rather not answer N (%)
Never	1654 (89.1)	818 (91.7)	809 (86.9)	27 (79.4)
1-2 times	126 (6.8)	52 (5.8)	70 (7.5)	4 (11.8)
3 or more times	77 (4.1)	22 (2.5)	52 (5.6)	3 (8.8)
Total	1857 (100)	892 (48.0)	931 (50.1)	34 (1.8)

$p<0.01$



A Closer Look at Teenager Gambling through Family, Peer, and School Data⁴

Factors Associated with Gambling

Socioeconomic Status

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and measures of socioeconomic status, namely paternal and maternal education levels, and students' perceptions of their family's wealth relative to other families in Ireland.

Table S6.1 Associations between paternal education and gambling in the last 12 months
(Q. C50. What is the highest level of education your father completed?)

Gambling (Composite Measure)	Father's Education, p=0.02						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1145 (67.8)	27 (65.9)	146 (61.6)	158 (62.0)	84 (67.2)	607 (70.2)	123 (74.1)
Yes	544 (32.2)	14 (34.1)	91 (38.4)	97 (38.0)	41 (32.8)	258 (29.8)	43 (25.9)
Total	1689 (100)	41 (2.4)	237 (14.0)	255 (15.1)	125 (7.4)	865 (51.2)	166 (9.8)
Gambling (Direct Measure)	Father's Education, p=0.90						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1538 (86.7)	39 (88.6)	221 (87.4)	231 (85.2)	278 (87.1)	778 (86.4)	154 (89.0)
Yes	235 (13.3)	5 (11.4)	32 (12.6)	40 (14.8)	43 (12.9)	122 (13.6)	19 (11.0)
Total	1773 (100)	44 (2.5)	253 (14.3)	271 (15.3)	321 (18.1)	900 (50.8)	173 (9.8)
Problem Gambling	Father's Education, p<0.001						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1609 (91.9)	29 (72.5)	231 (93.1)	248 (93.6)	123 (92.5)	821 (92.2)	157 (90.2)
Yes	141 (8.1)	11 (27.5)	17 (6.9)	17 (6.4)	10 (7.5)	69 (7.8)	17 (9.8)
Total	1750 (100)	40 (2.3)	248 (14.2)	265 (15.1)	133 (7.6)	890 (50.9)	174 (9.9)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=26).



⁴ Additional analyses related to Chapter 6, Gambling, [ESPAD Ireland 2024](#)

Table S6.2 Associations between maternal education and gambling in the last 12 months
(Q. C51. What is the highest level of education your mother completed?)

Gambling (Composite Measure)	Mother's Education, p=0.37						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1146 (67.8)	13 (61.9)	52 (61.9)	161 (67.4)	121 (67.6)	710 (67.6)	89 (76.1)
Yes	545 (32.2)	8 (38.1)	32 (38.1)	78 (32.6)	58 (32.4)	341 (32.4)	28 (23.9)
Total	1691 (100)	21 (1.2)	84 (5.0)	239 (14.1)	179 (10.6)	1051 (62.2)	117 (6.9)
Gambling (Direct Measure)	Mother's Education, p=0.58						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1538 (86.7)	18 (81.8)	79 (87.8)	221 (87.4)	165 (87.8)	939 (85.9)	116 (91.3)
Yes	235 (13.3)	4 (18.2)	11 (12.2)	32 (12.6)	23 (12.2)	154 (14.1)	11 (8.7)
Total	1773 (100)	22 (1.2)	90 (5.1)	253 (14.3)	188 (10.6)	1093 (61.6)	127 (7.2)
Problem Gambling	Mother's Education, p<0.001						
	Total	Primary or less	Some secondary	Completed secondary	Some college or university	Completed college or university	Don't know/ Does not apply
No	1610 (91.9)	11 (57.9)	75 (87.2)	236 (94.0)	173 (92.0)	1001 (92.7)	114 (89.8)
Yes	141 (8.1)	8 (42.1)	11 (12.8)	15 (6.0)	15 (8.0)	79 (7.3)	13 (10.2)
Total	1751 (100)	19 (1.1)	86 (4.9)	251 (14.3)	188 (10.7)	1080 (61.7)	127 (7.3)

NOTE: Respondents who answered 'Does not apply' to this question were excluded from analyses shown in this table (n=18).



Table S6.3 Associations between perceived relative familial wealth and gambling in the last 12 months

(Q. C52. How well off is your family compared to other families in your country?)

Gambling (Composite Measure)	Total	Perceived Relative Familial Wealth, p=0.65						
		Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
No	1133 (67.7)	68 (66.7)	162 (64.8)	384 (69.6)	430 (68.4)	60 (61.2)	16 (72.7)	13 (65.0)
Yes	540 (32.3)	34 (33.3)	88 (35.2)	168 (30.4)	199 (31.6)	38 (38.8)	6 (27.3)	7 (35.0)
Total	1673 (100.0)	102 (6.1)	250 (14.9)	552 (33.0)	629 (37.6)	98 (5.9)	22 (1.3)	20 (1.2)
Gambling (Direct Measure)	Total	Perceived Relative Familial Wealth, p=0.08						
		Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
No	1519 (86.6)	86 (81.9)	216 (83.7)	502 (86.4)	593 (89.2)	83 (82.2)	21 (95.5)	18 (81.8)
Yes	235 (13.4)	19 (18.1)	42 (16.3)	79 (13.6)	72 (10.8)	18 (17.8)	1 (4.5)	4 (18.2)
Total	1754 (100.0)	105 (6.0)	258 (14.7)	581 (33.1)	665 (37.9)	101 (5.8)	22 (1.3)	22 (1.3)
Problem Gambling	Total	Perceived Relative Familial Wealth, p<0.001						
		Very much better off	Much better off	Better off	About the same	Less well off	Much less well off	Very much less well off
No	1391 (79.9)	80 (79.2)	239 (92.6)	533 (93.3)	611 (92.9)	91 (91.0)	21 (95.5)	16 (72.7)
Yes	348 (20.1)	21 (20.8)	19 (7.4)	38 (6.7)	47 (7.1)	9 (9.0)	1 (4.5)	6 (27.3)
Total	1739 (100.0)	101 (5.8)	258 (14.9)	571 (32.9)	658 (37.9)	100 (5.7)	22 (1.3)	22 (1.3)



Familial Regulation

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and a range of familial regulation measures, such as how much parents set rules about what students can do, both at home and outside home, parental monitoring of students' whereabouts on Saturday nights and in the evenings, and with whom they spend their time.

Table S6.4 Associations between parental rule-setting in the home and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do at home)

Gambling (Composite Measure)	Parental Rule-Setting in the Home, $p=0.14$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1143 (67.8)	195 (71.7)	281 (67.5)	374 (67.3)	155 (71.1)	138 (61.6)
Yes	543 (32.2)	77 (28.3)	135 (32.5)	182 (32.7)	63 (28.9)	86 (38.4)
Total	1686 (100.0)	272 (16.1)	416 (24.7)	556 (33.0)	218 (12.9)	224 (13.3)
Gambling (Direct Measure)	Parental Rule-Setting in the Home, $p=0.74$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1530 (86.6)	252 (87.8)	374 (85.0)	504 (87.7)	200 (86.6)	200 (85.8)
Yes	236 (13.4)	35 (12.2)	66 (15.0)	71 (12.3)	31 (13.4)	33 (14.2)
Total	1766 (100.0)	287 (16.3)	440 (24.9)	575 (32.6)	231 (13.1)	233 (13.2)
Problem Gambling	Parental Rule-Setting in the Home, $p=0.42$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1604 (91.9)	259 (92.2)	400 (92.2)	518 (90.6)	215 (94.7)	212 (91.4)
Yes	142 (8.1)	22 (7.8)	34 (7.8)	54 (9.4)	12 (5.3)	20 (8.6)
Total	1746 (100.0)	281 (16.1)	434 (24.9)	572 (32.8)	227 (13.0)	232 (13.3)



Table S6.5 Associations between parental rule-setting outside the home and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? My parent(s) set definite rules about what I can do outside the home)

Gambling (Composite Measure)	Parental Rule-Setting outside the Home, p=0.01					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1141 (67.8)	221 (72.5)	318 (71.9)	353 (65.5)	130 (61.3)	119 (64.7)
Yes	541 (32.2)	84 (27.5)	124 (28.1)	186 (34.5)	82 (38.7)	65 (35.3)
Total	1682 (100.0)	305 (18.1)	442 (26.3)	539 (32.0)	212 (12.6)	184 (10.9)

Gambling (Direct Measure)	Parental Rule-Setting outside the Home, p=0.13					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1522 (86.6)	278 (88.0)	411 (88.4)	484 (86.6)	183 (81.3)	166 (86.5)
Yes	235 (13.4)	38 (12.0)	54 (11.6)	75 (13.4)	42 (18.7)	26 (13.5)
Total	1757 (100.0)	316 (18.0)	465 (26.5)	559 (31.8)	225 (12.8)	192 (10.9)

Problem Gambling	Parental Rule-Setting outside the Home, p=0.37					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1595 (91.9)	290 (92.9)	423 (92.6)	507 (92.2)	200 (88.5)	175 (91.6)
Yes	141 (8.1)	22 (7.1)	34 (7.4)	43 (7.8)	26 (11.5)	16 (8.4)
Total	1736 (100.0)	312 (18.0)	457 (26.3)	550 (31.7)	226 (13.0)	191 (11.0)



Table S6.6 Associations between parental knowledge of children's evening company and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? My parent(s) know whom I am with in the evenings)

Gambling (Composite Measure)	Parental Knowledge of Children's Evening Company, $p<0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1140 (67.8)	741 (72.1)	239 (63.9)	99 (57.6)	31 (55.4)	30 (58.8)
Yes	541 (32.2)	287 (27.9)	135 (36.1)	73 (42.4)	25 (44.6)	21 (41.2)
Total	1681 (100.0)	1028 (61.2)	374 (22.2)	172 (10.2)	56 (3.3)	51 (3.0)

Gambling (Direct Measure)	Parental Knowledge of Children's Evening Company, $p=0.01$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1519 (86.6)	947 (89.1)	329 (83.1)	150 (83.3)	47 (79.7)	46 (82.1)
Yes	235 (13.4)	116 (10.9)	67 (16.9)	30 (16.7)	12 (20.3)	10 (17.9)
Total	1754 (100.0)	1063 (60.6)	396 (22.6)	180 (10.3)	59 (3.4)	56 (3.2)

Problem Gambling	Parental Knowledge of Children's Evening Company, $p<0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1594 (91.9)	999 (95.1)	352 (90.3)	154 (85.1)	46 (79.3)	43 (78.2)
Yes	141 (8.1)	52 (4.9)	38 (9.7)	27 (14.9)	12 (20.7)	12 (21.8)
Total	1735 (100.0)	1051 (60.6)	390 (22.5)	181 (10.4)	58 (3.3)	55 (3.2)



Table S6.7 Associations between parental knowledge of children's evening whereabouts and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? My parent(s) know where I am in the evenings)

Gambling (Composite Measure)	Parental Knowledge of Children's Evening Whereabouts, $p < 0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1142 (67.9)	789 (72.0)	229 (63.4)	84 (58.7)	22 (50.0)	18 (46.2)
Yes	541 (32.1)	307 (28.0)	132 (36.6)	59 (41.3)	22 (50.0)	21 (53.8)
Total	1683 (100.0)	1096 (65.1)	361 (21.4)	143 (8.5)	44 (2.6)	39 (2.3)

Gambling (Direct Measure)	Parental Knowledge of Children's Evening Whereabouts, $p < 0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1521 (86.6)	1016 (89.7)	317 (82.6)	119 (79.3)	39 (83.0)	30 (71.4)
Yes	235 (13.4)	117 (10.3)	67 (17.4)	31 (20.7)	8 (17.0)	12 (28.6)
Total	1756 (100.0)	1133 (64.5)	384 (21.9)	150 (8.5)	47 (2.7)	42 (2.4)

Problem Gambling	Parental Knowledge of Children's Evening Whereabouts, $p < 0.001$					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1596 (91.9)	1059 (94.6)	344 (90.5)	125 (83.3)	35 (76.1)	33 (80.5)
Yes	141 (8.1)	61 (5.4)	36 (9.5)	25 (16.7)	11 (23.9)	8 (19.5)
Total	1737 (100.0)	1120 (64.5)	380 (21.9)	150 (8.6)	46 (2.6)	41 (2.4)



Table S6.8 Associations between parental monitoring of children's whereabouts on Saturday nights and gambling in the last 12 months

(Q. C57. Does your mother or your father know where you spend Saturday nights?)

Gambling (Composite Measure)	Parental Monitoring of Children's Whereabouts on Saturday Nights, $p < 0.001$				
	Total	Know always	Know quite often	Know sometimes	Usually don't know
No	1138 (67.7)	848 (71.7)	211 (61.2)	52 (49.1)	27 (58.7)
Yes	542 (32.3)	335 (28.3)	134 (38.8)	54 (50.9)	19 (41.3)
Total	1680 (100.0)	1183 (70.4)	345 (20.5)	106 (6.3)	46 (2.7)

Gambling (Direct Measure)	Parental Monitoring of Children's Whereabouts on Saturday Nights, $p < 0.001$				
	Total	Know always	Know quite often	Know sometimes	Usually don't know
No	1526 (86.8)	1100 (89.1)	300 (82.9)	90 (78.9)	36 (73.5)
Yes	233 (13.2)	134 (10.9)	62 (17.1)	24 (21.1)	13 (26.5)
Total	1759 (100.0)	1234 (70.2)	362 (20.6)	114 (6.5)	49 (2.8)

Problem Gambling	Parental Monitoring of Children's Whereabouts on Saturday Nights, $p < 0.001$				
	Total	Know always	Know quite often	Know sometimes	Usually don't know
No	1600 (92.0)	1152 (94.4)	329 (91.6)	88 (77.9)	31 (64.6)
Yes	140 (8.0)	68 (5.6)	30 (8.4)	25 (22.1)	17 (35.4)
Total	1740 (100.0)	1220 (70.1)	359 (20.6)	113 (6.5)	48 (2.8)



Parental and Peer Support

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and parental financial support, namely ease of borrowing and receiving money from parents, and students' satisfaction with their relationships with parents and friends.

Table S6.9 Associations between ease of borrowing money from parent(s) and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? I can easily borrow money from my mother and/or father)

Gambling (Composite Measure)	Ease of Borrowing Money from Parent(s), p=0.05					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1142 (67.8)	384 (66.0)	355 (73.2)	265 (65.8)	82 (63.1)	56 (66.7)
Yes	542 (32.2)	198 (34.0)	130 (26.8)	138 (34.2)	48 (36.9)	28 (33.3)
Total	1684 (100.0)	582 (34.6)	485 (28.8)	403 (23.9)	130 (7.7)	84 (5.0)
Gambling (Direct Measure)	Ease of Borrowing Money from Parent(s), p=0.58					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1522 (86.6)	523 (86.2)	448 (88.4)	359 (85.7)	119 (87.5)	73 (83.0)
Yes	235 (13.4)	84 (13.8)	59 (11.6)	60 (14.3)	17 (12.5)	15 (17.0)
Total	1757 (100.0)	607 (34.5)	507 (28.9)	419 (23.8)	136 (7.7)	88 (5.0)
Problem Gambling	Ease of Borrowing Money from Parent(s), p=0.52					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1597 (91.9)	561 (93.3)	455 (90.5)	380 (91.8)	121 (91.0)	80 (92.0)
Yes	141 (8.1)	40 (6.7)	48 (9.5)	34 (8.2)	12 (9.0)	7 (8.0)
Total	1738 (100.0)	601 (34.6)	503 (28.9)	414 (23.8)	133 (7.7)	87 (5.0)



Table S6.10 Associations between ease of receiving money from parent(s) and gambling in the last 12 months

(Q. C54. How often do the following statements apply to you? I can easily get money as a gift from my mother and/or father)

Gambling (Composite Measure)	Ease of Receiving Money from Parent(s), p=0.89					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1140 (67.8)	365 (69.0)	296 (68.5)	294 (66.5)	122 (65.9)	63 (67.0)
Yes	542 (32.2)	164 (31.0)	136 (31.5)	148 (33.5)	63 (34.1)	31 (33.0)
Total	1682 (100.0)	529 (31.5)	432 (25.7)	442 (26.3)	185 (11.0)	94 (5.6)

Gambling (Direct Measure)	Ease of Receiving Money from Parent(s), p=0.84					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1520 (86.6)	489 (87.9)	385 (85.7)	392 (86.0)	171 (86.8)	83 (85.6)
Yes	235 (13.4)	67 (12.1)	64 (14.3)	64 (14.0)	26 (13.2)	14 (14.4)
Total	1755 (100.0)	556 (31.7)	449 (25.6)	456 (26.0)	197 (11.2)	97 (5.5)

Problem Gambling	Ease of Receiving Money from Parent(s), p=0.39					
	Total	Almost always	Often	Sometimes	Seldom	Almost never
No	1595 (91.9)	510 (92.7)	413 (92.8)	414 (91.6)	170 (88.5)	88 (90.7)
Yes	141 (8.1)	40 (7.3)	32 (7.2)	38 (8.4)	22 (11.5)	9 (9.3)
Total	1736 (100.0)	550 (31.7)	445 (25.6)	452 (26.0)	192 (11.1)	97 (5.6)



Table S6.11 Associations between satisfaction with maternal relationship and gambling in the last 12 months

(Q. O16. How satisfied are you usually with ... your relationship with your mother?)

Gambling (Composite Measure)	Satisfaction – Relationship with Mother, p=0.18						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1113 (67.6)	545 (68.4)	401 (68.5)	84 (69.4)	56 (59.6)	21 (53.8)	6 (54.5)
Yes	534 (32.4)	252 (31.6)	184 (31.5)	37 (30.6)	38 (40.4)	18 (46.2)	5 (45.5)
Total	1647 (100.0)	797 (48.4)	585 (35.5)	121 (7.3)	94 (5.7)	39 (2.4)	11 (0.7)

Gambling (Direct Measure)	Satisfaction – Relationship with Mother, p=0.71						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1494 (86.6)	729 (87.5)	529 (85.9)	107 (85.6)	86 (87.8)	34 (82.9)	9 (75.0)
Yes	231 (13.4)	104 (12.5)	87 (14.1)	18 (14.4)	12 (12.2)	7 (17.1)	3 (25.0)
Total	1725 (100.0)	833 (48.3)	616 (35.7)	125 (7.2)	98 (5.7)	41 (2.4)	12 (0.7)

Problem Gambling	Satisfaction – Relationship with Mother, p=0.41						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1567 (91.9)	764 (92.6)	560 (92.1)	112 (91.1)	87 (89.7)	34 (85.0)	10 (83.3)
Yes	138 (8.1)	61 (7.4)	48 (7.9)	11 (8.9)	10 (10.3)	6 (15.0)	2 (16.7)
Total	1705 (100.0)	825 (48.4)	608 (35.7)	123 (7.2)	97 (5.7)	40 (2.3)	12 (0.7)



Table S6.12 Associations between satisfaction with paternal relationship and gambling in the last 12 months

(Q. O16. How satisfied are you usually with ... your relationship with your father?)

Gambling (Composite Measure)	Satisfaction – Relationship with Father, p=0.23						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1108 (67.5)	488 (67.8)	389 (69.3)	92 (63.4)	55 (68.8)	45 (56.3)	39 (70.9)
Yes	533 (32.5)	232 (32.2)	172 (30.7)	53 (36.6)	25 (31.3)	35 (43.8)	16 (29.1)
Total	1641 (100.0)	720 (43.9)	561 (34.2)	145 (8.8)	80 (4.9)	80 (4.9)	55 (3.4)
Gambling (Direct Measure)	Satisfaction – Relationship with Father, p=0.93						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1481 (86.5)	646 (86.1)	507 (86.8)	129 (85.4)	79 (89.8)	69 (85.2)	51 (87.9)
Yes	231 (13.5)	104 (13.9)	77 (13.2)	22 (14.6)	9 (10.2)	12 (14.8)	7 (12.1)
Total	1712 (100.0)	750 (43.8)	584 (34.1)	151 (8.8)	88 (5.1)	81 (4.7)	58 (3.4)
Problem Gambling	Satisfaction – Relationship with Father, p=0.57						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1557 (92.0)	690 (92.6)	531 (91.9)	136 (91.9)	76 (88.4)	69 (88.5)	55 (94.8)
Yes	136 (8.0)	55 (7.4)	47 (8.1)	12 (8.1)	10 (11.6)	9 (11.5)	3 (5.2)
Total	1693 (100.0)	745 (44.0)	578 (34.1)	148 (8.7)	86 (5.1)	78 (4.6)	58 (3.4)



Table S6.13 Associations between satisfaction with peer relationships and gambling in the last 12 months

(Q. O16. How satisfied are you usually with ... your relationship with your friends?)

Gambling (Composite Measure)	Satisfaction – Relationship with Friends, p=0.29						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1109 (67.6)	470 (66.6)	479 (69.3)	109 (69.0)	34 (63.0)	13 (59.1)	4 (40.0)
Yes	532 (32.4)	236 (33.4)	212 (30.7)	49 (31.0)	20 (37.0)	9 (40.9)	6 (60.0)
Total	1641 (100.0)	706 (43.0)	691 (42.1)	158 (9.6)	54 (3.3)	22 (1.3)	10 (0.6)
Gambling (Direct Measure)	Satisfaction – Relationship with Friends, p=0.01						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1483 (86.6)	639 (86.5)	634 (88.2)	138 (84.1)	49 (86.0)	18 (75.0)	5 (50.0)
Yes	230 (13.4)	100 (13.5)	85 (11.8)	26 (15.9)	8 (14.0)	6 (25.0)	5 (50.0)
Total	1713 (100.0)	739 (43.1)	719 (42.0)	164 (9.6)	57 (3.3)	24 (1.4)	10 (0.6)
Problem Gambling	Satisfaction – Relationship with Friends, p=0.01						
	Total	Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
No	1559 (92.0)	678 (92.9)	655 (91.9)	149 (92.0)	50 (90.9)	21 (87.5)	6 (60.0)
Yes	135 (8.0)	52 (7.1)	58 (8.1)	13 (8.0)	5 (9.1)	3 (12.5)	4 (40.0)
Total	1694 (100.0)	730 (43.1)	713 (42.1)	162 (9.6)	55 (3.2)	24 (1.4)	10 (0.6)



Teenager School-Related Measures

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and four school-related measures, namely school absence through illness, truancy, or for some other reason, and the student's reported average grade.

Table S6.14 Associations between school absence through illness and gambling in the last 12 months

(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because of illness)

Gambling (Composite Measure)	Missing School – Illness, $p=0.05$						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1040 (68.3)	422 (71.0)	182 (68.2)	164 (66.1)	161 (67.4)	50 (64.1)	61 (62.9)
Yes	483 (31.7)	172 (29.0)	85 (31.8)	84 (33.9)	78 (32.6)	28 (35.9)	36 (37.1)
Total	1523 (100.0)	594 (39.0)	267 (17.5)	248 (16.3)	239 (15.7)	78 (5.1)	97 (6.4)
Gambling (Direct Measure)	Missing School – Illness, $p=0.11$						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1376 (86.5)	528 (86.1)	253 (91.0)	218 (84.5)	219 (86.6)	74 (88.1)	84 (80.8)
Yes	214 (13.5)	85 (13.9)	25 (9.0)	40 (15.5)	34 (13.4)	10 (11.9)	20 (19.2)
Total	1590 (100.0)	613 (38.6)	278 (17.5)	258 (16.2)	253 (15.9)	84 (5.3)	104 (6.5)
Problem Gambling	Missing School – Illness, $p=0.003$						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1439 (91.5)	551 (91.1)	262 (94.9)	231 (91.3)	235 (93.3)	75 (91.5)	85 (81.7)
Yes	133 (8.5)	54 (8.9)	14 (5.1)	22 (8.7)	17 (6.7)	7 (8.5)	19 (18.3)
Total	1572 (100.0)	605 (38.5)	276 (17.6)	253 (16.1)	252 (16.0)	82 (5.2)	104 (6.6)



Table S6.15 Associations between school absence through truancy and gambling in the last 12 months

(Q. C04. During the last 30 days on how many days have you missed one or more lessons? Because you skipped or 'cut')

Gambling (Composite Measure)	Missing School – Truancy, p=0.01						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1023 (68.2)	842 (70.3)	78 (58.2)	39 (60.0)	37 (59.7)	13 (72.2)	14 (56.0)
Yes	478 (31.8)	355 (29.7)	56 (41.8)	26 (40.0)	25 (40.3)	5 (27.8)	11 (44.0)
Total	1501 (100.0)	1197 (79.7)	134 (8.9)	65 (4.3)	62 (4.1)	18 (1.2)	25 (1.7)
Gambling (Direct Measure)	Missing School – Truancy, p=0.01						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1357 (86.6)	1097 (88.0)	108 (76.6)	60 (88.2)	53 (81.5)	18 (85.7)	21 (80.8)
Yes	210 (13.4)	149 (12.0)	33 (23.4)	8 (11.8)	12 (18.5)	3 (14.3)	5 (19.2)
Total	1567 (100.0)	1246 (79.5)	141 (9.0)	68 (4.3)	65 (4.1)	21 (1.3)	26 (1.7)
Problem Gambling	Missing School – Truancy, p<0.001						
	Total	Never	1 day	2 days	3-4 days	5-6 days	7 days or more
No	1421 (91.7)	1149 (93.4)	122 (85.9)	60 (88.2)	53 (82.8)	18 (85.7)	19 (76.0)
Yes	129 (8.3)	81 (6.6)	20 (14.1)	8 (11.8)	11 (17.2)	3 (14.3)	6 (24.0)
Total	1550 (100.0)	1230 (79.4)	142 (9.2)	68 (4.4)	64 (4.1)	21 (1.4)	25 (1.6)



Table S6.16 Associations between school absence through other reasons and gambling in the last 12 months

(Q. C04. During the last 30 days on how many days have you missed one or more lessons? For other reasons)

Gambling (Composite Measure)	Total	Never	Missing School – Other Reasons, p=0.08					7 days or more
			1 day	2 days	3-4 days	5-6 days		
No	1100 (67.9)	467 (71.2)	249 (68.0)	163 (66.8)	123 (65.1)	45 (63.4)	53 (57.0)	
Yes	519 (32.1)	189 (28.8)	117 (32.0)	81 (33.2)	66 (34.9)	26 (36.6)	40 (43.0)	
Total	1619 (100.0)	656 (40.5)	366 (22.6)	244 (15.1)	189 (11.7)	71 (4.4)	93 (5.7)	

Gambling (Direct Measure)	Total	Never	Missing School – Other Reasons, p=0.80					7 days or more
			1 day	2 days	3-4 days	5-6 days		
No	1464 (86.5)	599 (87.7)	332 (86.9)	220 (84.6)	166 (85.6)	63 (86.3)	84 (84.0)	
Yes	228 (13.5)	84 (12.3)	50 (13.1)	40 (15.4)	28 (14.4)	10 (13.7)	16 (16.0)	
Total	1692 (100.0)	683 (40.4)	382 (22.6)	260 (15.4)	194 (11.5)	73 (4.3)	100 (5.9)	

Problem Gambling	Total	Never	Missing School – Other Reasons, p=0.67					7 days or more
			1 day	2 days	3-4 days	5-6 days		
No	1534 (91.9)	621 (91.6)	350 (93.1)	229 (90.5)	181 (93.8)	66 (90.4)	87 (89.7)	
Yes	136 (8.1)	57 (8.4)	26 (6.9)	24 (9.5)	12 (6.2)	7 (9.6)	10 (10.3)	
Total	1670 (100.0)	678 (40.6)	376 (22.5)	253 (15.1)	193 (11.6)	73 (4.4)	97 (5.8)	



Table S6.17 Associations between educational attainment and gambling in the last 12 months
(Q. O15. Which of the following best describes your average grade at the end of the last term?)

Gambling (Composite Measure)	Average Grade, p<0.001				
	Total	A and B	C	D	E or lower
No	1108 (67.7)	677 (72.2)	351 (65.9)	65 (49.2)	15 (45.5)
Yes	528 (32.3)	261 (27.8)	182 (34.1)	67 (50.8)	18 (54.5)
Total	1636 (100.0)	938 (57.3)	533 (32.6)	132 (8.1)	33 (2.0)

Gambling (Direct Measure)	Average Grade, p=0.01				
	Total	A and B	C	D	E or lower
No	1485 (86.7)	861 (88.7)	475 (84.1)	121 (86.4)	28 (75.7)
Yes	228 (13.3)	110 (11.3)	90 (15.9)	19 (13.6)	9 (24.3)
Total	1713 (100.0)	971 (56.7)	565 (33.0)	140 (8.2)	37 (2.2)

Problem Gambling	Average Grade, p<0.001				
	Total	A and B	C	D	E or lower
No	1558 (92.0)	906 (94.0)	508 (91.0)	117 (86.0)	27 (75.0)
Yes	136 (8.0)	58 (6.0)	50 (9.0)	19 (14.0)	9 (25.0)
Total	1694 (100.0)	964 (56.9)	558 (32.9)	136 (8.0)	36 (2.1)

Peer Substance Use

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and their friends' use of a range of substances, such as cigarettes, e-cigarettes, and alcohol.

Table S6.18 Associations between peer cigarette use and gambling in the last 12 months
(Q. O19a. How many of your friends would you estimate ... smoke cigarettes?)

Gambling (Composite Measure)	Peer Cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1,110 (67.8)	665 (73.3)	310 (64.4)	94 (61.4)	38 (47.5)	3 (20.0)
Yes	526 (32.2)	242 (26.7)	171 (35.6)	59 (38.6)	42 (52.5)	12 (80.0)
Total	1,636 (100)	907 (55.4)	481 (29.4)	153 (9.4)	80 (4.9)	15 (0.9)

Gambling (Direct Measure)	Peer Cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1484 (86.8)	858 (90.0)	430 (85.7)	127 (81.4)	62 (73.8)	7 (46.7)
Yes	226 (13.2)	95 (10.0)	72 (14.3)	29 (18.6)	22 (26.2)	8 (53.3)
Total	1710 (100.0)	953 (55.7)	502 (29.4)	156 (9.1)	84 (4.9)	15 (0.9)

Problem Gambling	Peer Cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1,556 (92.0)	885 (94.0)	458 (91.8)	139 (89.7)	67 (82.7)	7 (46.7)
Yes	135 (8.0)	56 (6.0)	41 (8.2)	16 (10.3)	14 (17.3)	8 (53.3)
Total	1,691 (100)	941 (55.6)	499 (29.5)	155 (9.2)	81 (4.8)	15 (0.9)



Table S6.19 Associations between peer e-cigarette use and gambling in the last 12 months
(Q. O19a. How many of your friends would you estimate ... use e-cigarettes?)

Gambling (Composite Measure)	Peer E-cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1108 (67.9)	373 (80.7)	374 (66.9)	183 (67.3)	165 (54.6)	13 (35.1)
Yes	524 (32.1)	89 (19.3)	185 (33.1)	89 (32.7)	137 (45.4)	24 (64.9)
Total	1632 (100.0)	462 (28.3)	559 (34.3)	272 (16.7)	302 (18.5)	37 (2.3)
Gambling (Direct Measure)	Peer E-cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1476 (86.8)	459 (93.9)	500 (86.7)	240 (85.1)	249 (79.0)	28 (73.7)
Yes	225 (13.2)	30 (6.1)	77 (13.3)	42 (14.9)	66 (21.0)	10 (26.3)
Total	1701 (100.0)	489 (28.7)	577 (33.9)	282 (16.6)	315 (18.5)	38 (2.2)
Problem Gambling	Peer E-cigarette Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1,549 (92.0)	448 (93.3)	538 (93.7)	254 (90.7)	282 (90.7)	27 (71.1)
Yes	134 (8.0)	32 (6.7)	36 (6.3)	26 (9.3)	29 (9.3)	11 (28.9)
Total	1,683 (100)	480 (28.5)	574 (34.1)	280 (16.6)	311 (18.5)	38 (2.3)

Table S6.20 Associations between peer alcohol use and gambling in the last 12 months
(Q. O19a. How many of your friends would you estimate ... drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits)?)

Gambling (Composite Measure)	Peer Alcohol Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1108 (67.9)	293 (81.8)	323 (70.8)	188 (64.6)	254 (60.3)	50 (47.6)
Yes	523 (32.1)	65 (18.2)	133 (29.2)	103 (35.4)	167 (39.7)	55 (52.4)
Total	1631 (100.0)	358 (21.9)	456 (28.0)	291 (17.8)	421 (25.8)	105 (6.4)
Gambling (Direct Measure)	Peer Alcohol Use, p<0.001					
	Total	None	A few	Some	Most	All
No	1476 (86.8)	351 (93.1)	423 (89.6)	259 (86.6)	361 (81.9)	82 (73.9)
Yes	224 (13.2)	26 (6.9)	49 (10.4)	40 (13.4)	80 (18.1)	29 (26.1)
Total	1700 (100.0)	377 (22.2)	472 (27.8)	299 (17.6)	441 (25.9)	111 (6.5)
Problem Gambling	Peer Alcohol Use, p=0.02					
	Total	None	A few	Some	Most	All
No	1,549 (92.1)	350 (93.8)	436 (93.4)	269 (90.9)	400 (92.0)	94 (84.7)
Yes	133 (7.9)	23 (6.2)	31 (6.6)	27 (9.1)	35 (8.0)	17 (15.3)
Total	1,682 (100)	373 (22.2)	467 (27.8)	296 (17.6)	435 (25.9)	111 (6.6)



Teenager Gambling and Substance Use

This section presents results from analyses that examine associations between teenagers' gambling (direct measure, composite measure, and problem gambling) and their substance use (cigarettes, e-cigarettes, alcohol, and cannabis).

Table S6.21 Associations between cigarette use and gambling in the last 12 months

(Q. C06. Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?)

Gambling (Composite Measure)	Total	Never	Cigarette Use, $p<0.001$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1169 (67.8)	935 (70.8)	234 (58.1)	93 (47.4)	83 (69.2)	58 (66.7)
Yes	555 (32.2)	386 (29.2)	169 (41.9)	103 (52.6)	37 (30.8)	29 (33.3)
Total	1724 (100.0)	1321 (76.6)	403 (23.4)	196 (11.4)	120 (7.0)	87 (5.0)
Gambling (Direct Measure)	Total	Never	Cigarette Use, $p<0.001$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1573 (86.8)	1227 (88.7)	346 (80.5)	155 (74.2)	110 (87.3)	81 (86.2)
Yes	240 (13.2)	157 (11.3)	83 (19.5)	54 (25.8)	16 (12.7)	13 (13.8)
Total	1813 (100.0)	1384 (76.3)	429 (23.7)	209 (11.5)	126 (6.9)	94 (5.2)
Problem Gambling	Total	Never	Cigarette Use, $p<0.001$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1638 (91.9)	1271 (93.3)	367 (87.6)	173 (85.6)	111 (87.4)	83 (91.2)
Yes	145 (8.1)	92 (6.7)	53 (12.4)	29 (14.4)	16 (12.6)	8 (8.8)
Total	1783 (100.0)	1363 (76.4)	420 (23.6)	202 (11.3)	127 (7.1)	91 (5.1)



Table S6.22 Associations between e-cigarette use and gambling in the last 12 months
(Q. C10. Have you ever used e-cigarettes?)

Gambling (Composite Measure)	Total	Never	E-cigarette Use, $p<0.001$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1169 (67.8)	846 (72.1)	323 (58.9)	137 (51.5)	105 (64.4)	81 (66.9)
Yes	554 (32.2)	327 (27.9)	227 (41.1)	129 (48.5)	58 (35.6)	40 (33.1)
Total	1723 (100.0)	1173 (68.1)	550 (31.9)	266 (15.4)	163 (9.5)	121 (7.0)
Gambling (Direct Measure)	Total	Never	E-cigarette Use, $p<0.001$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1572 (86.8)	1107 (89.9)	465 (80.0)	221 (77.8)	140 (82.4)	104 (81.9)
Yes	240 (13.2)	124 (10.1)	116 (20.0)	63 (22.2)	30 (17.6)	23 (18.1)
Total	1812 (100.0)	1231 (67.9)	581 (32.1)	284 (15.7)	170 (9.4)	127 (7.0)
Problem Gambling	Total	Never	E-cigarette Use, $p=0.10$			
			Ever	Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago
No	1636 (91.9)	1125 (92.9)	511 (89.6)	246 (89.1)	155 (91.2)	110 (88.7)
Yes	145 (8.1)	86 (7.1)	59 (10.4)	30 (10.9)	15 (8.8)	14 (11.3)
Total	1781 (100.0)	1211 (68.0)	570 (32.0)	276 (15.5)	170 (9.5)	124 (7.0)



Table S6.23 Associations between alcohol use and gambling in the last 12 months

(Q. C17. On how many occasions (if any) have you had any alcoholic beverage to drink?
In your lifetime; During the last 12 months; During the last 30 days)

Gambling (Composite Measure)			Alcohol Use		
	Total	Never	Lifetime (p<0.001)	Yes, in the last 12 months (p<0.001)	Yes, in the last 30 days (p<0.001)
No	1166 (67.8)	464 (80.1)	702 (61.5)	622 (60.7)	336 (56.5)
Yes	555 (32.2)	115 (19.9)	440 (38.5)	402 (39.3)	259 (43.5)
Total	1721 (100)	579 (33.6)	114 (66.4)	1024 (59.7)	595 (34.7)
Gambling (Direct Measure)			Alcohol Use, p<0.001		
	Total	Never	Lifetime	Yes, in the last 12 months	Yes, in the last 30 days
No	1570 (86.7)	563 (92.9)	1007 (83.6)	898 (83.1)	494 (78.5)
Yes	240 (13.3)	43 (7.1)	197 (16.4)	183 (16.9)	135 (21.5)
Total	1810 (100.0)	610 (33.6)	1204 (66.5)	1081 (60.0)	629 (34.9)
Problem Gambling			Alcohol Use		
	Total	Never	Lifetime (p=0.05)	Yes, in the last 12 months (p=0.19)	Yes, in the last 30 days (p<0.001)
No	1634 (91.8)	561 (93.7)	1073 (90.9)	965 (91.1)	549 (88.8)
Yes	145 (8.2)	38 (6.3)	107 (9.1)	94 (8.9)	69 (11.2)
Total	1779 (100.0)	599 (33.7)	1180 (66.2)	1059 (59.8)	618 (34.9)



Table S6.24 Associations between cannabis use and gambling in the last 12 months
(Q. C27. On how many occasions (if any) have you used cannabis? In your lifetime;
During the last 12 months; During the last 30 days)

Gambling (Composite Measure)	Cannabis Use				
	Total	Never	Lifetime (p<0.001)	Yes, in the last 12 months (p<0.001)	Yes, in the last 30 days (p<0.001)
No	1167 (67.8)	1071 (70.4)	96 (48.2)	85 (49.1)	35 (44.9)
Yes	553 (32.2)	450 (29.6)	103 (51.8)	88 (50.9)	43 (55.1)
Total	1720 (100.0)	1524 (88.5)	199 (11.6)	173 (10.1)	78 (4.5)

Gambling (Direct Measure)	Cannabis Use				
	Total	Never	Lifetime (p<0.001)	Yes, in the last 12 months (p<0.001)	Yes, in the last 30 days (p<0.001)
No	1570 (86.8)	1419 (88.7)	151 (72.2)	131 (72.4)	61 (72.6)
Yes	239 (13.2)	181 (11.3)	58 (27.8)	50 (27.6)	23 (27.4)
Total	1809 (100.0)	1600 (88.5)	209 (11.6)	181 (10.0)	84 (4.7)

Problem Gambling	Cannabis Use				
	Total	Never	Lifetime (p<0.001)	Yes, in the last 12 months (p<0.001)	Yes, in the last 30 days (p<0.001)
No	1635 (91.9)	1467 (93.1)	168 (82.8)	147 (83.5)	65 (81.3)
Yes	144 (8.1)	109 (6.9)	35 (17.2)	29 (16.5)	15 (18.8)
Total	1779 (100.0)	1576 (88.6)	203 (11.4)	176 (9.9)	80 (4.5)



TFRI ESPAD Publications 2015-2024

1. Hanafin J, Sunday S, Clancy L. Hashtags, images, and promotions: E-cigarette messaging on social media associated with teenager smoking and e-cigarette use in Ireland. In Dublin. Abstract WCTC2025: 15.; 2025. Available from: https://www.tri.ie/uploads/5/2/7/3/52736649/abstract_1621_social_media_and_e-cigs.pdf
2. Hanafin J, Sunday S, Clancy L. Capturing changes in youth tobacco and nicotine use – a new composite measure. In Dublin. Abstract WCTC2025: 15.; 2025. Available from: https://www.tri.ie/uploads/5/2/7/3/52736649/abstract_wctc_2025_dublin_abst.1abstract_15.pdf
3. Hanafin J, Sunday S, Clancy L. Trends and gender differences 2019-2024 in use of alternative smoking products (excluding e-cigarettes) by teenagers in Ireland. Tobacco Prevention & Cessation [Internet]. 2024;10(Supplement 1). doi:10.18332/tpc/194442.
4. Sunday S, Clancy L, Hanafin J. Teenage problem gambling in Ireland – shared risk factors with tobacco, e-cigarette and cannabis use. European Respiratory Journal 2023. 2023;62(67). doi: <https://doi.org/10.1183/13993003.congress-2023.PA5323>
5. Reynolds CME, Hanafin J, Sunday S, McAvoy H, Clancy L. Odds of gambling among adolescents: a secondary analysis of the cross-sectional European School Survey Project on Alcohol and Other Drugs. Lancet. 2023 Nov;402 Suppl 1:S79. doi: 10.1016/S0140-6736(23)02118-9. PMID: 37997124
6. McAvoy H, Reynolds C, Sunday S, Hanafin J, Clancy L. Children and gambling evidence to inform regulation and responses in Ireland. Based on a secondary analysis of the European School Survey Project on Alcohol and Other Drugs (ESPAD). Dublin Institute of Public Health. 2023; Dublin. Institute of Public Health. Available from: [Gambling and children report final.pdf](#)
7. McAvoy H, Reynolds C, Sunday S, Hanafin J, Clancy L. Children and gambling evidence to inform regulation and responses in Ireland. Plain Language Summary. (2023). Dublin. Institute of Public Health.
8. Hanafin J, Sunday S, Reynolds C, McAvoy H, Clancy L. Links between Smoking, E-cigarette and Cannabis use, and Gambling in Ireland: What are the odds? Tobacco Prevention & Cessation. 2023;9(Supplement). A156 <https://doi.org/10.18332/tpc/162906>
9. Hanafin J, Sunday S, Clancy L. E-cigarettes and smoking in Irish teens: a logistic regression analysis of current (past 30-day) use of e-cigarettes. J Public Health (Berl). 2023 Jun;31(6):955–66. <https://doi.org/10.1007/s10389-021-01610-1>
10. Sunday S, Hanafin J, Clancy L. Why has the decline in smoking among Irish teenagers stopped? Irish Journal of Medical Science. Ir J Med Sci 191 (Suppl 5), 129–185 (2022). <https://doi.org/10.1007/s11845-022-03209-1>.
11. Sunday S, Hanafin J, Clancy L. Teen Smoking is a Challenge to Ireland's TobaccoFree Endgame. Annual Meeting of the Society for Research on Nicotine and Tobacco SRNT, Baltimore, MD 15-18 March 2022. Available from: [srnt2022_tfri.pdf](#)
12. Sunday S, Clancy L, Hanafin J. Factors Associated with E-Cigarette Use in Young Adults. Irish Journal of Medical Science 191 (Suppl 5), 129–185 (2022). <https://doi.org/10.1007/s11845-022-03209-1>
13. Hanafin J, Sunday S, Clancy L. Teenagers' perceptions of risk from cigarettes and e-cigarettes. Tobacco Prevention & Cessation. 2022;8(Supplement). A68. <https://doi.org/10.18332/tpc/151001>



14. Hanafin J, Sunday S, Clancy L. Sociodemographic, personal, peer, and familial predictors of e-cigarette ever use in ESPAD Ireland: A forward stepwise logistic regression model. *Tobacco Induced Diseases*. 2022 Feb;20(February):1-12. <https://doi.org/10.18332/tid/>
15. Hanafin J, Sunday S, Clancy L. High parental education a risk factor for teenage e-cigarette use in Ireland. *European Respiratory Journal* 2022 60: 1936; doi: <https://doi.org/10.1183/13993003.congress-2022.1936>
16. Hanafin J, Sunday S, Clancy L. Geography, gender and smoking in Europe. *European Respiratory Journal* 2022 60: 1954; doi: [10.1183/13993003.congress-2022.1954](https://doi.org/10.1183/13993003.congress-2022.1954)
17. Hanafin J, Sunday S, Clancy L. The decline in teenage smoking has reversed in Ireland-how can we intervene?. *European Respiratory Journal* 2022 60: 2084; DOI: [10.1183/13993003.congress-2022.2084](https://doi.org/10.1183/13993003.congress-2022.2084)
18. Hanafin J, Sunday S, Clancy L. Gender differences in teenage e-cigarette prevalence and predictive variables. *European Respiratory Journal* 2022 60: 2071; DOI: [10.1183/13993003.congress-2022.2071](https://doi.org/10.1183/13993003.congress-2022.2071)
19. Hanafin J, Sunday S, Clancy L. E-cigarettes in Ireland – prevalence, motivations, and relationship with tobacco. *European Respiratory Journal* 2022 60: 2073; DOI: [10.1183/13993003.congress-2022.2073](https://doi.org/10.1183/13993003.congress-2022.2073)
20. Clancy L, Sunday S, Hanafin J. Do high achievers have the same relationship with e-cigarettes as with cigarettes? *Tobacco Prevention & Cessation*. 2022;8(Supplement). A78. <https://doi.org/10.18332/tpc/151000>
21. Sunday S, Hanafin J, Keogan S, Clancy L. Smoking in Schools in Ireland. *The Physician Journal of International Health*. 2021 Jan 4;6(3). <https://doi.org/10.38192/1.6.3.firmst20>
22. Sunday S, Hanafin J, Clancy L. Increased smoking and e-cigarette use among Irish teenagers: A new threat to Tobacco Free Ireland 2025. *ERJ Open Research*. 2021 Oct 1;7(4). DOI: <https://doi.org/10.1183/23120541.00438-2021>
23. Hanafin J, Sunday S, Keogan S, Clancy L. Worrying changes in adolescent e-cigarette use 2014-2019: A secondary analysis of five Irish health datasets. *Irish Journal of Medical Science*. 2021 Jan 7;190:3.3. <https://link.springer.com/article/10.1007/s11845-020-02450-w>.
24. Hanafin J, Sunday S, Keogan S, Clancy L. What's Happening with E-Cigarette Use. A Secondary Analysis of five Irish health datasets. *The Physician Journal of International Health* [Internet]. 2021 Jan 4;6(3). Available from: <https://doi.org/10.38192/1.6.3.firmst20>
25. Hanafin J, Sunday S, Keogan S, Clancy L. Increase in boys' smoking threatens Ireland's Endgame Projections – European trend analysis of smoking prevalence 1995-2019. Poster at SRNT 27th Annual Meeting 2021. Available from: https://drive.google.com/file/d/1lz0vtp_I6EU6bV7b96YTeaPYN4XUA76p/view
26. Hanafin J, Sunday S, Keogan S, Clancy L. Gender difference results in increase in adolescent smoking in 2019 in Ireland-European trend analysis of current smoking prevalence 1995-2019. *Irish Journal of Medical Science*. 2021 Jan 7;190:3.11. Available from: [Irish Thoracic Society Annual Scientific Meeting 2020 | Irish Journal of Medical Science \(1971 -\)](#)
27. Hanafin J, Sunday S, Keogan S, Clancy L. E-cigarette prevalence, motivations for use, and relationship with tobacco – the changing situation in Ireland. Poster at SRNT 27th Annual Meeting 2021. Available from: https://drive.google.com/file/d/163FQ9bbVwRR_selZz0tnd5mkguVHcUxQ/view



28. Hanafin J, Sunday S, Clancy L. Friends and family matter Most: a trend analysis of increasing e-cigarette use among Irish teenagers and socio-demographic, personal, peer and familial associations. BMC Public Health. 2021;21(1):1-12. <https://doi.org/10.1186/s12889-021-12113-9>
29. Sunday S, Keogan S, Hanafin J, Clancy L. ESPAD 2019 Ireland: Results from the European Schools Project on Alcohol and Other Drugs in Ireland. Dublin: TFRI; 2020. Available from: https://drive.google.com/file/d/1qyaQwcxQhLbiDQrl2ap6SuNMmHa_NWcy/view
30. Li S, Keogan S, Clancy L. Does smoke-free legislation work for teens too? A logistic regression analysis of smoking prevalence and gender among 16 years old in Ireland, using the 1995–2015 ESPAD school surveys. BMJ Open. 2020 Aug 1;10(8):e032630. doi: [10.1136/bmjopen-2019-032630](https://doi.org/10.1136/bmjopen-2019-032630). PMID: [32801188](https://pubmed.ncbi.nlm.nih.gov/32801188/).
31. ESPAD Group. ESPAD Report 2019: Results from the European School Survey Project on Alcohol and Other Drugs [Internet]. EMCDDA Joint Publications, Publications Office of the European Union, Luxembourg.; 2020. Available from: https://www.espad.org/sites/default/files/2020.3878_EN_04.pdf
32. Kraus L, Seitz NN, Piontek D, Molinaro S, Siciliano V, Guttormsson U, et al. 'Are The Times A-Changin'? Trends in adolescent substance use in Europe. Addiction. 2018; doi: [10.1111/add.14201](https://doi.org/10.1111/add.14201)
33. Kraus L, Guttormsson U, Leifman H, Arpa S, Molinaro S, Monshouwer K, et al. ESPAD Report 2015: Results from the European School Survey Project on Alcohol and Other Drugs. 2016. Report No.: 9789291689187. DOI: [10.1121/1.1610459](https://doi.org/10.1121/1.1610459).
34. Clancy L, Taylor K, Babineau K, Keogan S, Whelan E. European School Survey Project on Alcohol and Other Drugs (ESPAD) 2015. TFRI for the Department of Health, Ireland.; 2016. Available from: https://www.tri.ie/uploads/5/2/7/3/52736649/espad_2015_ireland_final.pdf
35. Clancy L, Babineau K. E-cigarettes: effective cessation tools or public health threat? QJM: An International Journal of Medicine. 2016;109(2):79–81. <https://doi.org/10.1093/qjmed/hcv223>
36. Hibell B, Guttormsson U, Ahlström S, Balakireva O, Bjarnason T, Kokkevi A, et al. The 2011 ESPAD Report: Substance Use Among Students in 36 European Countries. 978-91-7278-233-4. Available from: [ESPAD_Report_2011.pdf](https://www.espad.org/content/espad-report-2011)
37. Kabir Z, Morgan M, Clancy L. Smoking status and academic performance of adolescents in Ireland. Irish Journal of Medical Science. *Irish Journal of Medical Science* **180** (Suppl 12), 411 (2011). <https://doi.org/10.1007/s11845-011-0759-4>
38. Hibell B, Andersson B, Bjarnasson T, Ahlström S, Balakireva O, Kokkevi A, et al. ESPAD report 2003: alcohol and other drug use among students in 35 European countries. Report No.: 9172781033. Available at: <https://www.espad.org/content/espad-report-2003-alcohol-and-other-drug-use-among-students-35-european-countries>
39. Keogan S, Taylor K, Babineau K, Clancy L. [A 2015 national survey of e-cigarette use among Irish youth](https://doi.org/10.1183/13993003.congress-2016.PA2019). European Respiratory Journal 2016 48(suppl 60): PA2019; DOI: <https://doi.org/10.1183/13993003.congress-2016.PA2019>
40. Li S, Keogan S, Clancy L. Trends in Youth Smoking in Ireland and Analysis of Factors Associated with Youth Smoking. The European Conference on Tobacco or Health (ECToH 2017). DOI: [10.13140/RG.2.2.24073.24167](https://doi.org/10.13140/RG.2.2.24073.24167)
41. Clancy L, Keishia T, Li S, Keogan S. E-Cigarettes Before Tobacco among Irish Adolescents. The European Conference on Tobacco or Health (ECToH 2017). https://www.tri.ie/uploads/5/2/7/3/52736649/shahsa_ectoh_e-cig.pdf



ESPAD Ireland 2024 Student Questionnaire



The European School Survey Project on
Alcohol and Other Drugs
www.espad.org

ESPAD Ireland 2024

Student Online Questionnaire on substance use

Read this first please!

This questionnaire is part of an international study called ESPAD that will be answered by more than 100,000 students in over 35 countries in Europe. It is a survey of substance use with questions on use of tobacco, e-cigarettes, alcohol, drugs, gambling and gaming. It will take about 30-40 minutes to complete.

This is a totally anonymous questionnaire. You should not state your name or any other information which identifies you. The survey does not store information about the device with which it is answered, including the IP address.

Your class has been randomly selected to take part in this study. In Ireland the survey is carried out by the TobaccoFree Research Institute Ireland (TFRI). It is voluntary to take part and you can change your mind at any time. If there is any question you find objectionable for any reason, just leave it blank. It is important that you answer as thoughtfully and frankly as possible. The results will not be presented by single classes or schools and your answers are and will remain totally anonymous.

If you do not find an answer that fits exactly, indicate the one that comes closest. Please mark the appropriate answer to each question. If you have any technical question, please raise your hand and your designated teacher or researcher will assist you but they will not look at your answers.

REMEMBER - Participation is voluntary. You do not have to take part in the survey and you do not have to answer any question in the survey that you do not want to answer. You can withdraw from the survey at any time and your data will not be used or stored. Your answers are completely anonymous.

Thank you in advance for your participation! Please begin.



TobaccoFree Research Institute Ireland (TFRI)
FOCAS Institute, TU Dublin, Aungier St, Dublin 2
Website: www.tri.ie
Tel: [012601966](tel:012601966)

Email: lciancy@tri.ie
Email: jbanafin@tri.ie
Email: tfri.tobaccoresearch@tudublin.ie







C01 What is your sex?

- 1 ☐ Male
2 ☐ Female
4 ☐ Rather not answer

1 ☐ Male
2 ☐ Female
3 ☐ Other
4 ☐ Rather not answer

Year				
[C02a]				

	Mark one box.	Ireland	UK	Poland	Romania	India	Ukraine	Other country
OC02c	Country of birth.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		372	826	616	642	356	804	999

Mark one box.		Basically, since my birth	For more than 10 years	For 5-10 years	For 2-5 years	For 2 years or less
OC02d	How many years.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

	Mark one box for each line	Never	A few times a year	Once or twice a month	At least once a week	Almost every day
C03a	Play computer games	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C03b	Actively take part in sports or athletics or do exercise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C03c	Read books for enjoyment (not counting schoolbooks)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C03d	Go out in the evening (to a disco, a bar, a party etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C03e	Other hobbies (play an instrument, sing, paint, write etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C03f	Go around with friends to shopping centres, streets, parks etc. just for fun	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

C04 During the LAST 30 DAYS on how many days have you missed one or more lessons?

Mark one box for each line.

		Never	1 day	2 days	3-4 days	5-6 days	7 days or more
C04a	Because of illness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C04b	Because you skipped or 'cut'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C04c	For other reasons	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

The following questions are about tobacco smoking (traditional cigarettes, rolled cigarettes, cigarillos, cigars) EXCLUDING e-cigarettes (vapes) and alternative products (nicotine pouches, heated tobacco products, water pipe, moist snuff etc.)

C05 How difficult do you think it would be for you to access cigarettes (excluding e-cigarettes (vapes) and alternative smoking products) if you wanted?

1 ☐ Impossible

2 ☐ Very difficult

3 ☐ Fairly difficult

4 ☐ Fairly easy

5 ☐ Very easy

6 ☐ Don't know

C06 Have you ever smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products)?

1 ☐ Yes, in the last 30 days

2 ☐ Yes, in the last 12 months but not in the last 30 days

3 ☐ Yes, more than 12 months ago

4 ☐ Never

C07 How often have you smoked cigarettes (excluding e-cigarettes (vapes) and alternative smoking products) during the LAST 30 DAYS?

1 ☐ Not at all

2 ☐ Less than 1 cigarette a week

3 ☐ Less than 1 cigarette a day

4 ☐ 1-5 cigarettes a day

5 ☐ 6-10 cigarettes a day

6 ☐ 11-20 cigarettes a day

7 ☐ More than 20 cigarettes a day



C08 When (if ever) did you FIRST do each of the following things?

	Mark one box for each line.	Never	9 years old or less	10 years old	11 years old	12 years old	13 years old	14 years old	15 years old	16 years or older
C08a	Smoke your first cigarette (excluding e-cigarettes (vapes) and alternative smoking products)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C08b	Smoke cigarettes on a daily basis (excluding e-cigarettes (vapes) and alternative smoking products)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7	8	9

The next questions are about e-cigarettes (vapes, mods) and alternative smoking products (nicotine pouches, water pipe (shisha), snus, heated tobacco products).

C09 How difficult do you think it would be for you to access the following products if you wanted?

	Mark one box for each line.	Impossible	Very difficult	Fairly difficult	Fairly easy	Very easy	Don't know
C09a	E-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C09b	Water pipe (shisha)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C09c	Moist snuff (snus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C09d	Heated tobacco products	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C09e	Nicotine pouches	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

C10 Have you ever used e-cigarettes?

1	<input type="checkbox"/> Yes, in the last 30 days
2	<input type="checkbox"/> Yes, in the last 12 months but not in the last 30 days
3	<input type="checkbox"/> Yes, more than 12 months ago
4	<input type="checkbox"/> Never

C11 How often have you used e-cigarettes during the LAST 30 DAYS?

1	<input type="checkbox"/> Not at all
2	<input type="checkbox"/> Less than once per week
3	<input type="checkbox"/> At least once a week
4	<input type="checkbox"/> Almost every day or every day



C12 If you have used e-cigarettes during the LAST 30 DAYS, what did they contain?

Mark all that apply.

C12a	1	<input type="checkbox"/>	I have not used e-cigarettes in the last 30 days
C12b	1	<input type="checkbox"/>	Nicotine
C12c	1	<input type="checkbox"/>	Flavouring
C12d	1	<input type="checkbox"/>	CBD
C12e	1	<input type="checkbox"/>	THC
C12f	1	<input type="checkbox"/>	Don't know

C13 When (if ever) did you FIRST do each of the following things?

Mark one box for each line.

		Never	9 years old or less	10 years old	11 years old	12 years old	13 years old	14 years old	15 years old	16 years or older
C13a	Use your first e-cigarette	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C13b	Use e-cigarettes on a daily basis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7	8	9

C14 When you first tried e-cigarettes (if ever), what was your relationship with traditional cigarettes?

1	<input type="checkbox"/>	I have never tried e-cigarettes
2	<input type="checkbox"/>	I had never used traditional cigarettes
3	<input type="checkbox"/>	I had occasionally used traditional cigarettes
4	<input type="checkbox"/>	I was regularly using traditional cigarettes

O02 Why did you try e-cigarettes for the first time?

Mark all that apply.

O02a	1	<input type="checkbox"/>	I have never tried e-cigarettes
O02b	1	<input type="checkbox"/>	To stop smoking cigarettes
O02c	1	<input type="checkbox"/>	Out of curiosity
O02d	1	<input type="checkbox"/>	Because my friends/other people offered an e-cigarette to me
O02e	1	<input type="checkbox"/>	None of the above reasons

O03 The first time you used e-cigarettes what did your e-cigarette contain?

Mark all that apply.

O03a	1	<input type="checkbox"/>	I have never tried e-cigarettes
O03b	1	<input type="checkbox"/>	Nicotine
O03c	1	<input type="checkbox"/>	Flavouring
O03d	1	<input type="checkbox"/>	CBD
O03e	1	<input type="checkbox"/>	THC
O03f	1	<input type="checkbox"/>	Don't know



C15 Have you ever used the following alternative smoking products?

Mark one box for each line.		Yes, in the last 30 days	Yes, in the last 12 months but not in the last 30 days	Yes, more than 12 months ago	Never
C15a	Water pipe (shisha)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC15b	Moist snuff (snus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC15c	Heated tobacco products	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC15d	Nicotine pouches	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4

O04 When (if ever) did you FIRST use

O04b Moist snuff (snus)

Never	9 years old or less	10 years old	11 years old	12 years old	13 years old	14 years old	15 years old	16 years or older
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

O04d Nicotine pouches

Never	9 years old or less	10 years old	11 years old	12 years old	13 years old	14 years old	15 years old	16 years or older
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The next questions are about alcoholic beverages – including beer, cider, premixed drinks, wine and spirits.

C16 How difficult do you think it would be for you to get each of the following, if you wanted?

Mark one box for each line.

		Impossible	Very difficult	Fairly difficult	Fairly easy	Very easy	Don't know
C16a	Beer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC16b	Cider	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC16c	Premixed drinks (sprit, alcopops)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C16d	Wine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C16e	Spirits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

C17 On how many occasions (if any) have you had any alcoholic beverage to drink?

Mark one box for each line.

		0	1-2	3-5	6-9	10-19	20-39	40 or more
C17a	In your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C17b	During the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C17c	During the last 30 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C18 Think back over the LAST 30 DAYS. On how many occasions (if any) have you had any of the following to drink?

Mark one box for each line.

		0	1-2	3-5	6-9	10-19	20-39	40 or more
C18a	Beer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC18b	Cider	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC18c	Premixed drinks (sprit, alcopops)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C18d	Wine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C18e	Spirits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C19 Think back again over the LAST 30 DAYS. How many times (if any) have you had five or more drinks on one occasion? "A 'drink' is defined as 1 glass/bottle/can of beer (33 cl), 1 glass of wine (15 cl), 1 glass of spirits (4 cl)

1 ☐ None

2 ☐ 1

3 ☐ 2

4 ☐ 3-5

5 ☐ 6-9

6 ☐ 10 or more times



1	<input type="checkbox"/>	Buy in store / off-license
2	<input type="checkbox"/>	Purchase smuggled goods or homemade alcohol
3	<input type="checkbox"/>	Get or buy from other youth
4	<input type="checkbox"/>	My parents give / buy me alcohol
5	<input type="checkbox"/>	Siblings buy for me / give to me
6	<input type="checkbox"/>	I take alcohol at home without permission
7	<input type="checkbox"/>	Other adults buy / give to me
8	<input type="checkbox"/>	Buy at pubs/bars etc
9	<input type="checkbox"/>	Other way

1	<input type="checkbox"/>	I never drink alcohol
2	<input type="checkbox"/>	1–7 days ago
3	<input type="checkbox"/>	8–14 days ago
4	<input type="checkbox"/>	15–30 days ago
5	<input type="checkbox"/>	1 month - 1 year ago
6	<input type="checkbox"/>	More than 1 year ago

Not at all	1	2	3	4	5	6	7	8	9	10	Heavily intoxicated, for example, not remembering what happened	11	I never drink alcohol
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1	2	3	4	5	6	7	8	9	10		11	



The next questions are also about alcohol.

C20 On how many occasions (if any) have you been intoxicated from drinking alcoholic beverages, for example staggered when walking, not being able to speak properly, throwing up or not remembering what happened?

Mark one box for each line.

		0	1-2	3-5	6-9	10-19	20-39	40 or more
		Number of occasions						
C20a	In your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C20b	During the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C20c	During the last 30 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C21 When (if ever) did you FIRST do each of the following things?

Mark one box for each line.

		Never	9 years old or less	10 years old	11 years old	12 years old	13 years old	14 years old	15 years old	16 years or older
C21a	Drink alcohol (at least one glass)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C21b	Get drunk on alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7	8	9

C22 In the LAST 12 MONTHS, how often did you drink ...

Mark one box for each line.

		Never	Seldom	Sometimes	Mostly	Always
C22a	because it helps you enjoy a party?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22b	because it helps you when you feel depressed or nervous?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22c	to cheer up when you're in a bad mood?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22d	because you like the feeling?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22e	to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22f	because it makes social gatherings more fun?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22g	to fit in with a group you like?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22h	because it improves parties and celebrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22i	to forget about your problems?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22j	because it's fun?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22k	to be liked?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C22l	so you won't feel left out?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

Tranquillisers and sedatives, like benzos, as well as painkillers, like codeine, are sometimes prescribed by doctors to help people to calm down, get to sleep or to relax. Pharmacies are not supposed to sell them without a prescription.

C23 Have you ever taken one or more of the following drugs because a doctor told you to take them?

Mark one box for each line.		No, never	Yes, but for less than 3 weeks	Yes, for 3 weeks or more
C23a	Tranquillisers or sedatives	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC23b	Drugs for attention or hyperactivity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C24 On how many occasions in your lifetime (if any) have you used any of the following drugs without a doctor's prescription?

Mark one box for each line.		0	1-2	3 or more
C24a	Tranquillisers or sedatives	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C24b	Painkillers in order to get high	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC24c	Drugs for attention or hyperactivity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC24d	Sleeping tablets	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

The following questions are about your well-being.

C25 Please indicate for each of the five statements which is closest to how you have been feeling over the LAST TWO WEEKS.

Mark one box for each line.		All the time	Most of the time	More than half of the time	Less than half of the time	Some of the time	At no time
C25a	I have felt cheerful and in good spirits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C25b	I have felt calm and relaxed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C25c	I have felt active and vigorous	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C25d	I woke up feeling fresh and rested	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C25e	My daily life has been filled with things that interest me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

The next questions ask about cannabis (marijuana or hashish).

C26 How difficult do you think it would be for you to get cannabis if you wanted?

- | | | |
|---|--------------------------|------------------|
| 1 | <input type="checkbox"/> | Impossible |
| 2 | <input type="checkbox"/> | Very difficult |
| 3 | <input type="checkbox"/> | Fairly difficult |
| 4 | <input type="checkbox"/> | Fairly easy |
| 5 | <input type="checkbox"/> | Very easy |
| 6 | <input type="checkbox"/> | Don't know |

C27 On how many occasions (if any) have you used cannabis?

Mark one box for each line.

Mark one box for each line.		Number of occasions						
		0	1-2	3-5	6-9	10-19	20-39	40 or more
C27a	In your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C27b	During the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C27c	During the last 30 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C28 When (if ever) did you FIRST try cannabis?

- | | | |
|---|--------------------------|---------------------|
| 1 | <input type="checkbox"/> | Never |
| 2 | <input type="checkbox"/> | 9 years old or less |
| 3 | <input type="checkbox"/> | 10 years old |
| 4 | <input type="checkbox"/> | 11 years old |
| 5 | <input type="checkbox"/> | 12 years old |
| 6 | <input type="checkbox"/> | 13 years old |
| 7 | <input type="checkbox"/> | 14 years old |
| 8 | <input type="checkbox"/> | 15 years old |
| 9 | <input type="checkbox"/> | 16 years or older |

009 Have you ever had the possibility to try cannabis without trying it?

- 1 ☐ No
- 2 ☐ Once or twice
- 3 ☐ 3 times or more

C29 During the past 12 MONTHS, did you use the following types of cannabis?

	Mark one box for each line.	Never	Rarely	Often
C29a	Cannabis mixed with tobacco	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C29b	Cannabis resin/hashish	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C29c	Herbal cannabis/Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC29d	Cannabis oil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC29e	Edible cannabis-based products	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC29f	Cannabis-based e-liquids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C30 Have you used cannabis in the LAST 12 MONTHS?

1	<input type="checkbox"/>	No					
2	<input type="checkbox"/>	Yes →	Has the following happened to you during the LAST 12 MONTHS?				
		Mark one box for each line.	Never	Rarely	From time to time	Fairly often	Very often
		Have you smoked cannabis before midday?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		Have you smoked cannabis alone?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		Have you had memory problems after smoking cannabis?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		Have friends or members of your family told you that you ought to reduce or stop your cannabis use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		Have you tried to reduce or stop using cannabis without success?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		Have you had problems due to your consumption of cannabis (arguments, fights, accidents, poor school results etc.)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			1	2	3	4	5



The next questions ask about other drugs.

C31 How difficult do you think it would be for you to get each of the following, if you wanted?

Mark one box for each line.		Impossible	Very difficult	Fairly difficult	Fairly easy	Very easy	Don't know
C31a	Amphetamines	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C31b	Methamphetamines	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C31c	Tranquillisers or sedatives without a doctor's prescription	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C31d	Ecstasy/MDMA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C31e	Cocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC31f	Crack	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC31g	Fentanyl	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

C32a On how many occasions (if any) have you ever used...?

Mark one box for each line.		Number of occasions		
		0	1-2	3 or more
C32aa	Ecstasy/MDMA in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32ab	Ecstasy/MDMA during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32ac	Amphetamines in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32ad	Amphetamines during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32ae	Methamphetamines in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32af	Methamphetamines during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32ag	Synthetic cannabinoids in your lifetime*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32ah	Synthetic cannabinoids during the last 12 months*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32ai	Synthetic cathinones in your lifetime*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32aj	Synthetic cathinones during the last 12 months*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32ak	Synthetic opioids in your lifetime (Eg Fentanyl, Nitazenes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32al	Synthetic opioids during the last 12 months (Eg Fentanyl, Nitazenes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32am	Nitrous oxide in your lifetime *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC32an	Nitrous oxide during the last 12 months *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C32b On how many occasions (if any) have you ever used...?

Mark one box for each line.

		Number of occasions		
		0	1-2	3 or more
C32ba	Cocaine in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32bb	Cocaine during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32bc	Crack in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32bd	Crack during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32be	Heroin in your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C32bf	Heroin during the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C33 On how many occasions (if any) have you used inhalants to get high?

Mark one box for each line.

		Number of occasions		
		0	1-2	3 or more
C33a	In your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C33b	During the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C33c	During the last 30 days	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C34 On how many occasions in your lifetime (if any) have you used any of the following drugs?

Mark one box for each line.

		Number of occasions		
		0	1-2	3 or more
C34a	LSD or some other hallucinogens	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C34b	"Magic mushrooms"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C34c	GHB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C34d	Sprack	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C34e	Drugs by injection with a needle (like heroin, cocaine, amphetamine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC34f	Ketamine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C35 On how many occasions in your lifetime (if any) have you used any of the following drugs?

Mark one box for each line.

		Number of occasions		
		0	1-2	3 or more
C35a	Alcohol together with pills (medicaments) in order to get high	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C35b	Anabolic steroids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC35c	Nitazenes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC35d	Fentanyl	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



C36 On how many occasions (if any) have you used new psychoactive substances?

Number of occasions

		0	1-2	3 or more	Don't know / not sure
C36a	In your lifetime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C36b	During the last 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4

Mark all that apply.

Mark on that apply:			
O11a	1	<input type="checkbox"/>	I have not used such substances in the last 12 months
O11b	1	<input type="checkbox"/>	Herbal smoking mixtures with drug-like effects
O11c	1	<input type="checkbox"/>	Powders, crystals or tablets with drug-like effects
O11d	1	<input type="checkbox"/>	Liquids with drug-like effects
O11e	1	<input type="checkbox"/>	Other



The next questions ask about various substances.

C37 How much do you think PEOPLE RISK harming themselves (physically or in other ways), if they ...

Mark one box for each line.

		No risk	Slight risk	Moderate risk	Great risk	Don't know
C37a	smoke cigarettes occasionally?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37b	smoke one or more packs of cigarettes per day?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37c	try e-cigarettes once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37d	use e-cigarettes on a daily basis?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37e	have one or two drinks nearly every day?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37f	have four or five drinks nearly every day?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C37g	have five or more drinks in one occasion nearly each weekend?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



C38 Again: how much do you think PEOPLE RISK harming themselves (physically or in other ways), if they ...

Mark one box for each line.

		No risk	Slight risk	Moderate risk	Great risk	Don't know
C38a	try cannabis once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C38b	smoke cannabis occasionally?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C38c	smoke cannabis regularly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C38d	try ecstasy/MDMA once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38e	take ecstasy/MDMA regularly? *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C38f	try amphetamines (uppers, pep pills, bennie, speed) once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38g	take amphetamines regularly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C38h	try synthetic cannabinoids once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38i	use synthetic cannabinoids regularly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38j	try synthetic cathinones once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38k	use synthetic cathinones regularly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38l	try synthetic opioids once or twice?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OC38m	use synthetic opioids regularly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

O12 During the LAST 12 MONTHS have you experienced the following?

Mark all that apply.

		Never	Yes, while using alcohol	Yes, while using drugs	Yes, but NOT while using alcohol/drugs
O12a	Physical fight	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12b	Accident or injury	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12c	Damaged or lost objects or clothing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12d	Serious arguments	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12e	Victimized by robbery or theft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12f	Trouble with police	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12g	Hospitalised or admitted to an emergency room because of severe intoxication	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12h	Hospitalised or admitted to an emergency room because of accident or injury	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12i	Engaged in sexual intercourse without a condom	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12j	Being a victim of unwanted sexual advance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12k	Deliberately hurt yourself	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12l	Driven a moped, car or other motor vehicle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12m	Being involved in an accident while driving yourself	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O12n	Been swimming in deep water (swimming pool, river, lake or sea)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	1	1	1

The next questions ask about Social Media.

C39 How much do you agree or disagree with the following statements about communicating with others on Social Media? [using for example Instagram, TikTok, WhatsApp, Twitter (X), Telegram, Facebook, Snapchat etc]

Mark one box for each line.

		Strongly agree	Partly agree	Neither nor	Partly disagree	Strongly disagree
C39a	I think I spend way too much time on Social Media	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C39b	I get in bad mood when I cannot spend time on Social Media	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C39c	My parents say that I spend way too much time on Social Media	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

The next questions ask about gaming.

C40 During the LAST 30 DAYS, how many hours (if any) did you play games using a computer, tablet, console, smartphone or other electronic device (strategy, puzzle, adventure, football, war games etc.)?

Mark one box for each line.

		None	Half an hour or less	About 1 hour	About 2-3 hours	About 4-5 hours	6 hours or more
C40a	On a school day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C40b	On a non-school day (weekend, holidays)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

C41 During the LAST 7 DAYS, on how many days (if any) were you playing games using a computer, tablet, console, smartphone or other electronic device (strategy, puzzle, adventure, football, war games etc.)?

1	<input type="checkbox"/>	None
2	<input type="checkbox"/>	1 day
3	<input type="checkbox"/>	2 days
4	<input type="checkbox"/>	3 days
5	<input type="checkbox"/>	4 days
6	<input type="checkbox"/>	5 days
7	<input type="checkbox"/>	6 days
8	<input type="checkbox"/>	7 days

C42 How much do you agree or disagree with the following statements about gaming on a computer, tablet, console, smartphone or other electronic device?

Mark one box for each line.

		Strongly agree	Partly agree	Neither nor	Partly disagree	Strongly disagree
C42a	I think I spend way too much time playing games	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C42b	I get in a bad mood when I cannot spend time on games	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C42c	My parents say that I spend way too much time on gaming	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

The next questions ask about gambling for money (slot machines, playing card or dice, lotteries, sport bookmakers (bookies) etc.) both on the Internet and not on the Internet (in physical settings).

C43 How often (if ever) did you gamble for money in the LAST 12 MONTHS?

- 1 ☐ I have not gambled for money during the last 12 months
- 2 ☐ Monthly or less
- 3 ☐ 2-4 times a month
- 4 ☐ 2-3 times or more a week

C44 How much time (if any) did you spend gambling for money on a TYPICAL DAY in the LAST 12 MONTHS?

- 1 ☐ I have not gambled for money during the last 12 months
- 2 ☐ Less than 30 minutes
- 3 ☐ Between 30 minutes and 1 hour
- 4 ☐ Between 1 and 2 hours
- 5 ☐ Between 2 and 3 hours
- 6 ☐ 3 hours or more

C45 How often (if ever) did you gamble for money more than 2 hours (on a single occasion) in the LAST 12 MONTHS?

- 1 ☐ I have not gambled for money during the last 12 months
- 2 ☐ Never on a single occasion
- 3 ☐ Less than monthly
- 4 ☐ Monthly
- 5 ☐ Weekly
- 6 ☐ Daily or almost daily



C46 If you have gambled for money ON-SITE (in physical places such as betting shops (bookies), racecourses, casinos, clubs) in the LAST 12 MONTHS, which games have you played?

Mark one box for each line.

		I have not played these games	Monthly or less	2-4 times a month	2-3 times or more a week
C46a	Slot machines (fruit machine, new slot etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C46b	Play card or dice (poker, bridge, dice etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C46c	Lotteries (scratch, bingo, keno etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C46d	Betting on sports or animals (horses, dogs etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4

C47 If you have gambled for money ONLINE in the LAST 12 MONTHS, which games have you played?

Mark one box for each line.

		I have not played these games	Monthly or less	2-4 times a month	2-3 times or more a week
C47a	Slot machines (fruit machine, new slot etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C47b	Play card or dice (poker, bridge, dice etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C47c	Lotteries (scratch, bingo, keno etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C47d	Betting on sports or animals (horses, dogs etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4



C48 Have you ever felt the need to bet more and more money?

1 ☐ Yes

4 ☐ No

C49 Have you ever had to lie to people important to you about how much you gambled?

1 ☐ Yes

4 ☐ No

O13 If you have gambled in the LAST 12 MONTHS...

Mark one box for each line.

	Mark one box for each line.	Every time	Most of the time	Some of the time	Never
O13a	How often have you gone back another day to try and win back money you lost gambling?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4
				Yes	No
O13b	When you were betting, have you ever told others you were winning money when you weren't?			<input type="checkbox"/>	<input type="checkbox"/>
O13c	Has your betting money ever caused any problems for you such as arguments with family and friends, or problems at school or work?			<input type="checkbox"/>	<input type="checkbox"/>
O13d	Have you ever gambled more than you had planned to?			<input type="checkbox"/>	<input type="checkbox"/>
O13e	Has anyone criticised your betting, or told you that you had a gambling problem whether you thought it true or not?			<input type="checkbox"/>	<input type="checkbox"/>
O13f	Have you ever felt bad about the amount of money you bet, or about what happens when you bet money?			<input type="checkbox"/>	<input type="checkbox"/>
O13g	Have you ever felt like you would like to stop betting, but didn't think you could?			<input type="checkbox"/>	<input type="checkbox"/>
O13h	Have you ever hidden from family or friends any betting slips, IOUs, lottery tickets, money that you won, or any signs of gambling?			<input type="checkbox"/>	<input type="checkbox"/>
O13i	Have you had money arguments with family or friends that centred on gambling?			<input type="checkbox"/>	<input type="checkbox"/>
O13j	Have you borrowed money to bet and not paid it back?			<input type="checkbox"/>	<input type="checkbox"/>
O13k	Have you ever skipped or been absent from school or work due to betting activities?			<input type="checkbox"/>	<input type="checkbox"/>
O13l	Have you borrowed money or stolen something in order to bet or to cover gambling activities?			<input type="checkbox"/>	<input type="checkbox"/>
				1	2

The next questions ask about your parents.
If mostly foster parents, step-parents or others brought you up answer for them. For example, if you have both a stepfather and a biological father, answer for the one who is the most important in bringing you up.

C50 What is the highest level of education your father completed?

1	<input type="checkbox"/>	Completed primary school or less
2	<input type="checkbox"/>	Some secondary school
3	<input type="checkbox"/>	Completed secondary school
4	<input type="checkbox"/>	Some college or university
5	<input type="checkbox"/>	Completed college or university
6	<input type="checkbox"/>	Don't know
7	<input type="checkbox"/>	Does not apply

C51 What is the highest level of education your mother completed?

1	<input type="checkbox"/>	Completed primary school or less
2	<input type="checkbox"/>	Some secondary school
3	<input type="checkbox"/>	Completed secondary school
4	<input type="checkbox"/>	Some college or university
5	<input type="checkbox"/>	Completed college or university
6	<input type="checkbox"/>	Don't know
7	<input type="checkbox"/>	Does not apply

C52 How well off is your family compared to other families in your country?

1	<input type="checkbox"/>	Very much better off
2	<input type="checkbox"/>	Much better off
3	<input type="checkbox"/>	Better off
4	<input type="checkbox"/>	About the same
5	<input type="checkbox"/>	Less well off
6	<input type="checkbox"/>	Much less well off
7	<input type="checkbox"/>	Very much less well off

C53 Which of the following people live in the same house in which you stay most of the time?

Mark all that apply.

C53a	1	<input type="checkbox"/>	I live alone
C53b	1	<input type="checkbox"/>	Father
C53c	1	<input type="checkbox"/>	Stepfather
C53d	1	<input type="checkbox"/>	Mother
C53e	1	<input type="checkbox"/>	Stepmother

C53f	1	<input type="checkbox"/>	Brother(s)
C53g	1	<input type="checkbox"/>	Sister(s)
C53h	1	<input type="checkbox"/>	Grandparent(s)
C53i	1	<input type="checkbox"/>	Other relative(s)
C53j	1	<input type="checkbox"/>	Non-relative(s) (e.g. when living in a boarding school or equivalent)

C54 How often do the following statements apply to you?

	Mark one box for each line.	Almost always	Often	Sometimes	Seldom	Almost never
C54a	My parent(s) set definite rules about what I can do at home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C54b	My parent(s) set definite rules about what I can do outside the home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C54c	My parent(s) know whom I am with in the evenings	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C54d	My parent(s) know where I am in the evenings	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C54e	I can easily borrow money from my mother and/or father	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C54f	I can easily get money as a gift from my mother and/or father	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

C55 We are interested in how you feel about the following statements.

Read each statement carefully. Indicate how you feel about each statement.

	Mark one box for each line.	Very strongly disagree	2	3	4	5	6	Very strongly agree
C55a	My family really tries to help me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C55b	I get the emotional help and support I need from my family	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C55c	I can talk about my problems with my family	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C55d	My family is willing to help me make decisions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C56 We are interested in how you feel about the following statements.

Read each statement carefully. Indicate how you feel about each statement.

	Mark one box for each line.	Very strongly disagree	2	3	4	5	6	Very strongly agree
C56a	My friends really try to help me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C56b	I can count on my friends when things go wrong	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C56c	I have friends with whom I can share my joys and sorrows	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C56d	I can talk about my problems with my friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6	7

C57 Does your mother or your father know where you spend Saturday nights?

1	<input type="checkbox"/>	Know always
2	<input type="checkbox"/>	Know quite often
3	<input type="checkbox"/>	Know sometimes
4	<input type="checkbox"/>	Usually don't know



The next questions are about your participation in prevention activities.

Think about the **LAST TWO YEARS**. Do you recall having participated in the following activities?

C58 Awareness events/information activities about effects and possible harms of:

	Mark one box for each line.	Never	Once	More than once
C58a	Alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C58b	Tobacco	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C58c	Other drugs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C58d	Gambling, Gaming or Internet disorders	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3

C59 Training (i.e. interactive, not lessons) about better interaction and communication with others: expressing feelings, empathy, compliments, dealing with peer pressure (social skills training)

- 1 ☐ Never
- 2 ☐ Once
- 3 ☐ More than once

C60 Training (i.e. interactive, not lessons) about better dealing with yourself: controlling impulses, anger, setting goals and objectives, being mindful (personal skills training)

- 1 ☐ Never
- 2 ☐ Once
- 3 ☐ More than once

C61 Training in how to analyse ads and media messages and to detect the intended messages in order to be less manipulated (media literacy)

- 1 ☐ Never
- 2 ☐ Once
- 3 ☐ More than once

C62 Who predominantly delivered these activities?

Mark all that apply.

C62a	1	<input type="checkbox"/>	I did not participate in any of the above activities in the past 2 years
C62b	1	<input type="checkbox"/>	A teacher
C62c	1	<input type="checkbox"/>	Other school staff
C62d	1	<input type="checkbox"/>	Law enforcement officers (gardai)
C62e	1	<input type="checkbox"/>	An external professional
C62f	1	<input type="checkbox"/>	Ex-substance user
C62g	1	<input type="checkbox"/>	Other

C63 Where did you predominantly participate in these activities?

Mark all that apply.

C63a	1	<input type="checkbox"/>	I did not participate in any of the above activities in the past 2 years
C63b	1	<input type="checkbox"/>	In school
C63c	1	<input type="checkbox"/>	Out-of-school
C63d	1	<input type="checkbox"/>	In school after class hours



The next questions are about yourself and what you think about others.

O15 Which of the following best describes your average grade at the end of the last term?

1	<input type="checkbox"/>	A
2	<input type="checkbox"/>	B
3	<input type="checkbox"/>	C
4	<input type="checkbox"/>	D
5	<input type="checkbox"/>	E
6	<input type="checkbox"/>	F
7	<input type="checkbox"/>	NG

O16 How satisfied are you usually with ...

Mark one box for each line.		Very satisfied	Satisfied	Neither nor	Not so satisfied	Not at all satisfied	There is no such person
O16a	your relationship with your mother?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O16b	your relationship with your father?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O16c	your relationship with your friends?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5	6

O17 What do you think your mother's reaction would be if you did the following things?

Mark one box for each line.		She would not allow it	She would discourage it	She would not mind	She would approve it	Don't know
O17a	Get drunk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O17b	Smoke cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O17c	Use cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O17d	Use e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

O18 What do you think your father's reaction would be if you did the following things?

Mark one box for each line.		He would not allow it	He would discourage it	He would not mind	He would approve it	Don't know
O18a	Get drunk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O18b	Smoke cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O18c	Use cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O18d	Use e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5



O19a How many of your friends would you estimate ...

	Mark one box for each line.	None	A few	Some	Most	All
O19aa	smoke cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ab	use e-cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ac	drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ad	get drunk?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ae	smoke cannabis?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19af	take tranquillisers or sedatives (without a doctor's prescription)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ag	take ecstasy/MDMA?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ah	use inhalants?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19ai	use energy drinks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

O19b Do you think one or both of your parents have had any of these experiences?

	Mark one box for each line.	None	Only father	Only mother	Both	Don't know
O19ba	smoke cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bb	use e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bc	drink alcoholic beverages (beer, cider, premixed drinks, wine, spirits)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bd	get drunk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19be	smoke cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bf	take tranquillisers or sedatives (without a doctor's prescription)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bg	take tranquillisers or sedatives (with a doctor's prescription)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bh	use other illicit substances	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O19bi	gamble for money	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5



Now follow some more questions about Internet use and gaming.

**O26 Please read the statements below regarding Internet use.
Please indicate how often these statements apply to you.**

Mark one box for each line.

		Never	Seldom	Sometimes	Often	Very often
O26a	How often do you find it difficult to stop using the Internet when you are online?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26b	How often do you continue to use the Internet despite your intention to stop?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26c	How often do others (e.g. parents, friends) say you should use the Internet less?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26d	How often do you prefer to use the Internet instead of spending time with others (e.g. parents, friends)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26e	How often are you short of sleep because of the Internet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26f	How often do you think about the Internet, even when not online?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26g	How often do you look forward to your next Internet session?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26h	How often do you think you should use the Internet less often?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26i	How often have you unsuccessfully tried to spend less time on the Internet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26j	How often do you rush through your (home) work in order to go on the Internet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26k	How often do you neglect your daily obligations (work, school or family life) because you prefer to go on the Internet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26l	How often do you go on the Internet when you are feeling down?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26m	How often do you use the Internet to escape from your sorrows or get relief from negative feelings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O26n	How often do you feel restless, frustrated, or irritated when you cannot use the Internet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

Thinking of the LAST 12 MONTHS, how strongly do you agree with the following statements?						
Mark one box for each line.		Strongly disagree	Somewhat disagree	Partially Agree	Somewhat agree	Strongly agree
O27a	I often play games more frequently and longer than I planned to or agreed upon with my parents	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27b	I often cannot stop gaming even though it would be sensible to do so or for example my parents have told me to stop	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27c	I often do not pursue interests outside the digital world (e.g. meeting friends or partner in real life, attending sports clubs/societies, reading books, making music) because I prefer gaming	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27d	I neglect daily duties (e.g. grocery shopping, cleaning, tidying up after myself, tidying my room, obligations for school/apprenticeship/job) because I prefer gaming	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27e	I often continue gaming even though it causes me stress with others (e.g. my parents, siblings, friends, partner, teachers)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27f	I continue gaming although it harms my performance at school (e.g. by being late, not participating in class, neglecting homework, worse grades)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27g	Due to gaming, I neglect my appearance, my personal hygiene, and/or my health (e.g. sleep, nutrition, exercise)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27h	Due to gaming, I risk losing important relationships (friends, family, partner) or have lost them already	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
O27i	Due to gaming I have disadvantages at school (e.g. bad grades, warning/suspension)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4	5

Mark one box.		Not at all	Only on single days	For longer periods	Nearly daily
O27j	Did this only occur on single days, during longer periods of several days to weeks, or was it almost daily?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1	2	3	4

M01 Have you ever used in your life on your own initiative (without having been prescribed by a doctor) any stimulant substance with the purpose to improve your performance in your studies?

Don't include coffee, tea or cola refreshments, or energy drinks.

1 ☐ No

2 ☐ Yes

Mark all that apply.

Where did you buy it?			
M02a	1	<input type="checkbox"/>	Never used
M02b	1	<input type="checkbox"/>	Offered by a family member, a friend or an acquaintance
M02c	1	<input type="checkbox"/>	From a street dealer
M02d	1	<input type="checkbox"/>	Through the Internet
M02e	1	<input type="checkbox"/>	From a pharmacy without a medical prescription

Mark one box for each line.

Mark one box for each line.		Never	Less than 5 times a day	5-10 times a day	10-20 times a day	More than 20 times a day
C28a	Posts with hashtags about e-cigarettes (e.g. #vapes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28b	Posts with information about how to buy or get e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28c	Posts showing positive images of people using e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28d	Posts showing negative images of people using e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28e	Posts with e-cigarettes “challenges” (e.g. competitions)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28f	Posts about possible harm from e-cigarettes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C28g	Posts promoting e-cigarettes as an alternative to smoking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Acknowledgements

ESPAD Ireland Principal Investigators Professor Joan Hanafin and Professor Luke Clancy of the TobaccoFree Research Institute Ireland, TU Dublin acknowledge with immense gratitude the contributions of the following to ESPAD Ireland 2024.

The students, teachers, and school personnel who, despite huge inconvenience, generously participated in the study, and the parents who agreed that their children participate in the study. The outstanding input of the designated teachers was invaluable to the successful completion of the study.

The Department of Health for funding this national ESPAD Ireland study and to Claire Gordon, Éamonn Courtney and Yann Chalmers for their ongoing support.

The ESPAD Coordination team at the National Research Council, Pisa, Italy led by Dr. Sabrina Molinaro and Dr. Elisa Benedetti. The smoothness of the ESPAD centralised Data Collection was a tribute to the comprehensive training, liaison and support provided for Ireland-specific customisation of the centralised platform and student questionnaire, the coordinated supply of timely and functional access codes, and the ready availability of personal support from the ESPAD support and communications team: Dr. Daniela Gasperini, Dr. Stefania Pieroni, Dr. Marco Scalese Urcioli, Dr. Giada Anastasi, and Dr. Sonia Cerrai.

Martin Wallace, Technology Consultant, Dovetail Technologies, for the expertise he brought to the assessment of the central platform, and coding and randomisation for sampling. His development of a bespoke survey-management App for ESPAD Ireland 2024 (TFRI-EISOP) made for ordered and efficient management of the fieldwork and survey administration.

Dr. Mary Gilbride and an t-Uas. Seán Ó Broin for invaluable advice on educational matters.

Our colleagues at TU Dublin for support, guidance and assistance, in particular: Dr. Brendan Jennings, Vice President, Research & Innovation; Dr. John Donovan, Head of Research; Frances Madden, Assistant Head of Library Services: Research Services; Aisling Coyne, Open Scholarship Librarian, TU Dublin Library Services; and the Research Ethics and Integrity Committee.

External reviewer Dr Paul Kavanagh, Honorary Senior Lecturer, Department of Epidemiology and Public Health, School of Population Health, RCSI, Dublin for his helpful and insightful review of the report.

Internal reviewers at the Department of Health in the Tobacco & Alcohol Control Unit, Drugs Policy and Social Inclusion Unit, and Health & Wellbeing Unit for their helpful observations.

Dearbhla Gowen, Graphic Designer for her expert guidance and exceptional support in the formatting of this report.

The Board of the TobaccoFree Research Institute Ireland: Mr Terence E. Dixon, Ms Valerie Duncan, Professor Pat Goodman, Mr Kevin Halpenny, Mr Walter Young, Dr Blánaid Hayes, Dr Angie Brown, and Dr Muiris Houston.



Research Team

TobaccoFree Research Institute Ireland (TFRI), TU Dublin

Professor Joan Hanafin, Co-Principal Investigator, ESPAD Ireland. ORCID:0000-0002-8016-2266

Professor Luke Clancy, Co-Principal Investigator, ESPAD Ireland. ORCID:0000-0003-2407-2263

Salome Sunday, Research Fellow and IRC Doctoral Scholar. ORCID: 0000-0001-8396-788X

Dr Helen Fitzmaurice, Post-Doctoral Research Fellow. ORCID: 0000-0002-7764-3392

Martin Wallace, Technology Consultant, Dovetail Technologies

TFRI is a non-partisan, independent, trans-disciplinary research institute, founded in 2002, focused on issues of public health, tobacco dependence, and tobacco control. Our institute brings together researchers in the broad fields of public health, respiratory health, epidemiology, addiction studies, sociology, psychology, and social sciences who share an interest in tobacco-related research and policy. We work to conduct and disseminate topical, socially relevant, ethically sound scientific research to fellow academics, policy makers and the general public.

www.tri.ie





TobaccoFree Research Institute Ireland (TFRI)
TU Dublin, Ireland

www.tri.ie

tfri.tobaccoresearch@tudublin.ie