

Noncommunicable diseases



Progress
monitor 2025



World Health
Organization

Noncommunicable diseases

Progress
monitor 2025



World Health
Organization

Noncommunicable diseases progress monitor 2025

ISBN 978-92-4-010577-5 (electronic version)

ISBN 978-92-4-010578-2 (print version)

© World Health Organization 2025

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: “This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition”.

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization (<http://www.wipo.int/amc/en/mediation/rules/>).

Suggested citation. Noncommunicable diseases progress monitor 2025. Geneva: World Health Organization; 2025. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <https://iris.who.int/>.

Sales, rights and licensing. To purchase WHO publications, see <https://www.who.int/publications/book-orders>. To submit requests for commercial use and queries on rights and licensing, see <https://www.who.int/copyright>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Contents

Foreword..... iv

Acknowledgements v

Abbreviations vi

Introduction 1

Explanatory notes 3

 Progress monitoring indicators 3

 Demographics 4

 Mortality 5

 References 6

Country profiles 7

Annex: Indicator Definitions and Specifications 203



Foreword

In 2015, the world committed to reducing premature mortality from noncommunicable diseases (NCDs) by one-third by 2030 as part of the Sustainable Development Goals (SDG target 3.4).

A decade later, progress has been uneven. While some countries have made significant strides, others face rising NCD burdens and persistent challenges.

It is possible to get back on track. Evidence-based policies and interventions, such as World Health Organization's (WHO) 'Best buys' for NCD prevention and control, offer cost-effective, proven solutions. Strategic investments in tobacco and alcohol control, healthier diets, physical activity promotion, diabetes and hypertension management, and HPV vaccination can save lives and deliver substantial health and economic benefits in all countries.

This 2025 Progress Monitor provides an updated assessment of countries' performance against key NCD indicators. Encouragingly, more than 100 countries have made progress on specific indicators since 2022, reflecting their commitment to action. Notable progress has been made in tobacco control and strengthening clinical guidelines for NCD management.

Yet the ongoing challenges are substantial. Obesity and diabetes continue to rise, and premature NCD deaths are increasing globally, especially in low- and middle-income countries. Country progress has recently slowed in a

number of areas, such as risk factor surveillance, national target setting, and public awareness campaigns. These trends highlight the need for urgent and sustained action to get back on track towards meeting the 2030 global goals.

NCDs are more than a health issue—they are also a development priority. Addressing them is vital for building resilient health systems and supporting sustainable economic growth. The evidence is clear: investments in preventing and managing NCDs yield significant returns, not only in lives saved but also in enhanced productivity and reduced healthcare costs.

The 2025 Progress Monitor is both a call to action and a roadmap for the future. It underscores the importance of translating commitments into results at national and community levels. Achieving SDG target 3.4 requires bold leadership, collaboration, and accountability.

Together, we can turn the tide on NCDs and deliver on the promise of better health for all.



Dr Tedros Adhanom Ghebreyesus
Director-General
World Health Organization



Acknowledgements

This report was prepared by Leanne Riley and Melanie Cowan from the Surveillance, Monitoring and Reporting Unit, Department of Noncommunicable Diseases, Rehabilitation and Disability, World Health Organization (WHO).

Contributions to the report were made by the following colleagues in WHO headquarters and WHO regional offices: Melanie Aldeon, Paul Bloem, Fiona Bull, Roberta Caixeta, Bochen Cao, Alison Commar, Carolina B. Chávez Cortés, Sara Damore, Cheick Diallo, Katrin Engelhardt, Kaia Engesveen, Natalia Fedkina, Guy Fones, Heba Fouad, Alexandra Fleischmann, Larry Grummer-Strawn, Nalika Gunawardena, Tomo Kanda, Song Yi Kim, Doris Ma Fat, Dalila Machado, Debora Marcolino Silva, Bente Mikkelsen, Ghada Nasr, Dolores Ondarsuhu, Marine Perraudin, Ivo Rakovac, Sarah Rylance, Dag Rekve, Gretchen Stevens, Alena Usava, Nola Vanualailai, Shelley Wallace, Juana Willumsen and Xi Yin.

Sincere thanks to all WHO Member States for their assistance in reporting data to WHO which allowed compilation of these indicators.



Abbreviations

FCTC	World Health Organization Framework Convention on Tobacco Control
GIFNA	WHO Global database on the Implementation of Food and Nutrition Action
NCD	noncommunicable diseases
NCD CCS	Noncommunicable disease country capacity survey
SDG	Sustainable Development Goal
STEPS	WHO Stepwise approach to surveillance
WHO	World Health Organization



Introduction

Each year, over 40 million people die from noncommunicable diseases (NCDs), such as cardiovascular diseases, cancer, diabetes and chronic respiratory diseases.

As a group of conditions, NCDs are the leading cause of death globally and are among the leading causes of death across all income groups. [\(1\)](#) Underlying these NCDs are a set of modifiable behavioural risk factors like tobacco use, unhealthy diet, lack of physical activity, and the harmful use of alcohol, which in turn lead to overweight and obesity, raised blood pressure, raised cholesterol, and ultimately disease.

Feasible and cost-effective interventions exist to reduce the burden and impact of NCDs. Tracking national implementation of a key set of tracer actions linked to these interventions, detailed below, allows for global benchmarking and monitoring of progress being made against NCDs. It also serves to highlight challenges and areas requiring further attention.

The World Health Organization published a Technical Note [\(2\)](#) in May 2015 outlining how it planned to report to the United Nations General Assembly in 2017 on the progress made in implementing the national commitments from the 2011 UN Political Declaration and the 2014 UN Outcome Document on NCDs. The Technical Note was updated in September 2017 [\(3\)](#) to align with the revised set of WHO ‘Best buys’ for NCD prevention and control, which were endorsed by the World Health Assembly in May 2017. The Technical Note was further updated in 2024 [\(4\)](#) to reflect the new set of WHO ‘Best buys’, resulting in a modified set of eleven progress monitoring indicators which WHO will use to report to the United Nations General Assembly on country progress on the national commitments. The eleven NCD progress monitoring indicators are as follows:

Consider setting national NCD targets for 2025:

Member State has set time-bound national targets based on WHO guidance

Member State has a functioning system for generating reliable cause-specific mortality data on a routine basis

Member State has a STEPS survey or a comprehensive health examination survey every 5 years

Reduce risk factors for NCDs, building on guidance set out in the WHO Global NCD Action Plan:

Member State has implemented the following five demand-reduction measures of the WHO FCTC at the highest level of achievement:

Eliminate exposure to second-hand tobacco smoke in all indoor workplaces, public places and public transport

Enact and enforce comprehensive bans on tobacco advertising, promotion and sponsorship

Member State has implemented, as appropriate according to national circumstances, the following three measures to reduce the harmful use of alcohol:

Enact and enforce bans or comprehensive restrictions on exposure to alcohol advertising (across multiple types of media)

Member State has implemented the following six measures to reduce unhealthy diets:

Front-of-pack labelling as part of comprehensive nutrition labelling policies

Behaviour change communication and mass media campaign for healthy diets

Legislation/regulations fully implementing the International Code of Marketing of Breast-milk Substitutes

Strengthen health systems to address NCDs through people-centred primary health care and universal health coverage, building on guidance set out in WHO Global NCD Action Plan:

Member State has evidence-based national guidelines/protocols/standards for the management of major NCDs through a primary care approach, recognized/approved by government or competent authorities

Member State has an HPV vaccination programme

Consider developing national multisectoral policies and plans to achieve the national targets by 2025:

Member State has an operational multisectoral national strategy/action plan that integrates the major NCDs and their shared risk factors

Reduce affordability by increasing excise taxes and prices on tobacco products

Implement plain/standardized packaging and/or large graphic health warnings on all tobacco packages

Implement effective mass media campaigns that educate the public about the harms of smoking/tobacco use and second-hand smoke

Enact and enforce restrictions on the physical availability of retailed alcohol (via reduced hours of sale)

Increase excise taxes on alcoholic beverages

Reformulation policies for healthier food and beverage products

Public food procurement and service policies for healthy diets

WHO set of recommendations on marketing of foods and non-alcoholic beverages to children

Member State has implemented at least one recent national public awareness and motivational communication for physical activity, including mass media campaigns for physical activity behavioural change

Member State has essential medicines and technologies for chronic respiratory diseases generally available



Explanatory Notes

This report presents information for each country related to their achievement of the NCD progress monitoring indicators. The profiles also include information on the population, percentage and number of deaths from NCDs, and the risk of premature death from the four main NCDs (cardiovascular diseases, cancer, diabetes or chronic respiratory diseases) – the indicator used to monitor the Sustainable Development Goal target 3.4 on NCDs. The data presented in the country pages are derived from several sources, each of which is explained in the following notes.

Progress monitoring indicators

Details of the progress monitoring indicators, including detailed definitions, specifications, data sources and assessment criteria are included in the Annex. For each indicator the following symbols denote the level of achievement:

● = fully achieved, ◐ = partially achieved, ○ = not achieved, “NA” = not applicable to country due to national situation, “DK” = country responded “don’t know” to that question in the survey, and “NR” = no response or missing data.

Assessment of indicators 1, 3, 4, 7a-e, 8, 9 and 10 were taken from Member State responses to the 2023 NCD Country Capacity Survey (NCD CCS). The 2023 NCD CCS questionnaire was completed through an online web-based platform by the NCD focal points or designated colleagues within the Ministry of Health or a national institute or agency in WHO Member States between July and November 2023. The questions were developed in a manner intended to obtain objective information about adequacy of capacity and countries were required to provide supporting documentation to enable review by WHO in order to validate the responses. Where discrepancies were noted between the country response and the documents provided for validation, a clarification request was returned to the country for their consideration and an updating of their response.



Assessment of indicators 7a, 7b, 7c and 7e were additionally reviewed against responses obtained by WHO in the 2nd Global Nutrition Policy Review and supporting documentation contained in the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA).

Assessment of indicator 2, related to the system for generating mortality data, was based on data collected by WHO and stored in the WHO mortality database through a routine annual call for data.

Assessment of indicator 5 was based on data collected from Member States in 2023 for the production of the WHO Report on the Global Tobacco Epidemic. The WHO assessment was shared with national authorities for review and approval.

Indicator 6 achievement status was based on the preliminary responses of country focal points, officially nominated by the Ministry of Health, to the 2023 Global survey on progress on SDG health target 3.5 conducted by WHO. As of April 2025, responses were still under review by WHO and validation with Member States was ongoing. This indicator is marked with an asterisk for those countries who did not respond to the 2023 Global survey on progress on SDG health target 3.5 and who thus have data only from the 2019 round of the survey, while the indicator is marked with a ‡ for those countries who did not respond to the two previous rounds of the survey and thus have data only from 2016.

Indicator 7f achievement status was based on the analysis by WHO, UNICEF, and IBFAN/ICDC of copies of all national legislation on the International Code of Marketing of Breast-milk Substitutes for the production of the report on Marketing of breast-milk substitutes: National implementation of the International Code, Status Report 2024.

Indicator 11 was based on data available in the WHO immunization dashboard [\(5\)](#).

Demographics

The 2021 population estimates from the 2024 United Nations Population Division World Population Prospects [\(6\)](#) are reported in each profile.

Mortality

Percentage of deaths from NCDs and total number of NCD deaths are reported for 2021 for all countries with a population greater than 90 000. These data were drawn from the 2021 Global Health Estimates from the World Health Organization [\(1\)](#). Vital registration systems which record deaths with sufficient completeness and quality of cause of death information were used as the preferred data source. In countries which do not have reliable vital registration systems that record causes of death, some NCD deaths were included in a separate category called “other-pandemic-related mortality” in 2021. Estimates of NCD deaths in 2021 may be underestimated in these countries, which are marked with an asterisk. Estimates for countries without reliable vital registration systems should be interpreted with caution. Detailed information on methods for mortality and causes of death estimates were published previously [\(7\)](#).

The risk of premature death from target NCDs presented in the profiles is the probability of dying between ages 30 and 70 years from the four main NCDs and was estimated for 2019 using age-specific death rates (in 5-year age groups, e.g. 30-34... 65-69, for those between 30 and 70) of the combined four main NCD categories, for each Member State [\(7\)](#). Using the life table method, the risk of death between the exact ages of 30 and 70, from any of the four causes and in the absence of other causes of death, was calculated using the equation below.

$${}^*_5M_x = \frac{\text{Total deaths from four NCD causes between exact age (x) and exact age (x+5)}}{\text{Total population between exact age (x) and exact age (x+5)}}$$

Five-year death rates were then translated into the probability of death for each NCD using the following formula:

$${}^*_5q_x = \frac{{}^*_5M_x * 5}{1 + {}^*_5M_x * 2.5}$$

The unconditional probability of death, for the 30-70 age range, was calculated last:

$${}^*_{40}q_{30} = 1 - \prod_{x=30}^{65} (1 - {}^*_5q_x)$$



References

1. *Global Health Estimates 2021: Deaths by Cause, Age, Sex, by Country and by Region, 2000-2021*. Geneva, World Health Organization, 2024 (<https://www.who.int/data/global-health-estimates>, accessed 16 September 2024).
2. Technical Note: How WHO will report in 2017 to the United Nations General Assembly on the progress achieved in the implementation of commitments included in the 2011 UN Political Declaration and 2014 UN Outcome Document on NCDs (May 2015 version). Geneva: World Health Organization; 2015 (<https://www.who.int/publications/m/item/technical-note-how-who-will-report-on-progress-in-2017-to-unga-may-2015>, accessed 20 November 2024).
3. Technical Note: How WHO will report in 2017 to the United Nations General Assembly on the progress achieved in the implementation of commitments included in the 2011 UN Political Declaration and 2014 UN Outcome Document on NCDs. Geneva: World Health Organization; 2017 (<https://www.who.int/publications/m/item/technical-note-how-who-will-report-on-progress-in-2017-to-unga>, accessed 20 November 2024).
4. Technical Note: How WHO will report to the United Nations General Assembly on the progress achieved in the implementation of commitments included in the 2011, 2014 and 2018 UN Political Declarations on NCDs. Geneva: World Health Organization; 2024 (<https://www.who.int/publications/m/item/technical-note-how-who-will-report-to-the-united-nations-general-assembly-on-the-progress-achieved-in-the-implementation-of-commitments-included-in-the-2011-2014-and-2018-un-political-declarations-on-ncds>, accessed 20 November 2024).
5. Immunization dashboard [website]. Geneva: World Health Organization; 2024 (<https://immunizationdata.who.int/>, accessed 16 September 2024).
6. *World Population Prospects 2024, Online Edition. Rev. 1*. New York: United Nations, Department of Economic and Social Affairs, Population Division, 2024 (<https://population.un.org/wpp/>, accessed 16 September 2024).
7. *WHO methods and data sources for country-level causes of death 2000-2021*. Geneva: World Health Organization, 2024 (https://cdn.who.int/media/docs/default-source/gho-documents/global-health-estimates/ghe2021_lifetable_methods.pdf?sfvrsn=a21ddfdb_1, accessed 16 September 2024).



Country profiles



Afghanistan



40 000 000

Total population
(2021)

34% *

Percentage of deaths
from NCDs (2021)

116 700 *

Total number of
NCD deaths (2021)

33% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices

NR

smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies

DK

front-of-pack labelling policies



public food procurement and service policies

DK

mass media campaign on healthy diet

DK

marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know NR = no response * = see Explanatory notes

Albania



2 850 000

Total population
(2021)

67% *

Percentage of deaths
from NCDs (2021)

22 500 *

Total number of
NCD deaths (2021)

10% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures: †

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

*, † = see Explanatory notes

Algeria



44 760 000

Total population
(2021)

74% *

Percentage of deaths
from NCDs (2021)

162 500 *

Total number of
NCD deaths (2021)

13% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Andorra



78 400 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---



● fully achieved ◐ partially achieved ○ not achieved

[†] = see Explanatory notes

Angola



34 530 000 Total population (2021)	35% * Percentage of deaths from NCDs (2021)	96 600 * Total number of NCD deaths (2021)	25% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input checked="" type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input checked="" type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	DK
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	DK
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	DK
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input checked="" type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ☒ partially achieved ☐ not achieved

DK = don't know * = see Explanatory notes

Antigua and Barbuda



92 300 Total population (2021)	70% Percentage of deaths from NCDs (2021)	460 Total number of NCD deaths (2021)	12% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Argentina



45 310 000

Total population
(2021)

61%

Percentage of deaths
from NCDs (2021)

262 300

Total number of
NCD deaths (2021)

13%

Risk of premature death
from target NCDs (2021)



1 National NCD targets



2 Mortality data



3 Risk factor surveys



4 National integrated NCD policy/strategy/action plan



5 Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



6 Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



7 Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



8 Public education and awareness campaign on physical activity



9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



10 Essential medicines and technologies for chronic respiratory diseases



11 HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Armenia



2 870 000

Total population
(2021)

72%

Percentage of deaths
from NCDs (2021)

25 800

Total number of
NCD deaths (2021)

21%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Australia



25 960 000 Total population (2021)	90% Percentage of deaths from NCDs (2021)	155 600 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
---	--	--	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Austria



8 967 000 Total population (2021)	84% Percentage of deaths from NCDs (2021)	78 400 Total number of NCD deaths (2021)	10% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Azerbaijan



10 230 000 Total population (2021)	59% * Percentage of deaths from NCDs (2021)	42 500 * Total number of NCD deaths (2021)	17% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ☐ partially achieved ☐ not achieved

* = see Explanatory notes

Bahamas



396 400 Total population (2021)	60% * Percentage of deaths from NCDs (2021)	2700 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Bahrain



1 502 000 Total population (2021)	74% * Percentage of deaths from NCDs (2021)	4600 * Total number of NCD deaths (2021)	15% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	◐
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Bangladesh



167 700 000 Total population (2021)	63% * Percentage of deaths from NCDs (2021)	578 600 * Total number of NCD deaths (2021)	18% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Barbados



282 100

Total population
(2021)

79% *

Percentage of deaths
from NCDs (2021)

2100 *

Total number of
NCD deaths (2021)

14% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Belarus



9 251 000

Total population
(2021)

75% *

Percentage of deaths
from NCDs (2021)

101 000 *

Total number of
NCD deaths (2021)

24% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Belgium



11 570 000 Total population (2021)	76% Percentage of deaths from NCDs (2021)	85 000 Total number of NCD deaths (2021)	9% Risk of premature death from target NCDs (2021)
---	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	◐
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Belize



395 300 Total population (2021)	54% * Percentage of deaths from NCDs (2021)	1000 * Total number of NCD deaths (2021)	15% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Benin



13 410 000 Total population (2021)	36% * Percentage of deaths from NCDs (2021)	36 100 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Bhutan



775 400

Total population
(2021)

72%

Percentage of deaths
from NCDs (2021)

2700

Total number of
NCD deaths (2021)

16%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Bolivia (Plurinational State of)

11 940 000

Total population
(2021)

38% *

Percentage of deaths
from NCDs (2021)

43 300 *

Total number of
NCD deaths (2021)

20% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Bosnia and Herzegovina



3 245 000

Total population
(2021)

74% *

Percentage of deaths
from NCDs (2021)

42 100 *

Total number of
NCD deaths (2021)

17% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: ‡

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know *, ‡ = see Explanatory notes

Botswana



2 401 000 Total population (2021)	28% * Percentage of deaths from NCDs (2021)	6400 * Total number of NCD deaths (2021)	19% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Brazil



209 600 000 Total population (2021)	57% Percentage of deaths from NCDs (2021)	1 095 000 Total number of NCD deaths (2021)	15% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Brunei Darussalam



451 700

Total population
(2021)

81%

Percentage of deaths
from NCDs (2021)

1600

Total number of
NCD deaths (2021)

15%

Risk of premature death
from target NCDs (2021)



1 National NCD targets



2 Mortality data



3 Risk factor surveys



4 National integrated NCD policy/strategy/action plan



5 Tobacco demand-reduction measures:

increased excise taxes and prices

NA

smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



6 Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



7 Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



8 Public education and awareness campaign on physical activity



9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



10 Essential medicines and technologies for chronic respiratory diseases



11 HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

NA = not applicable

Bulgaria



6 877 000

Total population
(2021)

77%

Percentage of deaths
from NCDs (2021)

114 100

Total number of
NCD deaths (2021)

26%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

- increased excise taxes and prices
- smoke-free policies
- large graphic health warnings/plain packaging
- bans on advertising, promotion and sponsorship
- mass media campaigns

Harmful use of alcohol reduction measures:

- restrictions on physical availability
- advertising bans or comprehensive restrictions
- increased excise taxes

Unhealthy diet reduction measures:

- food reformulation policies
- front-of-pack labelling policies
- public food procurement and service policies
- mass media campaign on healthy diet
- marketing to children restrictions
- marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Burkina Faso



22 000 000

Total population
(2021)

36% *

Percentage of deaths
from NCDs (2021)

57 900 *

Total number of
NCD deaths (2021)

23% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Burundi



12 970 000 Total population (2021)	39% * Percentage of deaths from NCDs (2021)	32 400 * Total number of NCD deaths (2021)	25% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Cabo Verde



516 600 Total population (2021)	64% * Percentage of deaths from NCDs (2021)	2100 * Total number of NCD deaths (2021)	17% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input checked="" type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input checked="" type="radio"/>
C	large graphic health warnings/plain packaging	<input checked="" type="radio"/>
D	bans on advertising, promotion and sponsorship	<input checked="" type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input checked="" type="radio"/>
C	increased excise taxes	<input checked="" type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input checked="" type="radio"/>
D	mass media campaign on healthy diet	<input checked="" type="radio"/>
E	marketing to children restrictions	<input checked="" type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input checked="" type="radio"/>
8	Public education and awareness campaign on physical activity	<input checked="" type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input checked="" type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input checked="" type="radio"/>
11	HPV vaccination programme	<input checked="" type="radio"/>

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Cambodia



16 970 000 Total population (2021)	64% * Percentage of deaths from NCDs (2021)	78 500 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	
2	Mortality data	
3	Risk factor surveys	
4	National integrated NCD policy/strategy/action plan	
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	
B	smoke-free policies	
C	large graphic health warnings/plain packaging	
D	bans on advertising, promotion and sponsorship	
E	mass media campaigns	
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	
7	Unhealthy diet reduction measures:	
A	food reformulation policies	
B	front-of-pack labelling policies	
C	public food procurement and service policies	
D	mass media campaign on healthy diet	
E	marketing to children restrictions	
F	marketing of breast-milk substitutes restrictions	
8	Public education and awareness campaign on physical activity	
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	
10	Essential medicines and technologies for chronic respiratory diseases	
11	HPV vaccination programme	

● fully achieved ◐ partially achieved ○ not achieved

NR = no response * = see Explanatory notes

Cameroon



26 920 000 Total population (2021)	36% * Percentage of deaths from NCDs (2021)	76 200 * Total number of NCD deaths (2021)	24% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Canada



38 450 000 Total population (2021)	86% Percentage of deaths from NCDs (2021)	267 700 Total number of NCD deaths (2021)	10% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Central African Republic



5 112 000 Total population (2021)	23% * Percentage of deaths from NCDs (2021)	13 900 * Total number of NCD deaths (2021)	31% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

NR = no response * = see Explanatory notes

Chad



17 830 000 Total population (2021)	23% * Percentage of deaths from NCDs (2021)	38 700 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	DK
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	DK
D	mass media campaign on healthy diet	DK
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Chile



19 460 000 Total population (2021)	73% Percentage of deaths from NCDs (2021)	107 000 Total number of NCD deaths (2021)	9% Risk of premature death from target NCDs (2021)
---	--	--	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	◐
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

China



1 426 000 000 Total population (2021)	91% * Percentage of deaths from NCDs (2021)	10 451 000 * Total number of NCD deaths (2021)	16% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Colombia



51 190 000

Total population
(2021)

58%

Percentage of deaths
from NCDs (2021)

208 900

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Comoros



818 200 Total population (2021)	50% * Percentage of deaths from NCDs (2021)	2700 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Congo



5 892 000 Total population (2021)	34% * Percentage of deaths from NCDs (2021)	14 700 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	DK
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Cook Islands



15 200 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: [‡]	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

[†], [‡] = see Explanatory notes DK = don't know NR = no response

Costa Rica



5 060 000 Total population (2021)	67% Percentage of deaths from NCDs (2021)	20 900 Total number of NCD deaths (2021)	10% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Côte d'Ivoire



29 640 000 Total population (2021)	36% * Percentage of deaths from NCDs (2021)	74 800 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Croatia



3 925 000

Total population
(2021)

80%

Percentage of deaths
from NCDs (2021)

48 500

Total number of
NCD deaths (2021)

16%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Cuba



11 120 000 Total population (2021)	61% Percentage of deaths from NCDs (2021)	102 600 Total number of NCD deaths (2021)	18% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

Cyprus



1 317 000 Total population (2021)	83% Percentage of deaths from NCDs (2021)	7000 Total number of NCD deaths (2021)	9% Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	◐
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	DK
D	mass media campaign on healthy diet	DK
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	DK
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved
DK = don't know

Czechia



10 530 000 Total population (2021)	73% Percentage of deaths from NCDs (2021)	102 300 Total number of NCD deaths (2021)	14% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Democratic People's Republic of Korea



26 230 000

Total population
(2021)

79% *

Percentage of deaths
from NCDs (2021)

209 800 *

Total number of
NCD deaths (2021)

24% *

Risk of premature death
from target NCDs (2021)



1 National NCD targets



2 Mortality data



3 Risk factor surveys



4 National integrated NCD policy/strategy/action plan



5 Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



6 Harmful use of alcohol reduction measures: ‡

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



7 Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



8 Public education and awareness campaign on physical activity



9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



10 Essential medicines and technologies for chronic respiratory diseases



11 HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Democratic Republic of the Congo



99 150 000 Total population (2021)	35% * Percentage of deaths from NCDs (2021)	296 500 * Total number of NCD deaths (2021)	25% * Risk of premature death from target NCDs (2021)
---	--	--	--



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Denmark



5 857 000 Total population (2021)	88% Percentage of deaths from NCDs (2021)	50 000 Total number of NCD deaths (2021)	11% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ◐ partially achieved ○ not achieved

Djibouti



1 121 000 Total population (2021)	47% * Percentage of deaths from NCDs (2021)	4100 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	NR
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: ‡	<input type="radio"/>
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	<input type="radio"/>
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Dominica



67 200 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

*, † = see Explanatory notes

Dominican Republic



11 120 000 Total population (2021)	64% * Percentage of deaths from NCDs (2021)	42 900 * Total number of NCD deaths (2021)	17% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Ecuador



17 680 000 Total population (2021)	62% Percentage of deaths from NCDs (2021)	72 300 Total number of NCD deaths (2021)	13% Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Egypt



111 000 000 Total population (2021)	64% * Percentage of deaths from NCDs (2021)	479 400 * Total number of NCD deaths (2021)	26% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

El Salvador



6 256 000

Total population
(2021)

54% *

Percentage of deaths
from NCDs (2021)

25 100 *

Total number of
NCD deaths (2021)

13% *

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Equatorial Guinea



1 759 000 Total population (2021)	32% * Percentage of deaths from NCDs (2021)	4900 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Eritrea



3 350 000

Total population
(2021)

52% *

Percentage of deaths
from NCDs (2021)

14 100 *

Total number of
NCD deaths (2021)

27% *

Risk of premature death
from target NCDs (2021)



National NCD targets

NR

Mortality data

○

Risk factor surveys

NR

National integrated NCD policy/strategy/action plan

NR

Tobacco demand-reduction measures:

increased excise taxes and prices

NR

smoke-free policies

○

large graphic health warnings/plain packaging

●

bans on advertising, promotion and sponsorship

●

mass media campaigns

○

Harmful use of alcohol reduction measures: ‡

restrictions on physical availability

●

advertising bans or comprehensive restrictions

○

increased excise taxes

○

Unhealthy diet reduction measures:

food reformulation policies

NR

front-of-pack labelling policies

NR

public food procurement and service policies

NR

mass media campaign on healthy diet

NR

marketing to children restrictions

NR

marketing of breast-milk substitutes restrictions

○

Public education and awareness campaign on physical activity

NR

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

NR

Essential medicines and technologies for chronic respiratory diseases

NR

HPV vaccination programme

●

● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Estonia



1 332 000 Total population (2021)	83% Percentage of deaths from NCDs (2021)	15 300 Total number of NCD deaths (2021)	16% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Eswatini



1 207 000 Total population (2021)	35% * Percentage of deaths from NCDs (2021)	5500 * Total number of NCD deaths (2021)	32% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Ethiopia



122 100 000

Total population
(2021)

38% *

Percentage of deaths
from NCDs (2021)

262 600 *

Total number of
NCD deaths (2021)

17% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

916 700 Total population (2021)	67% * Percentage of deaths from NCDs (2021)	6300 * Total number of NCD deaths (2021)	38% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Finland



5 541 000

Total population
(2021)

92%

Percentage of deaths
from NCDs (2021)

53 200

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

France



66 080 000

Total population
(2021)

79%

Percentage of deaths
from NCDs (2021)

511 800

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Gabon



2 377 000 Total population (2021)	38% * Percentage of deaths from NCDs (2021)	6900 * Total number of NCD deaths (2021)	18% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Gambia



2 576 000

Total population
(2021)

39% *

Percentage of deaths
from NCDs (2021)

6700 *

Total number of
NCD deaths (2021)

22% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: ‡

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know *, ‡ = see Explanatory notes

Georgia



3 788 000

Total population
(2021)

69%

Percentage of deaths
from NCDs (2021)

43 400

Total number of
NCD deaths (2021)

22%

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Germany



83 700 000 Total population (2021)	85% Percentage of deaths from NCDs (2021)	883 000 Total number of NCD deaths (2021)	12% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Ghana



32 520 000 Total population (2021)	47% * Percentage of deaths from NCDs (2021)	101 800 * Total number of NCD deaths (2021)	22% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Greece



10 580 000 Total population (2021)	77% Percentage of deaths from NCDs (2021)	121 000 Total number of NCD deaths (2021)	12% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ○ partially achieved ○ not achieved

Grenada



116 700 Total population (2021)	59% Percentage of deaths from NCDs (2021)	780 Total number of NCD deaths (2021)	17% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Guatemala



17 600 000 Total population (2021)	43% * Percentage of deaths from NCDs (2021)	46 800 * Total number of NCD deaths (2021)	15% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Guinea



13 710 000 Total population (2021)	33% * Percentage of deaths from NCDs (2021)	40 000 * Total number of NCD deaths (2021)	24% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	NR
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	●
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	○
A	food reformulation policies	○
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

DK = don't know NR = no response * = see Explanatory notes

Guinea-Bissau



2 059 000 Total population (2021)	31% * Percentage of deaths from NCDs (2021)	6000 * Total number of NCD deaths (2021)	25% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input checked="" type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ☒ partially achieved ☐ not achieved

*, ‡ = see Explanatory notes

Guyana



815 500 Total population (2021)	47% Percentage of deaths from NCDs (2021)	3600 Total number of NCD deaths (2021)	25% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Haiti



11 370 000 Total population (2021)	55% * Percentage of deaths from NCDs (2021)	56 000 * Total number of NCD deaths (2021)	32% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input checked="" type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input checked="" type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input checked="" type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Honduras



10 290 000 Total population (2021)	48% * Percentage of deaths from NCDs (2021)	29 100 * Total number of NCD deaths (2021)	18% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Hungary



9 708 000

Total population
(2021)

79%

Percentage of deaths
from NCDs (2021)

121 100

Total number of
NCD deaths (2021)

22%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Iceland



372 600 Total population (2021)	90% Percentage of deaths from NCDs (2021)	2200 Total number of NCD deaths (2021)	9% Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ◐ partially achieved ○ not achieved

India



1 414 000 000 Total population (2021)	49% * Percentage of deaths from NCDs (2021)	6 401 000 * Total number of NCD deaths (2021)	24% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Indonesia



276 800 000

Total population
(2021)

52% *

Percentage of deaths
from NCDs (2021)

1 378 000 *

Total number of
NCD deaths (2021)

22% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Iran (Islamic Republic of)



88 460 000 Total population (2021)	57% * Percentage of deaths from NCDs (2021)	291 700 * Total number of NCD deaths (2021)	14% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	◐
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Iraq



43 070 000 Total population (2021)	63% * Percentage of deaths from NCDs (2021)	117 600 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	DK
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved
DK = don't know * = see Explanatory notes

Ireland



5 028 000

Total population
(2021)

82%

Percentage of deaths
from NCDs (2021)

29 100

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

- increased excise taxes and prices
- smoke-free policies
- large graphic health warnings/plain packaging
- bans on advertising, promotion and sponsorship
- mass media campaigns

Harmful use of alcohol reduction measures:

- restrictions on physical availability
- advertising bans or comprehensive restrictions
- increased excise taxes

Unhealthy diet reduction measures:

- food reformulation policies
- front-of-pack labelling policies
- public food procurement and service policies
- mass media campaign on healthy diet
- marketing to children restrictions
- marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Israel



8 943 000 Total population (2021)	77% Percentage of deaths from NCDs (2021)	41 300 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	◐
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Italy



59 730 000

Total population
(2021)

81%

Percentage of deaths
from NCDs (2021)

578 800

Total number of
NCD deaths (2021)

9%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Jamaica



2 838 000 Total population (2021)	69% * Percentage of deaths from NCDs (2021)	18 500 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Japan



125 700 000 Total population (2021)	85% Percentage of deaths from NCDs (2021)	1 184 000 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
--	--	--	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Jordan



11 070 000 Total population (2021)	54% * Percentage of deaths from NCDs (2021)	21 300 * Total number of NCD deaths (2021)	12% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Kazakhstan



19 740 000 Total population (2021)	60% * Percentage of deaths from NCDs (2021)	111 900 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Kenya



53 220 000 Total population (2021)	38% * Percentage of deaths from NCDs (2021)	115 900 * Total number of NCD deaths (2021)	18% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Kiribati



128 400 Total population (2021)	66% Percentage of deaths from NCDs (2021)	840 Total number of NCD deaths (2021)	44% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Kuwait



4 361 000 Total population (2021)	59% * Percentage of deaths from NCDs (2021)	6700 * Total number of NCD deaths (2021)	9% * Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Kyrgyzstan



6 820 000 Total population (2021)	61% * Percentage of deaths from NCDs (2021)	23 900 * Total number of NCD deaths (2021)	19% * Risk of premature death from target NCDs (2021)
--	--	---	--



● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Lao People's Democratic Republic



7 453 000

Total population
(2021)

63% *

Percentage of deaths
from NCDs (2021)

29 900 *

Total number of
NCD deaths (2021)

27% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Latvia



1 886 000 Total population (2021)	81% Percentage of deaths from NCDs (2021)	27 900 Total number of NCD deaths (2021)	23% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Lebanon



5 718 000

Total population
(2021)

53% *

Percentage of deaths
from NCDs (2021)

23 300 *

Total number of
NCD deaths (2021)

12% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Lesotho



2 262 000

Total population
(2021)

34% *

Percentage of deaths
from NCDs (2021)

11 400 *

Total number of
NCD deaths (2021)

36% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: ‡

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies

NR

front-of-pack labelling policies



public food procurement and service policies

NR

mass media campaign on healthy diet

NR

marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

NR = no response *, ‡ = see Explanatory notes

Liberia



5 259 000

Total population
(2021)

35% *

Percentage of deaths
from NCDs (2021)

13 800 *

Total number of
NCD deaths (2021)

22% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Libya



7 135 000 Total population (2021)	63% * Percentage of deaths from NCDs (2021)	25 500 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Lithuania



2 794 000

Total population
(2021)

78%

Percentage of deaths
from NCDs (2021)

37 500

Total number of
NCD deaths (2021)

20%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Luxembourg



640 300

Total population
(2021)

80%

Percentage of deaths
from NCDs (2021)

3500

Total number of
NCD deaths (2021)

8%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know

Madagascar



29 690 000 Total population (2021)	40% * Percentage of deaths from NCDs (2021)	91 600 * Total number of NCD deaths (2021)	26% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input checked="" type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input checked="" type="radio"/>
B	smoke-free policies	<input checked="" type="radio"/>
C	large graphic health warnings/plain packaging	<input checked="" type="radio"/>
D	bans on advertising, promotion and sponsorship	<input checked="" type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input checked="" type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input checked="" type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Malawi



20 050 000

Total population
(2021)

40% *

Percentage of deaths
from NCDs (2021)

56 400 *

Total number of
NCD deaths (2021)

25% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: ‡

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Malaysia



34 280 000 Total population (2021)	65% * Percentage of deaths from NCDs (2021)	153 000 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Maldives



516 200 Total population (2021)	77% * Percentage of deaths from NCDs (2021)	2200 * Total number of NCD deaths (2021)	9% * Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	●
2	Mortality data	◐
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Mali



22 390 000 Total population (2021)	29% * Percentage of deaths from NCDs (2021)	53 300 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input checked="" type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input checked="" type="radio"/>
D	bans on advertising, promotion and sponsorship	<input checked="" type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input checked="" type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input checked="" type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Malta



524 400 Total population (2021)	84% Percentage of deaths from NCDs (2021)	3500 Total number of NCD deaths (2021)	10% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Marshall Islands



41 400 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: [‡]	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

[†], [‡] = see Explanatory notes

Mauritania



4 735 000

Total population
(2021)

43% *

Percentage of deaths
from NCDs (2021)

11 000 *

Total number of
NCD deaths (2021)

19% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Mauritius



1 280 000 Total population (2021)	81% Percentage of deaths from NCDs (2021)	9800 Total number of NCD deaths (2021)	22% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: †	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

† = see Explanatory notes

Mexico



127 600 000 Total population (2021)	54% Percentage of deaths from NCDs (2021)	555 000 Total number of NCD deaths (2021)	16% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	◐
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Micronesia (Federated States of)



111 600

Total population
(2021)

78%

Percentage of deaths
from NCDs (2021)

710

Total number of
NCD deaths (2021)

41%

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Monaco



38 500 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	NR
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

*, † = see Explanatory notes NR = no response

Mongolia



3 340 000

Total population
(2021)

74% *

Percentage of deaths
from NCDs (2021)

16 100 *

Total number of
NCD deaths (2021)

26% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Montenegro



603 900 Total population (2021)	65% * Percentage of deaths from NCDs (2021)	5700 * Total number of NCD deaths (2021)	18% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Morocco



36 950 000 Total population (2021)	74% * Percentage of deaths from NCDs (2021)	186 700 * Total number of NCD deaths (2021)	22% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Mozambique



31 710 000 Total population (2021)	31% * Percentage of deaths from NCDs (2021)	90 600 * Total number of NCD deaths (2021)	27% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Myanmar



53 390 000

Total population
(2021)

62% *

Percentage of deaths
from NCDs (2021)

276 800 *

Total number of
NCD deaths (2021)

24% *

Risk of premature death
from target NCDs (2021)



1 National NCD targets



2 Mortality data



3 Risk factor surveys



4 National integrated NCD policy/strategy/action plan



5 Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



6 Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions

NR

increased excise taxes

NR

7 Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



8 Public education and awareness campaign on physical activity



9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



10 Essential medicines and technologies for chronic respiratory diseases



11 HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

NR = no response * = see Explanatory notes

Namibia



2 811 000 Total population (2021)	30% * Percentage of deaths from NCDs (2021)	8200 * Total number of NCD deaths (2021)	23% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Nauru



11 700 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---



● fully achieved ● partially achieved ○ not achieved

[†] = see Explanatory notes

Nepal



29 480 000 Total population (2021)	55% * Percentage of deaths from NCDs (2021)	110 100 * Total number of NCD deaths (2021)	19% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ○ partially achieved ○ not achieved

* = see Explanatory notes

Netherlands (Kingdom of the)



17 730 000

Total population
(2021)

78%

Percentage of deaths
from NCDs (2021)

133 800

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

New Zealand



5 108 000

Total population
(2021)

90%

Percentage of deaths
from NCDs (2021)

31 000

Total number of
NCD deaths (2021)

10%

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

Nicaragua



6 645 000

Total population
(2021)

49%

Percentage of deaths
from NCDs (2021)

14 200

Total number of
NCD deaths (2021)

13%

Risk of premature death
from target NCDs (2021)



1 National NCD targets



2 Mortality data



3 Risk factor surveys



4 National integrated NCD policy/strategy/action plan



5 Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



6 Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



7 Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



8 Public education and awareness campaign on physical activity



9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



10 Essential medicines and technologies for chronic respiratory diseases



11 HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Niger



24 500 000 Total population (2021)	24% * Percentage of deaths from NCDs (2021)	55 100 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Nigeria



218 500 000

Total population
(2021)

28% *

Percentage of deaths
from NCDs (2021)

467 800 *

Total number of
NCD deaths (2021)

18% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Niue



1800 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	NR
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: [‡]	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

^{†, ‡} = see Explanatory notes NR = no response

North Macedonia



1 851 000 Total population (2021)	70% Percentage of deaths from NCDs (2021)	19 700 Total number of NCD deaths (2021)	20% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Norway



5 408 000 Total population (2021)	87% Percentage of deaths from NCDs (2021)	36 100 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ◐ partially achieved ○ not achieved

Oman



4 500 000 Total population (2021)	52% * Percentage of deaths from NCDs (2021)	9100 * Total number of NCD deaths (2021)	15% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Pakistan



239 500 000

Total population
(2021)

52% *

Percentage of deaths
from NCDs (2021)

871 600 *

Total number of
NCD deaths (2021)

26% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Palau



17 800 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: [‡]	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

^{†, ‡} = see Explanatory notes NR = no response

Panama



4 345 000 Total population (2021)	67% Percentage of deaths from NCDs (2021)	15 900 Total number of NCD deaths (2021)	11% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Papua New Guinea



10 010 000 Total population (2021)	48% * Percentage of deaths from NCDs (2021)	31 800 * Total number of NCD deaths (2021)	29% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	DK
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Paraguay



6 684 000

Total population
(2021)

48%

Percentage of deaths
from NCDs (2021)

23 800

Total number of
NCD deaths (2021)

16%

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Peru



33 160 000 Total population (2021)	42% Percentage of deaths from NCDs (2021)	121 000 Total number of NCD deaths (2021)	12% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Philippines



113 100 000 Total population (2021)	68% Percentage of deaths from NCDs (2021)	622 200 Total number of NCD deaths (2021)	32% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Poland



38 040 000 Total population (2021)	72% Percentage of deaths from NCDs (2021)	371 400 Total number of NCD deaths (2021)	17% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	◐
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Portugal



10 390 000 Total population (2021)	0,8 Percentage of deaths from NCDs (2021)	98 700 Total number of NCD deaths (2021)	11% Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Qatar



2 815 000 Total population (2021)	62% * Percentage of deaths from NCDs (2021)	3000 * Total number of NCD deaths (2021)	12% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Republic of Korea



51 850 000

Total population
(2021)

77%

Percentage of deaths
from NCDs (2021)

245 800

Total number of
NCD deaths (2021)

7%

Risk of premature death
from target NCDs (2021)



National NCD targets

DK

Mortality data

●

Risk factor surveys

◐

National integrated NCD policy/strategy/action plan

●

Tobacco demand-reduction measures:

increased excise taxes and prices

◐

smoke-free policies

○

large graphic health warnings/plain packaging

◐

bans on advertising, promotion and sponsorship

○

mass media campaigns

●

Harmful use of alcohol reduction measures:

restrictions on physical availability

◐

advertising bans or comprehensive restrictions

●

increased excise taxes

●

Unhealthy diet reduction measures:

food reformulation policies

DK

front-of-pack labelling policies

●

public food procurement and service policies

●

mass media campaign on healthy diet

●

marketing to children restrictions

●

marketing of breast-milk substitutes restrictions

◐

Public education and awareness campaign on physical activity

●

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

●

Essential medicines and technologies for chronic respiratory diseases

DK

HPV vaccination programme

◐

● fully achieved ◐ partially achieved ○ not achieved

DK = don't know

Republic of Moldova



3 024 000 Total population (2021)	73% Percentage of deaths from NCDs (2021)	35 400 Total number of NCD deaths (2021)	25% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	◐
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Romania



19 250 000 Total population (2021)	73% Percentage of deaths from NCDs (2021)	238 800 Total number of NCD deaths (2021)	22% Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	◐
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

Russian Federation



145 800 000 Total population (2021)	62% * Percentage of deaths from NCDs (2021)	1 529 000 * Total number of NCD deaths (2021)	22% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	◐
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Rwanda



13 360 000 Total population (2021)	50% * Percentage of deaths from NCDs (2021)	40 000 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Saint Kitts and Nevis



46 800 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

[†] = see Explanatory notes

Saint Lucia



178 500 Total population (2021)	53% * Percentage of deaths from NCDs (2021)	900 * Total number of NCD deaths (2021)	16% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Saint Vincent and the Grenadines



102 800 Total population (2021)	74% Percentage of deaths from NCDs (2021)	750 Total number of NCD deaths (2021)	24% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	◐
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Samoa



213 800

Total population
(2021)

83%

Percentage of deaths
from NCDs (2021)

1200

Total number of
NCD deaths (2021)

32%

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

† = see Explanatory notes

San Marino



34 600 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

*, † = see Explanatory notes

Sao Tome and Principe



222 000 Total population (2021)	59% * Percentage of deaths from NCDs (2021)	660 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	DK
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Saudi Arabia



31 330 000 Total population (2021)	68% * Percentage of deaths from NCDs (2021)	57 800 * Total number of NCD deaths (2021)	14% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	◐
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Senegal



17 220 000 Total population (2021)	48% * Percentage of deaths from NCDs (2021)	47 900 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Serbia



6 835 000

Total population
(2021)

72%

Percentage of deaths
from NCDs (2021)

99 500

Total number of
NCD deaths (2021)

21%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes NR = no response

Seychelles



123 000 Total population (2021)	69% Percentage of deaths from NCDs (2021)	640 Total number of NCD deaths (2021)	16% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	◐
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Sierra Leone



8 095 000 Total population (2021)	34% * Percentage of deaths from NCDs (2021)	24 000 * Total number of NCD deaths (2021)	24% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	NR
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	DK
B	front-of-pack labelling policies	○
C	public food procurement and service policies	DK
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ○ partially achieved ○ not achieved

DK = don't know NR = no response * = see Explanatory notes

Singapore



5 546 000 Total population (2021)	75% Percentage of deaths from NCDs (2021)	18 100 Total number of NCD deaths (2021)	10% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Slovakia



5 443 000 Total population (2021)	67% Percentage of deaths from NCDs (2021)	49 000 Total number of NCD deaths (2021)	17% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	◐
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	◐
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	DK
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

DK = don't know

Slovenia



2 113 000 Total population (2021)	76% Percentage of deaths from NCDs (2021)	17 200 Total number of NCD deaths (2021)	12% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

Solomon Islands



762 600 Total population (2021)	68% Percentage of deaths from NCDs (2021)	4000 Total number of NCD deaths (2021)	41% Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: †	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

NR = no response † = see Explanatory notes

Somalia



17 270 000 Total population (2021)	25% * Percentage of deaths from NCDs (2021)	52 700 * Total number of NCD deaths (2021)	28% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	NR
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

NR = no response * = see Explanatory notes

South Africa



61 500 000

Total population
(2021)

37% *

Percentage of deaths
from NCDs (2021)

289 400 *

Total number of
NCD deaths (2021)

23% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

South Sudan



10 870 000 Total population (2021)	29% * Percentage of deaths from NCDs (2021)	29 000 * Total number of NCD deaths (2021)	22% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	○
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	○
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Spain



47 740 000

Total population
(2021)

84%

Percentage of deaths
from NCDs (2021)

377 700

Total number of
NCD deaths (2021)

9%

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

Sri Lanka



22 700 000 Total population (2021)	75% * Percentage of deaths from NCDs (2021)	111 300 * Total number of NCD deaths (2021)	14% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Sudan



48 070 000

Total population
(2021)

43% *

Percentage of deaths
from NCDs (2021)

118 800 *

Total number of
NCD deaths (2021)

21% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Suriname



617 900 Total population (2021)	50% * Percentage of deaths from NCDs (2021)	2600 * Total number of NCD deaths (2021)	19% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Sweden



10 420 000 Total population (2021)	84% Percentage of deaths from NCDs (2021)	77 600 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
---	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ◐ partially achieved ○ not achieved

Switzerland



8 707 000 Total population (2021)	82% Percentage of deaths from NCDs (2021)	58 700 Total number of NCD deaths (2021)	8% Risk of premature death from target NCDs (2021)
--	--	---	---

1	National NCD targets	○
2	Mortality data	●
3	Risk factor surveys	◐
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	○
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	◐
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	◐

● fully achieved ◐ partially achieved ○ not achieved

Syrian Arab Republic



21 630 000 Total population (2021)	74% * Percentage of deaths from NCDs (2021)	80 300 * Total number of NCD deaths (2021)	21% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	○
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	○
5	Tobacco demand-reduction measures:	NR
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures:	●
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	●
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

NR = no response * = see Explanatory notes

Tajikistan



9 967 000

Total population
(2021)

57% *

Percentage of deaths
from NCDs (2021)

25 600 *

Total number of
NCD deaths (2021)

18% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures: *

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Thailand



71 730 000

Total population
(2021)

68% *

Percentage of deaths
from NCDs (2021)

429 600 *

Total number of
NCD deaths (2021)

15% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

- increased excise taxes and prices
- smoke-free policies
- large graphic health warnings/plain packaging
- bans on advertising, promotion and sponsorship
- mass media campaigns

Harmful use of alcohol reduction measures:

- restrictions on physical availability
- advertising bans or comprehensive restrictions
- increased excise taxes

Unhealthy diet reduction measures:

- food reformulation policies
- front-of-pack labelling policies
- public food procurement and service policies
- mass media campaign on healthy diet
- marketing to children restrictions
- marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Timor-Leste



1 350 000 Total population (2021)	51% * Percentage of deaths from NCDs (2021)	4800 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Togo



8 878 000

Total population
(2021)

43% *

Percentage of deaths
from NCDs (2021)

27 500 *

Total number of
NCD deaths (2021)

25% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures:

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Tonga



105 500 Total population (2021)	85% Percentage of deaths from NCDs (2021)	560 Total number of NCD deaths (2021)	27% Risk of premature death from target NCDs (2021)
--	--	--	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Trinidad and Tobago



1 488 000 Total population (2021)	66% * Percentage of deaths from NCDs (2021)	8900 * Total number of NCD deaths (2021)	20% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	○
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	○
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Tunisia



12 050 000 Total population (2021)	57% * Percentage of deaths from NCDs (2021)	50 700 * Total number of NCD deaths (2021)	13% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	○
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	●
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ● partially achieved ○ not achieved

NR = no response * = see Explanatory notes

Türkiye



86 690 000 Total population (2021)	69% * Percentage of deaths from NCDs (2021)	457 200 * Total number of NCD deaths (2021)	15% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	●
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	●
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	○

● fully achieved ◐ partially achieved ○ not achieved

* = see Explanatory notes

Turkmenistan



7 092 000

Total population
(2021)

67% *

Percentage of deaths
from NCDs (2021)

28 800 *

Total number of
NCD deaths (2021)

26% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Tuvalu



10 200 Total population (2021)	no data [†] Percentage of deaths from NCDs (2021)	no data [†] Total number of NCD deaths (2021)	no data [†] Risk of premature death from target NCDs (2021)
---	---	---	---

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	○
B	smoke-free policies	●
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: [‡]	
A	restrictions on physical availability	NR
B	advertising bans or comprehensive restrictions	NR
C	increased excise taxes	NR
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	○
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

[†], [‡] = see Explanatory notes NR = no response

Uganda



45 910 000

Total population
(2021)

37% *

Percentage of deaths
from NCDs (2021)

93 000 *

Total number of
NCD deaths (2021)

22% *

Risk of premature death
from target NCDs (2021)



National NCD targets



Mortality data



Risk factor surveys



National integrated NCD policy/strategy/action plan



Tobacco demand-reduction measures:

increased excise taxes and prices



smoke-free policies



large graphic health warnings/plain packaging



bans on advertising, promotion and sponsorship



mass media campaigns



Harmful use of alcohol reduction measures: *

restrictions on physical availability



advertising bans or comprehensive restrictions



increased excise taxes



Unhealthy diet reduction measures:

food reformulation policies



front-of-pack labelling policies



public food procurement and service policies



mass media campaign on healthy diet



marketing to children restrictions



marketing of breast-milk substitutes restrictions



Public education and awareness campaign on physical activity



Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases



Essential medicines and technologies for chronic respiratory diseases



HPV vaccination programme



● fully achieved ● partially achieved ○ not achieved

DK = don't know NR = no response * = see Explanatory notes

Ukraine



44 300 000

Total population
(2021)

73% *

Percentage of deaths
from NCDs (2021)

562 400 *

Total number of
NCD deaths (2021)

25% *

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

United Arab Emirates



9 789 000

Total population
(2021)

68% *

Percentage of deaths
from NCDs (2021)

9700 *

Total number of
NCD deaths (2021)

12% *

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

United Kingdom of Great Britain and Northern Ireland

67 670 000

Total population
(2021)

80%

Percentage of deaths
from NCDs (2021)

549 500

Total number of
NCD deaths (2021)

11%

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

United Republic of Tanzania

62 830 000

Total population
(2021)

39% *

Percentage of deaths
from NCDs (2021)

143 500 *

Total number of
NCD deaths (2021)

19% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

United States of America



340 200 000

Total population
(2021)

77%

Percentage of deaths
from NCDs (2021)

2 668 000

Total number of
NCD deaths (2021)

14%

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Uruguay



3 397 000

Total population
(2021)

72%

Percentage of deaths
from NCDs (2021)

29 300

Total number of
NCD deaths (2021)

17%

Risk of premature death
from target NCDs (2021)



National NCD targets

Mortality data

Risk factor surveys

National integrated NCD policy/strategy/action plan

Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

Public education and awareness campaign on physical activity

Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

Essential medicines and technologies for chronic respiratory diseases

HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

Uzbekistan



34 240 000 Total population (2021)	80% * Percentage of deaths from NCDs (2021)	173 900 * Total number of NCD deaths (2021)	25% * Risk of premature death from target NCDs (2021)
---	--	--	--

1	National NCD targets	●
2	Mortality data	●
3	Risk factor surveys	●
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	◐
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	◐
D	bans on advertising, promotion and sponsorship	◐
E	mass media campaigns	◐
6	Harmful use of alcohol reduction measures: ‡	
A	restrictions on physical availability	◐
B	advertising bans or comprehensive restrictions	●
C	increased excise taxes	◐
7	Unhealthy diet reduction measures:	
A	food reformulation policies	●
B	front-of-pack labelling policies	●
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	●
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	◐
8	Public education and awareness campaign on physical activity	●
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	◐
11	HPV vaccination programme	●

● fully achieved ◐ partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Vanuatu



305 900 Total population (2021)	72% * Percentage of deaths from NCDs (2021)	1600 * Total number of NCD deaths (2021)	37% * Risk of premature death from target NCDs (2021)
--	--	---	--

1	National NCD targets	●
2	Mortality data	○
3	Risk factor surveys	○
4	National integrated NCD policy/strategy/action plan	●
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	●
B	smoke-free policies	○
C	large graphic health warnings/plain packaging	●
D	bans on advertising, promotion and sponsorship	●
E	mass media campaigns	○
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	●
B	advertising bans or comprehensive restrictions	○
C	increased excise taxes	●
7	Unhealthy diet reduction measures:	
A	food reformulation policies	○
B	front-of-pack labelling policies	○
C	public food procurement and service policies	●
D	mass media campaign on healthy diet	○
E	marketing to children restrictions	○
F	marketing of breast-milk substitutes restrictions	○
8	Public education and awareness campaign on physical activity	○
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	●
10	Essential medicines and technologies for chronic respiratory diseases	●
11	HPV vaccination programme	●

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Venezuela (Bolivarian Republic of)

28 240 000

Total population
(2021)

69% *

Percentage of deaths
from NCDs (2021)

156 000 *

Total number of
NCD deaths (2021)

19% *

Risk of premature death
from target NCDs (2021)



● fully achieved ● partially achieved ○ not achieved

*, ‡ = see Explanatory notes

Viet Nam



98 940 000

Total population
(2021)

78% *

Percentage of deaths
from NCDs (2021)

550 200 *

Total number of
NCD deaths (2021)

20% *

Risk of premature death
from target NCDs (2021)



1 National NCD targets

2 Mortality data

3 Risk factor surveys

4 National integrated NCD policy/strategy/action plan

5 Tobacco demand-reduction measures:

increased excise taxes and prices

smoke-free policies

large graphic health warnings/plain packaging

bans on advertising, promotion and sponsorship

mass media campaigns

6 Harmful use of alcohol reduction measures:

restrictions on physical availability

advertising bans or comprehensive restrictions

increased excise taxes

7 Unhealthy diet reduction measures:

food reformulation policies

front-of-pack labelling policies

public food procurement and service policies

mass media campaign on healthy diet

marketing to children restrictions

marketing of breast-milk substitutes restrictions

8 Public education and awareness campaign on physical activity

9 Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases

10 Essential medicines and technologies for chronic respiratory diseases

11 HPV vaccination programme

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Yemen



37 140 000 Total population (2021)	42% * Percentage of deaths from NCDs (2021)	93 300 * Total number of NCD deaths (2021)	26% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input checked="" type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input checked="" type="radio"/>
C	increased excise taxes	<input checked="" type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	DK
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

DK = don't know * = see Explanatory notes

Zambia



19 600 000 Total population (2021)	31% * Percentage of deaths from NCDs (2021)	43 600 * Total number of NCD deaths (2021)	24% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures: *	
A	restrictions on physical availability	<input type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input type="radio"/>
11	HPV vaccination programme	<input type="radio"/>

● fully achieved ● partially achieved ○ not achieved

* = see Explanatory notes

Zimbabwe



15 800 000 Total population (2021)	38% * Percentage of deaths from NCDs (2021)	58 800 * Total number of NCD deaths (2021)	31% * Risk of premature death from target NCDs (2021)
---	--	---	--

1	National NCD targets	<input type="radio"/>
2	Mortality data	<input type="radio"/>
3	Risk factor surveys	<input type="radio"/>
4	National integrated NCD policy/strategy/action plan	<input type="radio"/>
5	Tobacco demand-reduction measures:	
A	increased excise taxes and prices	<input type="radio"/>
B	smoke-free policies	<input checked="" type="radio"/>
C	large graphic health warnings/plain packaging	<input type="radio"/>
D	bans on advertising, promotion and sponsorship	<input type="radio"/>
E	mass media campaigns	<input type="radio"/>
6	Harmful use of alcohol reduction measures:	
A	restrictions on physical availability	<input checked="" type="radio"/>
B	advertising bans or comprehensive restrictions	<input type="radio"/>
C	increased excise taxes	<input type="radio"/>
7	Unhealthy diet reduction measures:	
A	food reformulation policies	<input type="radio"/>
B	front-of-pack labelling policies	<input type="radio"/>
C	public food procurement and service policies	<input type="radio"/>
D	mass media campaign on healthy diet	<input type="radio"/>
E	marketing to children restrictions	<input type="radio"/>
F	marketing of breast-milk substitutes restrictions	<input checked="" type="radio"/>
8	Public education and awareness campaign on physical activity	<input type="radio"/>
9	Guidelines for the management of cancer, cardiovascular diseases, diabetes and chronic respiratory diseases	<input checked="" type="radio"/>
10	Essential medicines and technologies for chronic respiratory diseases	<input checked="" type="radio"/>
11	HPV vaccination programme	<input checked="" type="radio"/>

● fully achieved ☒ partially achieved ☐ not achieved

* = see Explanatory notes



Annex

Indicator Definitions and Specifications





Indicator	1 Member State has set time-bound national targets based on WHO guidance
Definition	Country has set national NCD targets. The NCD-related targets should be time-bound and based on the 9 voluntary global targets and the WHO Global Monitoring Framework.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if a country responds “Yes” to the question “Are there a set of time-bound national targets for NCDs based on the 9 voluntary global targets from the WHO Global Monitoring Framework for NCDs?” and provides the needed supporting documentation. Targets must be time-bound, based on the 9 global targets, and need to address NCD mortality, as well as key risk factors in the country and/or health systems.</p> <p>This indicator is considered partially achieved if the country responds “Yes” to the question “Are there a set of time-bound national targets for NCDs based on the 9 voluntary global targets from the WHO Global Monitoring Framework for NCDs?”, but the targets do not cover two of the three areas addressed in the 9 global targets (including mortality) or they are not time-bound.</p>
Data validation process	<p>Countries are asked to submit a copy of their targets when submitting their response to the NCD CCS. WHO confirms the national targets address NCD mortality, as well as key risk factors in the country, and/or health systems, based on the 9 global targets, and that these targets are time-bound (e.g. include such language as “by 2025”).</p> <p>Where discrepancies are noted, these are referred back to the country for clarification and modification.</p>
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc

Indicator**2 Member State has a functioning system for generating reliable cause-specific mortality data on a routine basis****Definition**

Country has a vital registration system that captures deaths and the causes of death routinely. The International Form of Medical Certificate of the Cause of Death is completed by certifiers. The International Classification of Diseases (ICD) is used to code the causes of death. The data are made available to policy-makers and researchers.

Data collection tool and achievement criteria

The WHO collects mortality data, including cause of death, from civil registration systems in the WHO mortality database through a routine annual call for data. Data are considered to generate reliable cause-specific mortality data on a routine basis if:

- Data from the five most recent reporting years are, on average, at least 70% usable. Usability is calculated as
$$(\text{COMPLETENESS (\%)}) \times (1 - \text{PROPORTION GARBAGE})^1$$
- At least five years of cause-of-death data have been reported to the WHO in the last 10 years.
- The most recent year of data reported to the WHO is no more than five years old.

This indicator is considered fully achieved if the country meets all of the above criteria.

This indicator is considered partially achieved if the country does not meet all of the above criteria but has submitted some vital registration data to WHO in the last 10 years.

Data validation process

Data submitted are verified and inconsistencies are referred back to countries to resolve.

Expected frequency of data collection

Yearly.

Links to tool

<https://www.who.int/data/data-collection-tools/who-mortality-database>

1) For the purpose of this indicator, the following causes are included in the calculation of the proportion garbage:

- symptoms, signs and ill-defined conditions (ICD10 codes R00-R99),
- injuries undetermined whether intentional or unintentional (ICD10 Y10-Y34, Y87.2),
- ill-defined cancers (C76, C80, and C97), and
- ill-defined cardiovascular diseases (I47.2, I49.0, I46, I50, I51.4, I51.5, I51.6, I51.9 and I70.9).



Indicator	3 Member State has a STEPS survey or a comprehensive health examination survey every 5 years
Definition	Country has completed a STEPS survey or another risk factor survey which includes physical measurements and biochemical assessments covering the key behavioural and metabolic risk factors for NCDs. Country must indicate that survey frequency is at least every 5 years.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to each of the following for adults: “Have surveys of risk factors (may be a single RF or multiple) been conducted in your country for all of the following:” “Harmful alcohol use” (optional for the Member States where there is a ban on alcohol), “Physical inactivity”, “Tobacco use”, “Raised blood glucose/diabetes”, “Raised blood pressure/hypertension”, “Overweight and obesity”, and “Salt / Sodium intake”. For risk factors “Raised blood glucose/diabetes”, “Raised blood pressure/hypertension”, and “Overweight and obesity”, the data must be measured, not self-reported. Additionally, for each risk factor, the country must indicate that the last survey was conducted in the past 5 years (i.e. 2018 or later for the 2023 CCS survey responses) and must respond “Every 1 to 2 years” or “Every 3 to 5 years” to the subquestion “How often is the survey conducted?”. The country must also provide the needed supporting documentation.</p> <p>This indicator is considered partially achieved if the country responds that at least 3, but not all, of the above risk factors are covered, or the surveys were conducted more than 5 years ago but less than 10 years ago.</p>
Data validation process	Countries are asked to submit a copy of their survey report(s) when submitting their response to the NCD CCS. Where discrepancies are noted, these are referred back to the country for clarification and modification. Data are also checked against the STEPS tracking system which records details of STEPS surveys undertaken by countries.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc

Indicator**4 Member State has an operational multisectoral national strategy/action plan that integrates the major NCDs and their shared risk factors**

Definition

Country has a multisectoral, national integrated NCD and risk factor policy/strategy/action plan that addresses the 4 main NCDs (cardiovascular diseases, diabetes, cancer, chronic respiratory disease) and their main risk factors (tobacco use, unhealthy diet, physical inactivity, harmful use of alcohol).

“Multisectoral” refers to engagement with one or more government sectors outside of health. “Operational” refers to a policy, strategy or action plan which is being used and implemented in the country, and has resources and funding available to implement it.

Data collection tool and achievement criteria

WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.

This indicator is considered fully achieved if the country responds “Yes” to the questions “Does your country have a national NCD policy, strategy or action plan which integrates several NCDs and their risk factors?” and to the subquestion “Is it multisectoral?”. Countries also have to respond “operational” to the subquestion “Indicate its stage” and “Yes” to all of the subquestions pertaining to the 4 main risk factors and 4 main NCDs: “Does it address one or more of the following major risk factors?” “Harmful use of alcohol” (optional for the Member States where there is a ban on alcohol), “Unhealthy diet”, “Physical inactivity”, “tobacco” (all 4 must have “Yes”) and “Does it combine early detection, treatment and care for:” “Cancer”, “Cardiovascular diseases”, “Chronic respiratory diseases” and “Diabetes” (all 4 must have “Yes”). Country must also provide the needed supporting documentation.

This indicator is considered partially achieved if the country responds “Yes” to the questions “Does your country have a national NCD policy, strategy or action plan which integrates several NCDs and their risk factors?” and to the subquestion “Is it multisectoral?”. Countries also have to respond “operational” to the subquestion “Indicate its stage” and “Yes” to at least two of the 4 main risk factors and at least two of the 4 main NCDs.

Data validation process

Countries are asked to submit a copy of their policy/strategy/action plan when submitting their response to the NCD CCS. Where discrepancies are noted, these are referred back to the country for clarification and modification.

Expected frequency of data collection

Every 2 years.

Links to tool

<https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccs>



Indicator	5a Member State has implemented measures to reduce affordability by increasing excise taxes and prices on tobacco products
Definition	Country has total taxes set at a level that accounts for 75% or more of the retail price of tobacco products.
Data collection tool and achievement criteria	<p>Data collected from governments for the production of the WHO Report on the Global Tobacco Epidemic.</p> <p>Total taxes (including excise tax, value added/sales tax, import duties (where applicable) and any other taxes levied) are calculated as a proportion of the price of the tobacco product. Currently, this is calculated in relation to the most sold brand of cigarettes.</p> <p>This indicator is considered fully achieved if the country has total taxes at 75% or more of the price of the most sold brand of cigarettes.</p> <p>This indicator is considered partially achieved if the country has total taxes from 50% up to under 75% of the retail price of the most sold brand of cigarettes.</p>
Data validation process	WHO assessment is shared with national authorities for review and approval.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2023



Indicator	5b Member State has implemented measures to eliminate exposure to second-hand tobacco smoke in all indoor workplaces, public places and public transport
Definition	<p>Country has all public places completely smoke-free (or at least 90% of the population covered by complete subnational smoke-free legislation). “Completely” means that smoking is not permitted, with no exemptions allowed, except in residences and indoor places that serve as equivalents to long-term residential facilities, such as prisons and long-term health and social care facilities such as psychiatric units and nursing homes. Ventilation and any form of designated smoking rooms and/or areas do not protect from the harms of second-hand tobacco smoke, and the only laws that provide protection are those that result in the complete absence of smoking in all indoor public places.</p>
Data collection tool and achievement criteria	<p>Legal instruments are analysed for the production of the WHO Report on the Global Tobacco Epidemic.</p> <p>Adopted legislation (including implementing rules and regulations) is assessed to determine whether smoke-free laws provided for a complete indoor smoke-free environment at all times, in all the facilities of each of the following eight places: health care facilities; educational facilities other than universities; universities; government facilities; indoor offices and workplaces not considered in any other category; restaurants or facilities that serve mostly food; cafes, pubs and bars or facilities that serve mostly beverages; public transport.</p> <p>This indicator is considered fully achieved if all eight categories of public places listed above are completely smoke-free in the country (or at least 90% of the population covered by complete subnational smoke-free legislation).</p> <p>This indicator is considered partially achieved if three to seven public places are completely smoke-free.</p>
Data validation process	WHO assessment is shared with national authorities for review and approval.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2023

Indicator**5c Member State has implemented plain/standardized packaging and/or large graphic health warnings on cigarettes packages****Definition**

Country mandates plain/standardized packaging and/or large graphic health warnings with all appropriate characteristics. Appropriate characteristics for large graphic health warnings include:

- specific health warnings mandated;
- appearing on individual packages as well as on any outside packaging and labelling used in retail sale;
- describing specific harmful effects of tobacco use on health;
- are large, clear, visible and legible (e.g. specific colours and font style and sizes are mandated);
- rotating health warnings and/or messages;
- pictures or pictograms; and
- written in (all) the principal language(s) of the country.

Appropriate characteristics for plain/standardized packaging include:

- restrictions or prohibitions on the use of logos, colours, brand images or promotional information on packaging other than brand names and product names displayed in a standard colour and font style;
- standardized shape, size and materials of tobacco packaging; and
- no advertising or promotion inside or attached to the package or tobacco product.

Data collection tool and achievement criteria

Adopted legislation (including implementing rules or regulations) is assessed to determine the size of the warnings (the front and back of the cigarette pack are averaged to calculate the percentage of the total pack surface area covered by warnings) and warning characteristics.

This indicator is considered fully achieved if the country has plain/standardized packaging and/or large graphic health warnings which are defined as covering on average at least 50% of the front and back of the package with all appropriate characteristics as detailed above.

This indicator is considered partially achieved if there are medium-size warnings, which are defined as covering on average between 30 and 49% of the front and back of package, with some or all appropriate characteristics, or large warnings that are missing some appropriate characteristics.

For countries with a law requiring plain/standardized packaging and/or large graphic warnings but with no implementing rules or regulations yet adopted, this indicator will not be considered fully achieved.



Indicator	5c Member State has implemented plain/standardized packaging and/or large graphic health warnings on cigarettes packages
-----------	---

Data validation process	WHO assessment is shared with national authorities for review and approval.
-------------------------	---

Expected frequency of data collection	Every 2 years.
---------------------------------------	----------------

Links to tool	https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2023
---------------	---



Indicator**5d Member State has enacted and enforced comprehensive bans on tobacco advertising, promotion and sponsorship****Definition**

Country has a ban on all forms of direct and indirect tobacco advertising. Direct advertising bans include: national television and radio; local magazines and newspapers; billboards and outdoor advertising; point of sale (indoor). Indirect advertising bans include: free distribution of tobacco products in the mail or through other means; promotional discounts; non-tobacco products identified with tobacco brand names (brand stretching); brand names of non-tobacco products used for tobacco products (brand sharing); appearance of tobacco brands (product placement) or tobacco products in television and/or films; and sponsorship (contributions and/or publicity of contributions).

Data collection tool and achievement criteria

Adopted legislation is assessed to determine whether the law completely bans all forms of direct and indirect tobacco advertising, promotion and sponsorship.

This indicator is considered fully achieved if the country has a ban on all forms of direct and indirect advertising.

This indicator is considered partially achieved if the country has a ban on national TV, radio and print media, but not on all other forms of direct and/or indirect advertising.

Data validation process

WHO assessment is shared with national authorities for review and approval.

Expected frequency of data collection

Every 2 years.

Links to tool

<https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2023>

Indicator**5e Member State has implemented effective mass media campaigns that educate the public about the harms of smoking/tobacco use and second-hand smoke****Definition**

Country has implemented a national anti-tobacco mass media campaign designed to support tobacco control, of at least 3 weeks duration with all appropriate characteristics. Appropriate characteristics include:

- campaign was part of a comprehensive tobacco control programme;
- before the campaign, research was undertaken or reviewed to gain a thorough understanding of the target audience;
- campaign communications materials were pre-tested with the target audience and refined in line with campaign objectives;
- air time (radio, television) and/or placement (billboards, print advertising, etc.) was obtained by purchasing or securing it using either the organization's own internal resources or an external media planner or agency (this information indicates whether the campaign adopted a thorough media planning and buying process to effectively and efficiently reach its target audience);
- the implementing agency worked with journalists to gain publicity or news coverage for the campaign;
- process evaluation was undertaken to assess how effectively the campaign had been implemented;
- an outcome evaluation process was implemented to assess campaign impact; and
- the campaign was aired on television and/or radio.

Data collection tool and achievement criteria

Data collected from governments for the production of the WHO Report on the Global Tobacco Epidemic.

Eligible campaigns are assessed according to the appropriate characteristics to determine whether it signifies the use of a comprehensive communication approach.

This indicator is considered fully achieved if the country has a campaign conducted with at least seven appropriate characteristics including airing on television and/or radio.

This indicator is considered partially achieved if the country has a campaign conducted with one to six of the appropriate characteristics.



Indicator	5e Member State has implemented effective mass media campaigns that educate the public about the harms of smoking/tobacco use and second-hand smoke
Data validation process	WHO assessment is shared with national authorities for review and approval.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/health-promotion/tobacco-control/global-tobacco-report-2023



Indicator	6a Member State has enacted and enforced restrictions on the physical availability of retailed alcohol (via reduced hours of sale)
Definition	<p>Country has a licensing system or monopoly on retail sales of beer, wine, spirits.</p> <p>Country has restrictions for on-/off-premise sales of beer, wine, spirits regarding hours, days and locations of sales.</p> <p>Country has legal age limits for being sold and served alcoholic beverages.</p>
Data collection tool and achievement criteria	<p>Data is collected through the WHO Global survey on progress on SDG health target 3.5.</p> <p>This indicator is considered fully achieved if:</p> <ul style="list-style-type: none">• a licensing system or monopoly exists on retail sales of beer, wine and spirits;• restrictions exist for on- and off-premise sales of beer, wine, and spirits regarding hours and locations of sales and restrictions exist for off-premise sales of beer, wine, and spirits regarding days of sales; and• legal age limits for being sold and served alcoholic beverages are 18 years or above for beer, wine, and spirits. <p>This indicator is considered partially achieved if there are any, but not all, positive responses to the three indicators above.</p>
Data validation process	<p>Focal points, officially nominated by the Ministry of Health, respond to the Global survey on progress on SDG health target 3.5 . Responses are reviewed and validated by WHO, and subsequently endorsed by the Member States.</p>
Expected frequency of data collection	<p>Every 3-4 years.</p>
Links to tool	<p>https://www.who.int/teams/mental-health-and-substance-use/alcohol-drugs-and-addictive-behaviours/monitoring</p>



Indicator	6b Member State has enacted and enforced bans or comprehensive restrictions on exposure to alcohol advertising (across multiple types of media)
Definition	<p>Country has regulatory or co-regulatory frameworks for alcohol advertising through different channels (public service/national TV, commercial/private TV, national radio, local radio, print media, billboards, points of sale, cinema, internet, social media).</p> <p>Country has a detection system for infringements on marketing restrictions.</p>
Data collection tool and achievement criteria	<p>Data is collected through the WHO Global survey on progress on SDG health target 3.5. This indicator is considered fully achieved if:</p> <ul style="list-style-type: none">• restrictions exist on alcohol advertising for beer, wine, and spirits through all channels; and• detection system exists for infringements on marketing restrictions. <p>This indicator is considered partially achieved if there are restrictions on at least public service/national TV, national radio and billboards but no detection system exists for infringements.</p>
Data validation process	<p>Focal points, officially nominated by the Ministry of Health, respond to the Global survey on progress on SDG health target 3.5 . Responses are reviewed and validated by WHO, and subsequently endorsed by the Member States.</p>
Expected frequency of data collection	<p>Every 3-4 years.</p>
Links to tool	<p>https://www.who.int/teams/mental-health-and-substance-use/alcohol-drugs-and-addictive-behaviours/monitoring</p>



Indicator	6c Member State has increased excise taxes on alcoholic beverages
Definition	Country has excise tax on beer, wine, spirits. Country adjusts level of taxation for inflation for alcoholic beverages.
Data collection tool and achievement criteria	Data is collected through the WHO Global survey on progress on SDG health target 3.5. This indicator is considered fully achieved if: <ul style="list-style-type: none">• excise tax on all alcoholic beverages (beer, wine, and spirits) is implemented;• there are no tax incentives or rebates for production of other alcoholic beverages; and• adjustment of level of taxation for inflation for beer, wine, and spirits is implemented. This indicator is considered partially achieved if there is excise tax on alcoholic beverages as specified above.
Data validation process	Focal points, officially nominated by the Ministry of Health, respond to the Global survey on progress on SDG health target 3.5 . Responses are reviewed and validated by WHO, and subsequently endorsed by the Member States.
Expected frequency of data collection	Every 3-4 years.
Links to tool	https://www.who.int/teams/mental-health-and-substance-use/alcohol-drugs-and-addictive-behaviours/monitoring



Indicator	7a Member State has adopted national policies to reformulate unhealthy foods
Definition	Country has implemented national policies to reformulate foods and beverages which are high in saturated fatty acids, trans-fatty acids, sugars or salt/sodium being implemented.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to the question “ Are measures to reformulate foods and beverages (e.g. specific reformulation targets or legal limits) which are high in saturated fatty acids, trans-fatty acids, sugars or salt/sodium being implemented?” Country must also provide the needed supporting documentation.</p>
Data validation process	Countries are asked to submit a copy of their policy(ies) when submitting their response to the NCD CCS. Responses are cross-validated with data obtained through the Global Nutrition Policy Review and the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA). Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccs



Indicator	7b Member State has adopted national policies on nutrition labelling that include implementation of front-of-pack labelling
Definition	Country has implemented a policy(ies) on nutrition labelling to identify foods high in saturated fatty acids, trans-fatty acids, free sugars, or salt that include implementation of front-of-pack labelling.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to the question “Is your country implementing any policies on nutrition labelling to identify foods high in saturated fatty acids, trans-fatty acids, free sugars, or salt?” and to the subquestion “Please indicate which types of nutrition labelling are being implemented: Front-of-pack labelling” and provides the needed supporting documentation.</p>
Data validation process	Countries are asked to submit a copy of their policy(ies) when submitting their response to the NCD CCS. Responses are cross-validated with data obtained through the Global Nutrition Policy Review and the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA). Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc



Indicator	7c Member State has adopted public food procurement and service policies for healthy diets
Definition	Country has implemented public food procurement and service policies for healthy diets (e.g. to reduce the intake of free sugars, sodium and unhealthy fats, and to increase the consumption of legumes, wholegrains, fruits and vegetables).
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to the question “Are public food procurement and service policies for various settings (e.g. schools, government offices, public events) to reduce the content of saturated fatty acids, trans-fatty acids, sugars or salt/sodium in food served or sold being implemented?” and provides the needed supporting documentation.</p>
Data validation process	Countries are asked to submit a copy of their policy(ies) when submitting their response to the NCD CCS. Responses are cross-validated with data obtained through the Global Nutrition Policy Review and the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA). Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc



Indicator	7d Member State has implemented a recent mass media campaign for healthy diets
Definition	Country has implemented behaviour change communication and mass media campaign for healthy diets (e.g. to reduce the intake of energy, free sugars, sodium and unhealthy fats, and to increase the consumption of legumes, wholegrains, fruits and vegetables) in the past two years.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to the question “Has your country implemented any national public education and awareness campaign on diet within the past 2 years?” and provides documentation of the campaign.</p>
Data validation process	Countries are asked to submit evidence of their campaigns (e.g. links to websites and copies of distributed materials) when submitting their response to the NCD CCS. Responses are cross-validated with data obtained through the Global Nutrition Policy Review and the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA). Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc



Indicator	7e Member State has implemented the WHO set of recommendations on marketing of foods and non-alcoholic beverages to children
Definition	Country has implemented a policy(ies) to reduce the impact on children of marketing of foods and non-alcoholic beverages high in saturated fats, trans-fatty acids, free sugars, or salt.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is considered fully achieved if the country responds “Yes” to the question “Is your country implementing any policies to reduce the impact on children of marketing of foods and non-alcoholic beverages high in saturated fats, trans-fatty acids, free sugars, or salt?”, indicates that the policy is mandatory and provides the needed supporting documentation.</p> <p>This indicator is considered partially achieved if the country responds “Yes” to the question “Is your country implementing any policies to reduce the impact on children of marketing of foods and non-alcoholic beverages high in saturated fats, trans-fatty acids, free sugars, or salt?”, but does not indicate that the policy is mandatory.</p>
Data validation process	Countries are asked to submit a copy of their policy(ies) when submitting their response to the NCD CCS. Responses are cross-validated with data obtained through the Global Nutrition Policy Review and the WHO Global database on the Implementation of Food and Nutrition Action (GIFNA). Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc



Indicator	7f Member State has legislation/regulations fully implementing the International Code of Marketing of Breast-milk Substitutes
Definition	Country has implemented legislation/regulations that fully implement the International Code of Marketing of Breast-milk Substitutes.
Data collection tool and achievement criteria	<p>Copies of all laws and regulations on the International Code of Marketing of Breast-milk Substitutes are compiled by WHO every two years. WHO routinely requests countries to submit copies of Code legislation when they learn of changes. Additionally, copies of legislation were obtained from UNICEF and IBFAN/ICDC and legal databases (Lexis/Nexis and FAO-LEX), EUR-LEX, national gazettes and internet search engines.</p> <p>This indicator is considered fully achieved if the country is assessed as having national legal measures categorized as “substantially aligned with the Code”, whereby countries have enacted legislation or adopted regulations, decrees or other legally binding measures encompassing all or nearly all provisions of the Code and subsequent WHA resolutions.</p> <p>This indicator is considered partially achieved if the country is assessed as having national legal measures categorized as “Moderately aligned with the Code” or having “Some provisions of the Code included”, whereby countries have enacted legislation or adopted regulations, decrees or other legally binding measures encompassing at least some provisions of the Code and subsequent WHA resolutions.</p>
Data validation process	<p>WHO, UNICEF, and IBFAN/ICDC analyse all legislation and regulations to determine which provisions of the Code were covered. The various provisions are scored in terms of their alignment with the Code and a total score being calculated as a weighted sum, with the total ranging from 0-100. The legislation is then classified into four categories:</p> <ul style="list-style-type: none">• Substantially aligned with the Code: score of 75 to 100;• Moderately aligned with the Code: score of 50 to < 75;• Some provisions of the Code included: score of < 50;• No legal measures.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/publications/i/item/9789240094482



Indicator**8 Member State has implemented at least one recent national public awareness programme and motivational communication for physical activity, including mass media campaigns for physical activity behavioural change**

Definition

Country has implemented at least one recent (within the past 2 years) national public awareness programme on physical activity.

Data collection tool and achievement criteria

WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.

This indicator is considered fully achieved if the country responds “Yes” to the following question: “Has your country implemented any national public education and awareness campaign on physical activity within the past 2 years?” and supporting documents provide clear evidence demonstrating that one or more of the following activities have been undertaken within the past 2 years:

1. national public-facing (large scale) mass media (traditional and/or social media) education and awareness campaign on physical activity; AND/OR
2. national promotional initiatives supporting a regional or multi-country physical activity (or sports or health) campaigns with clear inclusion of activities aimed at increasing awareness and encouraging participation in physical activity (e.g. European Sports Week, Caribbean Wellness Week); AND/OR
3. regular (4 or more per year) promotional days, held across the year, aimed at increasing awareness and encouraging participation in physical activity either using the same theme (e.g. “car-free” Sundays) or a physical activity theme is clearly linked with the implementation of multiple health promotion days (e.g. World Heart Day, World Diabetes Day). Undertaking 3 or fewer promotional day per year is not sufficient to fulfil this criteria.

This indicator is considered partially achieved if the supporting documents ONLY provide evidence demonstrating that the country has implemented in the past 2 years a) one or more free-to-participate community-based initiatives or programmes promoting or providing physical activity AND/OR b) increasing access to opportunities for physical activity in community settings (e.g. through schools, parks, workplace, health care) BUT no evidence of a public-facing mass media education and awareness campaign.



Indicator	8 Member State has implemented at least one recent national public awareness programme and motivational communication for physical activity, including mass media campaigns for physical activity behavioural change
Data validation process	Countries are asked to submit a copy of any documentation of the programme and/or a link to the programme website when submitting their response to the NCD CCS. Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdcss



Indicator	9 Member State has evidence-based national guidelines/protocols/standards for the management of major NCDs through a primary care approach, recognized/approved by government or competent authorities
Definition	Government approved evidence-based national guidelines/protocols/ standards for the management (diagnosis and treatment) of the four main NCDs – cardiovascular diseases, diabetes, cancer and chronic respiratory diseases.
Data collection tool and achievement criteria	<p>WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.</p> <p>This indicator is based on the number of countries who indicate that national guidelines/protocols/standards exist for all four NCDs (cardiovascular diseases, diabetes, cancer and chronic respiratory diseases).</p> <p>This indicator is considered fully achieved if national guidelines/protocols/ standards exist for all four NCDs (cardiovascular diseases, diabetes, cancer and chronic respiratory diseases), and the country provides the needed supporting documentation.</p> <p>This indicator is considered partially achieved if the country has guidelines/protocols/ standards for at least two of the four NCDs (cardiovascular diseases, diabetes, cancer and chronic respiratory diseases), but not for all four.</p>
Data validation process	Countries are asked to submit a copy of the guidelines/protocols/ standards when submitting their response to the NCD CCS. Where discrepancies are noted, these are referred back to the country for clarification and modification.
Expected frequency of data collection	Every 2 years.
Links to tool	https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdcss

Indicator**10 Member State has essential medicines and technologies for chronic respiratory diseases generally available****Definition**

Country reports that peak flow measurement, steroid inhalers and bronchodilator inhalers are generally available in primary care facilities of the public health sector.

Data collection tool and achievement criteria

WHO NCD Country Capacity Survey tool – The NCD CCS is completed by a team at the country level to ensure a comprehensive response is compiled.

This indicator is considered fully achieved if the country reports “generally available” to the question “Indicate the availability of the following basic technologies for early detection, diagnosis / monitoring of NCDs in the primary care facilities of the public and private health sector: peak flow measurement” and to the questions “Describe the availability of the medicines below in the primary care facilities of the public health sector: i) Steroid inhaler and ii) Bronchodilator inhaler” (availability for are reported separately for each). Generally available was defined in the questionnaire as available in 50% or more health care facilities (for technologies) or 50% or more pharmacies (for medicines).

This indicator is considered partially achieved if the country reports that at least one but not all of the three essential medicines and technologies for chronic respiratory diseases are generally available.

Data validation process

NCD focal points, officially nominated by the Ministry of Health, provide the official response to WHO through the NCD Country Capacity Survey tool.

Expected frequency of data collection

Every 2 years.

Links to tool

<https://www.who.int/teams/ncds/surveillance/monitoring-capacity/ncdccc>



Indicator	11 Member state protects girls against cervical cancer through vaccination against human papillomavirus (HPV)
Definition	Country has introduced HPV vaccination in the national immunization programme and effectively reaches the target population of girls.
Data collection tool and achievement criteria	<p>Data are derived from official country reporting to the WHO Department of Immunization Vaccine and Biologicals (IVB) in WHO through the WHO/UNICEF Joint Reporting Form on Immunization (JRF).</p> <p>This indicator is considered fully achieved if the country includes the HPV vaccine in their national vaccination schedule and has a first programme dose coverage of at least 90%.</p> <p>This indicator is considered partially achieved if the country includes the HPV vaccine in their national vaccination and has a first dose programme coverage of at least 10% but below 90%.</p>
Data validation process	Data reported by countries is validated by WHO and draft WHO/UNICEF HPV coverage estimates are reviewed by countries.
Expected frequency of data collection	Annual.
Links to tool	https://immunizationdata.who.int/

Surveillance, Monitoring and Reporting Unit
Department of Noncommunicable Diseases, Rehabilitation and Disability
World Health Organization
20 Avenue Appia
1211 Geneva
Switzerland
Email: ncdmonitoring@who.int
Website: <https://www.who.int/teams/noncommunicable-diseases/surveillance>

