

Note:

Due to the nature of the scanning technology,
no guarantee can be made regarding specific
letter and number translations.



AN ROIINN SLÁINTE

Tuarascail

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1978

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: £2.70



AN ROIINN SLÁINTE

Tuarascaill

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1978

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: £2.70

CONTENTS

PART 1 - TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Socio-economic group	xi
Area of residence	xi
BIRTHS	
Number and rate	xvi
Age at maternity, parity duration of marriage	xvi
Multiple births	xix
DEATHS	
Number and rate	xx
Comparison between counties	xx
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1946 to 1978	viii
” 2 – Standardised death rates (per 1,000 population) from all causes, 1978	xxi
” 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1949–1978	xxvii
” 4 – Death rates from lung cancer (per 100,000 population), 1967–1978	xxvii
” 5 – Infant and neo-natal mortality (per 1,000 live births), 1948–1978	xxxvii

CONTENTS

PART 1 - TEXT

	Page
	vii
GENERAL SUMMARY	...
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Socio-economic group	xi
Area of residence	xi
MARRIAGES	
Number and rate	...
Age at marriage	...
Mode of celebration	...
Socio-economic group	...
Area of residence	...
BIRTHS	
Number and rate	...
Age at maternity, parity duration of marriage	...
Multiple births	...
DEATHS	
Number and rate	...
Comparison between counties	...
Causes of death	...
Tuberculosis	...
Cancer	...
Diseases of the circulatory system	...
Respiratory diseases	...
Pregnancy, childbirth and the puerperium	...
Infant and late foetal mortality	...
Accidents, poisoning and violence	...
Uncertified deaths	...
Inquests and post-mortems	...
DIAGRAM 1 - Birth, marriage and death rates (per 1,000 population) 1946 to 1978	...
" 2 - Standardised death rates (per 1,000 population) from all causes, 1978	...
" 3 - Death rates (per 1,000 population) from tuberculosis and cancer, 1949-1978	...
" 4 - Death rates from lung cancer (per 100,000 population), 1967-1978	...
" 5 - Infant and neo-natal mortality (per 1,000 live births), 1948-1978	...

CONTENTS - PART II - TABLES

<i>TABLES</i>	<i>Page</i>
1. Estimated population in thousands in each year 1851 - 1978.	2
2. Estimated population by age 1973 to 1978.	3
3. Population by sex of each county and county borough according to the Census of Population, 1979.	4
4. Marriages, births and deaths and natural increase (excess of births over deaths) 1864 - 1978.	5
5. Marriage, birth, death and infant mortality rates and rate of natural increase, 1864 - 1978.	6
6. Marriages, births and deaths for the years 1961 - 1978 with rates per 1,000 of the population.	7
7. Deaths from principal causes in Ireland and Northern Ireland, 1978 with rates per 100,000 population.	8
8. Average annual number of deaths during the period 1864 - 1970 and the number of deaths in the years 1971 to 1978 classified by sex and age.	10
9. Average annual death rates for the period 1864 - 1970 and death rates for the years 1971 to 1978 per 1,000 corresponding population classified by sex and age.	11
10. Births and deaths in each county and county borough in 1978 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
11. Marriages registered in and births and deaths assigned to each county and county borough during 1978 showing separately illegitimate births and deaths from some principal causes.	14
12. Marriage, birth and death rates and the proportion of illegitimate births in each county and county borough and the death rates for some diseases in 1978.	15
13. Deaths in 1978 classified by conjugal condition and sex in certain age groups.	16
14. Births and deaths assigned to each urban district in 1978 classified by sex.	16
15. Births and deaths classified by sex in 1978 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
16. Birth and death rates in 1978 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
17. Deaths occurring in 1978 at each year of age of residents in the aggregate urban districts and in the aggregate rural districts.	19
18. Deaths occurring in 1978 classified by sex and age of residents in each county borough and county.	22
19. Deaths in 1978 classified by cause (International Detailed List, 8th Revision, 1965) and by sex and age.	26
20. Deaths of residents of each county and county borough in 1978 classified by cause and showing the number of uncertified deaths.	60

CONTENTS - PART II - TABLES

TABLES	Page
21. Deaths occurring in 1978 classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
22. Deaths of residents of each province, county and county borough in 1978 classified by place of occurrence.	86
23. Deaths of residents of each county and county borough in 1978 which were not medically certified, classified by age.	87
24. Deaths in 1978 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
25. Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1978 classified by sex and cause assigned to the principal towns, other urban districts and rural districts.	107
26. Infant mortality - deaths under one year in 1978, classified by sex, age and cause (International Detailed List).	108
27. Infant mortality - deaths at ages under 4 weeks and 4 weeks and under one year in 1978 classified by sex and cause assigned to each county and county borough.	112
28. Late foetal deaths notified in 1978 classified by cause and age of mother at maternity.	120
29. Late foetal deaths notified in 1978 classified by cause and period of gestation.	122
30. Late foetal deaths notified in 1978 classified by cause and number of previous children.	123
31. Late foetal deaths notified in 1978 classified by sex and period of gestation.	124
32. Late foetal deaths notified in 1978 classified by age of mother and number of previous children.	124
33. Deaths showing the numbers occurring in each quarter in 1978 assigned to the counties and county boroughs.	125
34. Births showing the numbers in each quarter in 1978 assigned to the counties and county boroughs.	126
35. Births in 1978 in each county and county borough showing place of occurrence and areas of normal residence.	127
36. Births in 1978 classified by sex and age of mother at maternity and showing the number of illegitimate births.	128
37. Births in 1978 classified by age of mother at maternity and county of normal residence.	129
38. Total births in 1978 classified by age of mother at maternity and number of previous liveborn children.	134
39. Legitimate births in 1978 classified by age of mother at maternity and year of marriage.	136

CONTENTS - PART II - TABLES

<i>TABLES</i>		<i>Page</i>
40.	Legitimate first births in 1978 classified by age of mother at maternity and year of marriage.	138
41.	Marriages registered in each county and county borough during 1978.	140
42.	Marriages registered in 1978 classified by age of groom and age of bride in single years. All marriages.	142
43.	Marriages registered in 1978 classified by age of groom and age of bride in single years. First marriages only.	144
44.	Marriages registered in 1978 classified according to form of ceremony and age of groom.	146
45.	Marriages registered in 1978 classified according to form of ceremony and age of bride.	146
46.	Marriages registered in 1978 classified by socio-economic group and age of groom.	146
47.	Marriages registered in 1978 classified by socio-economic group and age of bride.	147
48.	Marriages registered in 1978 classified by socio-economic group of groom and bride.	147
49.	Marriages registered in 1978 classified by age and area of residence of groom before marriage.	148
50.	Marriages registered in 1978 classified by age and area of residence of bride before marriage.	149
51.	Marriages registered in 1978 classified by area of residence of groom and area of residence of bride before marriage.	150
52.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
53.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country classified by age of bride.	152
54.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom.	152
55.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride.	153
56.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
57.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
58.	Marriages registered in 1978 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
59.	Summary of cases of infectious diseases notified to the Department of Health during the year, 1978.	155

REPORT ON VITAL STATISTICS FOR THE YEAR 1978

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of Northern Ireland.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births and deaths for each of the years 1943 to 1978 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths included non-residents.

The main statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these.

Prior to 1970 births and deaths were classified according to year of registration. In order to comply with United Nations regulations it was decided to classify births and deaths by year of occurrence from 1970 onwards. Because of this change in the basis of classification, those births and deaths which occurred in 1969 but were registered in 1970 have been recorded neither in the 1969 nor in the 1970 Report on Vital Statistics. The number of births excluded on this account was 2,545 and the number of deaths, 2,279. Appendix tables to the 1971 Report show these births classified by age of mother at maternity and number of previous children, while deaths are classified by cause, sex and age group.

NOTE: More up to date information on Vital Statistics is published in the Quarterly Report on Births, Deaths and Marriages and on certain Infectious Diseases published about six months after the end of the quarter to which the data relates. In the Quarterly Report births and deaths are classified according to quarter of registration.

GENERAL SUMMARY

Marriages. - There were 21,184 marriages registered during the year 1978 compared with 20,016 in 1977. The marriage rate per 1,000 population was 6.39 compared with 6.12 in 1977.

Births. - The number of births occurring during 1978 was 70,299, 35,766 males and 34,533 females. The birth rate was 21.21 per 1,000 population compared with 21.06 per 1,000 population in 1977. The number of illegitimate births occurring during 1978 was 3,003 or 4.27 per cent of all births.

Deaths. - The number of deaths occurring during 1978 was 33,794, 18,442 males and 15,352 females and the death rate was 10.20 per 1,000 population. In 1977 deaths numbered 33,632 and the rate was 10.28

Of the deaths occurring in 1978, 32.4 per cent were stated to be due to ischaemic and other forms of heart disease, 17.9 per cent to other diseases of circulatory system, 18.4 per cent to cancer and 13.0 per cent to diseases of respiratory system.

There were 5,990 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1978 was 1.81 per 1,000 population equivalent to that recorded in 1977.

During 1978 the number of deaths occurring of infants under one year was 1,046 compared with 1,069 in 1977 giving rates of 14.88 and 15.52 respectively per 1,000 live births.

The total number of deaths from accidents and other external causes in 1978 was 1,796 of which road vehicle accidents accounted for 635.


Marriage, birth and death rates per 1,000 population for the years 1945 to 1978 are illustrated in Diagram 1.

Issue of Authority for Registration. - Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of such births registered on the authority of an tArd Chlaraitheoir in 1978 was 773 and the number of such deaths registered was 308. Throughout the tables in this Report these births and deaths have been excluded.

Population. - The estimated population in April 1978 was 3,314,000.

Diagram I

BIRTH, MARRIAGE AND DEATH RATES,(PER 1,000 POPULATION) 1946 — 1978



MARRIAGES

The number of marriages registered in 1978 was 21,184, an increase of 1,168 on the previous year; the rate was 6.4 per 1,000 population, 0.3 above that for 1977. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1971. The following table compares the marriage rate in Ireland in the years 1941 to 1978 with those in Northern Ireland, England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941 TO 1978

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1961	5.4	6.9	7.5	7.8
1962	5.5	6.9	7.5	7.7
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3
1970	7.1	8.1	8.5	8.3
1971	7.4	7.9	8.3	8.1
1972	7.4	7.7	8.2	8.1
1973	7.4	7.3	8.1	8.1
1974	7.3	7.0	7.8	7.9
1975	6.7	7.1	7.7	7.5
1976	6.4	6.4	7.3	7.2
1977	6.1	6.3	7.3	7.2
1978	6.4	6.7	7.5	7.3

*Exclusive of Northern Ireland.

†Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1975 TO 1978

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1975	1976	1977	1978	1945-46	1975	1976	1977	1978
Per cent										
Under 20 years	1.0	4.7	4.9	5.2	5.1	6.6	14.1	14.2	15.1	14.8
20 to 24 "	14.3	42.1	42.3	43.6	42.5	29.5	51.6	51.9	52.1	51.8
25 to 29 "	25.7	33.4	33.4	32.5	33.9	31.1	22.9	23.0	22.1	23.0
30 to 34 "	24.2	10.8	11.2	10.5	10.9	19.9	6.3	6.1	6.1	6.1
35 to 44 "	25.8	6.0	5.2	5.2	5.1	11.1	3.5	3.1	3.0	2.9
45 years and over	9.0	3.1	3.1	2.8	2.5	1.9	1.7	1.7	1.6	1.4
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	27.0	26.4	26.2	26.2	28.0	24.7	24.1	24.0	24.0

Whereas, in 1945-46, 59.0 per cent of the men marrying were aged 30 years and over, the proportion over this age had fallen to 18.5 per cent in 1978, the average age of men at marriage declining from 33.1 years in 1945-46 to 26.2 years in 1978. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 10.4 per cent in 1978 while the average age at marriage declined from 28.0 years in 1945-46 to 24.0 in 1978. In TABLE 42 the marriages registered in 1978 are shown cross classified by age of groom and age of bride in single years while in TABLE 43 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1978 were 26.3 and 24.1 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1978 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IN IRELAND* AND ENGLAND AND WALES 1978

Age groups	Bachelors		Spinsters	
	Ireland*	England and Wales	Ireland*	England and Wales
	1978	1978	1978	1978
15-19 years†	6.8	16.2	21.2	58.8
20-24 "	82.9	112.4	129.3	177.9
25-29 "	139.2	138.1	150.4	134.8
30-34 "	84.1	86.8	81.8	84.2
35-39 "	37.7	42.8	36.6	41.7
40-44 "	17.1	22.3	16.3	21.8
45-49 "	8.5	12.7	6.3	13.5
50-54 "	4.3	9.0	3.8	8.4
55 and over	1.1	3.6	0.6	1.9
Total, 15 years and over	41.6	60.2	52.4	74.8

*Exclusive of Northern Ireland

†16-19 years for England and Wales

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 20-24 year age group the England and Wales rate for both males and females was nearly one and a half times the Irish rate in 1978. The England and Wales rates were slightly higher, for both sexes, in the 35-44 year age groups and in the age groups above 45 the rates for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1978 amounted to 20,381 (equal to 96.2 per cent of the total) and other marriages numbered 803, of which 394 were according to the rites and ceremonies of the Church of Ireland, 65 in Presbyterian Churches, 17 in Methodist Churches, 2 according to Jewish rites, 3 in accordance with the rites and ceremonies of other religious denominations and 322 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1978 was 6.47 per 1,000 of the Catholic population, an increase of 0.27 on the corresponding rate for 1977. The rate for all other marriages combined was 4.85 per 1,000 of the population other than Catholic, an increase of 0.35 on the 1977 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1978 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic						Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population			
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages			Catholic marriages	All other marriages	Total marriages	
1941-50†	641	136	51	9	9	54	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1961	375	92	29	17	5	39	557	14,772	15,329	5.53	3.84	5.44
1962	438	120	28	14	3	47	650	14,977	15,627	5.58	4.50	5.52
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06
1971	566	111	30	6	13	170	896	21,118	22,014	7.55	4.91	7.39
1972	528	130	43	7	13	168	889	21,413	22,302	7.45	5.88	7.38
1973	491	113	25	12	3	179	823	21,993	22,816	7.53	5.36	7.42
1974	441	103	30	7	8	239	828	22,005	22,833	7.41	5.30	7.31
1975	426	82	24	5	2	224	763	20,517	21,280	6.80	4.80	6.70
1976	490	93	35	7	8	282	915	19,665	20,580	6.41	5.67	6.38
1977	342	88	27	8	5	266	736	19,280	20,016	6.20	4.50	6.12
1978	394	65	17	2	3	322	803	20,381	21,184	6.47	4.85	6.39

†Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 44 and 45. For Catholic marriages the average age of the groom was 26.1 years compared with 29.5 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 23.9 years and for other marriages, 26.5 years.

SOCIO-ECONOMIC GROUP

A classification which has been widely used in recent years in Census of Population statistics is that by Socio-economic Group. This classification is determined by a person's occupation or, in some cases, by a combination of occupation and employment status. The socio-economic group of a person not gainfully occupied is considered to be that of the gainfully occupied person on whom he or she is deemed to be dependent. The men and women married in 1978 were classified by socio-economic group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 46 to 48.

In TABLES 46 and 47 grooms and brides are classified by socio-economic group and age at marriage in each group. For both grooms and brides the average marriage age in 1978 was higher in the social group "Farmers, farmers' relatives assisting and farm managers" than in any other group and the lowest average was in the "Other manual workers" group.

TABLE 48 shows marriages registered in 1978 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 55 per cent were in the "Intermediate and other non-manual workers" group, 19 per cent were other manual workers and 11 per cent were in the lower professional group, there being smaller percentages in each of the other groups. The distribution by socio-economic group of women marrying men in each of the remaining socio-economic groups may be considered in the same way. The table may also be examined by considering the socio-economic groups of the men marrying the women in each particular socio-economic group. Thus it will be seen that only 31 per cent of the women stated to be in the socio-economic group "Farmers, farmers' relatives assisting and farm managers" married men in socio-economic groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other socio-economic groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 41 figures for marriages according to place of occurrence are given for 1978. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in TABLE V.

In TABLES 49 and 50 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 26 years, whereas in the counties Clare, Cavan, Laois, Leitrim, Waterford county and Roscommon the average age was not less than 27 years. The average age of brides was not over 24 years in the four county boroughs. The lowest average age in the counties for brides was in Carlow and Tipperary S.R., 23.1 and the highest in Leitrim 25.3.

In TABLE 51 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or of both groom and bride were outside the State. Thus 635 of the men married in the State in 1978 were returned as residing in England, Wales or Scotland, 358 in Northern Ireland and 227 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 386 the number from Northern Ireland was 194 and the number from other countries was 96. In 553 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1978

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	226	186	40	82.3
Dublin County Borough	4,889	3,998	891	81.8
Dun Laoghaire	364	245	119	67.3
Dublin County (remainder)	1,344	836	508	62.2
Kildare	565	479	86	84.8
Kilkenny	413	335	78	81.1
Laois	315	259	56	82.2
Longford	182	148	34	81.3
Louth	622	560	62	90.0
Meath	489	412	77	84.3
Offaly	377	316	61	83.8
Westmeath	431	344	87	79.8
Wexford	564	519	45	92.0
Wicklow	475	412	63	86.7
Clare	451	361	90	80.0
Cork County Borough	963	781	182	81.1
Cork County	1,390	1,251	139	90.0
Kerry	743	637	106	85.7
Limerick County Borough	453	301	152	66.4
Limerick County	550	451	99	82.0
Tipperary, N.R.	397	328	69	82.6
Tipperary, S.R.	465	400	65	86.0
Waterford County Borough	248	208	40	83.9
Waterford County	283	221	62	78.1
Galway	1,014	854	160	84.2
Leitrim	177	155	22	87.6
Mayo	636	498	138	78.3
Roscommon	332	270	62	81.3
Sligo	312	258	54	82.7
Cavan	398	345	53	86.7
Donegal	779	645	134	82.8
Monaghan	337	286	51	84.9
TOTAL	21,184	17,299	3,885	81.7

*Includes 23 cases in which residence was not stated and 676 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI

**MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1978**

Area	Rate (a)	Rate (b)
Carlow	5.9	6.6
Dublin County Borough	8.9	8.1
Dun Laoghaire Borough	6.7	5.4
Dublin County (remainder)	3.7	4.2
Kildare	6.0	6.2
Kilkenny	6.1	5.6
Laois	6.4	6.7
Longford	6.0	6.2
Louth	7.4	6.4
Meath	5.6	5.5
Offaly	6.7	6.5
Westmeath	7.3	6.6
Wexford	5.9	5.8
Wicklow	5.8	5.5
LEINSTER	6.6	6.3
Clare	5.4	4.8
Cork County Borough	7.0	6.0
Cork County	5.5	5.7
Kerry	6.2	5.6
Limerick County Borough	7.5	6.1
Limerick County	5.8	6.3
Tipperary, N.R.	6.9	6.8
Tipperary, S.R.	6.2	5.6
Waterford County Borough	7.6	7.3
Waterford County	5.3	5.5
MUNSTER	6.2	5.8
Galway	6.1	5.8
Leitrim	6.2	5.7
Mayo	5.6	4.6
Roscommon	6.1	4.8
Sligo	5.8	5.4
CONNACHT	6.0	5.3
Cavan	7.4	6.4
Donegal	6.5	5.3
Monaghan	6.8	6.1
ULSTER (part of)	6.8	5.7
TOTAL	6.4	6.0

It will be observed that rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). In the case of the question on intended future permanent residence, the accuracy of many of the entries was not as high as for the other information supplied. There were 622 marriages registered in which no information on future residence was provided.

TABLE VII
**PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1969 TO 1978.**

Year (1)	Total Marriages (2)	Marriages with intended future residence abroad (3)	Col. (3) as percentage of col. (2) (4)
1969	20,304	2,396	11.8
1970	20,778	2,224	10.7
1971	22,014	2,090	9.5
1972	22,302	1,986	8.9
1973	22,816	1,814	8.0
1974	22,833	1,780	7.8
1975	21,280	1,565	7.4
1976	20,580	1,454	7.1
1977	20,016	1,335	6.7
1978	21,184	1,408	6.6

As may be seen from Table VII the proportion of marriages with intended future residence outside the State shows a decline over the years. In the case of 727 marriages the future residence was in England and Wales, 299 in Northern Ireland, 44 in Scotland, 119 in other parts of Europe, 97 in the United States of America, 43 in Canada, 28 in Australia and New Zealand and 51 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 52 and 53 respectively. It will be seen that the average age of the men and women marrying and then going abroad was somewhat above the level of that for all marriages in the State. The marriages of persons going abroad are shown classified by socio-economic groups of groom and bride in TABLES 54 and 55 respectively. By comparing TABLES 46 and 54 it is possible to examine the proportions of men marrying in each socio-economic group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VIII contains the results obtained.

TABLE VIII
PERCENTAGE OF MEN MARRYING IN EACH SOCIO-ECONOMIC GROUP WHOSE INTENDED FUTURE RESIDENCE WAS
OUTSIDE THE STATE IN 1977 AND 1978

Socio-economic group of groom	Percentage with intended future residence outside the State	
	1977	1978
	Per cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	2	2
Higher professionals	23	22
Lower professionals	11	10
Employers and managers	11	10
Salaried employees	8	11
Intermediate non-manual workers	6	5
Other non-manual workers	6	5
Skilled manual workers	7	8
Other manual workers	4	3
 TOTAL ALL GROUPS COMBINED	 7	 7

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 56. With the aid of this Table it may be calculated that in 1978 in the case of Catholic marriages the percentage with intended future residence outside the State was 6 per cent, equivalent to the level recorded in 1977. The corresponding figures for all other marriages were 13 per cent in 1978 and 19 per cent in 1977.

Finally, in TABLES 57 and 58 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1977 AND 1978 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS
OUTSIDE THE STATE CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1977	1978
	Per cent	
Dublin County Borough and Dun Laoghaire	2	1
Remainder of Leinster	2	1
Munster	1	2
Connacht	2	2
Ulster (part of)	4	3
Outside the State	84	88

BIRTHS

The number of births occurring during the year 1978 was 70,299, comprised of 35,766 males and 34,533 females. The corresponding figures for 1977 were 68,892, 35,518 and 33,374 respectively. The birth rate in 1978 was 21.2 per 1,000 population, compared with 21.1 in 1977.

TABLE X

NUMBER OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941 TO 1978

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1961	59.8	21.2	22.4	17.6	19.5
1962	61.8	21.8	22.7	18.0	20.1
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.6	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.8	18.6
1967	61.3	21.1	22.4	17.3	18.5
1968	61.0	21.0	22.1	16.9	18.2
1969	62.9	21.5	21.4	16.4	17.3
1970	64.4	21.9	21.1	16.1	16.8
1971	67.6	22.7	20.7	16.0	16.6
1972	68.5	22.7	19.4	14.8	15.1
1973	68.7	22.4	18.9	13.7	14.3
1974	68.9	22.1	17.6	13.0	13.4
1975	67.2	21.2	17.0	12.3	13.1
1976	67.7	21.0	17.1	11.9	12.5
1977	68.9	21.1	16.5	11.6	12.0
1978	70.3	21.2	17.1	12.1	12.4

*Exclusive of Northern Ireland.

†Average annual number of births and birth rates for decennial periods from 1941-1960

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

TABLE 38 shows the total number of births which occurred in 1978 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 262 or 0.4 per cent of the total. In 1977 the corresponding figure was 221 or 0.3 per cent of the total. The results contained in TABLE 38 are summarised in Table XI.

TABLE XI

BIRTHS OCCURRING IN 1978 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	3,288	2,733	479	67	8	1	-	-	-	-
20-24 years	15,980	8,329	5,107	1,808	532	149	54	1	-	-
25-29 "	22,808	6,432	7,375	5,204	2,346	899	542	9	-	1
30-34 "	17,183	2,116	3,330	4,602	3,502	1,897	1,679	57	-	-
35-39 "	8,166	558	856	1,341	1,710	1,410	2,081	191	19	-
40-44 "	2,405	148	162	236	304	384	983	174	14	-
45 years and over	207	11	14	17	15	32	91	24	3	-
Not stated	262	148	25	22	14	6	18	7	-	22
TOTAL	70,299	20,475	17,348	13,297	8,431	4,778	5,448	463	36	23

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed over the past decade there is in 1978 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1978 mothers aged under 30 years at maternity accounted for 60.1 per cent of the births compared with 60.7 per cent in 1977, corresponding figures for England and Wales and Scotland for 1978 being 75.3 per cent and 77.9 per cent respectively, illustrating the difference between the countries.

TABLE XII
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1977 AND 1978 AND IN ENGLAND AND WALES AND SCOTLAND IN 1978.

Age at maternity	Ireland*		England and Wales 1978	Scotland 1978
	1977	1978		
Per cent				
Under 20 years	4.6	4.7	9.4	11.0
20-24 years	23.5	22.8	30.6	32.7
25-29 "	32.6	32.6	35.3	34.2
30-34 "	23.9	24.5	19.0	16.6
35-39 "	11.4	11.7	4.7	4.3
40-44 "	3.7	3.4	1.0	0.8
45 years and over	0.3	0.3	0.1	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	28.8	28.3	26.6	25.6

*Exclusive of Northern Ireland

The difference between this country and England and Wales and Scotland shown in Table XII is due to the fact that women in Ireland (a) marry at a later age and (b) have on average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference is still pronounced in the under 20 age group and in the age groups above 30 as may be seen from Table XIII.

TABLE XIII
PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT
MATERNITY IN IRELAND* IN 1977 AND 1978 AND IN ENGLAND AND WALES AND SCOTLAND IN 1978.

Age at maternity	Ireland*		England and Wales 1978	Scotland 1978
	1977	1978		
Per cent				
Under 20 years	9.3	9.4	12.4	17.4
20-24 years	41.8	40.8	39.0	42.0
25-29 "	34.1	34.5	34.7	30.5
30-34 "	11.0	11.5	11.6	8.3
35-39 "	3.0	3.0	2.0	1.4
40-44 "	0.7	0.8	0.3	0.3
45 years and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.5	25.5	25.1	23.7

*Exclusive of Northern Ireland

Fertility rates in Ireland and in England and Wales in 1978 are compared in Tables XIV.

TABLE XIV
BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1978

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15-19 years	21.7	29.9	546.9	322.8	7.7	12.2
20-24 "	125.8	107.9	348.3	181.9	14.6	24.7
25-29 "	201.0	123.9	276.8	147.4	12.1	30.5
30-34 "	167.2	63.9	196.8	69.5	7.7	25.7
35-39 "	96.2	19.7	111.0	20.6	4.5	13.2
40-44 "	31.0	4.2	36.6	4.3	1.7	3.3
45-49 "	2.7	0.4	3.4	0.4	0.1	0.2
Total 15-49 years	95.6	53.2	162.9	71.2	9.2	16.4

*Exclusive of Northern Ireland; rates are based on the 1978 estimated populations

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate in 1978 was 69 per cent above that in England and Wales, in the 20-24 year group 91 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 year group but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 3,003 being 124 more than in 1977. This was equivalent to an annual rate of 9.2 per 1,000 unmarried females aged 15 to 49 years and was 4.3 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1977 and 1978 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1978.

TABLE XV
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN
IRELAND* IN 1977 AND 1978 AND IN ENGLAND AND WALES AND SCOTLAND IN 1978.

Number of previous children	Ireland*		England and Wales 1978	Scotland 1978
	1977	1978		
Per cent				
0	29.3	29.1	42.3	41.8
1	25.3	24.7	37.0	37.2
2	18.6	18.9	13.8	14.1
3	11.5	12.0	4.4	4.4
4	6.4	6.8	1.4	1.5
5 to 9	8.0	7.7	1.1	1.0
10 to 14	0.7	0.7	0.0	0.0†
15 and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

*Exclusive of Northern Ireland

†10+

The difference between the years 1977 and 1978 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1978, 8.6 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 1.1 in England and Wales and 1.0 in Scotland.

MULTIPLE BIRTHS

The number of maternities in 1978 which resulted in multiple live births was 832 consisting of 816 sets of twins, 15 sets of triplets and one set of quadruplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 11.7. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1969-1978.

TABLE XVI

NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1969-1978.

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1969	62,912	62,033	849	15	-	13.7
1970	64,382	63,528	834	10	-	13.1
1971	67,551	66,688	839	12	-	12.6
1972	68,527	67,657	854	8	-	12.6
1973	68,713	67,861	838	7	-	12.4
1974	68,907	68,081	814	6	-	12.0
1975	67,178	66,379	785	7	-	11.8
1976	67,718	66,933	777	4	-	11.6
1977	68,892	68,072	800	10	-	11.8
1978	70,299	69,450	816	15	1	11.7

DEATHS

The number of deaths occurring during the year 1978 was 33,794 of which 18,442 were those of males and 15,352 those of females equivalent to a rate of 10.20 deaths per 1,000 total population, compared with 10.28 in the previous year, and 10.55 in 1976.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1970 and the death rates for each year 1971 to 1978.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941-1978 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1978 was lower than in England and Wales and Scotland. Over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

Attention should be drawn to the fact that these comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the population.

TABLE XVI

DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941 TO 1978.

Period	Number of deaths (thousands)	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	41.5	14.0	12.6	12.3	13.2
1951-1960†	35.4	12.2	11.0	11.6	12.0
1961	34.8	12.3	11.3	12.0	12.3
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.6	12.1
1966	35.1	12.2	11.1	11.8	12.3
1967	31.4	10.8	9.8	11.3	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3
1970	33.7	11.4	10.9	11.8	12.2
1971	31.9	10.7	10.5	11.6	11.8
1972	34.4	11.4	11.0	12.1	12.5
1973	34.2	11.1	11.4	12.0	12.4
1974	34.9	11.2	11.2	11.9	12.4
1975	33.2	10.4	10.7	11.9	12.1
1976	34.0	10.6	11.1	12.2	12.5
1977	33.6	10.3	11.1	11.7	12.0
1978	33.8	10.2	10.5	11.9	12.6

*Exclusive of Northern Ireland

†Average annual number of deaths and death rates for decennial periods from 1941-1960

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ, appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 4.64 and a standardised rate of 8.82 reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 16.33 to 10.84 because of the comparatively old age structure in that county. The standardised rates in 1978 were lowest in Galway and highest in the County Carlow.

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1978




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1978.

Area	Deaths per 1,000 Population	
	Crude	Standardised
	1978	1978
TOTAL	10.20	10.20
Carlow	11.20	11.78
Dublin County Borough	9.81	9.92
Dun Laoghaire Borough	11.49	9.41
Dublin County (Remainder)	4.64	8.82
Kildare	8.21	11.47
Kilkenny	10.35	10.08
Laois	11.41	11.14
Longford	13.27	11.36
Louth	9.91	11.27
Meath	9.33	10.88
Offaly	9.70	9.77
Westmeath	11.40	11.35
Wexford	10.50	9.93
Wicklow	8.69	9.52
LEINSTER	8.86	10.11
Clare	12.16	10.44
Cork County Borough	10.50	11.55
Cork County	11.52	10.74
Kerry	12.61	10.29
Limerick County Borough	9.86	11.35
Limerick County	11.05	10.98
Tipperary, N.R.	10.76	9.75
Tipperary, S.R.	10.96	10.40
Waterford County Borough	10.79	11.58
Waterford County	10.59	10.30
MUNSTER	11.25	10.72
Galway	9.59	8.31
Leitrim	16.33	10.84
Mayo	13.72	9.81
Roscommon	13.85	9.86
Sligo	12.53	9.88
CONNACHT	12.12	9.37
Cavan	13.59	10.97
Donegal	12.42	9.92
Monaghan	10.67	9.53
ULSTER (part of)	12.31	10.10

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eighth Revision was used for the first time in classifying deaths by causes in the 1968 Report. The Reports from 1958 to 1967 were based on the Seventh Revision.

TABLE XIX
AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67, 1970-72, 1975-77 AND 1978.

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1970-72	1975-77	1978
		Average annual number					
✓ 010-019	Tuberculosis, all forms	758	438	309	196	169	206
✓ Rem. 000-136	Other infective and parasitic diseases	335	234	228	178	154	141
✓ 140-209	Cancer	4,722	4,810	5,117	5,662	6,194	6,218
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	10,037	10,838	10,966
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,846	6,362	6,046
470-474	Influenza	554	554	397	351	219	161
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	4,223	4,072	4,235
794	Senility	2,680	2,010	1,251	573	340	241
	Other diseases	5,997	5,028	4,404	3,728	3,616	3,784
E800-E999	Accidents and other external causes	988	998	1,151	1,525	1,652	1,796
	ALL CAUSES	34,993	33,754	33,179	33,319	33,616	33,794
		Average annual rates per 100,000 population					
010-019	Tuberculosis, all forms	26.1	15.5	10.7	6.6	5.2	6.2
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	6.0	4.8	4.3
140-209	Cancer	162.8	170.1	177.3	189.9	192.0	187.6
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	336.7	336.0	330.9
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	229.7	197.2	182.4
470-474	Influenza	19.1	19.6	13.8	11.8	6.8	4.9
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	141.7	126.2	127.8
794	Senility	92.4	71.1	43.3	19.2	10.5	7.3
	Other diseases	206.7	177.9	152.6	125.1	112.1	114.2
E800-E999	Accidents and other external causes	34.1	35.3	39.9	51.2	51.2	54.2
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,117.7	1,042.1	1,019.7

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the period 1955-57 and the year 1978 has been the drop in deaths from tuberculosis. The rate for 1978 was less than one quarter of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to less than one half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, followed by cancer, the rate for which showed an increase of 15 per cent since 1955-57.

AGE-SEX SPECIFIC DEATH RATES FOR THE

ABBREVIATED LIST NO.	CAUSE OF DEATH	DEATH RATES PER 100,000 CORRESPONDING POPULATION									
		ALL AGES		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	1,107.0	931.6	393.4	334.3	39.6	22.7	100.1	40.2	134.8	64.3
B 4	ENTERITIS AND OTHER DIARRHOEAL DISEASES	1.0	1.1	7.5	4.2	-	-	-	-	-	-
B 5	TUBERCULOSIS OF RESPIRATORY SYSTEM	5.7	1.8	-	-	-	-	0.7	0.4	0.9	-
B 6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	2.9	2.0	1.7	-	-	-	-	-	-	-
B 8	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-
B 9	WHOOPING COUGH	0.1	0.1	1.1	0.6	-	-	-	-	-	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	0.1	-	-	-	-	-	-	-	-	-
B11	MENINGOCOCCAL INFECTION	0.7	0.5	4.6	4.2	0.3	-	0.7	0.4	-	-
B18A	SEPTICAEMIA	0.8	0.7	5.7	3.0	-	-	-	0.4	-	-
B12	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-
B14	MEASLES	0.2	0.2	0.6	2.4	0.3	-	0.3	-	-	-
B18B	INFECTIOUS HEPATITIS	0.2	0.2	1.1	-	-	-	-	-	-	-
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	1.5	1.0	2.3	3.0	0.9	-	0.7	-	-	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	20.3	16.2	-	-	-	-	-	-	-	0.5
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	52.2	48.5	0.6	-	-	-	-	0.7	2.2	0.9
B19C	OF TRACHEA, BRONCHUS AND LUNG	57.3	19.1	-	-	-	-	0.3	-	1.3	0.9
B19D	OF BREAST	0.4	32.8	-	-	-	-	-	-	-	5.1
B19E	OF GENITO-URINARY ORGANS	32.1	23.1	0.6	0.6	0.3	-	1.0	0.7	2.7	4.6
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	15.0	10.7	2.9	1.8	3.5	2.7	3.4	2.2	6.2	4.2
B19G	OTHER	27.0	20.6	1.1	2.4	2.3	1.8	2.1	2.2	8.5	2.8
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.6	3.8	-	-	0.6	0.3	0.3	0.7	1.3	0.9
B21	DIABETES MELLITUS	11.4	13.2	0.6	-	0.3	-	0.7	-	-	0.5
B22	AVITAMINOSIS AND OTHER NUTRITIONAL DEFICIENCY	0.5	0.5	-	0.6	0.3	-	-	-	-	-
B23	ANAEMIAS	2.6	3.0	0.6	-	-	-	0.3	-	-	-
B24	MENINGITIS	0.5	0.5	2.9	1.8	0.6	-	-	-	-	-
B25	ACTIVE RHEUMATIC FEVER	0.1	0.2	-	-	-	-	-	-	-	-
B26	CHRONIC RHEUMATIC HEART DISEASE	10.3	10.3	-	-	-	-	1.0	-	3.6	1.4
B27	HYPERTENSIVE DISEASE	12.2	17.4	-	-	-	-	-	-	0.4	-
B28	ISCHAEMIC HEART DISEASE	332.8	213.6	-	-	-	-	1.0	-	4.9	1.4
B29	OTHER FORMS OF HEART DISEASE	42.2	52.0	0.6	1.2	0.3	-	1.0	1.4	1.8	1.8
B30	CEREBROVASCULAR DISEASE	113.9	145.5	-	1.8	0.9	0.9	0.7	2.2	7.1	5.1
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	35.8	40.0	-	0.6	-	0.3	-	0.4	0.4	0.9
B31	INFLUENZA	4.7	5.0	0.6	-	-	-	-	0.7	0.4	-
B32	PNEUMONIA	61.3	60.1	31.0	24.7	0.9	2.7	3.1	1.4	5.3	2.3
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	71.6	37.7	-	0.6	1.2	-	1.0	0.4	2.2	1.8
B46B	BRONCHIECTASIS	1.5	0.8	-	-	-	-	-	0.4	-	-
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	12.7	9.6	48.2	33.1	-	-	-	0.4	0.9	0.5
B34	PEPTIC ULCER	8.6	5.2	-	-	-	-	-	0.4	0.4	-
B35	APPENDICITIS	0.6	0.8	-	-	-	-	0.3	1.1	-	-
B36	INTESTINAL OBSTRUCTION AND HERNIA	2.8	3.3	0.6	-	0.3	-	-	-	0.4	0.5
B37	CIRRHOSIS OF LIVER	4.2	3.2	-	-	-	-	0.3	0.7	1.3	0.5
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	8.2	9.6	-	0.6	-	-	0.3	0.4	2.7	0.9
B38	NEPHRITIS AND NEPHROSIS	8.6	6.4	-	-	0.3	0.3	0.7	0.4	0.4	0.9
B39	HYPERPLASIA OF PROSTATE	3.8	-	-	-	-	-	-	-	-	-
B40	ABORTION	-	-	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	0.7	-	-	-	-	-	0.4	-	2.3
B42	CONGENITAL ANOMALIES	13.3	14.6	109.1	127.7	3.2	3.3	2.8	2.2	1.3	1.8
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDITIONS	9.2	5.7	88.4	56.6	-	-	-	-	-	-
B44	OTHER CAUSES OF PERINATAL MORTALITY*	4.9	3.9	46.5	38.6	-	-	-	-	-	-
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	7.0	7.6	-	-	-	-	-	-	-	-
B45B	ILL-DEFINED CONDITIONS	2.3	2.4	-	-	-	-	-	-	0.9	0.5
B46E	ALL OTHER DISEASES EXTERNAL CAUSES	30.4	37.0	5.7	8.4	4.9	2.1	3.8	3.9	5.3	4.2
B47	MOTOR VEHICLE ACCIDENTS	29.7	8.0	12.1	6.6	11.0	4.9	47.1	10.4	29.8	4.6
B48	ALL OTHER ACCIDENTS	28.0	25.5	16.7	8.4	7.2	3.3	15.8	2.2	18.2	3.2
B49	SUICIDE AND SELF-INFILCTED INJURIES	6.4	3.5	-	-	0.3	-	6.2	2.5	11.6	6.0
B50	ALL OTHER EXTERNAL CAUSES	5.0	2.1	-	0.6	-	-	4.1	1.1	12.0	3.2

PRINCIPAL CAUSES OF DEATH IN 1978

DEATH RATES PER 100,000 CORRESPONDING POPULATION														ABBREVIATED LIST NO	
35-44		44-54		55-64		65-74		75-84		85 AND OVER					
M	F	M	F	M	F	M	F	M	F	M	F				
228.7	148.4	730.5	444.6	1,998.7	1,141.4	4,889.4	2,814.8	11,966.7	8,686.6	25,117.7	22,406.2				
-	-	-	-	-	-	0.7	1.8	3.3	2.3	9.7	12.4	-	B 4		
2.9	2.5	4.5	2.0	11.1	4.1	36.7	6.7	43.2	11.4	49.6	-	-	B 5		
0.6	1.2	1.9	0.7	6.2	4.8	15.6	11.7	36.4	11.4	-	14.3	-	B 6		
-	-	-	-	-	-	-	-	-	-	-	-	-	B 8		
-	-	-	-	-	-	-	-	-	-	-	-	-	B 9		
-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	B10	
-	-	-	-	-	-	0.9	0.8	-	-	-	-	-	-	B11	
-	-	0.6	0.7	-	0.7	1.8	1.7	-	1.6	-	-	7.1	-	B18A	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	B12	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	B14	
-	0.6	0.6	0.7	-	-	0.8	-	-	-	-	-	7.1	-	B18B	
1.2	-	1.9	0.7	2.8	2.0	2.7	2.5	6.8	4.9	12.4	14.3	-	-	B18	
5.9	3.7	17.5	10.5	49.9	29.2	121.0	72.5	181.8	121.6	223.0	278.3	-	-	B19A	
8.8	9.9	41.5	32.2	111.6	98.6	270.4	197.5	609.1	423.2	743.5	627.9	-	-	B19B	
7.6	4.3	64.8	19.1	166.4	61.2	354.7	99.2	452.3	98.9	136.3	50.0	-	-	B19C	
-	24.0	0.6	69.1	1.4	87.7	0.9	103.3	2.3	160.5	12.4	235.5	-	-	B19D	
4.7	8.6	11.0	30.9	44.4	76.1	152.2	77.5	486.4	131.3	669.1	142.7	-	-	B19E	
8.2	3.1	21.4	17.1	29.1	21.1	67.8	32.5	95.5	69.7	49.6	35.7	-	-	B19F	
9.4	11.1	29.2	14.5	70.0	39.4	113.7	75.0	209.1	152.4	446.1	249.8	-	-	B19G	
1.2	3.1	1.3	0.7	4.9	4.1	6.4	16.7	36.4	29.2	49.6	57.1	-	-	B20	
3.5	-	5.2	3.3	23.6	18.4	60.5	51.7	129.6	155.7	185.9	185.5	-	-	B21	
-	-	-	0.7	-	-	4.6	2.5	2.3	3.2	12.4	7.1	-	-	B22	
-	1.2	0.6	-	2.8	3.4	10.1	10.8	50.0	34.1	37.2	57.1	-	-	B23	
-	0.6	0.6	-	-	-	-	1.7	-	3.2	-	7.1	-	-	B24	
-	-	-	0.7	0.7	1.4	-	-	-	-	-	-	-	-	B25	
4.1	4.9	9.7	12.5	25.7	24.5	44.9	34.2	102.3	60.0	86.7	185.5	-	-	B26	
0.6	1.2	7.1	5.9	24.3	11.6	62.3	62.5	154.6	202.7	235.4	421.0	-	-	B27	
49.3	13.5	263.2	65.8	784.1	249.5	1,704.1	765.8	3,484.3	2,241.0	6,418.8	5,187.7	-	-	B28	
4.1	-	9.7	7.2	31.2	15.6	125.6	86.7	681.9	575.6	2,354.4	2,526.0	-	-	B29	
8.2	7.4	46.7	33.5	136.6	116.9	515.2	413.3	1,606.9	1,709.1	4,027.3	4,210.1	-	-	B30	
1.8	3.7	7.8	9.9	43.0	27.2	147.6	93.3	475.0	410.2	1,834.0	1,634.1	-	-	B46A	
0.6	-	1.9	0.7	3.5	2.0	11.9	11.7	70.5	51.9	285.0	221.2	-	-	B31	
8.8	5.5	22.7	17.8	65.2	52.3	234.7	120.0	784.1	582.1	2,453.5	2,247.8	-	-	B32	
3.5	3.7	29.2	15.8	117.2	63.2	377.7	152.5	1,002.3	345.4	1,338.3	692.2	-	-	B33	
0.6	1.2	-	0.7	4.2	0.7	6.4	3.3	15.9	4.9	49.6	14.3	-	-	B46B	
1.8	0.6	5.2	3.3	12.5	3.4	31.2	20.0	90.9	53.5	272.6	242.6	-	-	B46C	
2.3	-	5.8	2.6	22.2	7.5	43.1	20.8	95.5	53.5	99.1	85.6	-	-	B34	
-	-	0.6	-	0.7	-	3.7	0.8	2.3	13.0	24.8	14.3	-	-	B35	
0.6	-	1.3	0.7	2.1	3.4	11.0	6.7	40.9	32.4	99.1	135.6	-	-	B36	
4.7	4.3	6.5	7.2	22.2	6.8	11.0	11.7	6.8	13.0	12.4	-	-	-	B37	
1.8	1.8	7.1	6.6	13.9	17.7	37.6	33.3	84.1	87.6	210.7	149.9	-	-	B46D	
2.9	1.8	11.0	5.3	16.6	4.1	38.5	25.0	95.5	51.9	111.5	157.0	-	-	B38	
-	-	-	-	1.4	-	6.4	-	81.8	-	223.0	-	-	-	B39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	B40	
-	3.7	-	-	-	-	-	-	-	-	-	-	-	-	B41	
1.2	1.2	1.9	0.7	2.8	0.7	-	2.5	2.3	1.6	-	-	-	-	B42	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	B43	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	B44	
-	-	-	-	-	-	9.2	2.5	84.1	69.7	855.0	563.7	-	-	B45A	
0.6	-	-	-	4.9	1.4	8.2	5.0	31.8	34.1	74.3	71.4	-	-	B45B	
4.7	6.2	18.1	15.1	44.4	46.2	127.4	116.7	363.7	355.1	718.7	770.7	-	-	B46E	
25.8	4.9	29.2	9.2	37.4	9.5	46.7	10.8	72.7	25.9	74.3	7.1	-	-	B47	
27.6	3.1	27.9	9.9	35.4	10.2	55.0	38.3	172.7	287.0	607.2	892.0	-	-	B48	
10.6	3.1	11.7	7.9	12.5	8.8	1.8	5.0	11.4	1.6	12.4	-	-	-	B49	
8.8	2.5	2.6	3.3	10.4	5.4	5.5	4.2	9.1	1.6	12.4	-	-	-	B50	

* LATE FOETAL DEATHS NOT INCLUDED.

Of the deaths occurring in 1978, 77 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 385 per 100,000 population for males and 276 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 204 and 171 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 114 and 146 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1978 there were 206 deaths from tuberculosis, of which 124 were caused by the respiratory form and 82 by other forms of the disease. Between the period 1941-1950 and the year 1978 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level. Of the 206 deaths in 1978, 90 per cent were in the age groups 45 and over.

The mortality from tuberculosis in the counties and county boroughs in 1978 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Cork County Borough (0.15) and Limerick County (0.13).

TABLE XXI
NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941 TO 1978.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941-1950*	2,739	0.92	779	0.26	1.05	1.07
1951-1960*	787	0.27	190	0.06	1.62	1.28
1961	381	0.14	39	0.01	1.78	1.29
1962	387	0.14	39	0.01	2.15	1.29
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23
1970	199	0.07	22	0.01	2.06	1.75
1971	165	0.06	18	0.01	2.44	1.24
1972	154	0.05	29	0.01	2.58	1.23
1973	140	0.05	33	0.01	2.89	2.30
1974	108	0.03	55	0.02	2.27	2.06
1975	96	0.03	63	0.02	2.43	1.86
1976	97	0.03	68	0.02	1.77	1.19
1977	99	0.03	83	0.03	2.30	1.96
1978	124	0.04	82	0.02	3.28	1.48

*Average annual number of deaths and death rates for decennial periods from 1941-1960.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER, 1949—1978





Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION 1967-1978



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045-055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140-205 (Nos. 140-209 in Eighth Revision) of the International Statistical classification which now included Hodgkin's disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figure less Hodgkin's disease and leukaemia should also be shown.

In 1978 there were 6,218 deaths from cancer (Nos. 140 to 209). Of this number, 48 deaths were caused by Hodgkin's disease and 180 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1968 to 1978.

TABLE XXII
DEATHS FROM CANCER (Nos. 140-209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1968 TO 1978.

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
1970	7	20	57	173	479	983	1,624	202
1971	8	22	57	196	495	1,036	1,651	207
1972	9	19	53	173	499	1,013	1,817	208
1973	9	20	59	173	472	1,023	1,798	206
1974	6	14	62	175	464	1,161	1,786	209
1975	8	19	48	184	487	1,147	1,840	211
1976	7	25	51	162	532	1,118	2,035	214
1977	7	13	35	152	525	1,128	1,955	206
1978	6	21	45	186	473	1,081	2,074	204
Females								
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175
1970	6	18	71	200	390	691	1,079	174
1971	6	19	59	195	388	683	1,173	174
1972	6	20	67	190	373	702	1,168	174
1973	6	17	72	239	402	642	1,113	175
1974	5	18	66	207	419	792	1,208	186
1975	4	14	62	222	415	713	1,278	183
1976	6	16	83	186	392	715	1,222	175
1977	5	11	57	190	388	719	1,201	170
1978	5	19	65	193	413	657	1,243	171

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 34 years but between the ages 35 and 54 years the female rates were generally greater than those for males. In 1978 the male death rate for all ages was 19 per cent above that for females. The trend in the death rates from cancer since 1949 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII
DEATHS FROM CANCER (Nos. 140-209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1968 TO 1978

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1968	1.82	1.84	2.32	2.39
1969	1.89	1.86	2.35	2.41
1970	1.88	1.84	2.36	2.42
1971	1.91	1.89	2.39	2.45
1972	1.91	1.76	2.42	2.48
1973	1.89	1.89	2.44	2.48
1974	1.95	1.86	2.47	2.52
1975	1.94	1.90	2.49	2.51
1976	1.95	1.91	2.55	2.58
1977	1.88	2.01	2.55	2.54
1978	1.88	1.94	2.58	2.65

*Exclusive of Northern Ireland.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland.

The death rates from cancer in 1978 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV

DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-209)
IN EACH COUNTY AND COUNTY BOROUGH IN 1978.

Area	Rates per 1,000 Population	
	Crude	Standardised
	1978	1978
TOTAL	1.88	1.88
Carlow	1.74	1.84
Dublin County Borough	2.12	2.11
Dun Laoghaire Borough	2.56	2.08
Dublin County (remainder)	1.01	1.92
Kildare	1.41	1.96
Kilkenny	1.95	1.90
Laois	2.05	1.98
Longford	1.94	1.70
Louth	2.19	2.45
Meath	1.42	1.65
Offaly	1.64	1.67
Westmeath	1.76	1.77
Wexford	2.05	1.97
Wicklow	1.78	1.97
LEINSTER	1.76	2.00
Clare	1.80	1.58
Cork County Borough	2.05	2.23
Cork County	2.06	1.94
Kerry	2.03	1.68
Limerick County Borough	1.84	2.06
Limerick County	1.72	1.70
Tipperary, N.R.	1.87	1.70
Tipperary, S.R.	2.14	2.02
Waterford County Borough	2.18	2.32
Waterford County	1.80	1.78
MUNSTER	1.97	1.88
Galway	1.79	1.60
Leitrim	2.29	1.53
Mayo	2.31	1.66
Roscommon	2.24	1.61
Sligo	2.26	1.79
CONNACHT	2.09	1.64
Cavan	2.13	1.73
Donegal	1.99	1.63
Monaghan	1.75	1.69
ULSTER	1.98	1.65

TABLE XXV
MORTALITY IN 1978 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed International List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
	Malignant neoplasms of:	Number of deaths															
140-149	Buccal cavity and pharynx	2	-	1	4	16	21	42	86	-	-	-	-	7	10	15	32
150-159	Digestive organs and peritoneum	1	5	25	91	233	427	426	1,208	2	3	22	65	188	324	463	1,067
160-163	Respiratory system	1	4	13	110	259	400	227	1,014	-	2	7	29	97	125	72	332
170-174	Bone, connective tissue, skin and breast	3	6	3	8	17	12	13	62	3	15	45	110	136	139	167	615
180-189	Genito-urinary organs	5	6	8	17	64	166	268	534	3	10	14	47	112	93	101	380
190-199	Other and unspecified sites	11	12	12	24	51	79	58	247	13	2	12	17	37	59	75	215
200-209	Lymphatic and haematopoietic tissues	27	14	14	33	42	74	46	250	18	9	5	26	31	39	48	176
	TOTAL	50	47	76	287	682	1,179	1,080	3,401	39	41	105	294	608	789	941	2,817
	Malignant neoplasms of:	Rates per 100,000 corresponding population															
140-149	Buccal cavity and pharynx	0.25	-	0.59	2.59	11.09	19.25	80.67	5.16	-	-	-	-	4.76	8.33	19.82	1.94
150-159	Digestive organs and peritoneum	0.12	2.23	14.66	58.98	161.53	391.41	818.18	72.51	0.26	1.39	13.55	42.75	127.80	269.98	611.75	64.75
160-163	Respiratory system	0.12	1.78	7.62	71.30	179.56	366.66	435.98	60.86	-	0.92	4.31	19.07	65.94	104.16	95.13	20.15
170-174	Bone, connective tissue, skin and breast	0.37	2.67	1.76	5.19	11.79	11.00	24.97	3.72	0.39	6.94	27.71	72.35	92.45	115.83	220.65	37.32
180-189	Genito-urinary organs	0.62	2.67	4.69	11.02	44.37	152.16	514.72	32.05	0.39	4.62	8.62	30.91	76.14	77.50	133.45	23.06
190-199	Other and unspecified sites	1.36	5.34	7.04	15.56	35.36	72.42	111.39	14.83	1.68	0.92	7.39	11.18	25.15	49.16	99.10	13.05
200-209	Lymphatic and haematopoietic tissues	3.33	6.23	8.21	21.39	29.12	67.83	88.35	15.01	2.32	4.16	3.08	17.10	21.07	32.50	63.42	10.68
	TOTAL	6.16	20.92	44.57	186.02	472.81	1,080.73	2,074.25	204.14	5.04	18.96	64.66	193.37	413.31	657.46	1,243.33	170.93

The crude death rate from cancer in 1978 varied from 2.56 per 1,000 population in Dun Laoghaire Borough to 1.01 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.45 per 1,000 population in Louth to 1.53 in Leitrim. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer occurring in 1978, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented over one third of the total cancer deaths for each sex, the death rate for males being 12 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system was three times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1968 to 1978, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1968 TO 1978 FROM
CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
1970	5	21	100	259	370	755	-	8	27	57	110	202
1971	3	16	96	246	406	767	-	4	31	67	135	237
1972	3	15	79	246	426	769	1	5	31	76	140	253
1973	5	19	81	264	469	838	3	5	37	68	110	223
1974	3	20	78	231	533	865	3	11	27	82	189	312
1975	-	13	92	248	538	891	1	5	42	86	166	300
1976	7	15	87	281	588	978	2	8	40	67	178	295
1977	2	13	84	254	588	941	-	4	23	89	190	306
1978	4	13	100	240	597	954	2	7	29	90	187	315
Death rates per 100,000 corresponding population												
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2
1970	0.6	13.7	61.7	178.4	242.8	51.1	-	5.3	16.9	40.5	61.3	13.8
1971	0.3	10.5	60.2	167.9	269.5	51.3	-	2.7	19.4	47.1	75.3	16.0
1972	0.3	9.7	49.7	168.1	280.1	50.6	0.1	3.3	19.5	53.1	77.1	16.8
1973	0.5	12.1	51.1	180.6	305.2	54.3	0.3	3.3	23.4	47.3	59.8	14.6
1974	0.3	12.5	49.4	158.2	343.1	55.1	0.3	7.1	17.2	56.6	101.4	20.1
1975	-	8.0	58.4	169.9	342.5	55.8	0.1	3.2	26.9	59.1	87.8	19.0
1976	0.7	9.1	55.5	192.8	370.4	60.3	0.2	5.0	25.8	45.8	93.0	18.4
1977	0.2	7.7	54.0	175.1	367.5	57.2	-	2.5	15.0	60.6	98.1	18.8
1978	0.4	7.6	64.8	166.4	370.4	57.3	0.2	4.3	19.1	61.2	95.6	19.1

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1968 the death rate in the case of males was 49.3 compared with 12.9 in the case of females. In 1978 the corresponding rates were 57.3 and 19.1 respectively. However, it should be noted that in the period under review deaths of women from cancer of the bronchus, trachea and lung have shown a remarkable increase.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1973 to 1978.

TABLE XXVII
DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1973 TO 1978.

Area	1973	1974	1975	1976	1977	1978
	Number of deaths					
Ireland*	1,061	1,177	1,191	1,273	1,247	1,269
Northern Ireland	611	580	623	657	652	654
Scotland	3,637	3,740	3,650	3,817	3,696	4,015
England and Wales	32,176	33,057	32,886	33,524	33,979	34,348
	Rates per 100,000 population					
Ireland*	35	38	38	39	39	38
Northern Ireland	39	37	41	43	42	43
Scotland	70	71	70	73	71	78
England and Wales	65	67	67	68	69	70

*Exclusive of Northern Ireland.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were almost double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 17,012 deaths ascribed to diseases of the circulatory system (Nos. 390-458) in 1978 of which 9,117 were deaths of males and 7,895 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (5,545 males compared with 3,520 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII
DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1978 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Active rheumatic fever	1	-	-	3	-	-
Chronic rheumatic heart disease	171	-	-	170	-	-
Hypertensive disease	203	-	-	287	1	0.3
Ischaemic heart disease	5,545	8	0.1	3,520	2	0.1
Other forms of heart disease	703	2	0.3	857	4	0.5
Cerebrovascular disease	1,898	4	0.2	2,398	-	-
Diseases of arteries, arterioles and capillaries	515	-	-	541	1	0.2
Diseases of veins and lymphatics and other diseases of the circulatory system	81	-	-	119	-	-
TOTAL	9,117	14	0.2	7,895	8	0.1

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1978 CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

Detailed 1965 International List Nos.	Cause of Death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Number of deaths																	
390-392	Active rheumatic fever	-	-	-	-	1	-	-	1	-	-	-	1	2	-	-	3
393-398	Chronic rheumatic heart disease	3	8	7	15	37	49	52	171	-	3	8	19	36	41	63	170
400-404	Hypertensive disease	-	1	1	11	35	68	87	203	-	-	2	9	17	75	184	287
410-414	Ischaemic heart disease	3	11	84	406	1,131	1,859	2,051	5,545	-	3	22	100	367	919	2,109	3,520
420-429	Other forms of heart disease	5	4	7	15	45	137	490	703	6	4	-	11	23	104	709	857
430-438	Cerebrovascular disease	5	16	14	72	197	562	1,032	1,898	12	11	12	51	172	496	1,644	2,398
440-448	Diseases of arteries, arterioles and capillaries	-	-	1	9	49	133	323	515	3	-	2	8	17	76	435	541
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	1	2	3	13	28	34	81	-	2	4	7	23	36	47	119
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	16	41	116	531	1,508	2,836	4,069	9,117	21	23	50	206	657	1,747	5,191	7,895
Rates per 100,000 corresponding population																	
390-392	Active rheumatic fever	-	-	-	-	0.69	-	-	0.06	-	-	-	0.66	1.36	-	-	0.18
393-398	Chronic rheumatic heart disease	0.37	3.56	4.10	9.72	25.65	44.92	99.87	10.26	-	1.39	4.93	12.50	24.47	34.16	83.24	10.32
400-404	Hypertensive disease	-	0.45	0.59	7.13	24.26	62.33	167.09	12.18	-	-	1.23	5.92	11.56	62.50	243.12	17.42
410-414	Ischaemic heart disease	0.37	4.90	49.26	263.15	784.08	1,704.05	3,939.16	332.83	-	1.39	13.55	65.77	249.48	765.79	2,786.59	213.59
420-429	Other forms of heart disease	0.62	1.78	4.10	9.72	31.20	125.58	941.10	42.20	0.77	1.85	-	7.23	15.63	86.66	936.79	52.00
430-438	Cerebrovascular disease	0.62	7.12	8.21	46.67	136.57	515.16	1,982.06	113.93	1.55	5.09	7.39	33.54	116.92	413.31	2,172.19	145.51
440-448	Diseases of arteries, arterioles and capillaries	-	-	0.59	5.83	33.97	121.91	620.35	30.91	0.39	-	1.23	5.26	11.56	63.33	574.76	32.83
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	0.45	1.17	1.94	9.01	25.67	65.30	4.86	-	0.92	2.46	4.60	15.63	30.00	62.10	7.22
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	1.97	18.25	68.02	344.17	1,045.44	2,599.62	7,814.93	547.24	2.71	10.64	30.79	135.49	446.62	1,455.75	6,858.78	479.07

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460-519 in the International List) in 1978 numbered 4,396. These included 161 deaths caused by influenza, 2,011 by pneumonia, 1,052 by bronchitis and 1,172 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUEPERIUM

The number of maternal deaths in 1978 was 12 compared with 8 in 1977. The death rate was 0.17 per thousand maternities. TABLE XXX shows the maternal deaths in 1978 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1978 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE.

Cause of death	All ages	Age group					
		15-19	20-24	25-29	30-34	35-39	40-44
Ectopic pregnancy	1	-	-	1	-	-	-
Other complications of pregnancy	3	-	-	-	1	1	1
Pre-eclampsia, eclampsia and Toxaemia unspecified	1	-	-	-	-	-	1
Delivery complicated by abnormality of bony pelvis	1	-	-	1	-	-	-
Delivery with other complications	2	-	-	1	1	-	-
Puerperal pulmonary embolism	2	-	-	-	-	2	-
Cerebral haemorrhage in the puerperium	1	1	-	-	-	-	-
Other and unspecified complications of the puerperium	1	-	-	-	-	1	-
TOTAL	12	1	-	3	2	4	2

DEATHS ASSOCIATED WITH PREGNANCY, CHILDBIRTH OR THE PUEPERIUM,
BUT NOT CLASSIFIED AS MATERNAL IN 1978.

Primary multiple subcutaneous melanomatosis	1	-	-	-	1	-	-	-
General anaesthetic	1	-	-	-	1	-	-	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1969 to 1978.

TABLE XXXI
MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1969-1978.

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Northern Ireland	England and Wales	Scotland
1969	20	31	15	19	14
1970	20	31	-	18	19
1971	17	25	19	17	16
1972	28	40	10	15	16
1973	8	12	17	13	21
1974	15	21	22	13	23
1975	5	7	4	13	9
1976	11	16	11	13	15
1977	8	11	4	13	21
1978	12	17	-	11	6

*Exclusive of Northern Ireland

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:-

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rate for infant mortality was in Longford and the lowest in Tipperary, N.R. The rate for perinatal mortality was highest in Westmeath and lowest in Mayo while for late foetal mortality the highest rate was in Louth and the lowest in Roscommon.

TABLE XXXII

INFANT AND LATE FOETAL MORTALITY*, 1978.

Area	Infant Mortality		Neo-natal Mortality		Late foetal Mortality		Perinatal Mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,046	14.9	692	9.8	659	9.3	1,246	17.6
Carlow	18	19.1	11	11.7	13	13.6	23	24.0
Dublin Co. Borough and County	322	15.7	214	10.4	197	9.5	378	18.2
Kildare	48	19.5	31	12.6	21	8.5	47	19.0
Kilkenny	16	11.9	10	7.4	10	7.4	19	14.0
Laois	18	17.7	14	13.7	12	11.6	23	22.3
Longford	19	27.5	14	20.3	5	7.2	15	21.6
Louth	26	13.6	21	11.0	29	14.9	48	24.7
Meath	38	18.3	28	13.5	15	7.2	38	18.2
Offaly	13	10.9	6	5.0	17	14.0	21	17.3
Westmeath	29	22.6	21	16.4	14	10.8	33	25.5
Wexford	30	14.0	18	8.4	17	7.9	31	14.4
Wicklow	20	9.8	13	6.4	17	8.3	29	14.1
LEINSTER	597	15.8	401	10.6	367	9.6	705	18.5
Clare	26	14.8	19	10.8	20	11.2	37	20.8
Cork Co. Borough and County	143	17.7	99	12.2	80	9.8	168	20.5
Kerry	33	14.0	27	11.5	16	6.7	36	15.2
Limerick Co. Borough and County	43	12.9	29	8.7	29	8.6	53	15.8
Tipperary, N.R.	12	9.5	6	4.8	14	11.0	19	14.9
Tipperary, S.R.	18	11.9	11	7.3	12	7.9	22	14.5
Waterford Co. Borough and County	21	11.1	9	4.8	16	8.4	24	12.6
MUNSTER	296	14.7	200	9.9	187	9.2	359	17.6
Galway	34	9.9	24	7.0	31	9.0	47	13.6
Leitrim	6	11.9	4	8.0	5	9.8	9	17.7
Mayo	21	10.2	8	3.9	16	7.7	23	11.1
Roscommon	11	13.8	6	7.5	5	6.2	10	12.5
Sligo	16	15.7	7	6.9	13	12.6	19	18.4
CONNACHT	88	11.3	49	6.3	70	8.9	108	13.7
Cavan	11	10.2	7	6.5	8	7.4	15	13.8
Donegal	44	17.4	27	10.7	17	6.7	41	16.1
Monaghan	10	9.9	8	7.9	10	9.8	18	17.6
ULSTER (part of)	65	14.1	42	9.1	35	7.5	74	15.9

*For definition see page xxxv.

INFANT MORTALITY

During the year 1978 there were 1,046 deaths of infants under one year, a decrease of 23 on 1977. The rate in 1978 of 14.9 per 1,000 live births is the lowest rate ever recorded.

TABLE XXXIII

INFANT MORTALITY BY AGE, 1941 TO 1978.

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961	7.7	8.1	2.3	1.4	1.3	20.7	2.4	2.1	2.9	2.5	9.9	30.5
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6
1970	6.1	4.4	1.1	0.5	0.5	12.8	1.5	0.9	2.5	1.8	6.7	19.5
1971	5.8	4.2	1.1	0.7	0.4	12.2	1.4	1.0	1.8	1.6	5.8	18.0
1972	5.7	4.6	1.0	0.4	0.4	12.1	1.4	1.2	1.7	1.6	6.0	18.0
1973	6.2	4.9	0.9	0.3	0.5	12.7	1.3	0.8	1.7	1.4	5.3	18.0
1974	4.9	4.7	1.0	0.6	0.4	11.6	1.3	0.9	2.3	1.6	6.2	17.8
1975	5.9	4.3	0.8	0.4	0.5	12.0	1.3	1.1	1.8	1.4	5.6	17.5
1976	4.7	4.0	0.8	0.6	0.3	10.4	1.0	1.0	1.8	1.3	5.1	15.5
1977	5.1	3.3	0.7	0.4	0.4	9.9	1.2	0.9	2.1	1.3	5.6	15.5
1978	5.1	3.3	0.9	0.3	0.3	9.8	1.1	1.0	1.8	1.2	5.0	14.9

Diagram 5

INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1948-1978




TABLE XXXIV
INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941 TO 1978.

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1961	31	27	21	26
1962	29	27	22	27
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	23
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21
1970	19	23	18	20
1971	18	23	18	20
1972	18	21	17	19
1973	18	21	17	19
1974	18	21	16	19
1975	18	20	16	17
1976	16	18	14	15
1977	16	17	14	16
1978	15	16	13	13

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV
LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR OCCURRING IN 1978 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	1	2	12	15
Rem. 000-136	Other infective and parasitic diseases	-	2	-	11	15	28
320	Meningitis	-	-	2	3	2	7
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	3	19	13	163	198
520-577	Diseases of the digestive system	-	-	-	-	-	-
740-759	Congenital anomalies	175	120	65	53	131	369
764-768, 772	Birth injuries	10	18	34	4	3	59
774, 775	Haemolytic disease of newborn	13	11	6	-	-	17
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	96	98	82	8	1	189
777	Immaturity, unqualified	6	83	13	3	2	101
778	Other conditions of foetus or newborn (including haemorrhagic disease)	4	5	3	1	-	9
	Other causes	355	16	6	7	25	54
	TOTAL	659	356	231	105	354	1,046

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 16 per cent were ascribed to immaturity, congenital anomalies accounted for 32 per cent, anoxic and hypoxic conditions not elsewhere specified (including asphyxia and atelectasis) 31 per cent and birth injuries 9 per cent.

At ages over 4 weeks congenital anomalies, respiratory diseases, and other infective and parasitic diseases were the main causes of death. Details of the 54 deaths included as other causes will be found in Table 19 where it will be noted that 17 of these were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:-

Year	Late Foetal Deaths
Average 1957-1966	1,215
1967	1,000
1968	934
1969	893
1970	904
1971	881
1972	901
1973	829
1974	867
1975	774
1976	765
1977	757
1978	659

The causes of late foetal deaths notified in 1978 classified according to the Detailed International List are given in Table 28. The results are summarised in Table XXXVI.

TABLE XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1978.

International List Numbers	Cause	Number of late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	107	1.52
741	Spina bifida	19	0.27
742	Congenital hydrocephalus	22	0.31
743	Other congenital anomalies of nervous system	2	0.03
746	Congenital anomalies of heart	6	0.09
751	Other congenital anomalies of digestive system	2	0.03
753	Congenital anomalies of urinary system	1	0.01
756	Other congenital anomalies of musculoskeletal system	4	0.06
758	Other and unspecified congenital anomalies	1	0.01
759	Congenital syndromes affecting multiple systems	11	0.16
760	Chronic circulatory and genito-urinary diseases in mother	3	0.04
761	Other maternal conditions unrelated to pregnancy	10	0.14
762	Toxaemia of pregnancy	23	0.33
763	Maternal ante-and intrapartum infection	4	0.06
766	Difficult labour with malposition of foetus	1	0.01
769	Other complications of pregnancy and childbirth	11	0.16
770	Conditions of placenta	116	1.65
771	Conditions of umbilical cord	46	0.65
772	Birth injury without mention of cause	9	0.13
775	Haemolytic disease of newborn, without mention of kernicterus	13	0.18
776	Anoxic and hypoxic conditions not elsewhere classified	96	1.37
777	Immaturity, unqualified	6	0.09
778	Other conditions of foetus or newborn	4	0.06
779	Foetal deaths of unknown cause	142	2.02
ALL CAUSES		659	9.37

*For definition - see page xxxv.

More late foetal deaths resulted from congenital anomalies of foetus than from any other group, being 27 per cent of the total deaths. Placental and cord injuries was next at 25 per cent and haemolytic disease of the newborn at 2 per cent. Of the total deaths 22 per cent were classified as being due to ill defined or unknown causes.

As can be seen from Table XXXVII 645 late foetal deaths in 1978 occurred in hospitals; this is equivalent to 98 per cent of the total number of late foetal deaths.

TABLE XXXVII
LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1978 CLASSIFIED BY PERIOD OF GESTATION AND
PLACE IN WHICH CONFINEMENT OCCURRED.

Period of gestation	Place of confinement				Total
	Hospital	Maternity Home	Domiciliary		
28-36 weeks	333	4	5		342
37 weeks and over	312	4	1		317
TOTAL	645	8	6		659

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1969 to 1978 compare as follows:-

TABLE XXXVIII
PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES, 1969-1978.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Northern Ireland	England and Wales	Scotland	Ireland†	Northern Ireland	England and Wales	Scotland
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0
1970	13.8	14.3	12.8	13.9	24.2	27.6	23.4	24.8
1971	12.9	14.3	12.5	13.1	22.8	27.2	22.2	24.5
1972	13.0	14.3	12.0	13.2	23.2	26.0	21.7	23.7
1973	11.9	13.1	11.6	11.6	22.9	25.6	21.0	22.5
1974	12.4	13.6	11.1	12.0	22.0	25.3	20.4	22.8
1975	11.4	14.1	10.3	11.1	21.5	25.5	19.3	21.1
1976	11.2	10.4	9.7	9.6	19.7	22.3	17.7	18.3
1977	10.9	9.7	9.4	8.8	19.2	21.1	17.0	18.3
1978	9.3	9.2	8.5	8.1	17.6	18.1	15.5	15.4

*For definition see page xxxv.

†Exclusive of Northern Ireland.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) occurring in 1978 was 1,796 of which 1,152 were males and 644 females. The corresponding figures for 1977 were 1,736, 1,068 and 668 respectively. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 94 deaths in 1978 (Table XL).

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1969 TO 1978.

International List Numbers 8th Revision	Cause of Death	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978
E800-E807	Railway accidents	4	6	3	2	6	4	3	6	5	5
E810-E827	Road vehicle accidents	466	500	575	647	624	574	606	544	598	635
E850-E877	Accidental poisoning	20	30	18	36	44	40	34	26	46	46
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted	24	27	35	24	25	24	21	28	25	33
E890-E899; E924	Accidents caused by fire, explosion and burns	69	78	81	82	58	111	81	88	90	81
E910	Accidental drowning	74	83	64	84	77	76	72	78	70	65
E984	Drowning undetermined whether accidentally or purposely inflicted	51	54	70	39	49	48	41	44	40	53
E880-E887	Accidental falls	394	376	358	465	400	488	445	414	504	522
Rem. E800-E999	Other accidents and external causes	206	208	196	211	195	286	208	151	207	193
E950-E959	Suicide and self-inflicted injury	52	52	81	90	105	118	148	183	151	163
TOTAL		1,360	1,414	1,481	1,680	1,583	1,769	1,659	1,562	1,736	1,796

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI. The vast majority of these falls occurred in the home (Table XLI).

TABLE XL
DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1978 CLASSIFIED BY AGE AND SEX.

International List Numbers (8th Revision)	Cause of death	Age at death											
		All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
E800-E807	Railway accidents	M	2	-	-	1	-	1	-	-	-	-	
		F	3	-	-	2	-	1	-	-	-	-	
E810-E827	Road vehicle accidents	M	503	2	19	40	137	67	44	47	55	54	
		F	132	-	11	16	29	10	8	14	14	13	
E850-E877	Accidental poisoning	M	26	-	1	-	6	3	6	3	2	4	
		F	20	-	-	-	2	1	1	4	4	2	
E880-E887	Accidental falls	M	200	1	1	4	13	7	9	12	19	30	
		F	322	-	-	3	1	1	1	3	2	36	
E890-E899; E924	Accidents caused by fire, explosion and burns	M	39	-	8	1	1	3	6	2	3	4	
		F	42	2	6	4	2	-	-	1	5	6	
E910	Accidental drowning	M	60	-	4	10	5	8	9	6	5	9	
		F	5	-	-	1	-	-	-	1	1	2	
E950-E959	Suicide and self-inflicted injury	M	106	-	-	1	18	26	18	18	18	2	
		F	57	-	-	-	7	13	5	12	13	6	
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	64	-	-	-	5	22	9	4	14	6	
		F	30	-	-	-	3	5	4	4	8	5	
Rem. E800-E999	Other accidents and external causes	M	152	8	6	7	28	24	23	18	22	10	
		F	33	4	3	1	1	6	3	8	3	1	
TOTAL		M	1,152	11	39	64	213	161	124	110	138	119	
		F	644	6	20	27	45	37	22	46	50	70	
												173	

TABLE XLI
DEATHS DUE TO ACCIDENTS IN THE HOME IN 1978 CLASSIFIED BY CAUSE AND AGE GROUP.

International List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	10	-	1	-	1	1	3	1	1	2	-	
		F	9	-	-	-	1	1	-	3	2	1	1	
E870-E877	Accidental poisoning by gases and vapours	M	6	-	-	-	2	-	-	1	-	2	1	
		F	9	-	-	-	1	-	1	1	-	1	5	
E880-E887	Accidental falls	M	144	1	1	-	1	3	7	2	11	21	97	
		F	302	-	-	2	-	-	1	3	1	33	262	
E890-E899	Accident caused by fire and flames	M	33	-	6	1	-	3	5	1	3	3	11	
		F	38	2	4	4	2	-	-	-	5	5	16	
E904	Exposure and neglect	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	22	4	2	1	1	1	3	3	3	3	1	
		F	6	1	-	-	-	-	1	3	1	-	-	
E913	Accidental mechanical suffocation	M	5	2	2	1	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	
E920	Accident caused by cutting or piercing instruments	M	1	-	-	-	-	-	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	
E924	Accidents caused by hot substance corrosive liquid and steam	M	2	-	1	-	-	-	-	-	1	-	-	
		F	1	-	1	-	-	-	-	-	-	-	-	
E925	Accidents caused by electric current	M	3	-	1	-	1	-	-	-	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
	Other and unspecified accidents	M	11	1	1	1	1	2	1	1	2	1	1	-
		F	5	-	2	-	-	-	1	1	1	-	-	
	TOTAL	M	237	8	15	4	7	11	19	10	21	32	110	
		F	373	5	7	6	4	1	4	12	10	40	284	

610 deaths resulting from accidents in the home were recorded in 1978 compared with 649 in 1977. As will be seen from Table XLI 446 deaths in 1978 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids, etc., accounted for 74 deaths, of which 14 were of children under 5 years of age and 45 of persons aged 45 years and over. Five deaths of children under one year old were due to obstruction and suffocation by food. There were 34 deaths from accidental poisoning, 28 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1978 in which the cause of death was not certified by a medical practitioner was 85 which represents 0.3 per cent of the total deaths. In TABLE 23 uncertified deaths in 1978 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west, being highest in the year 1978 in County Mayo (1.5 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XLII
UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL IN EACH PROVINCE, 1941 TO 1978.

Province	1941-50	1951-60	1961-70	1971	1972	1973	1974	1975	1976	1977	1978
Leinster	5.6	3.1	1.0	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1
Munster	12.1	8.1	2.9	1.1	0.9	0.6	0.4	0.3	0.2	0.2	0.1
Connacht	28.1	20.0	8.1	3.6	3.1	2.8	2.1	1.6	1.3	1.4	1.0
Ulster (part of)	22.0	13.8	4.7	1.8	1.6	1.2	1.3	0.9	0.7	0.7	0.4
TOTAL	13.0	8.5	3.1	1.3	1.1	0.9	0.7	0.5	0.4	0.4	0.3

TABLE XLIII
PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1978.

Province	All ages	Under 35	35-44	45-54	55-64	65-74	75 and over
Leinster	0.1	-	-	0.1	0.2	0.0	0.1
Munster	0.1	-	-	-	-	0.0	0.2
Connacht	1.0	-	-	-	0.3	0.9	1.4
Ulster (part of)	0.4	-	-	1.0	-	-	0.7
TOTAL	0.3	-	-	0.1	0.1	0.1	0.4
Actual number of deaths uncertified	85	-	-	2	6	13	64

The proportion of deaths uncertified was highest in the age group 75 years and over, this age group accounted for three-quarters of the uncertified deaths. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1978 was 3,449 compared with 3,234 in 1977.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS IN EACH YEAR 1851* TO 1978

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1894	3,362	1,675	1,687	1937	2,948	1,510	1,438
1852	4,927	2,413	2,514	1895	3,333	1,662	1,671	1938	2,937	1,505	1,432
1853	4,807	2,358	2,449	1896	3,314	1,653	1,661	1939	2,934	1,503	1,431
1854	4,704	2,311	2,393	1897	3,298	1,646	1,652	1940	2,958	1,515	1,443
1855	4,638	2,281	2,357	1898	3,283	1,640	1,643	1941	2,993	1,533	1,460
1856	4,594	2,261	2,333	1899	3,265	1,631	1,634	1942	2,963	1,499	1,464
1857	4,540	2,234	2,306	1900	3,234	1,616	1,618	1943	2,946	1,490	1,456
1858	4,506	2,217	2,289	1901	3,213	1,607	1,606	1944	2,944	1,487	1,457
1859	4,471	2,199	2,272	1902	3,200	1,603	1,597	1945	2,952	1,490	1,462
1860	4,428	2,179	2,249	1903	3,185	1,599	1,586	1946	2,957	1,496	1,461
1861	4,393	2,164	2,229	1904	3,175	1,597	1,578	1947	2,974	1,505	1,469
1862	4,377	2,158	2,219	1905	3,165	1,594	1,571	1948	2,985	1,512	1,473
1863	4,328	2,134	2,194	1906	3,160	1,593	1,567	1949	2,981	1,513	1,468
1864	4,263	2,103	2,160	1907	3,151	1,589	1,562	1950	2,969	1,510	1,459
1865	4,223	2,084	2,139	1908	3,145	1,588	1,557	1951	2,961	1,507	1,454
1866	4,163	2,051	2,112	1909	3,142	1,589	1,553	1952	2,953	1,501	1,452
1867	4,130	2,033	2,097	1910	3,139	1,588	1,551	1953	2,949	1,498	1,451
1868	4,109	2,022	2,087	1911	3,132	1,586	1,546	1954	2,941	1,493	1,448
1869	4,090	2,012	2,078	1912	3,120	1,581	1,539	1955	2,921	1,479	1,442
1870	4,062	1,996	2,066	1913	3,103	1,572	1,531	1956	2,898	1,463	1,435
1871	4,042	1,986	2,056	1914	3,092	1,568	1,524	1957	2,885	1,456	1,429
1872	4,023	1,975	2,048	1915	3,068	1,546	1,522	1958	2,853	1,439	1,414
1873	3,989	1,955	2,034	1916	3,068	1,549	1,519	1959	2,846	1,435	1,411
1874	3,966	1,944	2,022	1917	3,065	1,551	1,514	1960	2,832	1,427	1,405
1875	3,951	1,940	2,011	1918	3,066	1,553	1,513	1961	2,818	1,417	1,402
1876	3,949	1,942	2,007	1919	3,102	1,598	1,504	1962	2,830	1,423	1,407
1877	3,956	1,947	2,009	1920	3,103	1,598	1,505	1963	2,850	1,433	1,417
1878	3,952	1,948	2,004	1921	3,096	1,599	1,497	1964	2,864	1,440	1,424
1879	3,939	1,944	1,995	1922	3,022	1,529	1,493	1965	2,876	1,446	1,430
1880	3,891	1,920	1,971	1923	3,014	1,526	1,488	1966	2,884	1,449	1,435
1881	3,847	1,901	1,946	1924	3,005	1,521	1,484	1967	2,900	1,457	1,443
1882	3,808	1,882	1,926	1925	2,985	1,512	1,473	1968	2,913	1,464	1,449
1883	3,745	1,853	1,892	1926	2,971	1,507	1,464	1969	2,926	1,470	1,455
1884	3,703	1,834	1,869	1927	2,957	1,502	1,455	1970	2,950	1,482	1,468
1885	3,671	1,820	1,851	1928	2,944	1,498	1,446	1971	2,978	1,496	1,482
1886	3,642	1,808	1,834	1929	2,937	1,496	1,441	1972	3,024	1,519	1,505
1887	3,600	1,788	1,812	1930	2,927	1,493	1,434	1973	3,073	1,544	1,529
1888	3,554	1,766	1,788	1931	2,933	1,497	1,436	1974	3,124	1,570	1,554
1889	3,516	1,748	1,768	1932	2,949	1,505	1,444	1975	3,177	1,597	1,580
1890	3,482	1,733	1,749	1933	2,962	1,512	1,450	1976	3,228	1,623	1,605
1891	3,449	1,718	1,731	1934	2,971	1,518	1,453	1977	3,272	1,645	1,627
1892	3,408	1,697	1,711	1935	2,971	1,520	1,451	1978	3,314	1,666	1,648
1893	3,382	1,684	1,698	1936	2,967	1,520	1,447				

*For 1951 and subsequent years the figures relate to mid-April.

TABLE 2 - ESTIMATED POPULATION BY AGE, 1973 TO 1978
THOUSANDS

Age Group	Persons						Males					Females						
	1973	1974	1975	1976	1977	1978	1973	1974	1975	1976	1977	1978	1973	1974	1975	1976	1977	1978
Under 1	68.5	67.1	68.0	67.4	67.1	68.7	35.3	34.3	34.9	34.6	34.5	35.3	33.2	32.8	33.1	32.8	32.6	33.4
0-4	322.8	326.7	330.8	334.5	337.4	340.1	165.5	167.4	169.5	171.4	172.8	174.1	157.4	159.3	161.3	163.1	164.6	166.0
5-9	325.0	329.4	334.0	338.1	341.6	344.9	166.1	168.4	170.9	173.1	174.9	176.6	158.9	161.0	163.1	165.0	166.7	168.3
10-14	307.7	312.7	317.9	322.8	327.0	331.1	157.0	159.7	162.5	165.2	167.4	169.6	150.7	153.0	155.4	157.6	159.6	161.5
15-19	279.5	285.8	292.4	298.7	304.6	310.3	142.8	146.0	149.4	152.7	155.7	158.5	136.7	139.8	143.0	146.0	148.9	151.7
20-24	227.4	233.8	240.6	247.1	253.2	259.2	116.1	119.4	122.8	126.1	129.2	132.2	111.3	114.5	117.8	121.0	124.0	127.1
25-29	188.6	196.9	205.5	214.0	223.3	230.5	95.7	99.9	104.3	108.7	112.9	117.1	92.9	97.0	101.2	105.3	109.4	113.5
30-34	167.3	175.8	184.5	193.3	201.9	210.4	85.1	89.5	94.1	98.7	103.2	107.6	82.2	86.2	90.4	94.6	98.7	102.8
35-39	156.1	159.8	163.7	167.5	171.0	174.4	79.3	81.4	83.6	85.7	87.6	89.5	76.7	78.4	80.1	81.8	83.4	84.9
40-44	154.6	155.6	156.7	157.6	158.1	158.6	77.8	78.5	79.4	80.1	80.6	81.0	76.8	77.1	77.3	77.5	77.5	77.5
45-49	158.6	157.9	157.2	156.3	154.9	153.5	79.3	79.2	79.1	78.9	78.5	78.1	79.4	78.7	78.1	77.4	76.4	75.4
50-54	157.7	157.0	156.4	155.6	154.3	152.9	79.1	78.7	78.3	77.8	77.1	76.2	78.5	78.3	78.1	77.8	77.2	76.6
55-59	154.9	155.0	155.2	155.1	154.8	154.2	78.0	77.8	77.7	77.4	77.0	76.4	76.9	77.2	77.5	77.7	77.8	77.8
60-64	135.1	135.7	136.4	136.9	137.1	137.1	68.2	68.2	68.3	68.3	68.1	67.8	67.0	67.5	68.1	68.6	69.0	69.3
65-69	117.0	119.8	122.6	125.5	128.1	130.7	57.0	58.3	59.7	61.1	62.3	63.5	60.0	61.4	62.9	64.4	65.8	67.1
70-74	99.0	99.0	99.1	99.1	98.8	98.4	44.9	45.1	45.3	45.5	45.5	45.6	54.1	53.9	53.8	53.6	53.3	53.0
75-79	63.5	64.4	65.4	66.3	67.1	67.9	28.1	28.3	28.6	28.7	28.9	29.0	35.4	36.1	36.8	37.6	38.2	39.0
80-84	36.8	37.0	37.3	37.5	37.7	37.8	15.5	15.4	15.4	15.3	15.2	15.0	21.3	21.6	21.9	22.2	22.5	22.8
85 and over	21.3	21.5	21.6	21.8	22.0	22.1	8.1	8.1	8.1	8.1	8.1	8.1	13.2	13.3	13.5	13.7	13.9	14.0
All ages	3,073.0	3,123.9	3,177.2	3,227.8	3,271.9	3,314.0	1,543.7	1,569.5	1,597.0	1,622.9	1,645.0	1,666.0	1,529.3	1,554.4	1,580.3	1,605.0	1,626.9	1,648.0

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS OF POPULATION, 1979

Area	Persons	Males	Females
Carlow	38,668	19,743	18,925
Dublin County Borough	544,586	257,436	287,150
Dun Laoghaire Borough	54,244	24,798	29,446
Dublin County (remainder)	384,853	190,870	193,983
Kildare	97,185	50,666	46,519
Kilkenny	69,156	35,688	33,468
Laois	49,936	26,192	23,744
Longford	30,785	16,059	14,726
Louth	86,135	43,061	43,074
Meath	90,715	46,704	44,011
Offaly	57,342	29,792	27,550
Westmeath	59,885	30,557	29,328
Wexford	96,421	48,974	47,447
Wicklow	83,950	41,969	41,981
Clare	84,919	43,945	40,974
Cork County Borough	138,267	67,091	71,176
Cork County	257,851	132,055	125,796
Kerry	120,356	62,185	58,171
Limerick County Borough	60,665	29,593	31,072
Limerick County	96,742	49,709	47,033
Tipperary, N.R.	58,476	30,118	28,358
Tipperary, S.R.	75,265	38,759	36,506
Waterford County Borough	32,617	15,942	16,675
Waterford County	54,661	28,014	26,647
Galway	167,838	86,528	81,310
Leitrim	27,844	14,878	12,966
Mayo	114,019	58,489	55,530
Roscommon	54,189	28,475	25,714
Sligo	54,610	27,806	26,804
Cavan	53,720	28,302	25,418
Donegal	121,941	62,629	59,312
Monaghan	50,376	26,245	24,131
Total	3,368,217	1,693,272	1,674,945

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1978.

Period	Marriages	Births								Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate							
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females		
Average	1864-1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
	1871-1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
	1881-1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
	1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
	1901-1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
	1911-1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
	1921-1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
	1931-1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
	1941-1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
	1951-1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
	1961-1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	28,843
	1971	22,014	67,551	34,751	32,800	65,709	1,842	922	920	31,890	17,357	14,533	35,661
	1972	22,302	68,527	35,375	33,152	66,522	2,005	1,014	991	34,381	18,731	15,650	34,146
	1973	22,816	68,713	35,304	33,409	66,546	2,167	1,144	1,023	34,192	18,689	15,503	34,521
	1974	22,833	68,907	35,432	33,475	66,598	2,309	1,179	1,130	34,921	18,923	15,998	33,986
	1975	21,280	67,178	34,532	32,646	64,663	2,515	1,272	1,243	33,173	18,077	15,096	34,005
	1976	20,580	67,718	34,849	32,869	65,173	2,545	1,318	1,227	34,043	18,465	15,578	33,675
	1977	20,016	68,892	35,518	33,374	66,013	2,879	1,486	1,393	33,632	18,297	15,335	35,260
	1978	21,184	70,299	35,766	34,533	67,296	3,003	1,546	1,457	33,794	18,442	15,352	36,505

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1978.

Period	Marriages	Births						Deaths		Natural increase per 1,000 population
		Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
					Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42		1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63		1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89		1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99		1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06		1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41		1,059	16.64	84.06	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83		1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31		1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51		1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97		1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21		1,056	11.66	24.83	10.01
1971	7.39	22.68	22.06	0.62	2.73		1,059	10.71	17.97	11.97
1972	7.38	22.66	22.00	0.66	2.93		1,067	11.37	18.04	11.30
1973	7.42	22.36	21.66	0.71	3.15		1,057	11.13	17.96	11.23
1974	7.31	22.06	21.32	0.74	3.35		1,058	11.18	17.81	10.88
1975	6.70	21.15	20.35	0.79	3.74		1,058	10.44	17.51	10.70
1976	6.38	20.98	20.19	0.79	3.76		1,060	10.55	15.54	10.43
1977	6.12	21.06	20.18	0.88	4.18		1,064	10.28	15.52	10.78
1978	6.39	21.21	20.31	0.91	4.27		1,036	10.20	14.88	11.01

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS DURING EACH OF THE YEARS 1961 TO 1978 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1961 TO 1970 AND THE RATES FOR THE YEARS 1971 TO 1978 PER 1,000 OF THE POPULATION

Year	Marriages																Births								Deaths							
	Catholic				All Others				Total				Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of						
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.			
Average 1961-1970	3,133	3,709	6,299	3,601	16,742	118	171	271	128	688	3,251	3,880	6,570	3,729	17,430	15,354	16,743	15,949	14,371	62,417	10,299	8,484	7,060	7,731	33,574							
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763							
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838							
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795							
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630							
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022							
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113							
1967	3,114	3,884	6,260	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400							
1968	3,725	3,747	6,769	4,019	18,260	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157							
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734							
1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	15,857	17,232	16,155	15,040	64,284	10,199	8,910	7,195	7,987	34,291							
1971	4,312	4,717	7,376	4,713	21,118	151	250	332	163	896	4,463	4,967	7,708	4,876	22,014	16,838	17,762	16,941	16,010	67,551	8,917	7,976	7,071	7,926	31,890							
1972	4,599	4,814	7,270	4,730	21,413	164	192	356	177	889	4,763	5,006	7,626	4,907	22,302	16,992	18,063	17,118	16,354	68,527	10,260	8,263	7,621	8,237	34,381							
1973	4,918	4,806	7,498	4,771	21,993	170	200	295	158	823	5,088	5,006	7,793	4,929	22,816	17,328	18,175	17,030	16,180	68,713	9,938	8,166	7,626	8,462	34,192							
1974	4,825	4,612	7,589	4,979	22,005	188	176	281	183	828	5,013	4,788	7,870	5,162	22,833	17,472	17,683	17,233	16,519	68,907	9,694	8,694	7,574	8,959	34,921							
1975	4,278	4,382	7,059	4,798	20,517	136	202	226	199	763	4,414	4,584	7,285	4,997	21,280	16,819	17,620	16,907	15,832	67,178	9,428	8,121	7,342	8,282	33,173							
1976	4,052	4,192	7,228	4,193	19,665	196	238	321	160	915	4,248	4,430	7,549	4,353	20,580	16,904	17,556	17,041	16,217	67,718	9,871	8,487	7,226	8,459	34,043							
1977	4,485	3,973	7,050	3,772	19,280	147	172	258	159	736	4,632	4,145	7,308	3,931	20,016	16,982	17,534	17,608	16,768	68,892	9,454	8,549	7,301	8,328	33,632							
1978	4,149	4,374	7,219	4,639	20,381	161	202	276	164	803	4,310	4,576	7,495	4,803	21,184	17,254	18,375	17,625	17,045	70,299	9,979	8,379	7,274	8,162	33,794							

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION

Average 1961-1970	4.6	5.4	9.2	5.3	6.1	3.2	4.6	7.3	3.5	4.7	4.5	5.4	9.1	5.2	6.1	21.3	23.3	22.2	20.0	21.7	14.3	11.8	9.8	10.7	11.7				
1971	6.2	6.7	10.6	6.7	7.6	3.3	5.5	7.3	3.6	4.9	6.0	6.7	10.4	6.6	7.4	22.6	23.9	22.8	21.5	22.7	12.0	10.7	9.5	10.7	10.7				
1972	6.4	6.7	10.1	6.6	7.5	4.3	5.1	9.4	4.7	5.9	6.3	6.6	10.1	6.5	7.4	22.5	23.9	22.6	21.6	22.7	13.6	10.9	10.1	10.9	11.4				
1973	6.7	6.6	10.3	6.5	7.5	4.4	5.2	7.7	4.1	5.4	6.6	6.5	10.1	6.4	7.4	22.6	23.7	22.2	21.1	22.4	12.9	10.6	9.9	11.0	11.1				
1974	6.5	6.2	10.2	6.7	7.4	4.8	4.5	7.2	4.7	5.3	6.4	6.1	10.1	6.6	7.3	22.4	22.6	22.1	21.2	22.1	12.4	11.1	9.7	11.5	11.2				
1975	5.7	5.8	9.4	6.4	6.8	3.4	5.1	5.7	5.0	4.8	5.6	5.8	9.2	6.3	6.7	21.2	22.2	21.3	19.9	21.1	11.9	10.2	9.2	10.4	10.4				
1976	5.3	5.5	9.4	5.5	6.4	4.9	5.9	8.0	4.0	5.7	5.3	5.5	9.4	5.4	6.4	20.9	21.8	21.1	20.1	21.0	12.2	10.5	9.0	10.5	10.5				
1977	5.8	5.1	9.1	4.9	6.2	3.6	4.2	6.3	3.9	4.5	5.7	5.1	8.9	4.8	6.1	20.8	21.4	21.5	20.5	21.1	11.6	10.5	8.9	10.2	10.3				
1978	5.3	5.6	9.2	5.9	6.5	3.9	4.9	6.7	4.0	4.8	5.2	5.5	9.0	5.8	6.4	20.8	22.2	21.3	20.6	21.2	12.0	10.1	8.8	9.9	10.2				

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1978,
WITH RATES PER 100,000 POPULATION

Note - The classification of cause of death in this table is based on the Abbreviated List, 1965

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	33,794	1,019.7	16,153	1,048.9
001	Typhoid fever	-	-	-	-
004, 006	Bacillary dysentery and amoebiasis	-	-	-	-
008, 009	Enteritis and other diarrhoeal diseases	35	1.1	14	0.9
010-012	Tuberculosis of respiratory system	124	3.7	24	1.6
013-019	Other tuberculosis, including late effects	82	2.5	1	0.1
032	Diphtheria	-	-	-	-
033	Whooping cough	3	0.1	3	0.2
034	Streptococcal sore throat and scarlet fever	1	0.0	1	0.1
036	Meningococcal infection	21	0.6	2	0.1
038	Septicaemia	25	0.8	24	1.6
040-043	Acute poliomyelitis	-	-	-	-
055	Measles	7	0.2	-	-
070	Infectious hepatitis	7	0.2	6	0.4
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	2	0.1	3	0.2
Rem. 000-136	All other infective and parasitic diseases	40	1.2	18	1.2
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissue:-				
140-209 (except 201 and 204-207)	(a) Cancer	5,990	180.7	2,870	186.5
201, 204-207	(b) Hodgkin's disease and leukaemia	228	6.9	115	7.5
210-239	Benign neoplasms and neoplasms of unspecified nature	107	3.2	41	2.7
250	Diabetes mellitus	407	12.3	79	5.1
260-269	Avitaminoses and other nutritional deficiency	16	0.5	9	0.6
280-285	Anaemias	92	2.8	21	1.4
320	Meningitis	17	0.5	9	0.6
390-392	Active rheumatic fever	4	0.1	7	0.5
393-398	Chronic rheumatic heart disease	341	10.3	94	6.1
400-404	Hypertensive disease	490	14.8	161	10.5
410-414	Ischaemic heart disease	9,065	273.5	4,753	308.9
420-429	Other forms of heart disease	1,560	47.1	958	62.3

*Exclusive of Northern Ireland

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1978
WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,296	129.6	2,319	150.7
470-474	Influenza	161	4.9	56	3.6
480-486	Pneumonia	2,011	60.7	981	63.8
490-493	Bronchitis, emphysema and asthma	1,815	54.8	541	35.2
531-533	Peptic ulcer	229	6.9	96	6.2
540-543	Appendicitis	24	0.7	4	0.3
550-553, 560	Intestinal obstruction and hernia	101	3.0	57	3.7
571	Cirrhosis of liver	123	3.7	56	3.6
580-584	Nephritis and nephrosis	248	7.5	69	4.5
600	Hyperplasia of prostate	63	1.9	16	1.0
640-645	Abortion	-	-	-	-
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium	12	0.4	-	-
740-759	Congenital anomalies	463	14.0	157	10.2
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	248	7.5	93	6.0
760-763, 769-771 773-775, 777-779	Other causes of peri-natal mortality†	145	4.4	66	4.3
780-796	Senility without mention of psychosis, ill-defined and unknown causes	320	9.7	80	5.2
	All other diseases	3,075	92.8	1,276	82.9
E810-E823	Motor vehicle accidents	627	18.9	345	22.4
E800-E807 E825-E949	All other accidents	888	26.8	520	33.8
E950-E959	Suicide and self-inflicted injuries	163	4.9	70	4.5
E960-E999	All other external causes	118	3.6	138	9.0

*Exclusive of Northern Ireland

† Late foetal deaths not included

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS DURING THE PERIOD 1864-1970 AND THE NUMBER OF DEATHS IN THE YEARS 1971 TO 1978 CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971	17,357	819	82	60	106	129	194	355	1,191	2,850	4,729	4,859	1,878	105
1972	18,731	815	99	65	131	156	211	415	1,221	3,019	5,122	5,272	2,070	135
1973	18,689	845	53	42	134	160	228	422	1,224	2,969	5,131	5,313	2,024	144
1974	18,923	853	78	54	116	148	230	447	1,207	2,950	5,376	5,242	2,088	134
1975	18,077	800	62	74	119	165	230	381	1,176	2,878	5,130	5,047	1,910	105
1976	18,465	698	72	55	135	144	242	363	1,124	2,855	5,242	5,359	2,065	111
1977	18,297	694	90	61	121	166	238	373	1,069	2,875	5,256	5,140	2,081	133
1978	18,442	685	68	69	135	156	303	390	1,127	2,883	5,334	5,265	1,902	125
Females														
Average-														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971	14,533	597	41	27	54	57	132	214	785	1,686	3,415	4,723	2,555	247
1972	15,650	627	60	34	68	61	113	276	809	1,724	3,582	5,301	2,720	275
1973	15,503	607	37	33	40	52	116	260	837	1,723	3,601	5,183	2,726	288
1974	15,998	581	34	35	58	60	112	254	750	1,834	3,834	5,243	2,928	275
1975	15,096	597	43	33	30	54	118	236	747	1,659	3,451	5,149	2,700	279
1976	15,578	531	39	35	57	49	113	271	677	1,682	3,446	5,483	2,868	327
1977	15,335	561	51	47	50	52	111	224	718	1,651	3,544	5,272	2,744	310
1978	15,352	555	39	36	61	51	139	241	676	1,679	3,378	5,357	2,860	280
Persons														
Average-														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971	31,890	1,416	123	87	160	186	326	569	1,976	4,536	8,144	9,582	4,433	352
1972	34,381	1,442	159	99	199	217	324	691	2,030	4,743	8,704	10,573	4,790	410
1973	34,192	1,452	90	75	174	212	344	682	2,061	4,692	8,732	10,496	4,750	432
1974	34,921	1,434	112	89	174	208	342	701	1,957	4,784	9,210	10,485	5,016	409
1975	33,173	1,397	105	107	149	219	348	617	1,923	4,537	8,581	10,196	4,610	384
1976	34,043	1,229	111	90	192	193	355	634	1,801	4,537	8,688	10,842	4,933	438
1977	33,632	1,255	141	108	171	218	349	597	1,787	4,526	8,800	10,412	4,825	443
1978	33,794	1,240	107	105	196	207	442	631	1,803	4,562	8,712	10,622	4,762	405

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1970 AND DEATH RATES FOR THE YEARS 1971 TO 1978 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971	11.60	5.06	0.51	0.39	0.78	1.17	1.18	2.34	7.46	19.45	47.73	111.86	244.39
1972	12.75	4.98	0.60	0.42	0.94	1.38	1.72	2.69	7.68	20.63	50.99	121.12	271.85
1973	12.11	5.11	0.32	0.27	0.94	1.38	1.26	2.69	7.73	20.31	50.35	121.74	267.19
1974	12.06	5.09	0.46	0.34	0.79	1.24	1.21	2.79	7.64	20.20	51.97	119.77	273.61
1975	11.32	4.72	0.36	0.46	0.80	1.34	1.16	2.34	7.47	19.71	48.83	114.91	248.28
1976	11.38	4.07	0.42	0.33	0.88	1.14	1.17	2.19	7.17	19.59	49.18	121.72	268.01
1977	11.12	4.02	0.51	0.36	0.78	1.28	1.10	2.22	6.87	19.82	48.72	116.73	273.47
1978	11.07	3.93	0.39	0.41	0.85	1.18	1.35	2.29	7.30	19.99	48.89	119.67	251.18
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971	9.80	3.88	0.26	0.18	0.41	0.54	0.83	1.43	4.92	11.84	30.59	86.32	218.60
1972	10.40	4.03	0.38	0.23	0.51	0.56	0.68	1.82	5.10	12.05	31.75	95.24	230.74
1973	10.09	3.86	0.23	0.22	0.29	0.47	0.66	1.65	5.28	11.79	31.57	91.47	229.15
1974	10.29	3.65	0.21	0.23	0.41	0.52	0.61	1.63	4.77	12.67	33.22	90.87	240.05
1975	9.55	3.70	0.26	0.21	0.21	0.46	0.62	1.50	4.78	11.39	29.56	87.62	220.23
1976	9.71	3.26	0.24	0.22	0.39	0.40	0.57	1.70	4.36	11.49	29.21	91.69	233.14
1977	9.43	3.41	0.31	0.29	0.34	0.42	0.53	1.39	4.67	11.25	29.77	86.78	220.31
1978	9.32	3.34	0.23	0.22	0.40	0.40	0.64	1.48	4.45	11.41	28.15	86.87	224.06
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971	10.71	4.49	0.39	0.29	0.60	0.86	1.01	1.89	6.19	15.70	38.65	97.63	228.60
1972	11.37	4.52	0.50	0.33	0.73	0.98	0.95	2.26	6.39	16.39	40.81	106.60	246.55
1973	11.13	4.50	0.28	0.24	0.62	0.93	0.97	2.20	6.52	16.18	40.43	106.64	243.66
1974	11.18	4.39	0.34	0.28	0.61	0.89	0.92	2.22	6.21	16.45	42.08	103.33	252.75
1975	10.44	4.22	0.31	0.34	0.51	0.91	0.89	1.93	6.13	15.56	38.69	99.29	230.74
1976	10.55	3.67	0.33	0.28	0.64	0.78	0.87	1.95	5.78	15.53	38.69	104.42	246.12
1977	10.28	3.72	0.41	0.33	0.56	0.86	0.82	1.81	5.78	15.51	38.78	99.37	239.91
1978	10.20	3.65	0.31	0.32	0.63	0.80	1.00	1.90	5.89	15.66	38.03	100.52	233.97

TABLE 10- BIRTHS AND DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN 1978,
CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	70,299	-	-	70,299	3,003	-	-	3,003
Carlow	505	56	495	944	7	1	22	28
Dublin County Borough	25,481	15,671	51	9,861	1,574	666	23	931
Dun Laoghaire Borough	1,287	1,084	590	793	123	106	60	77
Dublin County (remainder)	183	144	9,879	9,918	162	143	340	359
Kildare	233	7	2,233	2,459	7	-	94	101
Kilkenny	1,431	372	291	1,350	28	9	25	44
Laois	900	105	224	1,019	13	4	18	27
Longford	114	9	586	691	2	-	21	23
Louth	3,580	1,721	56	1,915	79	35	11	55
Meath	140	4	1,938	2,074	1	1	62	62
Offaly	918	87	366	1,197	30	2	18	46
Westmeath	1,037	299	543	1,281	33	8	13	38
Wexford	1,912	96	327	2,143	74	2	28	100
Wicklow	29	2	2,009	2,036	2	-	91	93
Clare	655	11	1,114	1,758	12	3	47	56
Cork County Borough	8,460	5,937	14	2,537	384	270	12	126
Cork County	448	15	5,130	5,563	8	-	139	147
Kerry	1,717	26	665	2,356	34	2	39	71
Limerick County Borough	5,438	4,371	14	1,081	131	85	10	56
Limerick County	3	-	2,243	2,246	1	-	66	67
Tipperary, N.R.	174	1	1,089	1,262	2	-	31	33
Tipperary, S.R.	1,121	104	493	1,510	21	-	34	55
Waterford County Borough	2,090	1,340	14	764	81	46	10	45
Waterford County	128	1	1,000	1,127	1	-	45	46
Galway	4,768	1,414	67	3,421	74	20	35	89
Leitrim	62	2	443	503	1	-	11	12
Mayo	2,026	124	163	2,065	26	4	22	44
Roscommon	153	12	655	796	6	3	15	18
Sligo	1,447	512	83	1,018	22	3	12	31
Cavan	907	159	330	1,078	16	3	25	38
Donegal	2,329	6	200	2,523	43	-	28	71
Monaghan	623	6	393	1,010	5	-	9	14

AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
33,794	-	-	33,794	1,046	-	-	1,046	36,505	Total
355	17	88	426	3	-	15	18	518	Carlow
7,180	2,138	354	5,396	482	329	5	158	4,465	Dublin County Borough
682	260	202	624	8	5	12	15	169	Dun Laoghaire Borough
1,095	409	991	1,677	24	12	137	149	8,241	Dublin County (remainder)
582	38	224	768	7	-	41	48	1,691	Kildare
678	67	93	704	8	3	11	16	646	Kilkenny
518	30	75	563	6	-	12	18	456	Laois
326	21	98	403	2	-	17	19	288	Longford
960	168	46	838	45	20	1	26	1,077	Louth
630	43	234	821	4	-	34	38	1,253	Meath
500	27	76	549	7	1	7	13	648	Offaly
629	56	100	673	18	2	13	29	608	Westmeath
931	13	80	998	19	1	12	30	1,145	Wexford
468	56	295	707	5	1	16	20	1,329	Wicklow
900	16	129	1,013	12	1	15	26	745	Clare
2,293	930	82	1,442	137	93	1	45	1,095	Cork County Borough
2,151	124	884	2,914	23	2	77	98	2,649	Cork County
1,413	14	105	1,504	8	-	25	33	852	Kerry
663	267	200	596	45	35	8	18	485	Limerick County Borough
1,060	269	254	1,045	14	9	20	25	1,201	Limerick County
559	20	83	622	5	1	8	12	640	Tipperary, N.R.
774	46	88	816	8	-	10	18	694	Tipperary, S.R.
598	274	28	352	26	19	3	10	412	Waterford County Borough
323	5	246	564	2	-	9	11	563	Waterford County
1,773	250	60	1,583	49	18	3	34	1,838	Galway
373	4	100	469	1	-	5	6	34	Leitrim
1,451	26	130	1,555	12	1	10	21	510	Mayo
669	33	113	749	3	-	8	11	47	Roscommon
734	111	53	676	37	25	4	16	342	Sligo
640	10	97	727	6	-	5	11	351	Cavan
1,398	8	100	1,490	18	-	26	44	1,033	Donegal
488	29	71	530	2	-	8	10	480	Monaghan

TABLE 11 - MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND
COUNTY BOROUGH DURING 1978 SHOWING SEPARATELY ILLEGITIMATE BIRTHS
AND DEATHS FROM SOME CAUSES

Area	Marri-ages	BIRTHS							DEATHS						
		Total (including illegitimate)			Illegitimate			Total			Under 1 year	Tuber-culosis	Malignant neo-plasms		
		Males	Females	Total	Males	Females	Total	Males	Females	Total					
TOTAL	21,184	35,766	34,533	70,299	1,546	1,457	3,003	18,442	15,352	33,794	1,046	206	6,218		
Carlow	226	505	439	944	20	8	28	229	197	426	18	4	66		
Dublin Co. Borough	4,889	5,067	4,794	9,861	464	467	931	2,777	2,619	5,396	158	37	1,165		
Dun Laoghaire Borough	364	392	401	793	35	42	77	293	331	624	15	2	139		
Dublin Co. (remainder)	1,344	5,094	4,824	9,918	177	182	359	867	810	1,677	149	14	365		
Kildare	565	1,270	1,189	2,459	58	43	101	428	340	768	48	3	132		
Kilkenny	413	686	664	1,350	23	21	44	405	299	704	16	5	133		
Laois	315	508	511	1,019	11	16	27	326	237	563	18	3	101		
Longford	182	365	326	691	12	11	23	234	169	403	19	1	59		
Louth	622	967	948	1,915	28	27	55	444	394	838	26	2	186		
Meath	489	1,037	1,037	2,074	34	28	62	463	358	821	38	4	125		
Offaly	377	576	621	1,197	25	21	46	307	242	549	13	4	93		
Westmeath	431	626	655	1,281	20	18	38	363	310	673	29	5	104		
Wexford	564	1,056	1,087	2,143	44	56	100	571	427	998	30	2	195		
Wicklow	475	1,060	976	2,036	42	51	93	373	334	707	20	4	145		
LEINSTER	11,256	19,209	18,472	37,681	993	991	1,984	8,080	7,067	15,147	597	90	3,008		
Clare	451	871	887	1,758	25	31	56	598	415	1,013	26	7	150		
Cork Co. Borough	963	1,318	1,219	2,537	71	55	126	739	703	1,442	45	20	281		
Cork County	1,390	2,811	2,752	5,563	89	58	147	1,622	1,292	2,914	98	22	521		
Kerry	743	1,217	1,139	2,356	39	32	71	839	665	1,504	33	6	242		
Limerick Co. Borough	453	537	544	1,081	32	24	56	295	301	596	18	5	111		
Limerick County	550	1,152	1,094	2,246	30	37	67	577	468	1,045	25	12	163		
Tipperary, N.R.	397	648	614	1,262	16	17	33	353	269	622	12	2	108		
Tipperary, S.R.	465	751	759	1,510	25	30	55	431	385	816	18	4	159		
Waterford Co. Borough	248	381	383	764	25	20	45	166	186	352	10	1	71		
Waterford County	283	589	538	1,127	18	28	46	308	256	564	11	3	96		
MUNSTER	5,943	10,275	9,929	20,204	370	332	702	5,928	4,940	10,868	296	82	1,902		
Galway	1,014	1,723	1,698	3,421	43	46	89	912	671	1,583	34	11	296		
Leitrim	177	260	243	503	9	3	12	293	176	469	6	1	66		
Mayo	636	1,053	1,012	2,065	24	20	44	861	694	1,555	21	10	262		
Roscommon	332	420	376	796	12	6	18	431	318	749	11	2	121		
Sligo	312	512	506	1,018	16	15	31	388	288	676	16	3	122		
CONNACHT	2,471	3,968	3,835	7,803	104	90	194	2,885	2,147	5,032	88	27	867		
Cavan	398	546	532	1,078	23	15	38	416	311	727	11	3	114		
Donegal	779	1,273	1,250	2,523	45	26	71	830	660	1,490	44	3	240		
Monaghan	337	495	515	1,010	11	3	14	303	227	530	10	1	87		
ULSTER (part of)	1,514	2,314	2,297	4,611	79	44	123	1,549	1,198	2,747	65	7	441		

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE
BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH
RATES FOR SOME DISEASES IN 1978.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegit- imate % of total births	All causes	Tuber- culosis	Malignant neoplasms	
TOTAL	6.39	21.21	4.27	10.20	0.06	1.88	14.88
Carlow	5.94	24.82	2.97	11.20	0.11	1.74	19.07
Dublin County Borough	8.89	17.93	9.44	9.81	0.06	2.12	16.02
Dun Laoghaire Borough	6.71	14.60	9.71	11.49	0.04	2.56	18.92
Dublin County (remainder)	3.71	27.42	3.62	4.64	0.04	1.01	15.02
Kildare	6.03	26.28	4.11	8.21	0.03	1.41	19.52
Kilkenny	6.07	19.84	3.26	10.35	0.07	1.95	11.85
Laois	6.38	20.66	2.65	11.41	0.06	2.05	17.66
Longford	5.99	22.75	3.33	13.27	0.03	1.94	27.49
Louth	7.35	22.64	2.87	9.91	0.02	2.19	13.58
Meath	5.55	23.56	2.99	9.33	0.04	1.42	18.32
Offaly	6.66	21.16	3.84	9.70	0.07	1.64	10.86
Westmeath	7.30	21.71	2.97	11.40	0.08	1.76	22.64
Wexford	5.93	22.55	4.67	10.50	0.02	2.05	13.99
Wicklow	5.84	25.04	4.57	8.69	0.05	1.78	9.82
LEINSTER	6.58	22.04	5.27	8.86	0.05	1.76	15.84
Clare	5.41	21.10	3.19	12.16	0.08	1.80	14.79
Cork County Borough	7.01	18.48	4.97	10.50	0.15	2.05	17.74
Cork County	5.49	22.01	2.64	11.52	0.09	2.06	17.62
Kerry	6.23	19.76	3.01	12.61	0.05	2.03	14.01
Limerick County Borough	7.49	17.87	5.18	9.86	0.08	1.84	16.65
Limerick County	5.81	23.75	2.98	11.05	0.13	1.72	11.13
Tipperary, N.R.	6.86	21.83	2.61	10.76	0.03	1.87	9.51
Tipperary, S.R.	6.24	20.29	3.64	10.96	0.05	2.14	11.92
Waterford County Borough	7.60	23.42	5.89	10.79	0.03	2.18	13.09
Waterford County	5.31	21.15	4.08	10.59	0.06	1.80	9.76
MUNSTER	6.15	20.92	3.47	11.25	0.08	1.97	14.65
Galway	6.14	20.73	2.60	9.59	0.07	1.79	9.94
Leitrim	6.16	17.51	2.39	16.33	0.03	2.29	11.93
Mayo	5.61	18.22	2.13	13.72	0.09	2.31	10.17
Roscommon	6.13	14.72	2.26	13.85	0.04	2.24	13.82
Sligo	5.78	18.87	3.05	12.53	0.06	2.26	15.72
CONNACHT	5.95	18.79	2.49	12.12	0.07	2.09	11.28
Cavan	7.43	20.15	3.33	13.59	0.06	2.13	10.20
Donegal	6.49	21.02	2.81	12.42	0.02	1.99	17.44
Monaghan	6.78	20.34	1.39	10.67	0.02	1.75	9.90
ULSTER (part of)	6.78	20.66	2.67	12.31	0.03	1.98	14.09

TABLE 13 - DEATHS IN 1978 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Age Groups	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,442	6,426	8,679	3,337	15,352	4,598	3,622	7,132
Under 15 years	822	822	-	-	630	630	-	-
15-19	135	135	-	-	61	60	1	-
20-24	156	137	19	-	51	42	9	-
25-29	161	110	51	-	73	39	34	-
30-34	142	73	69	-	66	24	41	1
35-39	146	59	85	2	106	25	81	-
40-44	244	99	143	2	135	30	97	8
45-49	391	137	246	8	254	70	173	11
50-54	736	242	472	22	422	105	273	44
55-59	1,224	411	758	55	650	158	379	113
60-64	1,659	539	993	127	1,029	264	521	244
65-69	2,439	744	1,427	268	1,401	364	561	476
70-74	2,895	881	1,522	492	1,977	555	550	872
75-79	2,888	872	1,349	667	2,549	703	463	1,383
80-84	2,377	642	955	780	2,808	729	294	1,785
85 and over	2,027	523	590	914	3,140	800	145	2,195

TABLE 14 - BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1978 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,562	2,600	5,162	1,049	991	2,040
Carlow	131	127	258	44	46	90
Athy	64	58	122	22	32	54
Naas	78	86	164	29	20	49
Longford	75	55	130	18	19	37
Ceannannus Mor	40	31	71	3	12	15
An Uaimh	117	136	253	29	24	53
Trim	26	29	55	12	14	26
Birr	43	44	87	22	15	37
Tullamore	83	116	199	31	24	55
Athlone	131	134	265	44	47	91
Enniscorthy	63	61	124	36	19	55
New Ross	51	55	106	19	25	44
Arklow	104	75	179	31	18	49
Wicklow	48	65	113	11	15	26
Ennis	114	114	228	49	43	92
Kilrush	36	17	53	14	13	27
Clonakilty	27	25	52	16	13	29
Cobh	77	68	145	47	39	86
Fermoy	48	54	102	26	24	50
Kinsale	23	17	40	11	15	26
Macroom	23	23	46	12	9	21
Mallow	68	75	143	37	28	65
Midleton	60	71	131	26	20	46
Skibbereen	22	15	37	6	14	20
Youghal	61	50	111	29	34	63
Killarney	71	74	145	38	36	74
Listowel	34	28	62	15	15	30
Nenagh	49	57	106	21	18	39
Templemore	25	21	46	6	10	16
Thurles	64	77	141	34	34	68
Carrick-on-Suir	54	52	106	16	28	44
Cashel	22	36	58	11	13	24
Tipperary	58	49	107	28	23	51
Dungarvan	83	78	161	32	26	58
Ballinasloe	44	36	80	21	14	35
Ballina	64	83	147	40	33	73
Castlebar	47	58	105	27	27	54
Westport	27	26	53	16	20	36
Cavan	38	47	85	11	16	27
Buncrana	28	24	52	12	8	20
Bundoran	43	39	82	34	20	54
Letterkenny	67	77	144	11	16	27
Carrickmacross	40	23	63	15	7	22
Castleblaney	18	25	43	13	11	24
Clones	26	35	61	15	14	29
Monaghan	47	54	101	9	20	29

TABLE 15 - BIRTHS AND DEATHS CLASSIFIED BY SEX, IN 1978, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS					
	Total (including illegitimate)			Illegitimate			Total			Tuber-	Malignant	
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	
TOTAL	35,766	34,533	70,299	1,546	1,457	3,003	18,442	15,352	33,794	205	6,218	
Dublin County Borough	5,067	4,794	9,861	464	467	931	2,777	2,619	5,396	37	1,165	
Cork County Borough	1,318	1,219	2,537	71	55	126	739	703	1,442	20	281	
Limerick County Borough	537	544	1,081	32	24	56	295	301	596	5	111	
Waterford County Borough	381	383	764	25	20	45	166	186	352	1	71	
Dun Laoghaire Borough	392	401	793	35	42	77	293	331	624	2	139	
Municipal Boroughs:												
Galway	445	421	866	15	11	26	114	111	225	2	47	
Drogheda	241	250	491	10	10	20	116	108	224	1	63	
Sligo	195	174	369	14	7	21	86	71	157	-	26	
Wexford	142	144	286	5	15	20	74	59	133	-	28	
Clonmel	173	157	330	6	6	12	61	62	123	-	25	
Kilkenny	177	166	343	6	6	12	73	74	147	1	28	
Urban Districts:												
Dundalk	286	287	573	7	4	11	121	125	246	-	43	
Bray	285	284	569	12	13	25	79	110	189	1	46	
Tralee	205	167	372	6	3	9	73	77	150	1	24	
Total above Principal Towns	9,844	9,391	19,235	708	683	1,391	5,067	4,937	10,004	71	2,097	
Total other Urban Districts	2,562	2,600	5,162	88	67	155	1,049	991	2,040	20	392	
All Boroughs and Urban Districts												
Leinster	7,644	7,398	15,042	580	590	1,170	3,884	3,756	7,640	51	1,629	
Munster	3,633	3,471	7,104	173	134	307	1,808	1,784	3,592	38	708	
Connacht	822	798	1,620	32	20	52	304	276	580	2	113	
Ulster (part of)	307	324	631	11	6	17	120	112	232	-	39	
Total-Boroughs and Urban Districts	12,406	11,991	24,397	796	750	1,546	6,116	5,928	12,044	91	2,489	
All Rural Districts:												
Leinster	11,565	11,074	22,639	413	401	814	4,196	3,311	7,507	39	1,379	
Munster	6,642	6,458	13,100	197	198	395	4,120	3,156	7,276	44	1,194	
Connacht	3,146	3,037	6,183	72	79	142	2,581	1,871	4,452	25	754	
Ulster (part of)	2,007	1,973	3,980	68	38	106	1,429	1,086	2,515	7	402	
Total-Rural Districts	23,360	22,542	45,902	750	707	1,457	12,326	9,424	21,750	115	3,729	

TABLE 16 - BIRTH AND DEATH RATES IN 1978 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	21.21	4.27	10.20	0.06	1.88
Dublin County Borough	17.93	9.44	9.81	0.07	2.12
Cork County Borough	18.48	4.97	10.50	0.15	2.05
Limerick County Borough	17.87	5.18	9.86	0.08	1.84
Waterford County Borough	23.42	5.89	10.79	0.03	2.18
Dun Laoghaire Borough	14.60	9.71	11.49	0.04	2.56
Municipal Boroughs:					
Galway	23.46	3.00	6.09	0.05	1.27
Drogheda	21.77	4.07	9.93	0.04	2.79
Sligo	21.91	5.69	9.32	-	1.54
Wexford	24.13	6.99	11.22	-	2.36
Clonmel	26.57	3.64	9.90	-	2.01
Kilkenny	34.03	3.50	14.58	0.10	2.78
Urban Districts:					
Dundalk	22.70	1.92	9.75	-	1.70
Bray	26.13	4.39	8.68	0.05	2.11
Tralee	24.78	2.42	9.99	0.07	1.60
Total above Principal Towns	19.09	7.23	9.93	0.07	2.08
All other Urban Districts	23.12	3.00	9.14	0.09	1.76
All Boroughs and Urban Districts:					
Leinster	19.33	7.78	9.82	0.07	2.09
Munster	20.42	4.32	10.32	0.11	2.03
Connacht	21.00	3.21	7.52	0.03	1.46
Ulster (part of)	23.11	2.69	8.50	-	1.43
Total - Boroughs and Urban Districts	19.82	6.34	9.79	0.07	2.02
All Rural Districts:					
Leinster	24.30	3.60	8.06	0.04	1.48
Munster	21.20	3.02	11.78	0.07	1.93
Connacht	18.30	2.30	13.17	0.07	2.23
Ulster (part of)	20.32	2.66	12.84	0.04	2.05
Total - Rural Districts	22.03	3.17	10.44	0.06	1.79

TABLE 17 - DEATHS OCCURRING IN 1978 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	12,044	6,116	5,928	21,750	12,326	9,424	33,794	18,442	15,352
Under 1 year	364	206	158	682	370	312	1,046	576	470
1 year	18	13	5	44	25	19	62	38	24
2 years	15	7	8	41	19	22	56	26	30
3 "	8	5	3	35	22	13	43	27	16
4 "	14	8	6	19	10	9	33	18	15
1-4 "	55	33	22	139	76	63	194	109	85
5 "	6	4	2	16	10	6	22	14	8
6 "	13	10	3	13	7	6	26	17	9
7 "	8	5	3	10	3	7	18	8	10
8 "	9	7	2	14	8	6	23	15	8
9 "	6	5	1	12	9	3	18	14	4
5-9	42	31	11	65	37	28	107	68	39
10 "	7	4	3	14	9	5	21	13	8
11 "	13	7	6	11	8	3	24	15	9
12 "	9	8	1	12	8	4	21	16	5
13 "	4	3	1	11	10	1	15	13	2
14 "	6	2	4	18	10	8	24	12	12
10-14 "	39	24	15	66	45	21	105	69	36
15 "	9	5	4	16	13	3	25	18	7
16 "	11	6	5	24	11	13	35	17	18
17 "	12	9	3	28	21	7	40	30	10
18 "	21	15	6	34	26	8	55	41	14
19 "	16	11	5	25	18	7	41	29	12
15-19 "	69	46	23	127	89	38	196	133	61
20 "	14	8	6	28	24	4	42	32	10
21 "	20	14	6	20	17	3	40	31	9
22 "	18	15	3	22	16	6	40	31	9
23 "	23	17	6	31	24	7	54	41	13
24 "	18	13	5	13	8	5	31	21	10
20-24 "	93	67	26	114	89	25	207	156	51
25 "	20	16	4	28	21	7	48	37	11
26 "	15	11	4	30	20	10	45	31	14
27 "	15	11	4	25	20	5	40	31	9
28 "	22	11	11	21	12	9	43	23	20
29 "	24	18	6	34	21	13	58	39	19
25-29 "	96	67	29	138	94	44	234	161	73
30 "	17	12	5	24	18	6	41	30	11
31 "	26	16	10	14	9	5	40	25	15
32 "	20	11	9	20	15	5	40	26	14
33 "	17	12	5	29	24	5	46	36	10
34 "	22	13	9	19	12	7	41	25	16
30-34 "	102	64	38	106	78	28	208	142	66

TABLE 17 (contd.) - DEATHS OCCURRING IN 1978 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	19	14	5	19	11	8	38	25	13
36 "	19	12	7	27	14	13	46	26	20
37 "	20	10	10	29	15	14	49	25	24
38 "	32	17	15	34	19	15	66	36	30
39 "	18	10	8	35	24	11	53	34	19
35-39 "	108	63	45	144	83	61	252	146	106
40 "	25	16	9	31	20	11	56	36	20
41 "	27	15	12	44	28	16	71	43	28
42 "	37	27	10	52	30	22	89	57	32
43 "	30	18	12	45	32	13	75	50	25
44 "	41	25	16	47	33	14	88	58	30
40-44 "	160	101	59	219	143	76	379	244	135
45 "	57	37	20	69	47	22	126	84	42
46 "	51	29	22	62	35	27	113	64	49
47 "	49	28	21	78	47	31	127	75	52
48 "	63	34	29	84	45	39	147	79	68
49 "	71	46	25	61	43	18	132	89	43
45-49 "	291	174	117	354	217	137	645	391	254
50 "	86	46	40	113	72	41	199	118	81
51 "	77	47	30	114	70	44	191	117	74
52 "	106	74	32	138	88	50	244	162	82
53 "	103	69	34	113	76	37	216	145	71
54 "	127	78	49	181	116	65	308	194	114
50-54 "	499	314	185	659	422	237	1,158	736	422
55 "	137	97	40	200	130	70	337	227	110
56 "	157	98	59	198	143	55	355	241	114
57 "	148	91	57	222	142	80	370	233	137
58 "	180	110	70	239	154	85	419	264	155
59 "	159	91	68	234	168	66	393	259	134
55-59 "	781	487	294	1,093	737	356	1,874	1,224	650
60 "	188	104	84	314	188	126	502	292	210
61 "	162	102	60	247	162	85	409	264	145
62 "	203	113	90	354	231	123	557	344	213
63 "	230	128	102	367	238	129	597	366	231
64 "	226	133	93	397	260	137	623	393	230
60-64 "	1,009	530	429	1,679	1,079	500	2,588	1,659	1,029
65 "	263	162	101	413	256	157	676	418	258
66 "	281	161	120	458	305	153	739	466	273
67 "	323	196	127	478	327	151	801	523	278
68 "	295	172	123	568	379	189	863	551	312
69 "	299	178	121	462	303	159	761	481	280
65-69 "	1,461	869	592	2,379	1,570	809	3,840	2,439	1,401

TABLE 17 (contd.) - DEATHS OCCURRING IN 1978 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	376	218	158	622	374	248	998	592	406
71 "	338	202	136	509	319	190	847	521	326
72 "	354	219	135	596	356	240	950	575	375
73 "	358	198	160	632	361	271	990	559	431
74 "	389	210	179	698	438	260	1,087	648	439
70-74 "	1,815	1,047	768	3,057	1,848	1,209	4,872	2,895	1,977
75 "	359	186	173	677	384	293	1,036	570	466
76 "	369	175	194	708	401	307	1,077	576	501
77 "	368	181	187	715	387	328	1,083	568	515
78 "	442	211	231	881	492	389	1,323	703	620
79 "	320	146	174	598	325	273	918	471	447
75-79 "	1,858	899	959	3,579	1,989	1,590	5,437	2,888	2,549
80 "	385	154	231	805	407	398	1,190	561	629
81 "	276	91	185	632	319	313	908	410	498
82 "	374	149	225	727	365	362	1,101	514	587
83 "	278	93	185	682	341	341	960	434	526
84 "	313	118	195	713	340	373	1,026	458	568
80-84 "	1,626	605	1,021	3,559	1,772	1,787	5,185	2,377	2,808
85 "	260	77	183	593	280	313	853	357	496
86 "	243	77	166	613	279	334	856	356	500
87 "	185	63	122	422	197	225	607	260	347
88 "	184	61	123	401	187	214	585	248	337
89 "	152	38	114	324	135	189	476	173	303
85-89 "	1,024	316	708	2,353	1,078	1,275	3,377	1,394	1,983
90 "	139	42	97	280	133	147	419	175	244
91 "	73	18	55	189	74	115	262	92	170
92 "	84	12	72	181	81	100	265	93	172
93 "	69	17	52	177	72	105	246	89	157
94 "	65	11	54	128	48	80	193	59	134
90-94 "	430	100	330	955	408	547	1,385	508	877
95 "	36	5	31	85	40	45	121	45	76
96 "	38	11	27	89	29	60	127	40	87
97 "	17	4	13	36	14	22	53	18	35
98 "	13	1	12	30	10	20	43	11	32
99 "	10	2	8	24	2	22	34	4	30
95-99 "	114	23	91	264	95	169	378	118	260
100 "	5	-	5	7	2	5	12	2	10
101 "	-	-	-	6	3	3	6	3	3
102 "	2	-	2	3	-	3	5	-	5
103 "	1	-	1	2	1	1	3	1	2
107 "	-	-	-	1	1	-	1	1	-
100 years and over	8	-	8	19	7	12	27	7	20

TABLE 18 - DEATHS OCCURRING IN 1978 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,442	576	38	26	27	18	685	68	69	135	156	161
	Females	15,352	470	24	30	16	15	555	39	36	61	51	73
LEINSTER	Males	8,080	333	18	13	14	6	384	37	35	66	79	87
	Females	7,067	264	11	15	6	4	300	21	18	32	23	44
MUNSTER	Males	5,928	155	16	10	9	7	197	22	26	49	45	43
	Females	4,940	141	9	10	7	7	174	13	11	14	14	16
CONNACHT	Males	2,885	47	2	1	3	2	55	7	2	14	21	18
	Females	2,147	41	3	3	1	2	50	3	5	7	10	8
ULSTER (part of)	Males	1,549	41	2	2	1	3	49	2	6	6	11	13
	Females	1,198	24	1	2	2	2	31	2	2	8	4	5
LEINSTER													
Carlow	Males	229	12	-	2	-	1	15	-	-	-	1	-
	Females	197	6	-	-	1	-	7	-	2	-	-	1
Dublin County Borough	Males	2,777	91	3	2	1	1	98	15	12	22	27	36
	Females	2,619	67	2	1	-	3	73	5	6	8	7	13
Dun Laoghaire Borough	Males	293	10	1	-	1	-	12	-	2	-	3	2
	Females	331	5	-	-	-	-	5	-	-	2	2	2
Dublin County (remainder)	Males	867	80	6	4	6	2	98	5	5	12	7	17
	Females	810	69	1	5	-	1	76	2	1	4	1	11
Kildare	Males	428	25	2	1	-	-	28	1	2	8	7	4
	Females	340	23	2	1	2	-	28	5	2	2	2	2
Kilkenny	Males	405	13	1	-	1	-	15	2	3	4	3	2
	Females	299	3	-	2	-	-	5	3	1	2	-	1
Laois	Males	326	9	-	-	1	-	10	1	-	1	2	1
	Females	237	9	2	-	2	-	13	2	2	1	-	1
Longford	Males	234	10	-	-	1	-	11	1	1	1	4	1
	Females	169	9	-	1	-	-	10	-	-	-	-	1
Louth	Males	444	12	1	-	-	1	14	-	2	5	9	5
	Females	394	14	2	2	1	-	19	1	-	3	2	4
Meath	Males	463	24	2	-	-	-	26	1	3	6	6	7
	Females	358	14	-	1	-	-	15	-	-	3	3	1
Offaly	Males	307	7	-	-	3	-	10	5	2	5	2	-
	Females	242	6	-	-	-	-	6	2	2	1	3	-
Westmeath	Males	363	14	-	-	-	-	14	1	2	1	3	1
	Females	310	15	1	1	-	-	17	-	1	1	-	-
Wexford	Males	571	13	-	3	-	1	17	2	-	-	4	7
	Females	427	17	1	-	-	-	18	1	1	4	1	3
Wicklow	Males	373	13	2	1	-	-	16	3	1	1	1	4
	Females	334	7	-	1	-	-	8	-	-	1	1	4

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
142	146	244	391	736	1,224	1,659	2,439	2,895	2,888	2,377	2,027	Males	Total
66	106	135	254	422	650	1,029	1,401	1,977	2,549	2,808	3,140	Females	
67	76	112	210	364	613	767	1,079	1,288	1,231	879	706	Males	LEINSTER
36	57	68	133	215	352	497	650	896	1,149	1,201	1,375	Females	
50	50	93	116	238	393	511	810	934	906	811	634	Males	MUNSTER
19	33	43	85	135	195	323	466	667	808	927	997	Females	
19	15	23	43	88	139	239	348	440	488	464	462	Males	CONNACHT
6	11	15	25	48	69	132	186	259	368	452	493	Females	
6	5	16	22	46	79	142	202	233	263	223	225	Males	ULSTER (part of)
5	5	9	11	24	34	77	99	155	224	228	275	Females	
												LEINSTER	
-	3	1	7	12	19	28	27	36	41	26	13	Males	Carlow
-	1	1	2	7	6	9	14	30	41	37	39	Females	
30	28	48	84	144	224	282	394	482	384	274	193	Males	Dublin County Borough
18	21	22	54	83	153	176	266	324	406	446	538	Females	
2	2	3	12	12	27	22	44	44	52	38	24	Males	Dun Laoghaire Borough
3	2	3	2	4	16	22	25	44	60	64	75	Females	
7	14	14	22	40	59	75	96	103	118	105	70	Males	Dublin County (remainder)
4	8	6	18	25	43	50	61	91	123	130	156	Females	
2	7	7	18	21	32	44	66	69	52	39	21	Males	Kildare
1	3	5	8	12	15	31	33	49	46	49	47	Females	
3	2	5	7	11	20	39	43	81	69	49	47	Males	Kilkenny
1	4	3	6	5	10	29	28	55	49	44	53	Females	
2	1	1	7	11	31	31	45	48	62	35	37	Males	Laois
-	2	2	6	3	16	15	20	31	39	44	40	Females	
1	-	3	2	6	11	23	31	32	46	36	24	Males	Longford
-	1	4	1	6	4	8	15	25	28	39	27	Females	
5	5	3	11	24	32	43	63	76	64	40	43	Males	Louth
4	3	6	7	16	20	34	38	42	69	59	67	Females	
1	3	5	10	24	40	43	47	62	78	51	50	Males	Meath
1	2	6	11	10	18	33	37	43	64	49	62	Females	
5	1	3	7	11	19	26	36	49	54	38	34	Males	Offaly
1	3	4	3	10	14	24	19	24	41	46	39	Females	
3	1	7	4	19	30	27	50	52	58	43	47	Males	Westmeath
-	4	1	3	12	11	13	19	44	57	61	65	Females	
3	7	8	11	16	41	51	90	86	99	67	62	Males	Wexford
3	1	2	5	11	17	32	38	56	73	77	84	Females	
3	2	4	8	13	28	33	47	68	54	46	41	Males	Wicklow
-	2	3	7	11	9	21	37	38	53	56	83	Females	

TABLE 18 (contd.)-DEATHS OCCURRING IN 1978 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	598	14	1	2	1	-	18	1	4	5	2	6
	Females	415	12	-	-	-	-	12	1	-	1	-	2
Cork County Borough	Males	739	30	3	2	-	-	35	2	5	7	7	8
	Females	703	15	-	4	-	1	20	4	3	3	3	1
Cork County	Males	1,622	49	7	3	3	2	64	5	6	11	9	11
	Females	1,292	49	4	2	4	3	62	4	4	2	4	-
Kerry	Males	839	15	3	-	-	-	18	3	1	6	8	4
	Females	665	18	-	4	-	1	23	-	-	1	3	2
Limerick County Borough	Males	295	7	-	1	1	1	10	1	1	4	6	5
	Females	301	11	1	-	1	-	13	-	-	3	1	3
Limerick County	Males	577	10	1	-	2	1	14	3	3	4	3	3
	Females	468	15	3	-	-	-	18	2	-	1	-	2
Tipperary, North Riding	Males	353	8	-	-	1	1	10	2	4	4	2	4
	Females	269	4	1	-	2	1	8	1	1	1	-	1
Tipperary, South Riding	Males	431	7	1	1	-	-	10	4	1	6	2	2
	Females	385	11	-	-	-	1	12	1	1	-	2	2
Waterford County Borough	Males	166	6	-	-	1	1	8	1	-	-	1	-
	Females	186	4	-	-	-	-	4	-	1	1	1	-
Waterford County	Males	308	9	-	1	-	-	10	-	1	2	5	-
	Females	256	2	-	-	-	-	2	-	1	1	-	3
CONNACHT													
Galway	Males	912	19	1	-	2	1	23	2	1	4	3	7
	Females	671	15	1	1	1	-	18	-	2	1	3	3
Leitrim	Males	293	3	-	-	1	-	4	-	-	2	6	1
	Females	176	3	-	1	-	1	5	1	-	-	-	1
Mayo	Males	861	8	1	-	-	1	10	3	-	6	5	3
	Females	694	13	-	-	-	-	13	-	2	4	4	2
Roscommon	Males	431	6	-	-	-	-	6	1	1	-	4	2
	Females	318	5	-	1	-	1	7	2	1	-	2	1
Sligo	Males	388	11	-	1	-	-	12	1	-	2	3	5
	Females	288	5	2	-	-	-	7	-	-	2	1	1
ULSTER (part of)													
Cavan	Males	416	9	1	1	1	-	12	-	1	1	2	6
	Females	311	2	-	-	-	1	3	-	-	1	1	-
Donegal	Males	830	27	-	1	-	2	30	1	4	3	8	6
	Females	660	17	1	2	2	1	23	1	2	4	3	4
Monaghan	Males	303	5	1	-	-	1	7	1	1	2	1	1
	Females	227	5	-	-	-	-	5	1	-	3	-	1

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death													Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over			
MUNSTER														
3	4	9	10	16	31	39	73	101	89	110	77	Males	Clare	
-	3	1	6	8	19	21	45	64	59	77	96	Females		
11	5	15	21	33	65	63	101	132	103	79	47	Males	Cork County Borough	
2	4	8	15	27	29	49	73	112	109	119	122	Females		
16	18	21	28	66	102	149	222	227	263	215	189	Males	Cork County	
6	8	12	18	30	49	88	117	170	197	265	256	Females		
8	8	5	14	26	56	59	117	141	123	130	112	Males	Kerry	
2	7	2	8	21	23	43	60	85	124	130	131	Females		
3	3	7	11	19	28	29	45	48	40	21	14	Males	Limerick County Borough	
2	4	4	7	5	18	21	34	37	44	48	57	Females		
3	3	13	15	23	38	57	84	69	86	84	72	Males	Limerick County	
3	1	3	9	8	17	29	40	71	76	85	103	Females		
-	1	5	6	14	13	33	34	60	63	57	41	Males	Tipperary, North Riding	
-	1	2	2	11	11	14	23	26	54	52	61	Females		
5	3	5	5	21	36	38	61	71	69	58	34	Males	Tipperary, South Riding	
1	2	5	9	11	15	26	28	53	74	77	66	Females		
1	4	9	2	8	11	16	23	30	23	11	18	Males	Waterford County Borough	
2	1	3	6	8	4	11	26	18	24	34	42	Females		
-	1	4	4	12	13	28	50	55	47	46	30	Males	Waterford County	
1	2	3	5	6	10	21	20	31	47	40	63	Females		
CONNACHT														
6	4	10	18	34	49	73	108	143	154	148	125	Males	Galway	
4	4	7	6	15	21	45	64	74	113	149	142	Females		
3	-	2	5	10	12	29	31	43	54	44	47	Males	Leitrim	
-	1	2	2	3	6	8	17	24	33	35	38	Females		
8	4	4	11	23	36	71	100	132	140	143	162	Males	Mayo	
-	2	4	8	13	26	40	65	81	120	138	172	Females		
-	2	4	3	14	23	38	61	68	58	67	79	Males	Roscommon	
-	2	2	4	7	7	23	26	48	55	68	63	Females		
2	5	3	6	7	19	28	48	54	82	62	49	Males	Sligo	
-	4	-	5	10	9	16	14	32	47	62	78	Females		
ULSTER (part of)														
1	2	5	9	11	24	40	46	68	68	64	56	Males	Cavan	
-	1	3	1	5	10	24	32	42	60	63	65	Females		
4	1	8	9	21	41	66	109	121	146	124	128	Males	Donegal	
2	2	4	7	15	17	37	41	84	120	131	163	Females		
1	2	3	4	14	14	36	47	44	49	35	41	Males	Monaghan	
3	2	2	3	4	7	16	26	29	44	34	47	Females		

TABLE 19- DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
135 61	156 51	161 73	142 66	146 106	244 135	391 254	736 422	1,224 650	1,659 1,029	2,439 1,401	2,895 1,977	2,888 2,549	2,377 2,808	2,027 3,140		
5 3	2 -	1 -	1 -	3 3	5 4	5 4	10 3	8 8	21 10	33 21	33 12	25 11	14 13	6 6	000-136	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	003	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	008	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- 2	- 3	- 3	1 -	009	
- 1	2 -	1 -	1 -	2 2	4 4	3 2	7 2	6 6	19 7	29 15	28 7	23 6	12 8	4 2	010-019	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	016	
- 1	2 -	1 -	1 -	2 1	3 3	2 2	5 1	5 3	11 3	20 4	18 4	13 3	6 4	4 -	011	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	012	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	013	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -	014	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	016	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	017	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	018	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	- -	- -	019	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 2	8 7	8 2	6 4	2 -	023
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	033	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	034	
2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	036	
- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	- 2	- 1	- -	- 1	1 -	038
- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	039	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	046	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	052	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	053	
- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	2 -	054
1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	055	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	056	
2 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	065	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	066	

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

DETAILED I.C.D. LIST NUMBER	CAUSE OF DEATH	ALL AGES							AGE AT	
			UNDER 1 YEAR	1	2	3	4	TOTAL UNDER 5	5-9	10-14
070	INFECTIOUS HEPATITIS	M F	3 4	2	-	-	-	-	2	-
079	OTHER VIRAL DISEASES	M F	1 3	-	-	-	-	-	-	-
093	CARDIOVASCULAR SYPHILIS	M F	2 -	-	-	-	-	-	-	-
100	LEPTOSPIROSIS	M F	1 -	-	-	-	-	-	-	-
112	MONILIASIS	M F	1 -	-	-	-	-	-	1	-
130	TOXOPLASMOSIS	M F	1 1	1	-	-	-	-	1	-
135	SARCOIDOSIS	M F	6 2	-	-	-	-	-	-	-
140-239	2.NEOPLASMS	M F	3,445 2,880	-	1	4	1	3	9	11
				1	1	1	3	2	8	9
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	M F	3,401 2,817	-	1	4	1	3	9	10
				1	1	1	3	2	8	8
140	MALIGNANT NEOPLASM OF LIP	M F	14 2	-	-	-	-	-	-	-
141	MALIGNANT NEOPLASM OF TONGUE	M F	20 9	-	-	-	-	-	-	-
142	MALIGNANT NEOPLASM OF SALIVARY GLAND	M F	9 7	-	-	-	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM	M F	1 -	-	-	-	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	M F	4 -	-	-	-	-	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	M F	9 3	-	-	-	-	-	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX	M F	6 2	-	-	-	-	-	-	-
147	MALIGNANT NEOPLASM OF NASOPHARYNX	M F	9 1	-	-	-	-	-	-	1
148	MALIGNANT NEOPLASM OF HYPOPHARYNX	M F	1 2	-	-	-	-	-	-	-
149	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	M F	13 6	-	-	-	-	-	-	-
150	MALIGNANT NEOPLASM OF OESOPHAGUS	M F	150 97	-	-	-	-	-	-	-
151	MALIGNANT NEOPLASM OF STOMACH	M F	339 267	-	-	-	-	-	-	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	M F	7 7	-	-	-	-	-	1	1
153	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM	M F	328 368	-	-	-	-	-	-	-
154	MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOID JUNCTION	M F	153 106	-	-	-	-	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	M F	33 20	-	-	-	-	-	-	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND BILE DUCTS	M F	19 36	-	-	-	-	-	-	-
157	MALIGNANT NEOPLASM OF PANCREAS	M F	169 152	-	-	-	-	-	-	-
158	MALIGNANT NEOPLASM OF PERITONEUM AND RETROPERITONEAL TISSUE	M F	5 6	-	-	-	-	-	-	-
159	MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS	M F	5 8	-	-	-	-	-	-	-

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH																	DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	'		
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	070
-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	079
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	093
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	135
8	13	21	29	29	49	92	197	307	382	565	621	563	349	188	140-239		
9	9	17	26	45	65	110	185	238	376	403	406	405	327	235			
8	12	19	28	29	47	90	197	304	378	564	615	554	342	184	140-209		
7	9	16	25	42	63	109	185	234	374	394	395	397	317	227			
-	-	-	-	-	-	-	-	1	1	1	1	3	2	5	-	140	
-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	141	
-	-	-	-	-	-	-	-	1	1	2	2	2	4	5	2		
-	-	-	-	-	-	-	-	-	-	2	3	3	-	1	3	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	142	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144	
-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	145	
-	-	-	-	-	-	-	-	-	3	-	-	2	-	1	-	146	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	147	
-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	148	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-		
-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	149	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	150	
-	-	1	-	2	1	4	7	18	19	25	26	29	13	5	6		
-	-	1	-	2	-	1	5	11	12	14	15	16	14	14	6		
-	-	-	-	4	6	13	14	27	45	59	73	46	34	18	39	151	
-	-	1	-	4	2	4	12	15	28	41	46	40	35	34	39		
-	-	-	-	-	-	1	-	1	2	-	1	-	1	1	1	152	
-	-	-	-	-	-	1	-	1	2	-	1	-	1	1	1		
-	-	2	1	4	2	6	18	25	28	39	57	64	57	25	53	153	
-	-	1	1	3	3	9	12	23	34	43	55	67	65	53			
-	1	1	-	1	2	4	5	7	6	15	25	27	30	19	17	154	
-	-	-	-	-	-	2	-	2	1	4	7	8	2	1	6	155	
-	-	-	-	-	-	1	-	2	1	1	4	4	2	2	1		
-	-	-	-	-	-	-	2	2	3	5	6	7	1	2	1	156	
-	-	-	-	1	1	5	7	13	20	34	36	23	20	9	10	157	
-	-	-	-	-	-	3	8	11	23	24	32	26	15	-	-	158	
1	-	-	-	-	-	1	1	1	-	2	1	-	1	-	-		
-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	1	159	

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
-	-	1	-	-	-	1	1	-	3	1	-	-	-	1	160	
-	-	-	-	-	-	3	5	9	6	4	7	8	5	1	161	
-	-	1	1	3	10	25	75	113	127	198	189	147	52	11	162	
-	-	1	1	1	6	8	21	30	60	68	51	34	27	7	162.0	
-	-	1	1	3	9	25	75	113	126	198	189	147	51	11	162.1	
-	-	1	1	1	6	8	21	30	60	68	51	34	26	7	162.1	
-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	163	
1	-	-	1	-	-	-	-	1	2	1	2	2	1	-	170	
-	-	1	2	-	2	-	1	1	3	-	3	1	-	1	171	
-	-	1	2	-	2	-	2	3	1	1	2	1	2	1	172	
-	-	-	-	-	2	1	1	1	2	2	1	1	2	3	12	173
-	-	2	9	17	22	39	66	44	85	60	64	54	45	33	1	174
-	1	1	2	2	1	6	6	10	3	4	3	4	6	-	180	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	181	
-	-	-	-	-	-	2	-	8	10	7	9	3	2	-	182.0	
-	-	-	-	2	-	1	2	-	5	1	7	7	6	4	182.9	
1	-	4	2	3	4	8	14	27	28	22	12	14	11	3	183	
-	-	-	-	-	1	1	1	1	-	5	2	7	2	3	184	
-	-	-	-	-	-	1	4	8	19	50	65	94	72	48	185	
-	3	2	1	-	1	1	1	-	-	3	1	-	1	-	186	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187	
-	-	1	-	1	2	2	4	7	9	15	16	26	17	5	188	
-	-	2	-	2	2	1	2	8	13	15	1	3	2	1	189	
-	-	-	-	-	1	-	1	1	2	-	1	1	2	-	190	
-	3	1	3	1	4	1	9	12	5	6	4	2	-	-	191	
1	1	1	-	4	1	2	-	4	3	4	1	1	-	-	192	
-	-	-	-	-	-	-	-	1	2	3	3	2	-	2	193	
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	194	
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	194	
-	-	-	1	-	2	1	1	2	1	6	3	2	8	8	195	
-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	196	
-	-	-	-	-	1	-	1	-	2	7	12	11	2	1	197	
-	-	1	-	-	1	-	1	-	3	3	1	1	-	-	198	

DEATH															DETAILED I.C.D. LIST NUMBER		
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER			
-	-	1	-	-	2	2	1	1	8	5	9	17	11	11	5	5	199
-	1	-	1	1	-	1	3	2	2	1	3	6	5	-	6	5	200
-	2	1	-	-	1	-	2	2	2	1	3	5	2	-	1	-	201
1	1	2	1	2	1	-	2	3	1	3	6	7	5	1	2	-	202
-	-	-	1	2	1	-	1	1	2	3	4	3	5	2	2	-	203
-	-	1	1	1	-	-	4	2	4	8	8	7	5	6	3	1	204
2	1	-	2	-	-	1	-	2	1	7	4	4	2	7	5	2	205
3	2	1	2	3	3	2	3	3	3	7	4	2	8	6	3	4	206
-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	207
1	-	-	-	-	-	-	1	-	1	-	1	1	3	3	1	-	208
-	-	-	-	-	-	1	-	1	-	1	2	-	2	1	-	-	209
-	-	-	-	-	-	-	-	1	1	1	3	-	2	1	-	-	210
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	211
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	212
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	213
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	215
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	218
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	220
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	223
-	-	1	1	1	-	-	-	-	1	1	1	-	1	-	-	-	225
2	-	1	1	-	-	-	-	-	1	-	2	-	1	-	-	-	226
-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	227
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	228
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	230
-	-	-	-	-	-	-	1	-	1	-	-	2	3	2	4	5	231
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	232
-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	235
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	237
-	-	-	-	-	-	-	1	1	2	1	1	3	2	2	-	-	238
-	-	1	-	3	-	1	1	-	2	1	1	3	2	2	-	-	239
-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	DETAILED I.C.D. LIST NUMBER	
2	2	-	-	2	5	4	6	22	21	39	42	35	31	17	240-279	
-	1	-	-	1	1	2	8	11	23	27	55	53	62	28	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	240	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	242	
-	-	-	-	-	-	-	-	-	1	2	2	3	2	-	243	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	244	
-	-	-	-	-	-	-	-	1	-	1	-	1	5	1	244	
1	1	-	-	1	2	4	3	5	16	18	32	34	28	29	15	250
-	-	-	-	-	-	-	-	5	9	18	19	43	44	52	26	-
-	-	-	-	-	-	-	-	-	1	-	1	3	4	-	251	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	252	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	253	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	255	
-	1	-	-	1	-	1	-	1	-	1	-	1	3	1	-	255
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	258	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	265	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	268	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	269	
-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	270	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	271	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272	
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	273
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	274
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	275
-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	276
-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	277
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	279
-	1	-	-	-	-	-	-	1	-	4	1	13	14	10	4	280-289
-	-	-	-	-	-	-	-	3	3	5	8	9	9	15	9	-
-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	1	280
-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	281
-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	282
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	283
-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	1	284
-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-

TABLE 19 (CONT'D.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
-	-	-	-	-	-	1	-	-	-	-	3	4	4	4	1	285
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	286
-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	287
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	288
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	289
1	-	1	1	-	1	2	3	5	12	21	44	24	39	58	290-315	
-	-	-	-	-	-	-	-	-	11	-1	34	13	37	57	290	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	293	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	294	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	299
-	-	1	1	-	1	2	2	5	-1	1	1	1	-	-	-	303
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
4	4	5	4	3	2	3	2	6	8	13	16	28	32	38	20	320-389
3	3	3	2	4	3	3	3	8	8	15	17	20	37	53	40	320
-	-	-	-	1	-	-	1	-	-	-	-	2	-	2	-	322
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	323
2	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	330
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	331
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	332
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	333
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	340
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	341
-	-	-	-	-	-	-	-	-	21	34	96	1213	2023	89	310	342
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	343
-	-	1	-	-	-	-	-	-	-	-	106	1215	1622	1726	1423	344
1	4	4	2	1	2	-	2	2	1	2	4	21	11	11	12	345
1	2	-	1	-	1	-	1	-	23	21	-2	1	-	11	24	347
-	-	-	1	-	1	-	1	1	13	45	11	23	11	-	-	348

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

DETAILED I.C.D. LIST NUMBER	CAUSE OF DEATH	AGE AT								
		ALL AGES	UNDER 1 YEAR	1	2	3	4	TOTAL UNDER 5	5-9	10-14
349	OTHER DISEASES OF SPINAL CORD	M F	2 3	-	-	-	-	-	-	-
354	POLYNEURITIS AND POLYRADICULITIS	M F	2 2	-	-	-	-	-	-	-
358	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM	M F	1 1	-	1	-	-	-	1	-
385	MENIERES DISEASE	M F	1 -	-	-	-	-	-	-	-
390-458	7. DISEASES OF THE CIRCULATORY SYSTEM	M F	9,117 7,895	1 3	1 1	1	-	1	1 6	1 3 1
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT	M F	1 3	-	-	-	-	-	-	-
394	DISEASES OF MITRAL VALVE	M F	65 95	-	-	-	-	-	-	-
395	DISEASES OF AORTIC VALVE	M F	71 30	-	-	-	-	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES	M F	11 9	-	-	-	-	-	-	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	M F	9 13	-	-	-	-	-	-	-
398	OTHER HEART DISEASE, SPECIFIED AS RHEUMATIC	M F	15 23	-	-	-	-	-	-	-
400	MALIGNANT HYPERTENSION	M F	13 7	-	-	-	-	-	-	-
401	ESSENTIAL BENIGN HYPERTENSION	M F	35 52	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE	M F	138 208	-	-	-	-	-	-	-
403	HYPERTENSIVE RENAL DISEASE	M F	14 18	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE	M F	3 2	-	-	-	-	-	-	-
410-414	ISCHAEMIC HEART DISEASE	M F	5,545 3,520	-	-	-	-	-	-	-
410.0	ACUTE MYOCARDIAL INFARCTION, WITH HYPERTENSIVE DISEASE	M F	420 330	-	-	-	-	-	-	-
410.9	ACUTE MYOCARDIAL INFARCTION, WITHOUT MENTION OF HYPERTENSIVE DISEASE	M F	3,924 1,982	-	-	-	-	-	-	-
411.0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE, WITH HYPERTENSIVE DISEASE	M F	2 2	-	-	-	-	-	-	-
411.9	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE, WITHOUT MENTION OF HYPERTENSIVE DISEASE	M F	33 41	-	-	-	-	-	-	-
412.0	CHRONIC ISCHAEMIC HEART DISEASE, WITH HYPERTENSIVE DISEASE	M F	53 65	-	-	-	-	-	-	-
412.9	CHRONIC ISCHAEMIC HEART DISEASE, WITHOUT MENTION OF HYPERTENSIVE DISEASE	M F	1,107 1,097	-	-	-	-	-	-	-
413.9	ANGINA PECTORIS, WITHOUT MENTION OF HYPERTENSIVE DISEASE	M F	6 3	-	-	-	-	-	-	-
420	ACUTE PERICARDITIS, NON-RHEUMATIC	M F	2 -	-	-	-	-	-	-	-
421	ACUTE AND SUB-ACUTE ENDOCARDITIS	M F	10 10	-	-	-	-	-	-	-
422	ACUTE MYOCARDITIS	M F	7 8	-	-	-	-	1	1	-
423	CHRONIC DISEASE OF PERICARDIUM NON-RHEUMATIC	M F	3 3	-	-	-	-	-	-	-
424	CHRONIC DISEASE OF ENDOCARDIUM	M F	41 41	-	-	-	-	-	-	-

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	349
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	354
1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	358
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	385
4	7	19	22	28	88	167	364	611	897	1,287	1,549	1,520	1,342	1,207	390-458
6	5	10	13	24	26	78	128	247	410	669	1,078	1,492	1,714	1,985	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	391
-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	394
-	1	-	-	-	3	3	3	4	7	17	7	13	6	4	394
-	1	1	3	3	3	5	9	8	14	12	18	18	7	4	15
-	3	-	2	-	2	1	3	5	15	8	8	14	8	2	395
-	-	1	-	1	-	1	-	1	4	6	4	1	7	5	
-	1	1	1	-	2	-	1	1	-	2	2	1	1	1	396
-	1	1	1	-	1	1	1	1	-	2	2	1	1	-	397
-	1	-	1	-	-	1	2	1	-	1	-	2	-	1	5
-	1	1	1	1	-	1	3	2	2	1	1	3	-	1	398
-	-	-	-	-	-	-	3	3	2	3	1	1	-	1	400
-	-	-	-	-	-	-	-	1	4	4	14	6	5	1	401
-	-	-	-	-	-	-	-	-	2	2	7	10	13	20	
-	-	-	1	-	1	4	4	12	10	16	24	24	28	14	402
-	-	-	2	-	2	2	6	4	9	16	39	37	56	37	
-	-	-	-	-	-	-	-	1	2	3	3	2	2	3	403
-	-	-	-	-	-	-	-	1	1	5	1	6	2	2	
-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	404
3	3	8	17	67	126	280	457	674	899	960	862	671	518	410-414	
-	1	2	9	13	36	64	147	220	390	529	688	694	727		
-	-	-	-	6	7	30	50	73	86	75	53	29	11	410.0	
-	-	-	-	2	6	13	25	35	43	59	71	52	24		
3	3	7	14	53	102	219	360	498	665	706	601	427	266	410.9	
-	-	2	7	9	24	44	100	148	262	331	402	359	294		
-	-	-	-	-	-	-	-	-	-	1	-	1	-	411.0	
-	-	-	1	-	-	1	2	3	4	3	5	4	3	7	411.9
-	-	-	-	-	1	2	1	2	3	4	9	7	5	4	412.0
-	-	-	3	7	14	28	41	94	135	165	186	205	229	412.9	
-	1	-	2	2	4	4	20	30	69	117	192	266	390		
-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	413.9
-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	420
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	421
1	1	-	-	1	1	2	1	-	2	1	1	1	-	-	422
1	1	-	-	-	-	-	-	1	2	1	-	2	-	-	423
1	-	-	-	-	-	-	-	1	1	1	-	-	-	3	424
-	-	-	-	-	-	1	2	2	1	4	6	12	10	3	
-	-	-	-	-	-	-	-	-	2	2	7	9	9	11	

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED

DETAILED I.C.D. LIST NUMBER	CAUSE OF DEATH	ALL AGES	UNDER 1 YEAR	AGE AT						
				1	2	3	4	TOTAL UNDER 5	5-9	10-14
425	CARDIOMYOPATHY	M F	25 10	-	-	-	-	-	-	-
426	PULMONARY HEART DISEASE	M F	12 6	-	-	-	-	-	-	-
427	SYMPTOMATIC HEART DISEASE	M F	404 498	1	-	-	-	-	1	-
428	OTHER MYOCARDIAL INSUFFICIENCY	M F	188 275	-	-	-	-	-	-	-
429	ILL-DEFINED HEART DISEASE	M F	11 6	-	-	-	-	-	-	-
430.0	SUBARACHNOID HAEMORRHAGE, WITH HYPERTENSION	M F	15 30	-	-	-	-	-	-	-
430.9	SUBARACHNOID HAEMORRHAGE, WITHOUT MENTION OF HYPERTENSION	M F	82 92	-	-	-	-	-	-	2
431.0	CEREBRAL HAEMORRHAGE, WITH HYPERTENSION	M F	157 181	-	-	-	-	-	-	-
431.9	CEREBRAL HAEMORRHAGE, WITHOUT MENTION OF HYPERTENSION	M F	213 295	2	1	-	-	-	3	1 2 1
432.0	OCCLUSION OF PRE-CEREBRAL ARTERIES, WITH HYPERTENSION	M F	1 -	-	-	-	-	-	-	-
432.9	OCCLUSION OF PRE-CEREBRAL ARTERIES, WITHOUT MENTION OF HYPERTENSION	M F	10 6	-	-	-	-	-	-	-
433.0	CEREBRAL THROMBOSIS, WITH HYPERTENSION	M F	55 80	-	-	-	-	-	-	-
433.9	CEREBRAL THROMBOSIS, WITHOUT MENTION OF HYPERTENSION	M F	549 737	-	-	-	-	-	-	-
434.0	CEREBRAL EMBOLISM, WITH HYPERTENSION	M F	2 7	-	-	-	-	-	-	-
434.9	CEREBRAL EMBOLISM, WITHOUT MENTION OF HYPERTENSION	M F	18 25	-	-	-	-	-	-	-
435.9	TRANSIENT CEREBRAL ISCHAEMIA, WITHOUT MENTION OF HYPERTENSION	M F	1 -	-	-	-	-	-	-	-
436.0	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE, WITH HYPERTENSION	M F	100 175	-	-	-	-	-	-	-
436.9	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE, WITHOUT MENTION OF HYPERTENSION	M F	503 532	-	-	-	-	-	-	-
437.0	GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE, WITH HYPERTENSION	M F	3 13	-	-	-	-	-	-	-
437.9	GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE, WITHOUT MENTION OF HYPERTENSION	M F	142 156	-	-	-	-	-	-	-
438.0	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE, WITH HYPERTENSION	M F	24 33	-	-	-	-	-	-	-
438.9	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE, WITHOUT MENTION OF HYPERTENSION	M F	23 36	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS	M F	289 373	-	-	-	-	-	-	-
441	AORTIC ANEURYSM (NON-SYPHILITIC)	M F	97 56	-	-	-	-	-	-	-
442	OTHER ANEURYSM	M F	5 3	-	-	-	-	-	-	1
443	OTHER PERIPHERAL VASCULAR DISEASE	M F	26 17	-	-	-	-	-	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS	M F	45 52	1	-	-	-	-	1	-
445	GANGRENE	M F	50 34	-	-	-	-	-	-	-

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
2	-	-	1	-	-	1	2	5	6	1	5	2	2	-	-	425
-	-	-	-	-	-	-	1	3	1	-	-	4	-	3	1	426
-	-	1	1	-	1	2	1	6	7	21	62	76	104	121	201	427
-	-	-	-	-	2	1	1	5	3	12	53	77	138	138	59	428
-	-	-	-	-	-	-	-	-	2	-	20	36	50	59	3	429
-	-	-	-	-	-	-	-	-	2	-	3	3	-	2	1	430.0
-	-	-	1	2	-	2	1	4	2	6	1	-	-	1	-	430.9
1	4	6	3	4	4	5	8	8	11	12	9	10	6	3	1	431.0
1	-	1	1	-	-	1	5	8	13	18	23	34	28	15	11	431.9
1	-	-	1	2	1	4	10	9	12	24	34	41	41	34	39	431.9
-	-	-	2	2	1	3	5	6	22	23	44	60	63	60	60	432.0
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	432.9
-	-	-	-	-	1	-	1	2	3	1	1	1	1	1	1	433.0
-	-	2	1	-	-	2	9	7	19	50	82	101	138	138	241	433.9
-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	434.0
-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	434.9
-	-	-	-	-	-	-	-	-	-	3	3	4	7	2	3	435.9
-	-	1	-	1	-	1	2	10	10	19	23	16	8	10	20	436.0
-	-	-	-	-	-	3	6	16	38	68	114	111	73	74	129	436.9
-	-	-	-	-	-	-	-	9	25	41	79	118	127	1	1	437.0
-	-	-	-	-	1	-	-	2	2	7	19	31	46	34	72	437.9
-	-	-	-	-	-	-	-	2	1	5	6	2	4	11	15	438.0
-	-	-	-	-	-	-	-	1	1	3	2	3	6	12	11	438.9
-	-	-	-	-	-	-	-	1	1	1	1	1	1	6	11	440
-	-	-	-	1	-	-	2	5	4	9	41	48	71	109	189	441
-	-	-	-	-	-	1	1	4	7	15	25	21	56	93	5	442
-	-	-	-	-	-	-	-	1	1	1	1	1	4	4	6	443
-	-	-	-	1	-	4	2	6	5	4	11	7	7	10	11	444
-	-	-	-	-	-	-	1	3	2	1	2	1	7	8	22	445

TABLE 19 (CONT'D.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH																DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	508
-	-	-	1	-	-	-	-	1	-	1	-	1	-	2	-	510
-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	4	511
-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	512
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	513
-	-	-	-	-	-	1	-	2	2	-	1	4	1	9	13	514
-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	515
-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	516
-	-	-	-	-	-	1	-	1	2	3	4	1	1	2	1	517
-	1	-	1	1	-	-	-	2	4	3	4	2	3	5	4	518
-	-	-	1	-	-	-	-	1	1	3	2	2	7	3	3	519
1	2	5	6	5	11	10	23	38	50	55	61	51	50	36	577	520-577
5	2	4	-	1	9	8	18	24	28	39	49	68	55	54	-	527
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	528
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	530
-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	531
-	1	-	-	2	-	-	1	2	1	5	8	3	4	5	2	532
-	-	-	1	-	1	1	4	8	12	12	11	14	12	2	2	533
-	-	1	-	-	-	-	2	2	2	4	6	7	2	5	4	534
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	535
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	536
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	537
-	-	-	-	-	-	1	-	-	-	-	2	2	1	1	-	540
-	2	-	-	-	-	-	-	-	-	-	2	2	2	3	2	541
-	1	-	-	-	-	-	1	-	-	-	-	1	2	1	1	550
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	551
-	-	-	-	1	-	-	-	-	-	1	1	1	2	1	1	552
-	-	-	-	-	-	-	-	-	1	2	2	1	6	1	3	553
-	-	1	-	-	-	-	1	-	2	2	2	4	8	7	13	560
-	-	1	-	-	-	-	-	-	3	3	3	4	6	1	-	561

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH																DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER		
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	625
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	626
1	-	3	2	4	2	-	-	-	-	-	-	-	-	-	-	630-678
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	631
-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	634
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	637
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	654
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	661
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	673
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	674
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	677
1	-	1	-	-	1	-	-	1	1	-	1	3	4	11	-	680-709
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	682
1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	694
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	695
-	-	1	-	-	-	-	-	1	-	1	2	2	4	10	-	707
1	2	-	1	1	-	4	2	4	5	11	12	16	7	5	17	710-738
-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	710
-	-	-	-	-	-	1	2	3	2	9	3	6	7	10	8	712
-	-	-	-	-	-	1	2	1	7	6	12	5	4	3	4	713
-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	6	715
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	717
-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	718
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	720
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	721
-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	723
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	725
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	732
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	733
1	2	-	1	1	-	1	-	-	2	5	2	1	1	-	-	734
-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	735

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

DETAILED I.C.D. LIST NUMBER	CAUSE OF DEATH	AGE AT									
		ALL AGES	UNDER 1 YEAR	1	2	3	4	TOTAL UNDER 5	5-9	10-14	
740-759	14. CONGENITAL ANOMALIES	M F	222 241	173 196	4 4	6 5	7 3	4	190 212	8 5	3 6
740	ANENCEPHALUS	M F	12 32	12 32	- -	- -	- -	-	12 32	- -	- -
741.0	SPINA BIFIDA WITH HYDROCEPHALUS	M F	17 35	15 29	- -	- 2	- 1	- 1	15 33	1 1	- -
741.9	SPINA BIFIDA WITHOUT MENTION OF HYDROCEPHALUS	M F	13 17	12 16	- -	- -	- -	- 1	12 17	- -	- -
742	CONGENITAL HYDROCEPHALUS	M F	11 12	10 11	1	- -	- -	- -	11 11	- -	1
743	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	M F	4 7	3 7	- -	- -	1	- -	4 7	- -	- -
746	CONGENITAL ANOMALIES OF HEART	M F	84 78	55 54	2 2	2	6 2	1	65 61	6 4	3
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	M F	11 9	6 5	- 1	1	- -	-	7 6	- -	1
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	M F	10 1	9 1	- -	1	- -	-	10 1	- -	- -
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	M F	4 5	3 3	- 1	1	- -	-	4 4	- -	- -
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	M F	8 6	5 4	1	- 1	- -	-	6 5	1	- -
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	M F	17 6	14 3	- -	- -	- -	-	14 3	- -	1
756	OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	M F	7 10	7 8	- -	- -	- -	-	7 9	- -	1
757	CONGENITAL ANOMALIES OF SKIN, HAIR AND NAILS	M F	1 -	1	- -	- -	- -	-	1	- -	- -
758	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M F	4 3	4 3	- -	- -	- -	-	4 3	- -	- -
759	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	M F	19 20	17 20	- -	1	- -	-	18 20	- -	1
760-779	15. CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY	M F	235 158	235 158	- -	- -	- -	-	235 158	- -	- -
761	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	M F	- 1	- 1	- -	- -	- -	-	-	1	- -
762	TOXAEMIA OF PREGNANCY	M F	1 -	1	- -	- -	- -	-	-	1	- -
768	DIFFICULT LABOUR WITH OTHER AND UNSPECIFIED COMPLICATIONS	M F	- 1	- 1	- -	- -	- -	-	-	1	- -
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	M F	4 5	4 5	- -	- -	- -	-	-	4 5	- -
770	CONDITIONS OF PLACENTA	M F	2 1	2 1	- -	- -	- -	-	-	2	- -
771	CONDITIONS OF UMBILICAL CORD	M F	2 2	2 2	- -	- -	- -	-	-	2	- -
772	BIRTH INJURY WITHOUT MENTION OF CAUSE	M F	40 18	40 18	- -	- -	- -	-	-	40 18	- -
775	HAEMOLYTIC DISEASE OF NEWBORN, WITHOUT MENTION OF KERNICTERUS	M F	10 7	10 7	- -	- -	- -	-	-	10 7	- -
776	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIED	M F	114 75	114 75	- -	- -	- -	-	-	114 75	- -
777	IMMATURITY, UNQUALIFIED	M F	57 44	57 44	- -	- -	- -	-	-	57 44	- -
778	OTHER CONDITIONS OF FOETUS OR NEWBORN	M F	5 4	5 4	- -	- -	- -	-	-	5 4	- -
780-796	16. SYMPTOMS AND ILL-DEFINED CONDITIONS	M F	155 165	- -	- -	- -	- -	-	-	-	- -
782	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM	M F	19 19	- -	- -	- -	- -	-	-	-	- -

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	
5	3	1	2	2	-	2	1	2	2	-	1	1	1	1	740-759
4	2	3	1	2	-	1	-	1	-	2	1	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	740
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	741.0
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	741.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	742
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743
2	2	1	2	2	-	1	1	1	1	-	-	-	-	-	746
4	2	2	1	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	747
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	750
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	751
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	753
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760-779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	1	1	1	-	-	-	2	5	4	15	17	34	75	780-796
-	-	1	1	1	-	-	-	1	1	1	8	20	44	89	
-	-	-	-	-	-	-	-	-	2	-	4	3	6	3	782
-	-	-	-	-	-	-	-	-	-	-	3	7	3	6	

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	
-	3	-	-	2	1	1	-	1	-	1	-	-	-	-	E860
-	-	-	1	-	2	2	-	-	2	-	-	-	-	-	E861
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E865
-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	E870
-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	E871
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E873
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	E874
-	-	-	1	-	1	-	1	-	-	1	-	1	-	2	E875
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E876
-	1	1	-	2	1	1	1	2	2	-	2	2	2	1	E880
-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	E881
-	3	1	-	-	-	3	-	1	-	-	-	1	-	-	E882
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E883
2	1	-	2	1	-	-	-	1	-	2	-	2	2	-	E884
2	-	-	-	1	1	2	1	1	1	-	3	-	1	-	E885
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	E886
1	-	2	1	1	1	1	2	3	4	6	14	22	28	46	E887
-	2	1	-	-	3	-	-	-	1	2	1	2	1	2	E890
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	E891
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E892
-	-	-	-	1	-	-	-	-	-	1	-	-	3	1	E893
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E894
-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	E895
-	1	-	2	-	1	1	-	1	-	1	-	1	-	1	E898
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E899
-	-	1	-	1	-	-	-	2	2	3	1	1	1	1	E901
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E904
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E905
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	E906

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E907
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	4	4	4	5	3	3	3	2	6	3	1	2	3	E910
-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	
-	1	2	2	2	1	1	3	2	1	3	1	2	1	1	E911
-	1	-	-	-	-	-	3	1	-	-	-	-	-	1	E912
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	E913
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	E915
-	3	3	-	-	1	1	2	-	-	-	-	-	-	-	E916
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E917
-	1	1	1	-	1	3	-	-	-	-	-	-	-	-	E918
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E919
1	1	-	1	-	1	-	1	1	1	-	-	-	-	-	E920
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	E922
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E923
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E924
3	-	1	-	3	1	-	-	-	-	1	-	-	-	-	E925
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	E927
1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	E928
-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	E930
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E931
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E932
-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	E940
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	E943
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E946
-	3	5	3	3	-	1	1	4	3	2	1	1	1	-	E950
1	1	4	2	-	1	2	-	4	-	-	-	-	-	-	E951
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	1	2	1	1	1	3	1	3	2	1	1	-	-	E952
4	5	1	3	3	3	1	1	1	5	2	1	1	-	1	E953
1	1	3	1	6	-	4	2	2	-	2	2	1	1	-	E954
2	1	-	-	-	-	1	-	2	-	1	-	-	1	1	E955
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	

TABLE 19 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY CAUSE (INTERNATIONAL DETAILED)

DETAILED I.C.D. LIST NUMBER	CAUSE OF DEATH	ALL AGES	UNDER 1 YEAR	AGE AT						
				1	2	3	4	TOTAL UNDER 5	5-9	10-14
E956	SUICIDE AND SELF-INFILCTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	M F	4 -	-	-	-	-	-	-	-
E957	SUICIDE AND SELF-INFILCTED INJURY BY JUMPING FROM HIGH PLACE	M F	3 -	-	-	-	-	-	-	-
E958	SUICIDE AND SELF-INFILCTED INJURY BY OTHER AND UNSPECIFIED MEANS	M F	2 2	-	-	-	-	-	-	-
E960	FIGHT, BRAWL, RAPE	M F	6 -	-	-	-	-	-	-	-
E963	ASSAULT BY HANGING AND STRANGULATION	M F	- 2	-	-	-	-	-	-	-
E965	ASSAULT BY FIREARMS AND EXPLOSIVES	M F	8 -	-	-	-	-	-	-	-
E966	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS	M F	5 1	- 1	-	-	-	-	1	-
E968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	M F	1 1	-	-	-	-	-	-	-
E980	POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	20 11	-	-	-	-	-	-	-
E982	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	1 1	-	-	-	-	-	-	-
E983	HANGING, STRANGULATION, OR SUFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	2 -	-	-	-	-	-	-	-
E984	SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	36 17	-	-	-	-	-	-	-
E985	INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	1 1	-	-	-	-	-	-	-
E986	INJURY BY CUTTING AND PIERCING INSTRUMENTS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	1 -	-	-	-	-	-	-	-
E987	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	2 -	-	-	-	-	-	-	-
E988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	M F	1 -	-	-	-	-	-	-	-

LIST, 8TH REVISION, 1965) AND BY SEX AND AGE.

DEATH															DETAILED I.C.D. LIST NUMBER
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	
-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	E956
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	E957
-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	E958
-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	E960
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E963
3	-	1	1	1	2	-	-	-	-	-	-	-	-	-	E965
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	E966
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E968
1	-	6	4	2	3	-	1	-	2	-	-	1	1	-	E980
-	1	2	-	3	-	1	-	2	-	-	1	2	-	-	E982
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	E983
-	3	5	6	-	2	2	1	1	6	4	2	2	1	1	E984
-	2	2	1	-	1	1	-	2	2	4	-	3	-	-	E985
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	E986
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	E987
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E988

TABLE 20-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

DETAILED INTERNATIONAL LIST NUMBER	ABBREVIATED LIST NUMBER	CAUSE OF DEATH		TOTAL	UNCERTIFIED
		TOTAL	M	18,442	53
			F	15,352	32
008,009	B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M	17	-
			F	18	-
010-012	B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	95	-
			F	29	-
013-019	B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M	49	-
			F	33	-
032	B8	DIPHTHERIA	M	-	-
			F	-	-
033	B9	WHOOPING COUGH	M	2	-
			F	1	-
034	B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	1	-
			F	-	-
036	B11	MENINGOCOCCAL INFECTION	M	12	-
			F	9	-
038	B18A	SEPTICAEMIA	M	13	-
			F	12	-
040-043	B12	ACUTE POLIOMYELITIS	M	-	-
			F	-	-
055	B14	MEASLES	M	3	-
			F	4	-
070	B18B	INFECTIOUS HEPATITIS	M	3	-
			F	4	-
009.2	B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M	10	-
			F	6	-
000-007,020-031,035,037, 039,044-054,056-068, 071-136	B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M	25	-
			F	17	-
151	B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M	339	-
			F	267	-
150,152-159	B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M	869	-
			F	800	-
162	B19C	OF TRACHEA,BRONCHUS AND LUNG	M	954	-
			F	315	-
174	B19D	OF BREAST	M	6	-
			F	540	-
180-189	B19E	OF GENITO-URINARY ORGANS	M	534	-
			F	380	-
200-209	B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	250	-
			F	176	-
140-149,160,161, 163-173,190-199	B19G	OTHER	M	449	-
			F	339	1
210-239	B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M	44	-
			F	63	-
250	B21	DIABETES MELLITUS	M	190	-
			F	217	-
260-269	B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	8	-
			F	8	-
280-285	B23	ANAEMIAS	M	43	-
			F	49	-
320	B24	MENINGITIS	M	8	-
			F	9	-
390-392	B25	ACTIVE RHEUMATIC FEVER	M	1	-
			F	3	-
393-398	B26	CHRONIC RHEUMATIC HEART DISEASE	M	171	-
			F	170	-
400-404	B27	HYPERTENSIVE DISEASE	M	203	-
			F	287	1

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

DETAILED INTERNATIONAL LIST NUMBER	ABBREVIATED LIST NUMBER	CAUSE OF DEATH		TOTAL	UNCERTIFIED
410-414	B28	ISCHAEMIC HEART DISEASE	M F	5,545 3,520	8 2
420-429	B29	OTHER FORMS OF HEART DISEASE	M F	703 857	2 4
430-438	B30	CEREBROVASCULAR DISEASE	M F	1,898 2,398	4 -
440-458	B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	596 660	- 1
470-474	B31	INFLUENZA	M F	78 83	1 -
480-486	B32	PNEUMONIA	M F	1,021 990	- 1
490-493	B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	1,193 622	- 1
518	B46B	BRONCHIECTASIS	M F	25 14	- -
460-466,500-517, 519	B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	211 159	- -
531-533	B34	PEPTIC ULCER	M F	143 86	- -
540-543	B35	APPENDICITIS	M F	10 14	- -
550-553,560	B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	47 54	- -
571	B37	CIRRHOSIS OF LIVER	M F	70 53	- -
520-530,534-537, 561-570,572-577	B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	136 158	- -
580-584	B38	NEPHRITIS AND NEPHROSIS	M F	143 105	- -
600	B39	HYPERPLASIA OF PROSTATE	M	63	-
640-645	B40	ABORTION	F	-	-
630-639,650-678	B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	12	-
740-759	B42	CONGENITAL ANOMALIES	M F	222 241	- -
764-768,772,776	B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	154 94	- -
760-763,769-771, 773-775,777-779	B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	81 64	- -
794	B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	116 125	31 19
780-793,795-796	B45B	ILL-DEFINED CONDITIONS	M F	39 40	6 1
240-246,251-258,270-279, 286-289,290-315,312-389, 590-599,601-629,680-738	B46E	ALL OTHER DISEASES	M F	507 609	1 1
EXTERNAL CAUSES					
E810-E823	B47	MOTOR VEHICLE ACCIDENTS	M F	495 132	- -
E800-E807,E825-E949	B48	ALL OTHER ACCIDENTS	M F	467 421	- -
E950-E959	B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	106 57	- -
E960-E999	B50	ALL OTHER EXTERNAL CAUSES	M F	84 34	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	LEINSTER		MUNSTER		CONNACHT		ULSTER (PART OF)	
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED
		M	F	M	F	M	F	M	F
	TOTAL	8,080	12	5,928	7	2,885	31	1,549	3
		7,067	2	4,940	2	2,147	21	1,198	7
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M F	11 9	- -	4 6	- -	1 1	- -	1 2
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M F	31 14	- -	49 11	- -	12 2	- -	3 2
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M F	25 20	- -	15 7	- -	7 6	- -	2 -
B8	DIPHTHERIA	M F	- -	- -	- -	- -	- -	- -	- -
B9	WHOOPING COUGH	M F	2 -	- -	- -	- -	1 -	- -	- -
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M F	- -	- -	- -	- -	- -	1 -	- -
B11	MENINGOCOCCAL INFECTION	M F	7 5	- -	4 3	- -	1 1	- -	- -
B18A	SEPTICAEMIA	M F	5 5	- -	4 3	- -	4 2	- -	2 -
B12	ACUTE POLIOMYELITIS	M F	- -	- -	- -	- -	- -	- -	- -
B14	MEASLES	M F	2 3	- -	- -	- -	1 1	- -	- -
B18B	INFECTIOUS HEPATITIS	M F	2 2	- -	- 1	- -	1 -	- -	1 -
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M F	7 2	- -	1 2	- -	1 -	- -	1 2
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M F	14 10	- -	7 2	- -	2 4	- -	2 1
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M F	157 123	- -	91 76	- -	54 44	- -	37 24
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M F	364 377	- -	260 259	- -	161 126	- -	84 38
B19C	OF TRACHEA, BRONCHUS AND LUNG	M F	545 188	- -	276 85	- -	81 26	- -	52 16
B19D	OF BREAST	M F	1 281	- -	4 154	- -	68 68	- -	1 37
B19E	OF GENITO-URINARY ORGANS	M F	227 183	- -	160 128	- -	94 50	- -	53 19
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M F	126 79	- -	83 61	- -	31 24	- -	10 12
B19G	OTHER	M F	201 156	- -	152 113	- -	64 44	- -	32 26
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M F	28 31	- -	8 23	- -	4 5	- -	4 4
B21	DIABETES MELLITUS	M F	93 91	- -	60 63	- -	30 37	- -	7 26
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M F	1 4	- -	6 4	- -	1 -	- -	- -
B23	ANAEMIAS	M F	20 24	- -	13 12	- -	7 9	- -	3 4
B24	MENINGITIS	M F	6 7	- -	- 1	- -	- -	- -	2 1
B25	ACTIVE RHEUMATIC FEVER	M F	1 2	- -	- 1	- -	- -	- -	- -
B26	CHRONIC RHEUMATIC HEART DISEASE	M F	95 93	- -	35 51	- -	23 19	- -	18 7
B27	HYPERTENSIVE DISEASE	M F	86 140	- -	73 81	- -	24 40	- 1	20 26

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	LEINSTER		MUNSTER		CONNACHT		ULSTER (PART OF)		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	2,352 1,577	4 -	1,806 1,111	- 1	916 526	3 -	471 306	1 1
B29	OTHER FORMS OF HEART DISEASE	M F	273 382	1 2	255 274	1 -	123 125	- 2	52 76	- -
B30	CEREBROVASCULAR DISEASE	M F	733 1,020	2 -	664 822	- -	328 359	2 -	173 197	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	223 271	- -	224 272	- 1	87 78	- -	62 39	- -
B31	INFLUENZA	M F	26 38	- -	23 24	- -	14 13	1 -	15 8	- -
B32	PNEUMONIA	M F	436 504	- -	300 285	- -	177 107	- 1	108 94	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	591 283	- -	361 222	- -	148 68	- -	93 49	- 1
B46B	BRONCHIECTASIS	M F	10 7	- -	8 5	- -	6 1	- -	1 1	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	109 82	- -	62 59	- -	32 13	- -	8 5	- -
B34	PEPTIC ULCER	M F	58 31	- -	43 35	- -	33 17	- -	9 3	- -
B35	APPENDICITIS	M F	3 7	- -	2 4	- -	3 3	- -	2 -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	13 27	- -	19 14	- -	7 5	- -	8 8	- -
B37	CIRRHOsis OF LIVER	M F	35 30	- -	25 14	- -	9 7	- -	1 2	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	56 79	- -	38 40	- -	32 26	- -	10 13	- -
B38	NEPHRITIS AND NEPHROSIS	M F	66 44	- -	39 44	- -	21 10	- -	17 7	- -
B39	HYPERPLASIA OF PROSTATE	M	21	-	20	-	11	-	11	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	7	-	2	-	1	-	2	-
B42	CONGENITAL ANOMALIES	M F	109 135	- -	72 70	- -	25 24	- -	16 12	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	85 39	- -	48 40	- -	6 9	- -	15 6	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	64 45	- -	11 15	- -	3 3	- -	3 1	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	29 32	2 -	39 42	6 -	41 36	21 15	7 15	2 4
B45B	ILL-DEFINED CONDITIONS	M F	16 7	3 -	8 17	- -	11 10	3 1	4 6	- -
B46E	ALL OTHER DISEASES	M F	213 254	- -	168 193	- -	80 111	1 1	46 51	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	251 78	- -	152 32	- -	62 13	- -	30 9	- -
B48	ALL OTHER ACCIDENTS	M F	171 190	- -	174 133	- -	76 58	- -	46 40	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	45 36	- -	36 15	- -	21 6	- -	4 -	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	42 15	- -	27 11	- -	10 8	- -	5 -	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (REMAINDER)		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
		M	F	M	F	M	F	M	F	
	TOTAL	229	-	2,777	2	293	-	867	2	
		M	197	-	2,619	1	331	-	810	-
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M F	1 2	- -	1 3	- -	1 1	- -	3 2	-
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M F	- 1	- -	15 2	- -	1 1	- -	5 2	-
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M F	2 1	- -	10 10	- -	- -	- -	5 2	-
B8	DIPHTHERIA	M F	- -	- -	- -	- -	- -	- -	- -	-
B9	WHOOPING COUGH	M F	- -	- -	1 -	- -	- -	- -	1 -	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M F	- -	- -	- -	- -	- -	- -	- -	-
B11	MENINGOCOCCAL INFECTION	M F	- -	- -	2 1	- -	- -	- -	2 -	-
B18A	SEPTICAEMIA	M F	- -	- -	1 1	- -	- -	- -	3 -	-
B12	ACUTE POLIOMYELITIS	M F	- -	- -	- -	- -	- -	- -	- -	-
B14	MEASLES	M F	- -	- -	1 1	- -	- -	- -	1 -	-
B18B	INFECTIOUS HEPATITIS	M F	- -	- -	- -	- -	- -	- -	1 1	-
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M F	- 1	- -	1 -	- -	- -	1 -	2 1	-
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M F	- 1	- -	3 3	- -	- -	- -	1 2	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M F	5 8	- -	51 50	- -	4 9	- -	14 13	-
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M F	12 6	- -	122 143	- -	13 20	- -	50 42	-
B19C	OF TRACHEA, BRONCHUS AND LUNG	M F	9 2	- -	255 74	- -	26 7	- -	55 34	-
B19D	OF BREAST	M F	- 6	- -	- 99	- -	- 16	- -	- 35	-
B19E	OF GENITO-URINARY ORGANS	M F	3 1	- -	77 70	- -	10 9	- -	29 26	-
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M F	4 2	- -	53 29	- -	4 3	- -	17 11	-
B19G	OTHER	M F	6 2	- -	80 62	- -	10 8	- -	19 20	-
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M F	- 1	- -	14 14	- -	1 3	- -	2 1	-
B21	DIABETES MELLITUS	M F	5 2	- -	21 28	- -	2 1	- -	7 10	-
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M F	- -	- -	1 -	- -	- -	- -	- 1	-
B23	ANAEMIAS	M F	- 1	- -	5 7	- -	- 2	- -	2 3	-
B24	MENINGITIS	M F	1 -	- -	2 3	- -	- -	- -	- 3	-
B25	ACTIVE RHEUMATIC FEVER	M F	- -	- -	- 1	- -	- -	- -	- 1	-
B26	CHRONIC RHEUMATIC HEART DISEASE	M F	6 7	- -	29 48	- -	6 4	- -	10 7	-
B27	HYPERTENSIVE DISEASE	M F	5 10	- -	38 43	- -	10 8	- -	6 13	-

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (REMAINDER)		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	67 48	- -	810 611	- -	91 67	- -	206 159	1 -
B29	OTHER FORMS OF HEART DISEASE	M F	14 12	- -	52 109	- 1	6 16	- -	21 23	- -
B30	CEREBROVASCULAR DISEASE	M F	30 33	- -	192 336	- -	20 62	- -	60 93	1 -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	5 10	- -	72 91	- -	12 22	- -	19 27	- -
B31	INFLUENZA	M F	- -	- -	4 14	- -	- 3	- -	2 5	- -
B32	PNEUMONIA	M F	9 5	- -	173 257	- -	8 17	- -	65 57	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	20 11	- -	210 120	- -	19 6	- -	71 33	- -
B46B	BRONCHIECTASIS	M F	- -	- -	4 3	- -	- -	- -	1 -	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	2 -	- -	35 26	- -	5 4	- -	19 20	- -
B34	PEPTIC ULCER	M F	1 2	- -	24 15	- -	1 2	- -	3 2	- -
B35	APPENDICITIS	M F	- -	- -	1 4	- -	- -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	- -	- -	2 12	- -	- 1	- -	- 3	- -
B37	CIRRHOsis OF LIVER	M F	- -	- -	16 17	- -	1 1	- -	6 3	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	1 1	- -	35 26	- -	- 5	- -	2 9	- -
B38	NEPHRITIS AND NEPHROSIS	M F	1 1	- -	27 18	- -	5 1	- -	9 8	- -
B39	HYPERPLASIA OF PROSTATE	M	-	-	7	-	-	-	1	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	-	-	2	-	1	-	-	-
B42	CONGENITAL ANOMALIES	M F	5 2	- -	33 37	- -	3 2	- -	28 36	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	4 2	- -	21 8	- -	2 2	- -	17 5	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	2 -	- -	22 11	- -	3 1	- -	14 13	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	- 1	- -	8 7	1 -	- 1	- -	1 6	- -
B45B	ILL-DEFINED CONDITIONS	M F	- 1	- -	11 2	1 -	- -	- -	1 1	- -
B46E	ALL OTHER DISEASES	M F	4 10	- -	62 95	- -	4 8	- -	32 45	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	1 1	- -	76 23	- -	11 2	- -	31 6	- -
B48	ALL OTHER ACCIDENTS	M F	3 4	- -	49 65	- -	9 9	- -	19 21	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	1 -	- -	25 14	- -	2 5	- -	5 5	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	- -	- -	24 4	- -	3 1	- -	2 1	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	KILDARE COUNTY		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY	
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED
		M	F	M	F	M	F	M	F
	TOTAL	428	-	405	-	326	3	234	1
		M	340	F	299	M	237	F	-
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M	-	-	1	-	-	-	1
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	1	-	1	-	1	-	-
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M	-	2	-	2	-	-	-
B8	DIPHTHERIA	M	-	-	-	-	-	-	-
B9	WHOOPING COUGH	M	-	-	-	-	-	-	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-
B11	MENINGOCOCCAL INFECTION	M	1	-	-	-	-	-	-
B18A	SEPTICAEMIA	M	-	-	-	-	-	-	-
B12	ACUTE POLIOMYELITIS	M	-	-	-	-	-	-	-
B14	MEASLES	M	-	-	-	-	-	-	-
B18B	INFECTIOUS HEPATITIS	M	-	-	1	-	-	-	-
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M	-	-	-	-	-	-	1
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M	2	-	1	-	2	-	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M	9	-	13	-	11	-	6
		F	4	-	7	-	2	-	2
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M	22	-	13	-	14	-	8
		F	20	-	16	-	17	-	4
B19C	OF TRACHEA, BRONCHUS AND LUNG	M	20	-	21	-	17	-	4
		F	11	-	5	-	3	-	-
B19D	OF BREAST	M	-	-	-	-	-	-	1
		F	11	-	13	-	13	-	3
B19E	OF GENITO-URINARY ORGANS	M	9	-	10	-	4	-	11
		F	4	-	5	-	6	-	4
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	6	-	8	-	5	-	4
		F	3	-	2	-	1	-	1
B19G	OTHER	M	11	-	7	-	6	-	6
		F	2	-	13	-	2	-	5
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M	1	-	1	-	1	-	2
		F	2	-	-	-	-	-	1
B21	DIABETES MELLITUS	M	9	-	5	-	11	-	3
		F	7	-	3	-	2	-	4
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B23	ANAEMIAS	M	1	-	1	-	3	-	-
		F	-	-	-	-	3	-	-
B24	MENINGITIS	M	1	-	2	-	-	-	1
		F	-	-	-	-	-	-	-
B25	ACTIVE RHEUMATIC FEVER	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B26	CHRONIC RHEUMATIC HEART DISEASE	M	4	-	6	-	1	-	2
		F	2	-	4	-	-	-	3
B27	HYPERTENSIVE DISEASE	M	6	-	3	-	2	-	2
		F	11	-	3	-	5	-	5

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	KILDARE COUNTY		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		
		TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	127 67	- -	127 77	- -	117 57	- -	62 39	- -
B29	OTHER FORMS OF HEART DISEASE	M F	14 20	- -	19 18	- -	15 15	- -	13 9	- -
B30	CEREBROVASCULAR DISEASE	M F	41 45	- -	42 49	- -	30 31	1 -	52 43	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	11 17	- -	12 14	- -	12 9	- -	5 2	- -
B31	INFLUENZA	M F	- -	- -	1 1	- -	1 1	- -	3 1	- -
B32	PNEUMONIA	M F	18 12	- -	16 10	- -	13 12	- -	10 14	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	32 19	- -	26 16	- -	16 5	- -	8 4	- -
B46B	BRONCHIECTASIS	M F	- 1	- -	- 1	- -	- -	- -	- -	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	7 6	- -	4 3	- -	1 4	- -	2 1	- -
B34	PEPTIC ULCER	M F	3 2	- -	2 -	- -	2 -	- -	1 -	- -
B35	APPENDICITIS	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	- -	- -	- 1	- -	1 -	- -	1 1	- -
B37	CIRRHOSIS OF LIVER	M F	1 2	- -	2 1	- -	- -	- -	- 1	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	2 5	- -	2 2	- -	1 3	- -	4 2	- -
B38	NEPHRITIS AND NEPHROSIS	M F	1 1	- -	4 1	- -	3 4	- -	1 -	- -
B39	HYPERPLASIA OF PROSTATE	M	1	-	2	-	-	-	-	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	1	-	-	-	1	-	-	-
B42	CONGENITAL ANOMALIES	M F	7 14	- -	6 3	- -	4 5	- -	4 3	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	8 1	- -	3 1	- -	4 3	- -	1 3	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	4 5	- -	1	-	1	-	2 1	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	- 1	- -	2	-	4 3	- -	1 1	- -
B45B	ILL-DEFINED CONDITIONS	M F	1	-	-	-	2 1	2	-	-
B46E	ALL OTHER DISEASES	M F	8 12	- -	15 11	- -	10 16	- -	5 3	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	24 11	- -	15 6	- -	6 6	- -	4 1	- -
B48	ALL OTHER ACCIDENTS	M F	11 9	- -	8 7	- -	1 4	- -	4 5	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	2 4	- -	1	-	1 3	- -	1 1	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	2 2	- -	2	-	1	-	1	-

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) -DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED
		M	F	M	F	M	F	M	F
	TOTAL	444	1	463	-	307	-	363	3
		394	-	358	-	242	-	310	-
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	-	-	1	-	1	-	3
		F	1	-	1	-	3	-	1
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M	1	-	1	-	-	-	1
		F	-	-	1	-	-	-	-
B8	DIPHTHERIA	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B9	WHOOPING COUGH	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B11	MENINGOCOCCAL INFECTION	M	-	-	2	-	-	-	1
		F	2	-	1	-	-	-	-
B18A	SEPTICAEMIA	M	-	-	1	-	-	-	-
		F	-	-	1	-	-	-	2
B12	ACUTE POLIOMYELITIS	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B14	MEASLES	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1
B18B	INFECTIOUS HEPATITIS	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M	-	-	3	-	-	-	-
		F	-	-	1	-	-	-	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M	10	-	3	-	5	-	2
		F	8	-	5	-	-	-	4
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M	29	-	15	-	16	-	20
		F	13	-	23	-	14	-	11
B19C	OF TRACHEA, BRONCHUS AND LUNG	M	31	-	25	-	10	-	16
		F	9	-	5	-	7	-	8
B19D	OF BREAST	M	-	-	-	-	-	-	-
		F	25	-	14	-	9	-	9
B19E	OF GENITO-URINARY ORGANS	M	14	-	10	-	7	-	11
		F	13	-	10	-	7	-	8
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	7	-	2	-	1	-	4
		F	11	-	1	-	7	-	2
B19G	OTHER	M	9	-	8	-	3	-	8
		F	7	-	4	-	7	-	1
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M	1	-	2	-	1	-	1
		F	3	-	-	-	-	-	2
B21	DIABETES MELLITUS	M	2	-	8	-	5	-	3
		F	4	-	3	-	8	-	5
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-
B23	ANAEAMIAS	M	-	-	-	-	4	-	1
		F	3	-	1	-	1	-	-
B24	MENINGITIS	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B25	ACTIVE RHEUMATIC FEVER	M	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B26	CHRONIC RHEUMATIC HEART DISEASE	M	8	-	2	-	2	-	7
		F	2	-	5	-	4	-	1
B27	HYPERTENSIVE DISEASE	M	2	-	1	-	8	-	1
		F	-	-	7	-	9	-	14

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY		
		TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	118 85	- -	139 92	- -	81 46	- -	101 52	3 -
B29	OTHER FORMS OF HEART DISEASE	M F	19 21	1 -	20 22	- -	15 15	- -	35 63	- -
B30	CEREBROVASCULAR DISEASE	M F	56 72	- -	41 51	- -	37 34	- -	28 46	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	3 7	- -	14 10	- -	19 9	- -	8 10	- -
B31	INFLUENZA	M F	1 5	- -	1 2	- -	1 1	- -	3 -	- -
B32	PNEUMONIA	M F	19 21	- -	31 32	- -	8 15	- -	23 12	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	35 13	- -	26 8	- -	25 14	- -	31 12	- -
B46B	BRONCHIECTASIS	M F	- 1	- -	3 -	- -	- -	- -	- 1	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	4 4	- -	8 2	- -	6 4	- -	6 4	- -
B34	PEPTIC ULCER	M F	3 4	- -	5 -	- -	5 2	- -	3 1	- -
B35	APPENDICITIS	M F	- 2	- -	1 -	- -	- -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	1 5	- -	2 -	- -	- 2	- -	1 1	- -
B37	CIRRHOSIS OF LIVER	M F	3 -	- -	1 1	- -	2 1	- -	1 1	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	1 3	- -	2 7	- -	3 3	- -	1 3	- -
B38	NEPHRITIS AND NEPHROSIS	M F	3 3	- -	1 2	- -	3 -	- -	2 1	- -
B39	HYPERPLASIA OF PROSTATE	M	2	-	3	-	2	-	-	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	1	-	-	-	-	-	-	-
B42	CONGENITAL ANOMALIES	M F	1 5	- -	9 4	- -	2 -	- -	2 7	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	6 4	- -	5 4	- -	1 1	- -	8 3	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	1 4	- -	4 2	- -	- 2	- -	2 3	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	2 5	- -	1 -	- -	4 5	- -	3 1	- -
B45B	ILL-DEFINED CONDITIONS	M F	- -	- -	2 -	- -	- -	- -	- -	- -
B46E	ALL OTHER DISEASES	M F	7 6	- -	15 14	- -	10 1	- -	12 12	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	28 7	- -	18 4	- -	11 3	- -	10 1	- -
B48	ALL OTHER ACCIDENTS	M F	11 14	- -	22 15	- -	7 4	- -	4 6	- -
B49	SUICIDE AND SELF-INFLICTED INJURIES	M F	2 -	- -	2 -	- -	1 2	- -	1 -	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	3 1	- -	3 2	- -	1 1	- -	- -	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	WEXFORD COUNTY		WICKLOW COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
		M	F	M	F	M	F	M	F	
	TOTAL	571	-	373	-	739	-	1,622	-	
		427	1	334	-	703	-	1,292	1	
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M F	1 -	2 -	- -	- -	- -	2 1	- -	
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M F	- -	- 1	- -	9 2	- -	16 -	- -	
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M F	1 1	- -	1 -	- 4	- -	5 1	- -	
B8	DIPHTHERIA	M F	- -	- -	- -	- -	- -	- -	- -	
B9	WHOOPING COUGH	M F	- -	- -	- -	- -	- -	- -	- -	
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M F	- -	- -	- -	- -	- -	- -	- -	
B11	MENINGOCOCCAL INFECTION	M F	- -	- -	- -	- 2	- -	1 -	- -	
B18A	SEPTICAEMIA	M F	- -	- -	- -	- -	- -	2 1	- -	
B12	ACUTE POLIOMYELITIS	M F	- -	- -	- -	- -	- -	- -	- -	
B14	MEASLES	M F	- -	- -	- -	- -	- -	- -	- -	
B18B	INFECTIOUS HEPATITIS	M F	- -	- 1	- -	- -	- -	- -	- -	
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M F	1 -	- -	1 -	- -	- -	- -	- -	
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M F	1 1	- -	1 -	- -	1 -	2 1	- -	
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M F	15 6	- -	9 5	- -	10 11	- -	21 24	- -
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M F	18 27	- -	12 21	- -	35 31	- -	81 67	- -
B19C	OF TRACHEA, BRONCHUS AND LUNG	M F	33 12	- -	23 11	- -	51 20	- -	76 22	- -
B19D	OF BREAST	M F	- 16	- -	- 12	- -	- 26	- -	1 44	- -
B19E	OF GENITO-URINARY ORGANS	M F	22 9	- -	10 11	- -	16 16	- -	45 31	- -
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M F	6 3	- -	5 3	- -	13 7	- -	17 20	- -
B19G	OTHER	M F	18 10	- -	10 13	- -	27 18	- -	45 27	- -
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M F	1 4	- -	- -	- -	2 3	- -	1 6	- -
B21	DIABETES MELLITUS	M F	7 6	- -	5 8	- -	6 8	- -	10 17	- -
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M F	- -	- 2	- -	- -	2 -	- -	- 2	- -
B23	ANAEMIAS	M F	- 1	- -	3 2	- -	2 1	- -	4 4	- -
B24	MENINGITIS	M F	- -	- -	- -	- -	- -	- -	- 1	- -
B25	ACTIVE RHEUMATIC FEVER	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	CHRONIC RHEUMATIC HEART DISEASE	M F	9 4	- -	3 2	- -	4 11	- -	11 14	- -
B27	HYPERTENSIVE DISEASE	M F	- 8	- -	2 4	- -	13 9	- -	25 18	- -

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	WEXFORD COUNTY		WICKLOW COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	189 99	- -	117 78	- -	201 153	- -	449 237	- 1
B29	OTHER FORMS OF HEART DISEASE	M F	19 25	- 1	11 14	- -	17 30	- -	67 73	- -
B30	CEREBROVASCULAR DISEASE	M F	62 66	- -	42 59	- -	61 97	- -	192 240	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	21 25	- -	10 18	- -	22 56	- -	74 86	- -
B31	INFLUENZA	M F	7 2	- -	2 3	- -	1 7	- -	5 7	- -
B32	PNEUMONIA	M F	22 26	- -	21 14	- -	32 34	- -	94 74	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	43 15	- -	29 7	- -	61 35	- -	98 54	- -
B46B	BRONCHIECTASIS	M F	1 -	- -	1 -	- -	1 1	- -	4 -	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	3 2	- -	7 2	- -	6 7	- -	18 17	- -
B34	PEPTIC ULCER	M F	4 1	- -	1 -	- -	8 10	- -	12 8	- -
B35	APPENDICITIS	M F	- -	- -	- 1	- -	- -	- -	1 1	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	2 1	- -	3 -	- -	1 4	- -	5 1	- -
B37	CIRRHOSIS OF LIVER	M F	2 2	- -	- -	- -	4 4	- -	7 3	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	2 6	- -	- 4	- -	8 8	- -	8 7	- -
B38	NEPHRITIS AND NEPHROSIS	M F	4 2	- -	2 2	- -	7 7	- -	10 17	- -
B39	HYPERPLASIA OF PROSTATE	M	3	-	-	-	1	-	4	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	-	-	1	-	-	-	1	-
B42	CONGENITAL ANOMALIES	M F	4 12	- -	1 5	- -	14 9	- -	15 31	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	2 2	- -	3 -	- -	11 4	- -	16 13	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	4 1	- -	5 1	- -	2 1	- -	4 2	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	- -	- -	3 2	- -	- 1	- -	11 10	- -
B45B	ILL-DEFINED CONDITIONS	M F	- 2	- -	- -	- -	- 4	- -	2 2	- -
B46E	ALL OTHER DISEASES	M F	19 11	- -	10 10	- -	27 37	- -	50 47	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	10 6	- -	6 1	- -	18 2	- -	41 11	- -
B48	ALL OTHER ACCIDENTS	M F	13 12	- -	10 15	- -	27 18	- -	54 44	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	1 1	- -	1 -	- -	6 4	- -	8 2	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	2 -	- -	1 -	- -	7 1	- -	8 3	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	CLARE COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
	TOTAL	M F	598 415	2 -	839 665	4 1	295 301	- -	577 468	1 -
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M F	1 1	- -	- 1	- -	- -	- -	- -	-
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M F	5 2	- -	2 3	- -	3 1	- -	9 2	-
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M F	- -	- -	- 1	- -	1 -	- -	1 -	-
B8	DIPHTHERIA	M F	- -	- -	- -	- -	- -	- -	- -	-
B9	WHOOPING COUGH	M F	- -	- -	- -	- -	- -	- -	- -	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M F	- -	- -	- -	- -	- -	- -	- -	-
B11	MENINGOCOCCAL INFECTION	M F	1 -	- -	1 -	- -	- -	- -	1 1	-
B18A	SEPTICAEMIA	M F	1 -	- -	- -	- -	- -	- -	1 1	-
B12	ACUTE POLIOMYELITIS	M F	- -	- -	- -	- -	- -	- -	- -	-
B14	MEASLES	M F	- -	- -	- -	- -	- -	- -	- -	-
B18B	INFECTIOUS HEPATITIS	M F	- -	- -	- -	- -	- -	- -	- -	-
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M F	1 -	- -	- -	- -	- -	- -	- -	-
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M F	- -	- -	- -	- -	- 1	- -	2 -	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M F	16 1	- -	11 7	- -	1 6	- -	7 9	-
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M F	19 27	- -	33 33	- -	14 13	- -	18 23	-
B19C	OF TRACHEA, BRONCHUS AND LUNG	M F	23 3	- -	27 8	- -	16 4	- -	33 8	-
B19D	OF BREAST	M F	- 9	- -	1 25	- -	- 9	- -	- 13	-
B19E	OF GENITO-URINARY ORGANS	M F	17 4	- -	14 22	- -	9 12	- -	18 9	-
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M F	9 5	- -	14 5	- -	9 3	- -	6 3	-
B19G	OTHER	M F	9 8	- -	20 22	- -	9 6	- -	11 5	-
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M F	2 2	- -	2 3	- -	- 2	- -	1 3	-
B21	DIABETES MELLITUS	M F	8 3	- -	9 9	- -	4 4	- -	10 9	-
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M F	1 -	- -	1 -	- -	- -	- -	1 2	-
B23	ANAEMIAS	M F	- -	- -	4 2	- -	- 2	- -	1 1	-
B24	MENINGITIS	M F	- -	- -	- -	- -	- -	- -	- -	-
B25	ACTIVE RHEUMATIC FEVER	M F	- -	- -	- -	- -	- -	- -	- -	-
B26	CHRONIC RHEUMATIC HEART DISEASE	M F	2 9	- -	4 2	- -	3 3	- -	5 5	-
B27	HYPERTENSIVE DISEASE	M F	8 10	- -	5 10	- -	4 -	- -	7 11	-

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	CLARE COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	182 81	- -	283 162	- -	110 103	- -	177 116	- -
B29	OTHER FORMS OF HEART DISEASE	M F	40 30	- -	48 42	1 -	4 16	- -	34 44	- -
B30	CEREBROVASCULAR DISEASE	M F	78 88	- -	110 91	- -	22 29	- -	42 68	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	17 18	- -	44 45	- 1	8 5	- -	25 22	- -
B31	INFLUENZA	M F	2 2	- -	10 3	- -	1 1	- -	1 -	- -
B32	PNEUMONIA	M F	33 21	- -	34 50	- -	18 18	- -	36 20	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	33 22	- -	34 17	- -	19 25	- -	41 24	- -
B46B	BRONCHIECTASIS	M F	- 1	- -	2 -	- -	- -	- -	- 1	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	8 10	- -	7 8	- -	- 2	- -	1 5	- -
B34	PEPTIC ULCER	M F	2 2	- -	7 6	- -	2 1	- -	4 3	- -
B35	APPENDICITIS	M F	- -	- -	- 2	- -	- -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	3 -	- -	4 1	- -	- -	- -	- 3	- -
B37	CIRRHOSIS OF LIVER	M F	- 1	- -	3 2	- -	- 1	- -	2 1	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	4 4	- -	5 8	- -	2 1	- -	6 2	- -
B38	NEPHRITIS AND NEPHROSIS	M F	4 1	- -	6 5	- -	- 3	- -	1 4	- -
B39	HYPERPLASIA OF PROSTATE	M	1	-	8	-	-	-	1	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	-	-	1	-	-	-	-	-
B42	CONGENITAL ANOMALIES	M F	5 4	- -	10 9	- -	3 4	- -	7 6	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	5 5	- -	3 5	- -	3 3	- -	4 6	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	2 3	- -	1 3	- -	- 3	- -	1 1	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	6 1	2 -	4 7	3 -	- 1	- -	4 4	1 -
B45B	ILL-DEFINED CONDITIONS	M F	3 3	- -	- 2	- -	1 1	- -	1 1	- -
B46E	ALL OTHER DISEASES	M F	8 16	- -	20 19	- -	4 5	- -	23 19	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	11 1	- -	17 5	- -	6 2	- -	21 2	- -
B48	ALL OTHER ACCIDENTS	M F	20 16	- -	28 18	- -	12 5	- -	10 10	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	7 -	- -	1 -	- -	- 4	- -	3 1	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	2 1	- -	2 1	- -	7 2	- -	- -	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	TIPPERARY NORTH RIDING		TIPPERARY SOUTH RIDING		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
		M	F	M	F	M	F	M	F	
	TOTAL	353	-	431	-	166	-	308	-	
		M	269	-	385	-	186	-	256	-
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M	1	-	-	-	-	-	-	
		F	-	-	1	-	2	-	-	
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	1	-	1	-	1	-	2	
		F	-	-	-	-	-	-	1	
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M	1	-	2	-	-	-	-	
		F	-	-	1	-	-	-	-	
B8	DIPHTHERIA	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B9	WHOOPING COUGH	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B11	MENINGOCOCCAL INFECTION	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B18A	SEPTICAEMIA	M	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	
B12	ACUTE POLIOMYELITIS	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B14	MEASLES	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B18B	INFECTIOUS HEPATITIS	M	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M	-	-	-	-	-	-	-	
		F	-	-	1	-	1	-	-	
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M	-	-	2	-	-	-	-	
		F	-	-	-	-	-	-	-	
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M	5	-	14	-	3	-	3	
		F	4	-	7	-	5	-	2	
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M	17	-	23	-	9	-	11	
		F	9	-	34	-	8	-	14	
B19C	OF TRACHEA, BRONCHUS AND LUNG	M	17	-	13	-	5	-	15	
		F	4	-	7	-	6	-	3	
B19D	OF BREAST	M	1	-	-	-	-	-	1	
		F	4	-	13	-	7	-	4	
B19E	OF GENITO-URINARY ORGANS	M	15	-	11	-	3	-	12	
		F	9	-	8	-	11	-	6	
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	6	-	6	-	1	-	2	
		F	5	-	7	-	4	-	2	
B19G	OTHER	M	9	-	7	-	4	-	11	
		F	3	-	9	-	5	-	10	
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M	-	-	-	-	-	-	-	
		F	1	-	1	-	1	-	1	
B21	DIABETES MELLITUS	M	3	-	3	-	4	-	3	
		F	3	-	8	-	1	-	1	
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	-	-	-	-	1	-	-	
		F	-	-	-	-	-	-	-	
B23	ANAEMIAS	M	-	-	-	-	1	-	1	
		F	2	-	-	-	-	-	-	
B24	MENINGITIS	M	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	
B25	ACTIVE RHEUMATIC FEVER	M	-	-	-	-	-	-	-	
		F	-	-	-	-	1	-	-	
B26	CHRONIC RHEUMATIC HEART DISEASE	M	2	-	2	-	-	-	2	
		F	2	-	4	-	1	-	-	
B27	HYPERTENSIVE DISEASE	M	8	-	3	-	-	-	-	
		F	10	-	8	-	-	-	5	

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	TIPPERARY NORTH RIDING		TIPPERARY SOUTH RIDING		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
		TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED
B28	ISCHAEMIC HEART DISEASE	M F	124 98	- -	149 84	- -	50 31	- -	81 46
B29	OTHER FORMS OF HEART DISEASE	M F	20 14	- -	11 9	- -	2 4	- -	12 12
B30	CEREBROVASCULAR DISEASE	M F	36 38	- -	62 86	- -	18 36	- -	43 49
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	10 9	- -	9 9	- -	7 12	- -	8 10
B31	INFLUENZA	M F	- 1	- -	2 1	- -	- -	- -	1 2
B32	PNEUMONIA	M F	10 10	- -	13 32	- -	13 15	- -	17 11
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	17 9	- -	31 11	- -	10 8	- -	17 17
B46B	BRONCHIECTASIS	M F	- -	- -	- 2	- -	- -	- -	1 -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	4 2	- -	7 3	- -	5 3	- -	6 2
B34	PEPTIC ULCER	M F	1 1	- -	2 1	- -	3 1	- -	2 2
B35	APPENDICITIS	M F	- -	- -	- 1	- -	- -	- -	1 -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	2 -	- -	3 1	- -	2 2	- -	1 2
B37	CIRRHOsis OF LIVER	M F	2 1	- -	- 1	- -	5 -	- -	2 -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	1 2	- -	2 2	- -	2 3	- -	1 3
B38	NEPHRITIS AND NEPHROSIS	M F	2 -	- -	3 2	- -	2 2	- -	4 3
B39	HYPERPLASIA OF PROSTATE	M	1	-	2	-	1	-	1
B40	ABORTION	F	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	-	-	-	-	-	-	-
B42	CONGENITAL ANOMALIES	M F	5 3	- -	2 2	- -	4 1	- -	7 1
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	1 -	- -	2 4	- -	- -	- -	3 -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	1 -	- -	- 1	- -	- 1	- -	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	3 3	- -	- 1	- -	1 1	- -	10 13
B45B	ILL-DEFINED CONDITIONS	M F	- -	- -	- 4	- -	- -	- -	1 -
B46E	ALL OTHER DISEASES	M F	7 12	- -	17 7	- -	2 10	- -	10 21
EXTERNAL CAUSES									
B47	MOTOR VEHICLE ACCIDENTS	M F	11 3	- -	19 3	- -	2 -	- -	6 3
B48	ALL OTHER ACCIDENTS	M F	6 3	- -	5 10	- -	6 3	- -	6 6
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	2 2	- -	3 -	- -	1 -	- -	5 2
B50	ALL OTHER EXTERNAL CAUSES	M F	1 -	- -	- -	- -	1 1	- -	2 2

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE
AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY	
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED
		M	F	M	F	M	F	M	F
	TOTAL	912	8	293	2	861	15	431	4
		671	7	176	-	694	9	318	4
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M	-	-	-	-	-	1	-
		F	-	-	-	-	-	1	-
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M	5	-	1	-	3	-	2
		F	-	-	-	-	1	-	-
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M	4	-	-	-	2	-	-
		F	2	-	-	-	4	-	-
B8	DIPHTHERIA	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B9	WHOOPING COUGH	M	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B11	MENINGOCOCCAL INFECTION	M	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-
B18A	SEPTICAEMIA	M	4	-	-	-	-	-	-
		F	2	-	-	-	-	-	-
B12	ACUTE POLIOMYELITIS	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B14	MEASLES	M	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B18B	INFECTIOUS HEPATITIS	M	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M	2	-	-	-	1	-	-
		F	1	-	1	-	1	-	-
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M	15	-	8	-	17	-	6
		F	10	-	3	-	17	-	3
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M	57	-	17	-	42	-	26
		F	42	-	10	-	42	-	15
B19C	OF TRACHEA, BRONCHUS AND LUNG	M	38	-	2	-	21	-	10
		F	7	-	-	-	7	-	9
B19D	OF BREAST	M	-	-	-	-	-	-	-
		F	22	-	5	-	23	-	9
B19E	OF GENITO-URINARY ORGANS	M	24	-	7	-	30	-	15
		F	15	-	4	-	17	-	7
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M	12	-	3	-	11	-	1
		F	8	-	1	-	9	-	5
B19G	OTHER	M	31	-	1	-	11	-	9
		F	15	-	5	-	15	-	6
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M	1	-	1	-	1	-	1
		F	3	-	1	-	1	-	-
B21	DIABETES MELLITUS	M	8	-	4	-	11	-	6
		F	12	-	1	-	14	-	5
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B23	ANAEMIAS	M	2	-	-	-	4	-	1
		F	4	-	1	-	1	-	2
B24	MENINGITIS	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B25	ACTIVE RHEUMATIC FEVER	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B26	CHRONIC RHEUMATIC HEART DISEASE	M	7	-	2	-	11	-	2
		F	8	-	1	-	5	-	2
B27	HYPERTENSIVE DISEASE	M	9	-	3	-	8	-	4
		F	18	1	1	-	6	-	4

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	293 165	1 -	108 57	2 -	233 141	- -	161 101	- -
B29	OTHER FORMS OF HEART DISEASE	M F	37 43	- -	5 6	- -	51 51	- -	19 13	- 1
B30	CEREBROVASCULAR DISEASE	M F	61 93	- -	33 22	- -	136 143	2 -	53 42	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	29 31	- -	5 6	- -	31 21	- -	10 13	- -
B31	INFLUENZA	M F	2 3	- -	1 -	- -	7 9	1 -	1 -	- -
B32	PNEUMONIA	M F	65 27	- -	28 26	- -	31 28	- 1	31 12	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	49 20	- -	21 5	- -	40 25	- -	7 7	- -
B46B	BRONCHIECTASIS	M F	3 -	- -	- 1	- -	- -	- -	1 -	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	10 2	- -	2 2	- -	15 6	- -	1 2	- -
B34	PEPTIC ULCER	M F	8 6	- -	3 -	- -	13 8	- -	4 2	- -
B35	APPENDICITIS	M F	- 2	- -	- 1	- -	1 -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	1 1	- -	1 -	- -	5 -	- -	- -	- -
B37	CIRRHOSIS OF LIVER	M F	4 2	- -	- -	- -	1 3	- -	2 2	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	9 9	- -	2 -	- -	12 7	- -	7 5	- -
B38	NEPHRITIS AND NEPHROSIS	M F	7 5	- -	2 -	- -	7 2	- -	3 1	- -
B39	HYPERPLASIA OF PROSTATE	M	5	-	1	-	5	-	-	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE Puerperium	F	-	-	-	-	1	-	-	-
B42	CONGENITAL ANOMALIES	M F	6 10	- -	2 2	- -	8 4	- -	4 4	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	3 4	- -	1 -	- -	- 1	- -	1 2	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	2 2	- -	- 1	- -	- -	- -	- -	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	8 8	5 4	- 1	- -	19 14	10 8	8 6	4 3
B45B	ILL-DEFINED CONDITIONS	M F	4 3	2 1	- -	- -	4 6	1 -	1 1	- -
B46E	ALL OTHER DISEASES	M F	30 37	- 1	9 8	- -	24 40	1 -	8 16	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	13 3	- -	10 -	- -	20 6	- -	13 3	- -
B48	ALL OTHER ACCIDENTS	M F	31 22	- -	6 2	- -	18 12	- -	11 13	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	9 1	- -	3 1	- -	4 1	- -	3 3	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	1 3	- -	1 1	- -	3 1	- -	2 1	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 20 (CONTD.)-DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
		TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED	TOTAL	UNCER- TIFIED
		M	F	M	F	M	F	M	F
	TOTAL	388	2	416	-	830	3	303	-
		288	1	311	2	660	4	227	1
B4	ENTERITIS AND OTHER DIARRHOEAL DISEASES +	M F	- -	- -	1 -	- -	- 2	- -	- -
B5	TUBERCULOSIS OF RESPIRATORY SYSTEM	M F	1 1	- -	- 2	- -	2 -	- -	1 -
B6	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	M F	1 -	- -	1 -	- -	1 -	- -	- -
B8	DIPHTHERIA	M F	- -	- -	- -	- -	- -	- -	- -
B9	WHOOPING COUGH	M F	- -	- -	- -	- -	- -	- -	- -
B10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M F	- -	- -	1 -	- -	- -	- -	- -
B11	MENINGOCOCCAL INFECTION	M F	- 1	- -	- -	- -	- -	- -	- -
B18A	SEPTICAEMIA	M F	- -	- -	- -	- -	2 -	- -	- -
B12	ACUTE POLIOMYELITIS	M F	- -	- -	- -	- -	- -	- -	- -
B14	MEASLES	M F	- 1	- -	- -	- -	- -	- -	- -
B18B	INFECTIOUS HEPATITIS	M F	- -	- -	1 -	- -	- -	- -	- -
B18C	GASTRO-ENTERITIS (UNDER 2 YEARS)	M F	- -	- -	1 -	- -	2 -	- -	- -
B18	ALL OTHER INFECTIVE AND PARASITIC DISEASES	M F	- -	- -	- -	- -	2 1	- -	- -
B19A	MALIGNANT NEOPLASMS:- OF STOMACH	M F	8 11	- -	15 8	- -	19 12	- -	3 4
B19B	OF OTHER DIGESTIVE ORGANS AND PERITONEUM	M F	19 17	- -	14 7	- -	53 25	- -	17 6
B19C	OF TRACHEA, BRONCHUS AND LUNG	M F	10 3	- -	9 7	- -	30 7	- -	13 2
B19D	OF BREAST	M F	- 9	- -	- 10	- -	1 11	- -	- 16
B19E	OF GENITO-URINARY ORGANS	M F	18 7	- -	17 2	- -	32 11	- -	4 6
B19F	OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	M F	4 1	- -	7 4	- -	2 6	- -	1 2
B19G	OTHER	M F	12 3	- -	9 5	- -	19 12	- 1	4 9
B20	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	M F	- -	- -	1 1	- -	2 3	- -	1 -
B21	DIABETES MELLITUS	M F	1 5	- -	2 6	- -	3 18	- -	2 2
B22	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	M F	- -	- -	- -	- -	- -	- -	- -
B23	ANAEMIAS	M F	- 1	- -	1 1	- -	2 2	- -	- 1
B24	MENINGITIS	M F	- -	- -	- -	- -	2 1	- -	- -
B25	ACTIVE RHEUMATIC FEVER	M F	- -	- -	- -	- -	- -	- -	- -
B26	CHRONIC RHEUMATIC HEART DISEASE	M F	1 3	- -	1 2	- -	6 3	- -	1 2
B27	HYPERTENSIVE DISEASE	M F	4 11	- -	5 5	- -	11 15	- -	4 6

+ INCLUDING GASTRO-ENTERITIS (UNDER 2 YEARS).

TABLE 20 (CONTD.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

ABBREVIATED LIST NUMBER	CAUSE OF DEATH	SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		
		TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	TOTAL	UNCERTIFIED	
B28	ISCHAEMIC HEART DISEASE	M F	121 62	- -	138 97	- -	225 150	1 1	108 59	- -
B29	OTHER FORMS OF HEART DISEASE	M F	11 12	- 1	9 12	- -	37 52	- -	6 12	- -
B30	CEREBROVASCULAR DISEASE	M F	45 59	- -	48 60	- -	88 102	- -	37 35	- -
B46A	OTHER DISEASES OF CIRCULATORY SYSTEM	M F	12 7	- -	11 6	- -	44 23	- -	7 10	- -
B31	INFLUENZA	M F	3 1	- -	4 1	- -	8 5	- -	3 2	- -
B32	PNEUMONIA	M F	22 14	- -	24 26	- -	67 56	- -	17 12	- -
B33	BRONCHITIS, EMPHYSEMA AND ASTHMA	M F	31 11	- -	30 13	- -	36 21	- 1	27 15	- -
B46B	BRONCHIECTASIS	M F	2 -	- -	- 1	- -	1 -	- -	- -	- -
B46C	OTHER DISEASES OF RESPIRATORY SYSTEM	M F	4 1	- -	1 1	- -	6 4	- -	1 -	- -
B34	PEPTIC ULCER	M F	5 1	- -	1 -	- -	5 3	- -	3 -	- -
B35	APPENDICITIS	M F	2 -	- -	2 -	- -	- -	- -	- -	- -
B36	INTESTINAL OBSTRUCTION AND HERNIA	M F	- 4	- -	1 3	- -	3 5	- -	4 -	- -
B37	CIRRHOsis OF LIVER	M F	2 -	- -	- -	- -	1 2	- -	- -	- -
B46D	OTHER DISEASES OF DIGESTIVE SYSTEM	M F	2 5	- -	4 2	- -	4 8	- -	2 3	- -
B38	NEPHRITIS AND NEPHROSIS	M F	2 2	- -	4 3	- -	12 3	- -	1 1	- -
B39	HYPERPLASIA OF PROSTATE	M	-	-	2	-	6	-	3	-
B40	ABORTION	F	-	-	-	-	-	-	-	-
B41	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	-	-	-	-	-	2	-	-
B42	CONGENITAL ANOMALIES	M F	5 4	- -	2 1	- -	11 10	- -	3 1	- -
B43	BIRTH INJURY, DIFFICULT LABOUR AND OTHER ANOXIC AND HYPOXIC CONDTNS	M F	1 2	- -	5 1	- -	8 3	- -	2 2	- -
B44	OTHER CAUSES OF PERINATAL MORTALITY*	M F	1 -	- -	1 -	- -	2 -	- -	1 -	- -
B45A	SENILITY WITHOUT MENTION OF PSYCHOSIS	M F	6 7	2 -	1 4	- 2	5 9	2 1	1 2	- 1
B45B	ILL-DEFINED CONDITIONS	M F	2 -	- -	1 1	- -	3 5	- -	- -	- -
B46E	ALL OTHER DISEASES	M F	9 10	- -	8 8	- -	31 35	- -	7 8	- -
EXTERNAL CAUSES										
B47	MOTOR VEHICLE ACCIDENTS	M F	6 1	- -	10 -	- -	14 6	- -	6 3	- -
B48	ALL OTHER ACCIDENTS	M F	10 9	- -	12 10	- -	23 25	- -	11 5	- -
B49	SUICIDE AND SELF-INFILCTED INJURIES	M F	2 -	- -	1 -	- -	1 -	- -	2 -	- -
B50	ALL OTHER EXTERNAL CAUSES	M F	3 2	- -	2 -	- -	2 -	- -	1 -	- -

*LATE FOETAL DEATHS NOT INCLUDED.

TABLE 21—DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death	Age at death											75 years and over
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74		
		M	F										
	All Causes	2,777	91	7	27	49	66	76	228	506	876	851	
		F	2,619	67	6	11	15	31	43	137	329	590	1,390
B 4	Enteritis and other diarrhoeal diseases	M	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	1	2
B 5	Tuberculosis of respiratory system	M	15	-	-	-	-	-	2	3	2	7	1
		F	2	-	-	-	1	-	1	-	-	-	-
B 6	Other tuberculosis, including late effects	M	10	-	-	-	-	-	-	1	3	4	2
		F	10	-	-	-	-	-	1	1	2	5	1
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	2	1	-	-	-	-	-	-	-	-	1
		F	1	-	1	-	-	-	-	-	-	-	-
B18a	Septicaemia	M	1	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	1	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B18c	Gastro-enteritis (under 2 years)	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	3	1	-	1	-	-	-	1	-	-	-
		F	3	1	-	-	-	-	-	1	-	1	-
B19a	Malignant neoplasms:- of stomach	M	51	-	-	-	-	-	2	3	11	20	15
		F	50	-	-	-	-	-	1	3	7	17	22
B19b	of other digestive organs and peritoneum	M	122	-	-	-	-	1	1	9	25	48	38
		F	143	-	-	-	-	-	3	10	35	41	54
B19c	of trachea, bronchus and lung	M	255	-	-	-	1	-	2	32	58	99	63
		F	74	-	-	-	-	1	3	8	15	31	16
B19d	of breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	99	-	-	-	-	4	5	19	26	22	23
B19e	of genito-urinary organs	M	77	-	-	1	-	-	1	2	11	31	31
		F	70	-	-	-	-	2	-	8	17	21	22
B19f	of lymphatic and haematopoietic tissue	M	53	-	-	1	2	2	4	8	6	17	13
		F	29	-	-	-	-	1	1	5	7	5	10
B19g	Other	M	80	-	-	-	-	8	4	8	21	24	15
		F	62	-	-	-	-	4	3	6	12	13	24
B20	Benign neoplasms and neoplasms of unspecified nature	M	14	-	-	1	-	-	-	-	1	5	7
		F	14	-	-	2	-	1	-	-	1	6	4
B21	Diabetes mellitus	M	21	-	-	-	-	-	-	2	6	8	5
		F	28	-	-	-	-	-	-	2	2	6	18
B22	Avitaminoses and other nutritional deficiency	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
B23	Anaemias	M	5	-	-	-	-	-	-	-	-	1	4
		F	7	-	-	-	-	-	1	-	-	2	4
B24	Meningitis	M	2	1	-	1	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	1	-	-	1	1
B25	Active rheumatic fever	M	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	29	-	-	-	1	2	1	2	8	8	7
		F	48	-	-	-	-	-	2	6	10	11	19
B27	Hypertensive disease	M	38	-	-	-	-	-	-	5	6	12	15
		F	43	-	-	-	-	-	-	2	4	15	22
B28	Ischaemic heart disease	M	810	-	-	-	-	2	19	80	194	273	242
		F	611	-	-	-	-	2	3	18	87	165	336
B29	Other forms of heart disease	M	52	-	-	1	-	1	2	2	5	13	29
		F	109	-	1	-	1	-	-	2	2	12	91

TABLE 21 (contd.)-DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND
AGGREGATE RURAL DISTRICTS

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death	Age at death									
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
B30	Cerebrovascular disease	M 192 F 336	- -	- 1	2 2	4 3	4 1	15 12	27 28	64 75	76 214
B46a	Other diseases of circulatory system	M 72 F 91	- -	- -	- -	- -	- 3	1 4	14 8	21 19	35 57
B31	Influenza	M 4 F 14	- -	- -	- -	- -	- -	- -	- -	1 -	2 12
B32	Pneumonia	M 173 F 257	5 1	1 -	3 1	1 2	3 3	11 4	18 11	56 35	77 197
B33	Bronchitis, emphysema and asthma	M 210 F 120	- -	- -	- -	- 1	1 1	- 10 4	30 21	83 30	86 63
B46b	Bronchiectasis	M 4 F 3	- -	- -	- -	1 -	- -	- -	- -	1 -	1 2
B46c	Other diseases of respiratory system	M 35 F 26	10 11	2 1	- -	- -	- -	2 -	2 -	3 -	7 4
B34	Peptic ulcer	M 24 F 15	- -	- -	- -	- -	- -	1 -	1 2	7 2	9 6
B35	Appendicitis	M 1 F 4	- -	- -	- -	- -	- -	- -	- -	- -	1 4
B36	Intestinal obstruction and hernia	M 2 F 12	- -	- -	- -	- -	- -	- -	- -	- 1	- 2
B37	Cirrhosis of liver	M 16 F 17	- -	- -	- -	- -	1 1	3 1	3 6	7 2	2 4
B46d	Other diseases of digestive system	M 35 F 26	- -	- -	- -	- -	2 -	- 1	5 2	6 6	11 13
B38	Nephritis and nephrosis	M 27 F 18	- -	- -	- -	1 -	- -	1 1	3 1	7 3	9 7
B39	Hyperplasia of prostate	M 7 F -	- -	- -	- -	- -	- -	- -	- -	- -	3 -
B40	Abortion	F -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B41	Other complications of pregnancy, childbirth and the puerperium	F 2	- -	- -	- -	1 -	1 -	- -	- -	- -	- -
B42	Congenital anomalies	M 33 F 37	25 33	4 1	- 2	2 -	1 -	1 -	- -	- 1	- -
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M 21 F 8	21 8	- -	- -	- -	- -	- -	- -	- -	- -
B44	Other causes of perinatal mortality*	M 22 F 11	22 11	- -	- -	- -	- -	- -	- -	- -	- -
B45a	Senility without mention of psychosis	M 8 F 7	- -	- -	- -	- -	- -	- -	- -	- -	- 8
B45b	Ill-defined conditions	M 11 F 2	- -	- -	- -	- -	2 -	- -	- -	3 -	4 2
B46e	All other diseases	M 62 F 95	- -	- -	5 1	3 1	- 1	1 3	2 2	7 10	23 16
External Causes											
B47	Motor vehicle accidents	M 76 F 23	- -	- 1	10 3	19 4	15 1	6 1	5 2	9 3	6 6
B48	All other accidents	M 49 F 65	3 1	- -	5 1	8 -	5 -	4 1	8 2	4 4	4 51
B49	Suicide and self-inflicted injuries	M 25 F 14	- -	- -	- -	4 -	9 5	5 1	4 4	3 2	- -
B50	All other external causes	M 24 F 4	- 1	- -	- -	6 -	8 2	7 -	- -	2 -	1 -

*Late foetal deaths not included.

TABLE 21 (contd.)-DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND
AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M 3,339 F 3,309	115 91	26 16	28 15	64 34	65 36	88 61	260 165	561 394	1,040 770	1,092 1,727
B4	Enteritis and other diarrhoeal diseases	M 2 F 6	1 2	1 -	- -	- -	- -	- -	- -	- -	1 1	2 2
B5	Tuberculosis of respiratory system	M 27 F 11	- -	- -	- -	- -	2 -	- -	2 -	1 2	6 4	11 3
B6	Other tuberculosis, including late effects	M 9 F 7	- -	- -	- -	- -	- -	- -	- -	4 -	2 7	3 -
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M 3 F 4	2 2	1 1	- -	- -	- -	- -	- -	- -	- 1	- -
B18a	Septicaemia	M 1 F -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M - F 1	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M 1 F -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18c	Gastro-enteritis (under 2 years)	M 2 F 2	1 2	1 -	- -	- -	- -	- -	- -	- -	- -	- -
B18	All other infective and parasitic diseases	M 5 F 4	1 1	1 1	- -	1 -	- -	- -	- -	2 1	- -	1 1
B19a	Malignant neoplasms:- of stomach	M 51 F 63	- -	- -	- -	- -	- 1	4 1	6 4	9 15	20 16	12 26
B19b	of other digestive organs and peritoneum	M 178 F 174	- -	- -	- -	- -	- 1	3 4	17 10	37 29	58 52	62 79
B19c	of trachea, bronchus and lung	M 211 F 68	- -	- -	- -	- -	- -	5 -	20 6	42 24	91 23	53 15
B19d	of breast	M - F 127	- 127	- -	- -	- -	- 3	9 25	- 32	- 30	- 28	- -
B19e	of genito-urinary organs	M 91 F 94	- -	- -	- -	- 2	- 3	2 3	4 10	11 37	31 22	41 19
B19f	of lymphatic and haematopoietic tissue	M 52 F 39	- -	3 1	3 -	3 1	4 4	- 2	7 3	14 5	13 13	5 10
B19g	Other	M 93 F 83	- -	1 1	2 3	2 4	4 -	7 8	10 4	22 10	25 22	20 31
B20	Benign neoplasms and neoplasms of unspecified nature	M 5 F 12	- -	- -	- -	- -	2 1	1 2	- 1	2 1	- 4	- 3
B21	Diabetes mellitus	M 33 F 34	- -	- -	- -	- -	- -	1 -	1 1	7 8	11 7	13 18
B22	Avitaminoses and other nutritional deficiency	M 4 F 4	- -	- -	1 -	- -	- -	- -	- 1	- -	2 1	1 2
B23	Anaemias	M 11 F 10	- -	- -	- -	1 -	- -	- -	- -	1 2	3 2	6 6
B24	Meningitis	M 2 F 1	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
B25	Active rheumatic fever	M - F 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -
B26	Chronic rheumatic heart disease	M 29 F 34	- -	- -	- -	1 -	- 1	1 3	6 10	5 8	6 7	10 5
B27	Hypertensive disease	M 46 F 46	- -	- -	- -	- -	- -	- 1	3 2	7 4	21 8	15 31
B28	Ischaemic heart disease	M 1,030 F 757	- -	- -	- -	- -	1 1	23 2	108 25	219 75	372 212	307 442
B29	Other forms of heart disease	M 77 F 137	1 -	- -	- -	1 -	- -	2 -	- 1	5 6	22 27	46 103

TABLE 21 (contd.)-DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND
AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B30	Cerebrovascular disease	M 300 F 527	- -	- -	1 -	3 4	2 4	6 4	10 12	40 50	99 107	141 347
B46a	Other diseases of circulatory system	M 98 F 184	- 1	- -	- -	- 1	- -	- 1	6 3	13 9	28 30	50 140
B31	Influenza	M 8 F 23	- -	- -	- -	- 1	- -	- -	- -	1 -	2 7	5 15
B32	Pneumonia	M 142 F 178	12 7	2 4	2 4	2 1	1 1	3 1	3 7	12 15	36 23	69 115
B33	Bronchitis, emphysema and asthma	M 237 F 159	- -	- 1	3 -	1 -	2 2	1 2	7 8	33 18	84 56	106 72
B46b	Bronchiectasis	M 4 F 4	- -	- -	- -	- -	- -	- -	- -	- 1	2 2	2 1
B46c	Other diseases of respiratory system	M 43 F 38	13 10	3 -	- -	- 1	- -	1 -	- 2	3 1	11 5	12 19
B34	Peptic ulcer	M 29 F 21	- -	- -	- -	- -	- -	1 -	2 -	1 3	9 6	7 12
B35	Appendicitis	M 1 F 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1
B36	Intestinal obstruction and hernia	M 6 F 14	- -	1 -	- -	- -	- -	1 1	- -	- -	1 1	3 10
B37	Cirrhosis of liver	M 19 F 12	- -	- -	- -	- -	1 1	- -	3 3	3 3	7 3	4 5
B46d	Other diseases of digestive system	M 24 F 38	- -	- -	- -	- -	1 1	3 -	- 1	3 3	3 8	5 10
B38	Nephritis and nephrosis	M 32 F 26	- -	- -	- -	1 1	- 2	- 1	6 3	7 1	9 9	9 9
B39	Hyperplasia of prostate	M 7	-	-	-	-	-	-	-	-	-	1
B40	Abortion	F -	-	-	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F 3	-	-	-	-	-	1	2	-	-	-
B42	Congenital anomalies	M 36 F 34	29 26	3 3	1 1	- 1	- 2	-	-	1 -	2 -	- 1
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M 40 F 25	40 25	- -	- -	- -	- -	- -	- -	- -	- -	- -
B44	Other causes of perinatal mortality*	M 10 F 15	10 15	- -	- -	- -	- -	- -	- -	- -	- -	- -
B45a	Senility without mention of psychosis	M 13 F 29	- -	- -	- -	- -	- -	- -	- -	- -	- -	13 27
B45b	Ill-defined conditions	M 5 F 9	- -	- -	- -	- -	- 1	- 1	1 -	2 1	1 1	1 6
B46e	All other diseases	M 91 F 105	- 1	- -	3 1	3 5	4 -	2 2	8 7	16 11	29 29	26 49
External Causes												
B47	Motor vehicle accidents	M 85 F 31	- -	6 3	6 2	23 8	7 2	6 5	9 2	6 4	14 5	8 -
B48	All other accidents	M 103 F 91	2 -	4 -	6 3	16 1	13 2	10 4	14 7	6 3	13 9	19 62
B49	Suicide and self-inflicted injury	M 16 F 16	- -	- -	- -	2 3	5 3	- 1	4 4	2 3	1 1	2 1
B50	All other external causes	M 29 F 9	- -	- -	- -	2 1	13 1	3 2	2 1	6 1	2 2	1 1

*Late foetal deaths not included.

TABLE 21 (contd.) - DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
 SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND
 AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbre- viated List No.	Cause of death	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
	All Causes	M	F	12,326	370	76	82	178	172	226	639	1,816	3,418
B 4	Enteritis and other diarrhoeal diseases	M	14	6	4	-	-	-	-	-	-	2	2
		F	9	5	-	-	-	-	-	-	-	2	2
B 5	Tuberculosis of respiratory system	M	53	-	-	-	-	2	3	3	8	22	15
		F	16	-	-	-	-	-	1	3	4	4	4
B 6	Other tuberculosis, including late effects	M	30	-	3	-	-	-	1	2	2	11	11
		F	16	-	-	-	-	-	1	-	5	2	8
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	1	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	7	1	3	1	2	-	-	-	-	-	-
		F	4	1	2	-	1	-	-	-	-	-	-
B18a	Septicaemia	M	11	7	2	-	-	-	-	1	-	1	-
		F	11	4	1	-	-	-	-	1	1	2	2
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	1	1	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	2	1	-	-	-	-	-	1	-	-	-
		F	4	-	-	-	-	-	-	1	1	1	1
B18c	Gastro-enteritis (under 2 years)	M	7	6	1	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	17	-	1	2	1	-	2	2	2	3	4
		F	10	1	1	-	-	-	-	-	2	2	4
B19a	Malignant neoplasms:- of stomach	M	237	-	-	-	-	-	4	18	52	92	71
		F	154	-	-	-	-	-	4	9	21	54	66
B19b	of other digestive organs and peritoneum	M	569	-	1	-	-	2	3	11	38	99	189
		F	483	-	-	-	-	2	2	9	29	81	144
B19c	of trachea, bronchus and lung	M	488	-	-	-	-	-	3	6	48	140	197
		F	173	-	-	-	-	-	1	4	15	51	65
B19d	of breast	M	6	-	-	-	-	-	-	1	2	1	2
		F	314	-	-	-	-	-	4	25	61	71	81
B19e	of genito-urinary organs	M	366	-	1	-	1	2	5	5	11	42	104
		F	216	-	1	-	-	2	5	11	29	58	60
B19f	of lymphatic and haematopoietic tissue	M	145	-	2	8	5	8	10	18	22	44	28
		F	108	-	2	9	5	4	2	18	19	21	28
B19g	Other	M	276	-	1	6	4	7	5	27	58	75	93
		F	194	1	2	3	2	2	7	12	36	55	74
B20	Benign neoplasms and neoplasms of unspecified nature	M	25	-	-	1	1	1	1	2	4	2	13
		F	37	-	-	1	-	1	2	-	4	10	19
B21	Diabetes Mellitus	M	136	-	1	1	2	-	5	5	21	47	54
		F	155	-	-	-	-	1	-	2	17	49	86
B22	Avitaminoses and other nutritional deficiency	M	3	-	-	-	-	-	-	-	-	3	-
		F	4	-	1	-	-	-	-	-	-	2	1
B23	Anaemias	M	27	1	-	-	-	-	-	1	3	7	15
		F	32	-	-	-	-	-	-	1	-	9	19
B24	Meningitis	M	4	2	-	1	-	-	-	-	-	-	-
		F	5	1	1	-	-	-	-	-	-	1	2
B25	Active rheumatic fever	M	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	1	-
B26	Chronic rheumatic heart disease	M	113	-	-	-	-	1	6	5	7	24	35
		F	88	-	-	-	-	-	2	3	3	18	39
B27	Hypertensive disease	M	119	-	-	-	-	-	1	1	3	22	35
		F	198	-	-	-	-	-	1	5	9	52	57
B28	Ischaemic heart disease	M	3,705	-	-	-	-	3	8	42	218	718	1,214
		F	2,152	-	-	-	-	-	17	57	205	542	1,502
B29	Other forms of heart disease	M	574	-	-	1	2	2	4	13	35	102	415
		F	611	-	1	-	3	4	-	8	15	65	515

TABLE 21 (contd.)-DEATHS OCCURRING IN 1978, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)
SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND
AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbre-viated List No.	Cause of death	Age at death										75 years and over	
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74		
B30	Cerebrovascular disease	M 1,406 F 1,535	- 2	- 1	- 2	1 1	10 4	4 7	47 27	130 94	399 314	815 1,083	
B46a	Other diseases of circulatory system	M 426 F 385	- -	- -	- 1	- -	- 2	1 3	5 8	35 23	112 63	272 285	
B31	Influenza	M 66 F 46	- -	1 -	- -	- 1	1 -	1 -	3 1	3 3	11 5	46 36	
B32	Pneumonia	M 706 F 555	28 20	6 9	1 2	6 2	10 2	9 5	21 16	64 51	164 86	397 362	
B33	Bronchitis, emphysema and asthma	M 746 F 343	- -	- -	1 -	2 1	2 1	5 3	28 12	106 54	245 97	357 175	
B46b	Bronchiectasis	M 17 F 7	- -	- -	- -	- -	- -	1 2	- 1	5 4	- -	7 4	
B46c	Other diseases of respiratory system	M 133 F 95	52 29	4 4	- -	- -	1 1	1 1	6 3	12 4	16 15	41 38	
B34	Peptic ulcer	M 90 F 50	- -	- -	- -	1 -	- -	1 -	7 2	16 6	29 13	37 28	
B35	Appendicitis	M 8 F 9	- -	- -	- -	1 3	- -	- -	1 -	1 -	2 1	3 5	
B36	Intestinal obstruction and hernia	M 39 F 28	- -	- -	1 -	- -	- -	1 -	2 1	3 3	11 4	21 20	
B37	Cirrhosis of liver	M 35 F 24	- -	- -	- -	1 -	2 -	2 6	4 2	18 5	6 5	3 5	
B46d	Other diseases of digestive system	M 77 F 94	- -	- 1	- -	1 -	1 2	3 1	3 5	11 12	25 26	33 47	
B38	Nephritis and nephrosis	M 84 F 61	- -	- -	1 -	1 -	1 -	3 2	8 4	10 2	24 15	36 38	
B39	Hyperplasia of prostate	M 49 F -	- -	- -	- -	- -	- -	- -	- -	2 -	3 -	44 -	
B40	Abortion	M F	-	-	-	-	-	-	-	-	-	-	
B41	Other complications of pregnancy, childbirth and the puerperium	M F	7 -	- -	- -	- -	- -	3 -	4 -	- -	- -	- -	
B42	Congenital anomalies	M 153 F 170	119 137	10 12	10 8	6 5	2 2	1 2	2 1	2 -	2 3	1 -	
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	93 61	93 61	- -	- -	- -	- -	- -	- -	- -	- -	
B44	Other causes of perinatal mortality*	M F	49 38	49 38	- -	- -	- -	- -	- -	- -	- -	- -	
B45a	Senility without mention of psychosis	M F	95 89	- -	- -	- -	- -	- -	- -	- -	- -	10 1	
B45b	Ill-defined conditions	M F	23 29	- -	- -	- -	- -	- -	- -	2 1	4 5	17 23	
B46e	All other diseases	M F	354 409	5 7	5 6	9 5	5 5	8 8	5 5	18 14	41 47	87 95	171 217
External Causes													
B47	Motor vehicle accidents	M F	334 78	2 -	13 7	22 11	95 17	45 7	32 2	31 10	39 7	31 6	24 11
B48	All other accidents	M F	315 265	4 4	16 9	14 7	22 5	23 5	33 -	21 6	41 8	43 32	98 189
B49	Suicide and self-inflicted injuries	M F	65 27	- -	- -	1 -	12 4	12 5	13 3	10 4	13 8	1 3	3 -
B50	All other external causes	M F	31 21	- -	- -	- -	4 2	6 4	5 2	2 4	7 7	4 2	3 -

*Late foetal deaths not included.

TABLE 22—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH IN 1978 CLASSIFIED BY PLACE OF OCCURRENCE

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,442	15,352	3,698	3,396	440	419	7,105	5,898	7,199	5,639
LEINSTER	8,080	7,067	2,471	2,268	187	196	2,333	2,037	3,089	2,566
MUNSTER	5,928	4,940	880	832	131	134	2,656	2,238	2,261	1,736
CONNACHT	2,885	2,147	238	214	99	63	1,423	1,053	1,125	817
ULSTER (part of)	1,549	1,198	109	82	23	26	693	570	724	520
LEINSTER	8,080	7,067	2,471	2,268	187	196	2,333	2,037	3,089	2,566
Carlow	229	197	32	20	10	6	106	108	81	63
Dublin County Borough	2,777	2,619	1,262	1,168	49	76	424	426	1,042	949
Dun Laoghaire Borough	293	331	153	191	1	7	17	20	122	113
Dublin County (remainder)	867	810	392	303	22	25	111	135	342	347
Kildare	428	340	88	72	4	10	191	148	145	110
Kilkenny	405	299	46	39	13	18	168	130	178	112
Laois	326	237	29	26	16	6	153	119	128	86
Longford	234	169	40	39	5	5	121	69	68	56
Louth	444	394	136	126	14	7	145	141	149	120
Meath	463	358	82	66	5	8	186	166	190	118
Offaly	307	242	18	32	7	3	157	112	125	95
Westmeath	363	310	35	33	16	9	179	167	133	101
Wexford	571	427	48	57	20	12	276	197	227	161
Wicklow	373	334	110	96	5	4	99	99	159	135
MUNSTER	5,928	4,940	880	832	131	134	2,656	2,238	2,261	1,736
Clare	598	415	28	41	26	23	318	223	226	128
Cork County Borough	739	703	227	220	5	18	241	206	266	259
Cork County	1,622	1,292	261	220	21	16	705	577	635	479
Kerry	839	665	50	80	20	11	449	347	320	227
Limerick County Borough	295	301	91	64	6	7	108	145	90	85
Limerick County	577	468	59	59	7	8	288	237	223	164
Tipperary, North Riding	353	269	49	24	8	5	157	141	139	99
Tipperary, South Riding	431	385	33	45	16	21	202	192	180	127
Waterford County Borough	166	186	31	41	9	11	59	56	67	78
Waterford County	308	256	51	38	13	14	129	114	115	90
CONNACHT	2,885	2,147	238	214	99	63	1,423	1,053	1,125	817
Galway	912	671	124	103	34	22	427	309	327	237
Leitrim	293	176	16	16	11	2	153	91	113	67
Mayo	861	694	40	39	21	20	451	383	349	252
Roscommon	431	318	33	26	18	11	207	142	173	139
Sligo	388	288	25	30	15	8	185	128	163	122
ULSTER (part of)	1,549	1,198	109	82	23	26	693	570	724	520
Cavan	416	311	28	27	7	5	191	173	190	106
Donegal	830	660	58	31	12	15	370	285	390	329
Monaghan	303	227	23	24	4	6	132	112	144	85

TABLE 23—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1978 WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE

TABLE 24—DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
TOTAL											
TUBERCULOSIS, ALL FORMS	M 144	—	3	—	2	2	6	10	25	57	39
	F 62	—	—	—	1	—	6	4	13	22	16
OTHER INFECTIVE AND PARASITIC DISEASES	M 76	25	15	5	5	—	2	5	4	9	6
	F 65	18	11	—	2	—	1	3	5	11	14
MALIGNANT NEOPLASMS	M 3401	—	9	21	20	47	76	287	682	1179	1080
	F 2817	1	7	15	16	41	105	294	608	789	941
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 6419	1	—	1	9	23	98	436	1213	2045	2593
	F 4547	—	2	—	4	10	30	130	426	1064	2881
HYPERTENSIVE DISEASE	M 203	—	—	—	—	1	1	11	35	68	87
	F 287	—	—	—	—	—	2	9	17	75	184
CEREBROVASCULAR DISEASE	M 1898	—	—	3	2	16	14	72	197	562	1032
	F 2398	2	1	3	6	11	12	51	172	496	1644
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 597	—	—	—	—	1	3	12	63	161	357
	F 663	1	—	1	1	2	6	16	42	112	482
DISEASES OF THE RESPIRATORY SYSTEM	M 2528	120	19	7	12	20	26	91	292	722	1219
	F 1868	78	19	9	9	10	18	58	179	369	1119
SENIORITY	M 116	—	—	—	—	—	—	—	—	10	106
	F 125	—	—	—	—	—	—	—	—	3	122
OTHER DISEASES	M 1908	419	24	36	28	32	40	93	234	402	600
	F 1876	364	25	20	28	28	39	65	167	367	773
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 1152	11	39	64	213	161	124	110	138	119	173
	F 644	6	20	27	45	37	22	46	50	70	321
ALL CAUSES	M 18442	576	109	137	291	303	390	1127	2883	5334	7292
	F 15352	470	85	75	112	139	241	676	1679	3378	8497
LEINSTER											
TUBERCULOSIS, ALL FORMS	M 56	—	2	—	—	1	3	6	9	24	11
	F 34	—	—	—	1	—	5	2	6	11	9
OTHER INFECTIVE AND PARASITIC DISEASES	M 43	15	7	3	5	—	1	3	3	4	2
	F 34	7	7	—	1	—	1	2	1	5	10
MALIGNANT NEOPLASMS	M 1621	—	3	9	9	31	42	162	334	588	443
	F 1387	1	2	5	6	27	54	157	310	368	457
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 2720	1	—	—	4	11	47	224	590	866	977
	F 2052	—	1	—	3	4	13	63	232	489	1247
HYPERTENSIVE DISEASE	M 86	—	—	—	—	1	—	8	9	32	36
	F 140	—	—	—	—	—	—	5	9	36	90
CEREBROVASCULAR DISEASE	M 733	—	—	3	1	6	6	35	83	222	377
	F 1020	1	—	3	3	6	9	29	77	232	660
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 224	—	—	—	—	1	2	5	32	64	120
	F 273	—	—	1	1	—	4	8	21	50	188
DISEASES OF THE RESPIRATORY SYSTEM	M 1172	65	9	2	5	12	13	46	146	343	531
	F 914	47	8	6	5	5	9	26	84	167	557
SENIORITY	M 29	—	—	—	—	—	—	—	—	1	28
	F 32	—	—	—	—	—	—	—	—	—	32
OTHER DISEASES	M 887	247	13	19	13	11	17	38	118	177	234
	F 862	205	12	10	14	13	22	33	80	151	322
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 509	5	17	36	108	80	57	47	56	46	57
	F 319	3	6	14	21	25	8	23	29	37	153
ALL CAUSES	M 8080	333	51	72	145	154	188	574	1380	2367	2816
	F 7067	264	36	39	55	80	125	348	849	1546	3725

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
MUNSTER											
TUBERCULOSIS, ALL FORMS	M 64	-	1	-	2	-	1	4	13	23	20
	F 18	-	-	-	-	-	1	1	4	9	3
OTHER INFECTIVE AND PARASITIC DISEASES	M 19	5	5	1	-	-	1	-	1	3	3
	F 15	5	1	-	-	-	-	1	3	4	1
MALIGNANT NEOPLASMS	M 1026	-	5	10	9	12	28	83	212	345	322
	F 876	-	3	6	5	9	32	88	188	258	287
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 2096	-	-	1	4	4	39	140	369	676	863
	F 1436	-	1	-	-	1	11	45	120	351	907
HYPERTENSIVE DISEASE	M 73	-	-	-	-	-	1	3	16	26	27
	F 81	-	-	-	-	-	2	4	4	19	52
CEREBROVASCULAR DISEASE	M 664	-	-	-	1	6	8	26	70	211	342
	F 822	1	-	-	2	5	1	15	59	164	575
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 224	-	-	-	-	-	1	4	18	56	145
	F 273	-	-	-	-	1	2	3	11	43	213
DISEASES OF THE RESPIRATORY SYSTEM	M 754	34	7	5	4	4	8	28	84	230	350
	F 595	24	8	3	4	5	6	17	62	137	329
SENILITY	M 39	-	-	-	-	-	-	-	-	3	36
	F 42	-	-	-	-	-	-	-	-	-	42
OTHER DISEASES	M 580	112	9	12	10	14	13	26	67	135	182
	F 591	110	9	7	6	8	13	27	53	128	230
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 389	4	15	19	64	53	43	40	54	36	61
	F 191	1	11	8	11	6	8	19	14	20	93
ALL CAUSES	M 5928	155	42	48	94	93	143	354	904	1744	2351
	F 4940	141	33	24	28	35	76	220	518	1133	2732
CONNACHT											
TUBERCULOSIS, ALL FORMS	M 19	-	-	-	-	1	2	-	3	6	7
	F 8	-	-	-	-	-	-	-	3	2	3
OTHER INFECTIVE AND PARASITIC DISEASES	M 10	5	2	1	-	-	-	1	-	1	-
	F 10	3	2	1	1	-	-	-	1	-	3
MALIGNANT NEOPLASMS	M 485	-	-	-	1	4	2	27	83	155	213
	F 382	-	1	3	2	1	12	38	71	114	140
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 1062	-	-	-	1	2	8	45	155	331	520
	F 670	-	-	-	1	4	2	10	46	136	471
HYPERTENSIVE DISEASE	M 24	-	-	-	-	-	-	-	6	3	15
	F 40	-	-	-	-	-	-	-	2	11	27
CEREBROVASCULAR DISEASE	M 328	-	-	-	-	3	-	8	31	81	205
	F 359	-	-	-	-	-	2	5	22	59	271
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 87	-	-	-	-	-	-	1	11	30	45
	F 78	1	-	-	-	-	-	4	10	15	48
DISEASES OF THE RESPIRATORY SYSTEM	M 377	12	1	-	1	3	2	13	38	89	218
	F 202	6	1	-	-	-	2	8	24	35	126
SENILITY	M 41	-	-	-	-	-	-	-	-	6	35
	F 36	-	-	-	-	-	-	-	-	3	33
OTHER DISEASES	M 283	28	2	3	1	4	9	18	36	62	120
	F 277	31	4	2	6	4	2	5	16	62	145
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 169	2	3	2	31	20	15	18	15	24	36
	F 85	-	1	3	7	5	6	3	6	8	46
ALL CAUSES	M 2885	47	8	9	35	37	38	131	378	788	1414
	F 2147	41	9	8	17	14	26	73	201	445	1313

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH											
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER	
ULSTER (PART OF)												
TUBERCULOSIS, ALL FORMS	M 5 F 2	-	-	-	-	-	-	-	-	1	-	4 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 4 F 6	-	1 1	-	-	-	-	-	1	-	1 2	1 -
MALIGNANT NEOPLASMS	M 269 F 172	-	1 1	2 1	1 3	4 4	4 7	15 11	53 39	91 49	102 57	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 541 F 389	-	-	-	-	6 1	4 4	27 12	99 28	172 88	233 256	
HYPERTENSIVE DISEASE	M 20 F 26	-	-	-	-	-	-	-	-	4 2	7 9	9 15
CEREBROVASCULAR DISEASE	M 173 F 197	-	-	-	-	1	-	-	3 2	13 14	48 41	108 138
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 62 F 39	-	-	-	-	-	1	-	2 1	2 1	11 4	47 33
DISEASES OF THE RESPIRATORY SYSTEM	M 225 F 157	9 1	2 2	-	2	1	3 1	4 7	24 9	60 30	120 107	
SENILITY	M 7 F 15	-	-	-	-	-	-	-	-	-	-	7 15
OTHER DISEASES	M 158 F 146	32 18	-	2 1	4 2	3 3	1 2	11 -	13 18	28 26	64 76	
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 85 F 49	-	4 2	4 2	10 6	8 1	9 -	5 1	13 1	13 1	19 5	19 29
ALL CAUSES	M 1549 F 1198	41 24	8 7	8 4	17 12	19 10	21 14	68 35	221 111	435 254	711 727	
COUNTY CARLOW												
TUBERCULOSIS, ALL FORMS	M 2 F 2	-	-	-	-	-	-	-	-	-	2 1	- 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 1 F 3	-	1 2	-	-	-	-	-	-	-	-	- 1
MALIGNANT NEOPLASMS	M 39 F 27	-	1 -	-	1	-	1	4 2	9 3	14 9	10 11	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 87 F 67	-	-	-	-	-	-	1 1	6 -	22 2	25 18	33 46
HYPERTENSIVE DISEASE	M 5 F 10	-	-	-	-	-	-	-	-	-	2 2	3 8
CEREBROVASCULAR DISEASE	M 30 F 33	-	-	-	-	-	-	-	2 1	3 2	9 5	16 25
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 5 F 10	-	-	-	-	-	-	-	-	1 1	2 4	2 5
DISEASES OF THE RESPIRATORY SYSTEM	M 31 F 16	-	1 1	-	-	-	-	1 3	4 3	10 -	5 3	10 9
SENILITY	M - F 1	-	-	-	-	-	-	-	-	-	-	- 1
OTHER DISEASES	M 24 F 23	12 3	-	-	1	-	-	1	2 2	2 6	3 2	5 8
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 5 F 5	-	-	1	-	-	-	1	2 1	- 1	1 -	1 2
ALL CAUSES	M 229 F 197	12 6	3 1	- 2	1 -	- 1	4 2	19 9	47 15	63 44	80 117	

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
DUBLIN COUNTY BOROUGH											
TUBERCULOSIS, ALL FORMS	M 25 F 12	- -	- -	- -	- 1	- -	2 2	4 1	5 2	11 5	3 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 9 F 9	4 1	- 2	1 -	1 1	- -	- -	1 1	- -	2 2	- 2
MALIGNANT NEOPLASMS	M 638 F 527	- -	- -	2 -	3 -	11 12	14 16	62 59	132 119	239 150	175 171
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 891 F 768	- -	- 1	- -	1 1	6 2	21 5	84 26	207 99	294 188	278 446
HYPERTENSIVE DISEASE	M 38 F 43	- -	- -	- -	- -	- -	- -	5 2	6 4	12 15	15 22
CEREBROVASCULAR DISEASE	M 192 F 336	- -	- -	2 1	- 2	4 3	4 1	15 12	27 28	64 75	76 214
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 72 F 92	- -	- -	- -	- -	- -	1 3	1 5	14 8	21 19	35 57
DISEASES OF THE RESPIRATORY SYSTEM	M 426 F 420	15 12	3 1	- 3	1 2	2 3	5 4	23 8	53 32	147 73	177 282
SENILITY	M 8 F 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	8 7
OTHER DISEASES	M 304 F 299	69 52	4 1	7 3	6 4	6 3	7 9	16 15	44 28	76 53	69 131
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 174 F 106	3 2	- 1	15 4	37 4	37 8	22 3	17 8	18 9	10 10	15 57
ALL CAUSES	M 2777 F 2619	91 67	7 6	27 11	49 15	66 31	76 43	228 137	506 329	876 590	851 1390
DUN LAOGHAIRE BOROUGH											
TUBERCULOSIS, ALL FORMS	M 1 F 1	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	- -
OTHER INFECTIVE AND PARASITIC DISEASES	M 1 F 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
MALIGNANT NEOPLASMS	M 67 F 72	- -	- -	1 -	- -	- 1	1 1	9 5	9 12	21 22	26 31
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 103 F 87	- -	- -	- -	- -	- -	- -	6 1	21 13	37 16	39 57
HYPERTENSIVE DISEASE	M 10 F 8	- -	- -	- -	- -	- -	- -	2 1	1 1	5 1	2 6
CEREBROVASCULAR DISEASE	M 20 F 62	- -	- -	- -	- 1	- 1	- 1	- -	3 3	6 14	11 42
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 12 F 22	- -	- -	- -	- -	- -	- -	1 -	3 2	2 2	6 18
DISEASES OF THE RESPIRATORY SYSTEM	M 32 F 30	1 1	1 -	1 -	- -	- -	- -	- -	3 2	10 5	16 22
SENILITY	M - F 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
OTHER DISEASES	M 22 F 30	8 4	- -	- -	- 2	- -	2 2	1 -	5 3	3 5	3 14
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 25 F 17	- -	1 -	- -	3 1	4 3	2 1	5 -	3 2	4 3	3 7
ALL CAUSES	M 293 F 331	10 5	2 -	2 -	3 4	4 5	5 5	24 6	49 38	88 69	106 199

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	ALL AGES	AGE AT DEATH										
		UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER	
DUBLIN COUNTY (REMAINDER)												
TUBERCULOSIS, ALL FORMS	M 10 F 4	- -	2 -	- -	- -	1 -	1 -	- 1	- 1	- 1	3 -	3 2
OTHER INFECTIVE AND PARASITIC DISEASES	M 12 F 5	4 1	3 -	2 -	2 -	- -	- 1	- -	1 -	- -	- 2	- 1
MALIGNANT NEOPLASMS	M 184 F 181	- -	1 2	1 1	2 1	7 3	12 8	18 20	44 42	49 44	50 60	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 237 F 189	- -	- -	- -	- -	1 1	4 -	23 8	56 22	72 47	81 111	
HYPERTENSIVE DISEASE	M 6 F 13	- -	- -	- -	- -	- -	- -	- 1	- 1	- 5	2 7	
CEREBROVASCULAR DISEASE	M 60 F 93	- 1	- -	- -	- -	- -	1 1	- 2	5 3	5 6	20 22	29 58
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 19 F 28	- -	- -	- -	- -	- -	- 1	- 2	2 2	9 4	7 19	
DISEASES OF THE RESPIRATORY SYSTEM	M 158 F 115	18 12	2 1	- -	1 1	4 1	2 1	4 2	12 10	32 13	83 74	
SENILITY	M 1 F 6	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 6	
OTHER DISEASES	M 123 F 143	58 54	3 3	4 2	2 2	1 4	2 1	4 3	12 8	10 12	27 54	
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 57 F 33	- 1	7 1	3 -	12 1	9 5	6 -	7 3	3 2	1 3	9 17	
ALL CAUSES	M 867 F 810	80 69	18 7	10 3	19 5	24 15	28 14	62 43	134 93	199 152	293 409	
COUNTY KILDARE												
TUBERCULOSIS, ALL FORMS	M 1 F 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	
OTHER INFECTIVE AND PARASITIC DISEASES	M 3 F 4	1 2	- 1	- -	- -	- -	- -	1 -	1 -	- -	- 1	
MALIGNANT NEOPLASMS	M 77 F 55	- -	- -	- -	- 1	- 1	6 3	10 6	18 14	29 13	14 17	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 145 F 89	- -	- -	- -	- -	1 -	5 -	18 3	34 11	43 28	44 47	
HYPERTENSIVE DISEASE	M 6 F 11	- -	- -	- -	- -	- -	- -	- -	- 1	1 3	4 8	
CEREBROVASCULAR DISEASE	M 41 F 45	- -	- 2	- 1	- -	- -	- -	- 2	4 6	22 9	14 26	
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 11 F 17	- -	- 1	- 1	- -	- -	- -	- -	1 2	6 1	4 13	
DISEASES OF THE RESPIRATORY SYSTEM	M 57 F 38	5 4	- 1	- 1	- -	- -	- 1	- 4	7 5	20 10	21 12	
SENILITY	M - F 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	
OTHER DISEASES	M 48 F 52	19 17	1 2	1 2	2 -	- -	- 2	- 2	7 4	9 14	8 9	
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 39 F 26	- -	2 1	1 1	13 3	5 2	2 2	5 3	4 4	5 4	2 6	
ALL CAUSES	M 428 F 340	25 23	3 5	3 7	15 4	6 3	14 8	39 20	76 46	135 82	112 142	

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY KILKENNY											
TUBERCULOSIS, ALL FORMS	M 3 F 2	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 1 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 3 F -	1 -	- -	- -	1 -	- -	- -	- -	- -	- -	1 - -
MALIGNANT NEOPLASMS	M 72 F 61	- -	- -	1 1	- -	2 -	- 4	5 5	14 17	30 14	20 20
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 152 F 99	- -	- -	- -	- -	2 -	3 -	8 2	30 9	48 27	61 61
HYPERTENSIVE DISEASE	M 3 F 3	- -	- -	- -	- -	- -	- -	- -	- -	1 1 1	2 2 2
CEREBROVASCULAR DISEASE	M 42 F 49	- -	- -	- -	- -	- 1	- 1	1 1	1 2	15 13	25 31
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 12 F 14	- -	- -	- -	- -	- -	- -	1 -	1 1	4 6	6 7
DISEASES OF THE RESPIRATORY SYSTEM	M 47 F 31	3 -	1 -	- 1	- -	- -	- 2	2 -	6 4	10 10	25 14
SENLITY	M 2 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -
OTHER DISEASES	M 46 F 24	9 3	- 1	1 -	- 1	1 -	- -	1 2	4 3	10 7	20 7
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 23 F 16	- -	1 1	3 2	6 1	- 1	4 -	- 1	2 3	3 4	4 3
ALL CAUSES	M 405 F 299	13 3	2 2	5 4	7 2	5 2	7 7	18 11	59 39	124 83	165 146
COUNTY LAOIS											
TUBERCULOSIS, ALL FORMS	M 3 F -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	1 -
OTHER INFECTIVE AND PARASITIC DISEASES	M 2 F -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -
MALIGNANT NEOPLASMS	M 57 F 44	- -	- -	1 -	- -	- -	- 1	7 6	12 12	21 8	16 17
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 133 F 72	- -	- -	- -	- -	- -	- -	5 6	30 6	42 21	56 45
HYPERTENSIVE DISEASE	M 2 F 5	- -	- -	- -	- -	1 -	- -	- -	- 1	- 2	1 2
CEREBROVASCULAR DISEASE	M 30 F 31	- -	- -	- -	- -	- -	- -	2 1	1 2	7 6	20 22
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 12 F 9	- -	- -	- -	- -	- -	- -	1 -	1 1	3 1	7 7
DISEASES OF THE RESPIRATORY SYSTEM	M 31 F 22	1 3	- 1	- -	- -	- -	- -	1 1	4 2	8 2	17 13
SENLITY	M 4 F 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	4 3
OTHER DISEASES	M 43 F 38	8 6	1 2	- 1	- -	1 -	1 3	- -	11 5	10 10	11 11
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 9 F 13	- -	- 1	- 3	3 1	1 1	1 -	1 1	1 2	1 1	1 3
ALL CAUSES	M 326 F 237	9 9	1 4	1 4	3 1	3 1	2 4	18 9	62 31	93 51	134 123

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH		AGE AT DEATH										
		ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY LONGFORD												
TUBERCULOSIS, ALL FORMS	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M	40	-	1	1	-	1	2	4	9	14	8
	F	19	1	-	-	-	1	1	1	3	4	8
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	77	-	-	-	2	-	1	3	16	24	31
	F	51	-	-	-	-	-	2	3	3	18	25
HYPERTENSIVE DISEASE	M	2	-	-	-	-	-	-	-	-	2	-
	F	5	-	-	-	-	-	-	-	1	1	3
CEREBROVASCULAR DISEASE	M	52	-	-	-	-	-	-	-	2	7	43
	F	43	-	-	-	-	-	-	1	1	8	33
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	5	-	-	-	-	-	-	-	-	3	2
	F	2	-	-	-	-	-	-	-	-	-	2
DISEASES OF THE RESPIRATORY SYSTEM	M	23	1	-	-	-	-	-	-	5	6	11
	F	20	-	1	-	-	-	-	1	-	6	12
SENILITY	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES	M	24	7	-	1	1	-	-	1	2	5	7
	F	20	8	-	-	-	-	1	-	3	2	6
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	9	1	-	-	2	1	-	-	1	2	3
	F	8	-	-	-	-	-	-	1	1	1	5
ALL CAUSES	M	234	10	1	2	5	2	3	8	34	63	106
	F	169	9	1	-	-	1	5	7	12	40	94
COUNTY LOUTH												
TUBERCULOSIS, ALL FORMS	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M	100	-	-	-	1	3	2	13	18	39	24
	F	86	-	-	-	-	5	4	12	25	21	19
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	145	-	-	-	-	-	2	13	30	47	53
	F	108	-	-	-	-	-	-	4	12	22	70
HYPERTENSIVE DISEASE	M	2	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE	M	56	-	-	-	-	-	-	3	7	20	26
	F	72	-	-	-	-	-	-	2	3	8	40
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	4	-	-	-	-	-	-	-	1	-	3
	F	7	-	-	-	-	-	-	-	-	1	6
DISEASES OF THE RESPIRATORY SYSTEM	M	59	4	-	2	1	-	1	-	1	8	22
	F	44	2	-	2	1	-	1	-	1	4	27
SENILITY	M	2	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	-	5
OTHER DISEASES	M	31	8	-	1	-	2	1	1	2	5	7
	F	47	12	-	1	-	2	1	1	1	4	16
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	44	-	2	-	2	13	5	3	5	3	8
	F	22	-	-	-	-	3	1	1	2	2	12
ALL CAUSES	M	444	12	2	2	14	10	8	35	75	139	147
	F	394	14	5	1	5	8	9	23	54	80	195

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	ALL AGES	AGE AT DEATH										75 YEARS AND OVER
		UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74		
COUNTY MEATH												
TUBERCULOSIS, ALL FORMS	M 2 F 2	-	-	-	-	-	-	-	-	-	1	1
OTHER INFECTIVE AND PARASITIC DISEASES	M 6 F 3	1 -	1 1	-	1 -	-	-	-	-	1 -	1 1	1
MALIGNANT NEOPLASMS	M 63 F 62	-	-	-	-	2 -	1 -	1 6	6 9	13 13	19 20	23 12
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 161 F 119	-	-	-	-	-	-	1 1	18 5	38 19	41 21	63 73
HYPERTENSIVE DISEASE	M 1 F 7	-	-	-	-	-	-	-	1 -	-	1 -	6
CEREBROVASCULAR DISEASE	M 41 F 51	-	-	-	-	-	1 -	-	2 1	7 5	11 15	20 30
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 14 F 10	-	-	-	-	1 -	-	-	-	4 -	2 3	8 6
DISEASES OF THE RESPIRATORY SYSTEM	M 69 F 44	4 4	1 -	-	1 -	2 -	-	-	4 2	5 8	17 7	35 23
SENILITY	M 1 F -	-	-	-	-	-	-	-	-	-	-	1
OTHER DISEASES	M 60 F 39	18 10	-	-	-	-	1 -	-	1 3	6 4	11 9	24 12
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 45 F 21	1 -	-	4 -	10 3	4 1	6 -	3 1	9 2	5 3	3 11	3
ALL CAUSES	M 463 F 358	24 14	2 1	4 -	12 6	8 2	8 8	34 21	83 51	109 80	179 175	
COUNTY OFFALY												
TUBERCULOSIS, ALL FORMS	M 1 F 3	-	-	-	-	-	-	-	1 1	-	1 1	-
OTHER INFECTIVE AND PARASITIC DISEASES	M - F 1	-	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 42 F 51	-	-	-	1 -	2 -	1 -	1 2	4 8	6 11	18 16	12 11
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 98 F 65	-	-	-	-	-	-	-	7 2	21 3	32 11	38 40
HYPERTENSIVE DISEASE	M 8 F 9	-	-	-	-	-	-	-	1 -	-	4 2	3 1
CEREBROVASCULAR DISEASE	M 37 F 34	-	-	-	-	1 -	-	-	1 -	3 3	12 7	20 24
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 19 F 9	-	-	-	-	-	-	-	1 -	2 1	2 1	14 8
DISEASES OF THE RESPIRATORY SYSTEM	M 40 F 34	4 3	-	-	1 -	-	1 -	1 1	1 1	7 4	8 6	18 18
SENILITY	M 4 F 5	-	-	-	-	-	-	-	-	-	-	4 5
OTHER DISEASES	M 38 F 21	3 3	1 -	3 -	1 -	1 -	1 1	2 1	5 4	7 3	15 9	
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 20 F 10	-	2 -	4 3	4 1	3 1	2 -	-	1 1	2 1	2 1	2 3
ALL CAUSES	M 307 F 242	7 6	3 -	7 4	7 4	5 1	4 7	18 13	45 38	85 43	126 126	

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH											
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER	
COUNTY WESTMEATH												
TUBERCULOSIS, ALL FORMS	M 4 F 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 1	1 -
OTHER INFECTIVE AND PARASITIC DISEASES	M - F 4	- 1	- 1	- -	- -	- -	- -	- -	1 -	- -	- -	1 -
MALIGNANT NEOPLASMS	M 61 F 43	- -	- -	1 -	- -	1 -	1 -	6 5	10 8	27 7	15 20	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 143 F 116	- -	- -	- -	- -	1 -	3 1	9 2	27 4	39 21	64 88	
HYPERTENSIVE DISEASE	M 1 F 14	- -	- -	- -	- -	- -	- -	- 1	- -	- 4	1 9	
CEREBROVASCULAR DISEASE	M 28 F 46	- -	- -	- -	- -	- -	- -	- -	2 6	4 12	22 28	
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 8 F 10	- -	- -	- -	- -	- -	- -	- -	- -	2 1	6 9	
DISEASES OF THE RESPIRATORY SYSTEM	M 63 F 29	3 1	- 1	- -	- -	1 -	1 -	1 2	10 5	20 7	26 13	
SENIILITY	M 3 F 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	3 1
OTHER DISEASES	M 37 F 39	11 13	- -	- 1	- 2	- -	- -	1 -	6 3	3 1	6 9	10 10
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 15 F 7	- -	- -	2 -	3 -	1 -	2 1	1 1	4 -	2 -	- 1	4 4
ALL CAUSES	M 363 F 310	14 15	- 2	3 1	4 2	4 -	8 5	23 15	57 24	102 63	148 183	
COUNTY WEXFORD												
TUBERCULOSIS, ALL FORMS	M 1 F 1	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	- -	
OTHER INFECTIVE AND PARASITIC DISEASES	M 2 F 1	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	
MALIGNANT NEOPLASMS	M 112 F 83	- -	- -	- 1	2 -	2 2	1 2	8 7	24 18	40 22	35 31	
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 217 F 128	1 -	- -	- -	1 2	- -	4 -	14 4	35 13	78 30	84 79	
HYPERTENSIVE DISEASE	M - F 8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 7
CEREBROVASCULAR DISEASE	M 62 F 66	- -	- -	- -	- -	- -	- -	1 4	2 3	9 10	16 10	34 49
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 21 F 25	- -	- -	- -	- -	- -	- -	- -	- -	- 2	3 4	18 19
DISEASES OF THE RESPIRATORY SYSTEM	M 76 F 45	2 3	- -	- -	- 1	- -	1 -	3 -	- 1	11 8	23 13	36 19
SENIILITY	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
OTHER DISEASES	M 54 F 51	9 14	3 1	1 -	- -	- 3	2 1	1 -	8 4	13 11	17 17	
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 26 F 19	- -	1 -	1 1	1 2	7 1	4 -	2 -	4 -	3 2	3 13	
ALL CAUSES	M 571 F 427	13 17	4 1	2 2	4 5	10 6	15 3	27 16	92 49	176 94	228 234	

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	ALL AGES	AGE AT DEATH									
		UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY WICKLOW											
TUBERCULOSIS, ALL FORMS	M 2 F 2	-	-	-	-	-	-	-	-	-	1 -
OTHER INFECTIVE AND PARASITIC DISEASES	M 3 F 1	1	2	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 69 F 76	-	-	1	1	2	6	16	28	15	29
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 131 F 94	-	-	-	-	1	2	10	23	44	52
HYPERTENSIVE DISEASE	M 2 F 4	-	-	-	-	-	-	-	-	2	4
CEREBROVASCULAR DISEASE	M 42 F 59	-	-	-	-	-	1	2	9	9	21
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 10 F 18	-	-	-	-	1	-	-	2	5	2
DISEASES OF THE RESPIRATORY SYSTEM	M 60 F 26	4 1	-	1	-	1	-	1	5	15	33
SENILITY	M 3 F 2	-	-	-	-	-	-	-	-	-	3 2
OTHER DISEASES	M 33 F 36	8 6	1	1	1	1	1	1	4 3	7 5	11 18
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 18 F 16	-	1	1	1	3	2	1	2 1	4 2	3 10
ALL CAUSES	M 373 F 334	13 7	3 1	4 -	2 2	7 4	6 5	21 18	61 30	115 75	141 192
COUNTY CLARE											
TUBERCULOSIS, ALL FORMS	M 5 F 2	-	-	-	-	-	-	-	1 -	2 1	2 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 3 F 1	2	1	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 93 F 57	-	-	1	-	2	2	5	14	32	37
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 224 F 120	-	-	-	-	-	2	12	32	70	108
HYPERTENSIVE DISEASE	M 8 F 10	-	-	-	-	-	-	-	-	1 2	2 6
CEREBROVASCULAR DISEASE	M 78 F 88	-	-	-	-	3 1	1	2	4 2	20 13	48 64
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 17 F 18	-	-	-	-	-	-	-	3 -	3 7	11 11
DISEASES OF THE RESPIRATORY SYSTEM	M 76 F 56	2 2	-	-	-	2 -	1	-	6 6	29 19	36 29
SENILITY	M 6 F 1	-	-	-	-	-	-	-	-	-	5 1
OTHER DISEASES	M 48 F 44	10 10	1	1	1	1	1	4 1	3 4	12 10	15 16
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 40 F 18	-	2	-	6 -	2	6 -	3 1	6 1	3 2	9 14
ALL CAUSES	M 598 F 415	14 12	4 -	5 1	7 1	9 2	13 4	26 14	70 40	174 109	276 232

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
CORK COUNTY BOROUGH											
TUBERCULOSIS, ALL FORMS	M 14 F 6	- -	- -	- -	- -	- -	- -	- -	- -	3 -	7 4
OTHER INFECTIVE AND PARASITIC DISEASES	M 1 F 2	- 1	1 -	- -	- -	- -	- -	- -	- -	- -	- 1
MALIGNANT NEOPLASMS	M 152 F 129	- -	1 -	2 2	3 2	2 -	6 4	10 12	31 31	60 35	37 43
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 222 F 194	- -	- -	- -	- -	1 -	7 2	21 12	49 16	81 62	63 102
HYPERTENSIVE DISEASE	M 13 F 9	- -	- -	- -	- -	- -	- 1	1 2	4 -	4 2	4 4
CEREBROVASCULAR DISEASE	M 61 F 97	- -	- -	- -	- 1	- 2	1 -	3 3	6 7	18 21	33 63
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 22 F 56	- -	- -	- -	- -	- -	- -	1 1	3 2	6 9	12 44
DISEASES OF THE RESPIRATORY SYSTEM	M 101 F 84	5 4	1 2	1 2	1 1	- -	- -	4 1	11 12	36 24	42 38
SENIORITY	M - F 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
OTHER DISEASES	M 95 F 100	25 10	1 2	2 2	3 2	4 1	1 2	5 7	16 10	14 23	24 41
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 58 F 25	- -	1 1	2 1	7 -	12 -	5 3	9 4	5 -	7 4	10 12
ALL CAUSES	M 739 F 703	30 15	5 5	7 7	14 6	19 3	20 12	54 42	128 78	233 185	229 350
COUNTY CORK											
TUBERCULOSIS, ALL FORMS	M 21 F 1	- -	1 -	- -	1 -	- -	- -	2 1	4 -	5 -	8 -
OTHER INFECTIVE AND PARASITIC DISEASES	M 7 F 3	2 1	1 -	- -	- -	- -	- -	- -	- -	- -	3 2
MALIGNANT NEOPLASMS	M 286 F 235	- -	3 1	1 2	1 1	2 3	8 7	24 17	66 54	84 76	97 74
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 527 F 324	- -	- -	- -	2 -	2 -	8 2	36 10	89 32	156 71	234 209
HYPERTENSIVE DISEASE	M 25 F 18	- -	- -	- -	- -	- -	1 1	1 1	7 1	10 3	6 13
CEREBROVASCULAR DISEASE	M 192 F 240	- 1	- -	- -	- -	1 1	1 1	9 6	17 13	62 49	102 169
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 74 F 86	- -	- -	- -	- -	- -	- 1	1 1	4 4	16 13	53 67
DISEASES OF THE RESPIRATORY SYSTEM	M 219 F 152	10 4	4 2	2 1	- 2	1 1	3 1	6 3	28 19	68 31	97 88
SENIORITY	M 11 F 10	- -	- -	- -	- -	- -	- -	- -	- -	- -	10 10
OTHER DISEASES	M 149 F 163	34 42	1 4	4 2	- -	5 1	3 4	8 6	18 12	31 36	45 56
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 111 F 60	3 1	5 6	4 3	16 3	16 -	15 2	7 4	18 3	13 6	14 32
ALL CAUSES	M 1622 F 1292	49 49	15 13	11 8	20 6	27 6	39 20	94 48	251 137	449 287	667 718

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY KERRY											
TUBERCULOSIS, ALL FORMS	M 2 F 4	-	-	-	-	-	-	1	-	1 2	- 2
OTHER INFECTIVE AND PARASITIC DISEASES	M 1 F 1	-	1	-	-	-	-	-	-	-	- 1
MALIGNANT NEOPLASMS	M 120 F 122	-	-	3	- 1	2	5 4	6 14	28 27	42 32	34 41
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 335 F 206	-	-	1	-	1	-	18 6	45 15	106 50	164 133
HYPERTENSIVE DISEASE	M 5 F 10	-	-	-	-	-	-	-	1	3 5	1 5
CEREBROVASCULAR DISEASE	M 110 F 91	-	-	-	1	-	2	3	12 2	45 18	47 70
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 44 F 45	-	-	-	-	-	-	1	-	11 1	32 40
DISEASES OF THE RESPIRATORY SYSTEM	M 87 F 78	4 3	1	-	-	1	1	4 4	8 7	27 18	42 43
SENILITY	M 4 F 7	-	-	-	-	-	-	-	-	1	3 7
OTHER DISEASES	M 83 F 77	11 15	1	1	2 1	2	1	4 3	12 10	21 14	28 30
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 48 F 24	-	-	1	-	10 2	6	4 2	4 2	8 2	2 2
ALL CAUSES	M 839 F 665	15 18	3 5	4 -	14 4	12 4	13 9	40 29	115 66	258 145	365 385
LIMERICK COUNTY BOROUGH											
TUBERCULOSIS, ALL FORMS	M 4 F 1	-	-	-	1	-	-	-	1	- 1	2
OTHER INFECTIVE AND PARASITIC DISEASES	M - F 1	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 58 F 53	-	1	1	3	1	- 4	7 4	13 15	25 16	7 12
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 117 F 122	-	-	-	-	-	5	14 1	30 3	33 11	35 27
HYPERTENSIVE DISEASE	M 4 F -	-	-	-	-	-	-	-	-	4	-
CEREBROVASCULAR DISEASE	M 22 F 29	-	-	-	-	-	-	1	4 2	8 5	9 4
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 8 F 5	-	-	-	-	-	-	-	-	7 1	1 4
DISEASES OF THE RESPIRATORY SYSTEM	M 38 F 46	2 2	1	1	1	-	-	4 1	4 2	10 14	15 24
SENILITY	M - F 1	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES	M 19 F 30	5 9	-	-	-	1	1	-	2 4	4 8	6 7
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 25 F 13	-	1	-	5 4	6	4	4 3	3 2	2	- 3
ALL CAUSES	M 295 F 301	7 11	3 2	2 -	10 4	8 5	10 8	30 12	57 39	93 71	75 149

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH		AGE AT DEATH										
		ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY LIMERICK												
TUBERCULOSIS, ALL FORMS	M	10	-	-	-	-	-	-	-	2	6	2
	F	2	-	-	-	-	-	-	1	1	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M	4	1	1	-	-	-	1	-	-	-	1
	F	2	1	1	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M	93	-	-	-	-	1	2	12	23	26	29
	F	70	-	-	-	-	1	1	7	16	19	26
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	216	-	-	-	-	-	7	11	33	64	101
	F	165	-	-	-	-	-	-	1	9	36	119
HYPERTENSIVE DISEASE	M	7	-	-	-	-	-	-	1	1	3	2
	F	11	-	-	-	-	-	-	-	-	5	6
CEREBROVASCULAR DISEASE	M	42	-	-	-	-	-	-	3	11	12	16
	F	68	-	-	-	-	-	-	1	9	22	36
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	25	-	-	-	-	-	-	-	2	4	19
	F	22	-	-	-	-	-	1	1	1	4	14
DISEASES OF THE RESPIRATORY SYSTEM	M	79	1	-	1	-	-	-	5	12	22	38
	F	50	2	-	-	-	-	-	2	6	13	27
SENILITY	M	4	-	-	-	-	-	-	-	-	-	4
	F	4	-	-	-	-	-	-	-	-	-	4
OTHER DISEASES	M	63	8	1	2	1	1	1	2	2	8	13
	F	61	12	1	1	1	2	2	4	2	2	11
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	34	-	2	3	6	4	4	4	3	3	5
	F	13	-	1	1	-	1	-	-	2	1	7
ALL CAUSES	M	577	10	4	6	7	6	16	38	95	153	242
	F	468	15	3	2	1	5	4	17	46	111	264
TIPPERARY, N.R.												
TUBERCULOSIS, ALL FORMS	M	2	-	-	-	-	-	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	1	1	-	-
MALIGNANT NEOPLASMS	M	70	-	-	1	1	-	2	5	6	21	34
	F	38	-	-	1	-	-	2	3	6	12	14
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	146	-	-	1	-	-	1	8	31	46	59
	F	114	-	-	-	-	-	1	4	8	22	79
HYPERTENSIVE DISEASE	M	8	-	-	-	-	-	-	-	-	-	8
	F	10	-	-	-	-	-	-	-	1	1	8
CEREBROVASCULAR DISEASE	M	36	-	-	-	-	-	1	-	1	3	10
	F	38	-	-	-	-	-	-	-	4	5	21
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	10	-	-	-	-	-	-	-	1	1	8
	F	9	-	-	-	-	-	-	-	1	-	8
DISEASES OF THE RESPIRATORY SYSTEM	M	31	2	-	-	1	-	1	1	2	9	15
	F	22	2	1	-	-	-	-	1	2	3	13
SENILITY	M	3	-	-	-	-	-	-	-	-	-	3
	F	3	-	-	-	-	-	-	-	-	-	3
OTHER DISEASES	M	26	6	1	-	-	1	1	1	1	5	10
	F	25	2	1	-	-	-	-	3	2	4	13
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	20	-	1	4	4	2	1	2	2	2	2
	F	8	-	2	1	1	1	-	1	-	2	-
ALL CAUSES	M	353	8	2	6	6	4	6	20	46	94	161
	F	269	4	4	2	1	1	3	13	25	49	167

TABLE 24 (CONTD.) - DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	ALL AGES	AGE AT DEATH										75 YEARS AND OVER
		UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74		
TIPPERARY, S.R.												
TUBERCULOSIS, ALL FORMS	M 3 F 1	-	-	-	-	-	-	-	-	1	1	1
OTHER INFECTIVE AND PARASITIC DISEASES	M 2 F 1	-	-	1	-	-	-	-	-	1	-	-
MALIGNANT NEOPLASMS	M 74 F 85	-	-	1	-	2	1	9	14	23	25	39
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 162 F 97	-	-	-	1	-	3	11	35	57	55	50
HYPERTENSIVE DISEASE	M 3 F 8	-	-	-	-	-	-	-	2	-	1	7
CEREBROVASCULAR DISEASE	M 62 F 86	-	-	-	-	1	-	1	9	21	30	62
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 9 F 9	-	-	-	-	-	-	-	1	1	1	8
DISEASES OF THE RESPIRATORY SYSTEM	M 53 F 49	2 3	- 1	-	1	-	1	1	8	14	27	30
SENILITY	M - F 1	-	-	-	-	-	-	-	-	-	-	1
OTHER DISEASES	M 36 F 35	4 7	1 -	1 -	1 1	-	1 1	1 -	1 1	1 3	13 8	13 14
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 27 F 13	1 -	2 -	3 1	5 -	4 1	3 -	3 2	2 2	2 1	2 1	2 6
ALL CAUSES	M 431 F 385	7 11	3 1	5 2	8 2	7 3	8 7	26 20	74 41	132 81	161 217	
WATERFORD COUNTY BOROUGH												
TUBERCULOSIS, ALL FORMS	M 1 F -	-	-	-	-	-	-	-	-	1	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M - F 2	- 1	-	-	-	-	-	-	-	1	-	-
MALIGNANT NEOPLASMS	M 25 F 46	-	-	1	-	2	1	3	5	11	4	14
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 52 F 36	-	-	-	-	-	3	4	12	18	15	19
HYPERTENSIVE DISEASE	M - F -	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE	M 18 F 36	-	-	-	-	1	-	3	-	2	4	9
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 7 F 13	-	-	-	-	-	-	1	1	2	2	1
DISEASES OF THE RESPIRATORY SYSTEM	M 28 F 26	4 1	- -	-	-	-	-	3	-	2	6	13
SENILITY	M 1 F 1	-	-	-	-	-	-	-	-	-	-	1
OTHER DISEASES	M 25 F 22	2 2	1 -	-	1	-	-	2	-	4 1	9 4	6 11
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 9 F 4	-	1	-	-	-	1	-	2	-	2	3 2
ALL CAUSES	M 166 F 186	6 4	2 -	1 1	1 2	1 2	13 4	10 14	27 15	53 44	52 100	

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	ALL AGES	AGE AT DEATH									
		UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY WATERFORD											
TUBERCULOSIS, ALL FORMS	M 2 F 1	-	-	-	-	-	-	-	-	-	1 -
OTHER INFECTIVE AND PARASITIC DISEASES	M - F -	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 55 F 41	-	-	-	1	-	1	2	12 7	21 10	18 13
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 95 F 58	-	-	-	-	-	3	5	13 4	45 11	29 41
HYPERTENSIVE DISEASE	M - F 5	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE	M 43 F 49	-	-	-	-	-	-	3	2 4	11 8	27 37
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 8 F 10	-	-	-	-	-	-	-	2	5 2	1 8
DISEASES OF THE RESPIRATORY SYSTEM	M 42 F 32	2 1	-	-	-	-	-	3	3 4	9 4	25 20
SENILITY	M 10 F 13	-	-	-	-	-	-	-	-	-	10 13
OTHER DISEASES	M 36 F 34	7 1	1	1	-	-	-	1	2 5	13 10	10 17
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 17 F 13	-	-	-	5 1	- 3	1	2 1	7 3	- 2	2 2
ALL CAUSES	M 308 F 256	9 2	1 -	1 1	7 1	- 4	5 5	16 11	41 31	105 51	123 150
COUNTY GALWAY											
TUBERCULOSIS, ALL FORMS	M 9 F 2	-	-	-	-	-	2	-	2 -	4 1	1 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 8 F 3	4 2	2	-	-	-	-	1	-	1 -	-
MALIGNANT NEOPLASMS	M 177 F 119	-	-	-	-	2	1	16 5	33 12	54 24	71 33
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 337 F 216	-	-	-	-	-	4	17 2	47 18	106 38	163 156
HYPERTENSIVE DISEASE	M 9 F 18	-	-	-	-	-	-	-	1 2	2 4	6 12
CEREBROVASCULAR DISEASE	M 61 F 93	-	-	-	-	1	-	2	7 2	11 6	40 21
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 29 F 31	-	-	-	-	-	-	1	4 3	9 4	15 19
DISEASES OF THE RESPIRATORY SYSTEM	M 129 F 52	5 -	-	-	1	-	1	5	13 1	36 5	68 11
SENILITY	M 8 F 8	-	-	-	-	-	-	-	-	1 -	7 8
OTHER DISEASES	M 91 F 100	9 12	1 2	1 2	-	1 3	2 1	4 -	10 5	21 23	42 49
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 54 F 29	1 -	1 -	2 -	6 -	9 3	4 2	6 1	5 2	6 3	14 18
ALL CAUSES	M 912 F 671	19 15	4 3	3 2	7 4	13 7	14 11	52 21	122 66	251 138	427 404

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH											
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER	
COUNTY LEITRIM												
TUBERCULOSIS, ALL FORMS	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	
OTHER INFECTIVE AND PARASITIC DISEASES	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M	38	-	-	-	-	-	-	1	3	4	11
	F	28	-	-	1	-	-	-	4	2	2	12
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	115	-	-	-	-	-	-	-	4	22	37
	F	64	-	-	-	-	-	-	-	5	15	52
HYPERTENSIVE DISEASE	M	3	-	-	-	-	-	-	-	-	-	3
	F	1	-	-	-	-	-	-	-	-	1	-
CEREBROVASCULAR DISEASE	M	33	-	-	-	-	-	-	-	2	5	10
	F	22	-	-	-	-	-	-	-	2	2	5
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	5	-	-	-	-	-	-	-	-	-	4
	F	6	-	-	-	-	-	-	-	-	2	4
DISEASES OF THE RESPIRATORY SYSTEM	M	52	-	-	-	-	-	2	-	3	4	7
	F	34	1	-	-	-	-	1	1	1	4	3
SENIILITY	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
OTHER DISEASES	M	26	3	-	-	-	-	1	1	1	4	13
	F	15	2	1	-	-	-	-	-	1	1	8
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	20	-	1	-	8	1	1	2	2	2	3
	F	4	-	-	-	-	1	1	-	-	-	2
ALL CAUSES	M	293	3	1	-	8	4	2	15	41	74	145
	F	176	3	2	1	-	1	3	5	14	41	106
COUNTY MAYO												
TUBERCULOSIS, ALL FORMS	M	5	-	-	-	-	1	-	-	-	3	4
	F	5	-	-	-	-	-	-	-	-	1	1
OTHER INFECTIVE AND PARASITIC DISEASES	M	1	-	-	1	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1
MALIGNANT NEOPLASMS	M	132	-	-	-	-	-	1	4	20	49	58
	F	130	-	-	1	1	-	3	8	24	44	49
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M	295	-	-	-	1	-	2	15	47	78	152
	F	197	-	-	-	-	-	-	5	10	40	142
HYPERTENSIVE DISEASE	M	8	-	-	-	-	-	-	-	4	1	3
	F	6	-	-	-	-	-	-	-	-	2	4
CEREBROVASCULAR DISEASE	M	136	-	-	-	-	-	1	-	3	4	38
	F	143	-	-	-	-	-	-	-	2	8	17
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M	31	-	-	-	-	-	-	-	4	7	20
	F	21	-	-	-	-	-	-	-	4	7	10
DISEASES OF THE RESPIRATORY SYSTEM	M	93	2	1	-	-	1	-	2	13	24	50
	F	68	4	-	-	-	-	1	2	10	12	39
SENIILITY	M	19	-	-	-	-	-	-	-	-	-	4
	F	14	-	-	-	-	-	-	-	-	-	1
OTHER DISEASES	M	96	6	-	1	1	2	1	7	8	23	47
	F	88	8	-	-	-	2	1	3	6	20	48
ACCIDENTS AND OTHER EXTERNAL CAUSES	M	45	-	1	1	9	6	4	3	7	8	6
	F	20	-	-	-	5	1	2	1	1	2	7
ALL CAUSES	M	861	8	2	3	11	11	8	34	107	232	445
	F	694	13	-	2	8	2	6	21	66	146	430

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY ROSCOMMON											
TUBERCULOSIS, ALL FORMS	M 2 F -	-	-	-	-	-	-	-	-	1	1
OTHER INFECTIVE AND PARASITIC DISEASES	M 1 F 2	1	-	-	-	-	-	-	-	1	-
MALIGNANT NEOPLASMS	M 67 F 54	-	-	-	1	-	-	1	2 5	17 13	24 17
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 182 F 116	-	-	-	-	-	1	5	26 7	60 26	90 80
HYPERTENSIVE DISEASE	M - F 4	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE	M 53 F 42	-	-	-	-	-	1	-	1	3	16
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 10 F 13	-	-	-	-	-	-	-	1	2	3
DISEASES OF THE RESPIRATORY SYSTEM	M 41 F 21	1 1	-	-	-	-	-	-	1 3	4 2	9 3
SENILITY	M 8 F 6	-	-	-	-	-	-	-	-	-	8
OTHER DISEASES	M 38 F 40	4 4	-	1	-	-	-	1	3 1	7 4	10 11
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 29 F 20	-	-	1	2	4 2	1	4 -	5 1	1	4 2
ALL CAUSES	M 431 F 318	6 5	- 2	2 3	4 2	2 3	6 2	17 11	61 30	129 74	204 186
COUNTY SLIGO											
TUBERCULOSIS, ALL FORMS	M 2 F 1	-	-	-	-	-	-	-	-	1	1
OTHER INFECTIVE AND PARASITIC DISEASES	M - F 2	-	-	1	-	1	-	-	-	-	-
MALIGNANT NEOPLASMS	M 71 F 51	-	-	-	-	1	2	-	2 9	9 8	17 8
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 133 F 77	-	-	-	-	1	2	1	4 3	13 6	50 17
HYPERTENSIVE DISEASE	M 4 F 11	-	-	-	-	-	-	-	-	1	3
CEREBROVASCULAR DISEASE	M 45 F 59	-	-	-	-	-	-	-	-	12 1	6
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 12 F 7	-	-	-	-	-	-	-	-	1	5
DISEASES OF THE RESPIRATORY SYSTEM	M 62 F 27	4 -	-	-	-	-	-	1	2 1	13 3	38 17
SENILITY	M 6 F 7	-	-	-	-	-	-	-	-	1	5
OTHER DISEASES	M 32 F 34	6 5	1 1	-	-	1	-	4 -	3 1	7 -	5 6
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 21 F 12	1 -	-	1	4	3	2	2 -	2 -	4 1	4 8
ALL CAUSES	M 388 F 288	11 5	1 2	1 -	5 3	7 1	8 4	13 15	47 25	102 46	193 187

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY CAVAN											
TUBERCULOSIS, ALL FORMS	M 1 F 2	-	-	-	-	-	-	-	-	-	1 1
OTHER INFECTIVE AND PARASITIC DISEASES	M 2 F 1	-	1	-	-	-	-	-	-	-	1 1
MALIGNANT NEOPLASMS	M 71 F 43	-	-	-	-	1	-	1 2	6 2	13 10	26 11
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 158 F 111	-	-	-	-	-	-	2 1	7 1	32 10	37 28
HYPERTENSIVE DISEASE	M 5 F 5	-	-	-	-	-	-	-	-	1 -	2 4
CEREBROVASCULAR DISEASE	M 48 F 60	-	-	-	-	1	-	-	-	4 6	15 13
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 11 F 6	-	-	-	-	-	-	-	2 1	1 -	4 1
DISEASES OF THE RESPIRATORY SYSTEM	M 59 F 42	1	1	-	-	-	-	-	2 -	8 4	18 9
SENILITY	M 1 F 4	-	-	-	-	-	-	-	-	-	1 4
OTHER DISEASES	M 35 F 27	8 2	-	-	1	2	-	1	2 -	2 4	5 6
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 25 F 10	-	1 1	1	-	2	4	4	1 -	3 -	6 1
ALL CAUSES	M 416 F 311	9 2	3 1	1 -	3 2	7 -	7 4	20 6	64 34	114 74	188 188
COUNTY DONEGAL											
TUBERCULOSIS, ALL FORMS	M 3 F -	-	-	-	-	-	-	-	-	-	3 -
OTHER INFECTIVE AND PARASITIC DISEASES	M 2 F 5	-	-	1	-	-	-	-	1 -	-	1 -
MALIGNANT NEOPLASMS	M 156 F 84	-	1	2	1	-	2	7 4	31 21	48 26	64 28
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 268 F 205	-	-	-	-	6	1	11 3	44 11	93 12	113 41
HYPERTENSIVE DISEASE	M 11 F 15	-	-	-	-	-	-	-	2 -	4 3	5 12
CEREBROVASCULAR DISEASE	M 88 F 102	-	-	1	-	-	-	-	2 1	4 7	58 19
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 44 F 23	-	-	-	-	-	1	-	-	1 -	5 1
DISEASES OF THE RESPIRATORY SYSTEM	M 118 F 86	7 1	-	2	-	1	-	2 1	11 5	33 4	62 59
SENILITY	M 5 F 9	-	-	-	-	-	-	-	-	-	5 9
OTHER DISEASES	M 95 F 100	20 12	-	1	2	1	1	7 1	7 -	17 10	39 54
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 40 F 31	-	2	2	7 3	3	3	-	7 1	3 -	13 3
ALL CAUSES	M 830 F 660	27 17	3 6	5 3	11 7	10 6	9 6	30 22	107 54	230 125	398 414

TABLE 24 (CONTD.)-DEATHS IN 1978 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

CAUSE OF DEATH	AGE AT DEATH										
	ALL AGES	UNDER 1 YEAR	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 YEARS AND OVER
COUNTY MONAGHAN											
TUBERCULOSIS, ALL FORMS	M 1	-	-	-	-	-	-	-	-	-	1
	F -	-	-	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES	M -	-	-	-	-	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS	M 42	-	-	-	-	-	1	2	9	17	13
	F 45	-	-	1	-	3	4	5	8	12	12
ISCHAEMIC AND OTHER FORMS OF HEART DISEASE	M 115	-	-	-	-	-	1	9	23	42	40
	F 73	-	-	-	-	1	-	-	6	19	47
HYPERTENSIVE DISEASE	M 4	-	-	-	-	-	-	-	1	1	2
	F 6	-	-	-	-	-	-	-	2	2	2
CEREBROVASCULAR DISEASE	M 37	-	-	-	-	-	-	1	5	9	22
	F 35	-	-	-	-	-	-	-	1	9	25
OTHER DISEASES OF THE CIRCULATORY SYSTEM	M 7	-	-	-	-	-	-	-	-	2	5
	F 10	-	-	-	-	-	-	-	-	2	8
DISEASES OF THE RESPIRATORY SYSTEM	M 48	1	1	-	1	1	1	-	5	9	29
	F 29	-	-	-	-	-	-	2	1	7	19
SENILITY	M 1	-	-	-	-	-	-	-	-	-	1
	F 2	-	-	-	-	-	-	-	-	-	2
OTHER DISEASES	M 28	4	-	1	1	-	-	2	4	6	10
	F 19	4	-	-	-	-	-	-	4	3	8
ACCIDENTS AND OTHER EXTERNAL CAUSES	M 20	-	1	1	1	1	2	4	3	4	3
	F 8	1	-	-	3	-	-	1	1	1	2
ALL CAUSES	M 303	5	2	2	1	3	2	5	18	50	125
	F 227	5	-	1	1	3	4	4	7	23	55

TABLE 25-INFANT MORTALITY-DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1978,
CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS,
OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Detailed International List Number	Cause of death	Total		Dublin Co. Boro' and Dun Laoghaire Boro'		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts		
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
	All Causes	M	381	195	69	32	28	15	17	5	25	15	242	128
		F	311	159	48	24	19	11	14	8	24	10	206	106
008, 009	Enteritis and other diarrhoeal disease	M	3	5	1	1	-	-	-	-	-	-	2	4
		F	-	7	-	-	-	1	-	1	-	-	-	5
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	1
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	9	7	-	2	-	-	2	-	2	1	1	5
		F	4	6	1	-	-	1	-	-	1	1	2	4
320	Meningitis	M	3	2	1	-	-	-	1	-	1	1	1	1
		F	2	-	-	-	-	-	-	-	1	-	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	15	30	2	3	-	5	1	1	1	4	11	17
		F	11	17	-	1	1	1	-	3	-	2	10	10
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	7	68	-	11	2	4	1	1	-	4	4	48
		F	2	48	-	12	-	5	-	1	-	3	2	27
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	11	1	2	-	-	-	-	-	-	-	9	1
		F	32	-	9	-	4	-	2	-	-	-	17	-
741	Spina bifida	M	11	16	3	4	1	2	1	1	1	-	5	9
		F	25	20	3	5	1	1	2	1	1	-	19	12
742	Congenital hydrocephalus	M	5	5	1	-	-	-	-	-	1	1	-	3
		F	5	6	2	-	-	-	-	-	1	1	-	5
746	Congenital anomalies of heart	M	33	22	5	4	3	2	1	-	-	3	1	27
		F	36	18	4	5	1	-	1	-	1	1	1	15
743-745, 747-759	Other congenital anomalies	M	48	21	6	3	6	2	1	-	-	2	3	35
		F	32	22	5	1	-	2	-	1	-	1	2	18
764-768, 772	Birth injury and difficult labour	M	38	2	6	1	3	-	2	-	4	-	-	23
		F	18	1	2	-	2	-	-	-	2	-	-	1
770, 771	Conditions of placenta and cord	M	4	-	-	-	-	-	-	-	-	-	4	-
		F	3	-	-	-	1	-	-	-	-	-	2	-
774, 775	Haemolytic disease of newborn	M	10	-	4	-	-	-	1	-	-	-	6	-
		F	7	-	-	-	-	-	-	-	-	-	6	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	113	1	16	-	11	-	6	1	11	-	69	-
		F	75	-	8	-	5	-	5	-	9	-	48	-
777	Immaturity, unqualified	M	56	1	20	-	-	3	-	1	-	3	1	32
		F	43	1	10	-	-	3	-	3	-	4	1	23
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	10	-	1	-	2	-	-	-	1	-	6	-
		F	9	-	2	-	1	-	-	-	1	-	6	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	5	13	1	2	-	-	-	1	1	1	3	9
		F	7	11	2	-	-	-	-	1	1	1	4	10

*Late foetal deaths not included.

TABLE 26 - INFANT MORTALITY - DEATHS UNDER ONE YEAR IN 1978

Detailed International List Nos.	Cause of death	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days						
						1	2	3	4	5	6	
	All causes	M F	576 470	36 51	157 112	193 163	52 40	28 24	18 17	15 11	8 2	11 5
008, 009	Enteritis and other diarrhoeal diseases	M F	8 7	-	-	-	-	-	-	-	-	1
033	Whooping cough	M F	1 1	-	-	-	-	-	-	-	-	-
000-007) 020-027) 030-032) 034-136)	Other infective and parasitic diseases /	M F	16 10	-	1 1	1	-	-	-	-	-	-
320	Meningitis	M F	5 2	-	-	-	-	-	1	-	1	-
321-324	Other inflammatory diseases of the central nervous system	M F	- -	-	-	-	-	-	-	-	-	-
470-474	Influenza	M F	- -	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M F	45 28	-	- 2	- 2	2 2	3 3	- 2	-	1	1
490-493	Bronchitis, emphysema and asthma	M F	- -	-	-	-	-	-	-	-	-	-
460-466) 500-519)	Other diseases of the respiratory system	M F	75 50	-	1 -	1 -	-	2	-	-	-	2 1
520-577	Diseases of the digestive system	M F	- -	-	-	-	-	-	-	-	-	-
740	Congenital anomalies:- Anencephalus	M F	12 32	4 11	7 20	11 31	-	-	-	-	-	-
741	Spina bifida	M F	27 45	2 4	4 1	6 5	- 2	1 -	1 3	1 1	1 1	1 3
742	Congenital hydrocephalus	M F	10 11	- 4	4 1	4 5	1	-	-	-	-	-
743	Other congenital anomalies of nervous system	M F	3 7	- 1	1 -	1 1	- 1	-	-	-	-	-
746	Congenital anomalies of heart	M F	55 54	- -	5 5	5 5	4 5	2 4	1 6	4 4	2 -	1 1
747	Other congenital anomalies of circulatory system	M F	6 5	- -	- -	-	-	-	1	-	-	-
748	Congenital anomalies of respiratory system	M F	9 1	2	5	7	-	1	-	-	-	-
749	Cleft palate and cleft lip	M F	- -	-	-	-	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	M F	3 3	- -	- -	-	-	-	1	-	-	-
751	Other congenital anomalies of digestive system	M F	5 4	- -	- -	-	-	-	-	1	-	-
753	Congenital anomalies of urinary system	M F	14 3	3	7	10	-	-	-	-	-	-

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed International List Nos.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
325	31	12	13	381	39	32	31	33	15	19	8	5	1	9	3	
262	30	12	7	311	35	36	23	16	9	13	5	8	6	5	3	
1	1	1	-	3	2	-	1	1	-	1	-	-	-	-	-	008,009
-	-	-	-	-	2	-	2	1	1	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	033
1	5	1	2	9	4	-	-	2	1	-	-	-	-	-	-	000-007 }
1	2	-	1	4	1	2	-	-	1	-	1	-	1	-	-	020-027)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	030-032)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	034-136)
2	-	-	1	3	-	-	1	-	-	-	-	-	-	-	1	320
-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	321-324
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	470-474
7	3	2	3	15	3	6	7	6	3	3	-	-	-	2	-	480-486
9	1	1	-	11	-	5	3	-	2	3	-	1	-	2	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	490-493
5	1	-	1	7	9	15	15	12	4	8	2	-	-	3	-	460-466)
1	-	1	-	2	10	11	11	8	1	2	2	-	1	1	1	500-519)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	520-577
11	-	-	-	11	1	-	-	-	-	-	-	-	-	-	-	740
31	-	-	1	32	-	-	-	-	-	-	-	-	-	-	-	
10	1	-	-	11	3	2	1	3	1	2	1	1	-	1	1	741
15	6	3	1	25	4	7	2	3	-	1	2	1	-	-	-	
5	-	-	-	5	-	-	-	-	1	3	1	-	-	-	-	742
5	-	-	-	5	1	1	1	-	-	-	2	-	-	1	-	
1	1	-	-	2	-	-	-	1	-	-	-	-	1	-	-	743
2	1	1	-	4	1	1	-	-	-	-	-	-	-	-	-	
19	8	4	2	33	3	4	5	4	-	2	2	3	1	-	-	746
25	7	3	1	36	4	3	1	4	2	-	1	1	-	-	-	
1	-	-	1	2	1	2	-	-	2	-	-	-	-	-	-	747
-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	
8	-	-	-	8	-	-	-	1	-	-	-	-	-	-	-	748
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	749
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	750
1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	2	-	1	1	-	1	-	1	-	-	-	751
10	2	-	-	12	-	-	1	-	-	1	-	-	-	1	-	753
-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	

TABLE 26 (contd.) - INFANT MORTALITY - DEATHS UNDER ONE YEAR IN 1978,

Detailed International List Nos.	Cause of death	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
755	Other congenital anomalies of limbs	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
756	Other congenital anomalies of musculoskeletal system	M F	7 8	- 1	3 5	3 6	1 -	- 1	- -	- -	- -
757	Congenital anomalies of skin, hair and nails	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
758	Other and unspecified congenital anomalies	M F	4 3	1 2	- 1	1 3	1 -	- -	- -	- -	- -
759	Congenital syndromes affecting multiple systems	M F	17 20	- 3	8 5	8 8	1 1	- -	1 -	1 -	1 -
760	Diseases of the mother during pregnancy:- Chronic circulatory and genito-urinary disease in mother	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
761	Other maternal conditions unrelated to pregnancy	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
762	Toxaemia of pregnancy	M F	1 -	- -	- -	- -	1 -	- -	- -	- -	- -
763	Maternal ante and intrapartum infection	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
764	Birth injury from:- Difficult labour with abnormality of bones, etc.	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
765	Difficult labour with disproportion	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
766	Difficult labour with malposition of foetus	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
767	Difficult labour with abnormality of forces of labour	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
768	Difficult labour with other and unspecified complications	M F	- 1	- -	- 1	- 1	- -	- -	- -	- -	- -
769	Other complications of pregnancy and childbirth	M F	4 5	1 1	2 4	3 5	- -	1 -	- -	- -	- -
770	Conditions of placenta	M F	2 1	- 1	2 -	2 1	- -	- -	- -	- -	- -
771	Conditions of umbilical cord	M F	2 2	1 -	- 1	1 1	- 1	- -	1 -	- -	- -
772	Birth injury without mention of cause	M F	40 18	1 1	12 3	13 4	12 8	5 3	2 1	1 1	- -
773	Termination of pregnancy	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
774	Haemolytic disease of newborn with kernicterus	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
775	Haemolytic disease of newborn without mention of kernicterus	M F	10 7	3 2	4 2	7 4	2 1	- 1	1 1	- -	- -
776	Anoxic and hypoxic conditions not elsewhere classified	M F	114 75	11 5	50 32	61 37	24 17	11 9	5 4	5 4	- -
777	Immaturity unqualified	M F	57 44	6 13	39 23	45 38	3 2	1 1	1 -	2 -	1 -
778	Other conditions of foetus or newborn	M F	5 4	- -	2 3	2 3	- -	1 -	1 -	- -	1 -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	18 18	1 2	- -	1 2	- -	- -	1 -	1 -	- -

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed International List Nos.	
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756	
4	-	-	1	-	5	1	-	-	-	-	-	-	-	-	-	1	757
7	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	-	758
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	759
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
2	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	761
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	762
12	1	1	-	14	1	-	-	-	-	1	-	1	-	-	-	-	763
9	1	1	-	11	5	2	1	-	-	-	-	1	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	769
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	770
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	771
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	772
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	773
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	774
34	3	1	-	38	2	-	-	-	-	-	-	-	-	-	-	-	775
17	-	-	-	17	-	-	-	-	-	-	-	-	1	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	780.2
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	779
109	2	2	-	113	1	-	-	-	-	-	-	-	-	-	-	-	780
71	4	-	-	75	-	-	-	-	-	-	-	-	-	-	-	-	781
54	2	-	-	56	-	-	-	1	-	-	-	-	-	-	-	-	782
42	1	-	-	43	1	-	-	-	-	-	-	-	-	-	-	-	783
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	784
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	786
3	1	-	1	5	4	1	1	1	3	-	1	-	-	1	1	1	787
2	3	1	1	7	3	-	-	-	-	4	-	2	1	1	1	-	788

TABLE 27-INFANT MORTALITY-DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1978,
CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed international List Nos.	Cause of death	TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
		Under 4 weeks	4 weeks and under 1 year								
		M	F	381	195	231	102	97	58	25	22
All causes		M	F	381	195	231	102	97	58	25	22
008, 009	Enteritis and other diarrhoeal diseases	M	3	5	2	4	1	-	-	1	-
		F	-	7	-	3	-	2	-	-	2
010-109	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	1	-	1	-	-	-	1	-
		F	-	1	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	9	7	3	5	3	1	3	1	1
		F	4	6	2	2	-	3	1	1	1
320	Meningitis	M	3	2	3	1	-	-	-	-	1
		F	2	-	2	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	15	30	9	15	3	7	1	4	2
		F	11	17	6	10	4	7	1	-	4
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	7	68	3	38	2	22	2	5	3
		F	2	48	1	30	1	12	-	5	1
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	11	1	8	1	-	11	-	-	3
		F	32	-	18	-	-	11	-	2	1
741	Spina bifida	M	11	16	7	8	2	3	2	2	3
		F	25	20	13	13	10	4	2	2	1
742	Congenital hydrocephalus	M	5	5	2	2	2	1	1	-	1
		F	5	6	4	5	1	1	-	-	1
746	Congenital anomalies of heart	M	33	22	19	11	8	9	4	2	2
		F	36	18	22	13	10	2	3	1	2
743-745, 747-759	Other congenital anomalies	M	48	21	27	7	15	10	4	3	2
		F	32	22	18	10	10	5	1	5	2
764-768, 772	Birth injury and difficult labour	M	38	2	23	2	12	-	2	-	1
		F	18	1	6	-	9	1	3	-	-
770, 771	Conditions of placenta and cord	M	4	-	2	-	-	1	-	2	-
		F	3	-	2	-	-	1	-	-	-
774, 775	Haemolytic disease of newborn	M	10	-	6	-	4	-	-	-	-
		F	7	-	3	-	3	-	1	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	113	1	59	1	36	-	4	-	14
		F	75	-	33	-	30	-	6	-	6
777	Immaturity, unqualified	M	56	1	51	-	2	1	-	-	3
		F	43	1	34	1	8	-	1	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	10	-	5	-	4	-	1	-	-
		F	9	1	4	1	3	-	1	-	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
	Other causes	M	5	13	2	6	3	4	-	3	-
		F	7	11	2	6	2	1	2	2	2

*Late foetal deaths not included.

TABLE 27 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1978, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
		M	F	M	F	M	F	M	F	M	F
	All causes	9	3	62	29	7	3	56	24	17	8
008, 009	Enteritis and other diarrhoeal diseases	M F	— —	— 2	1 —	— —	— —	1 —	1 —	1 —	— —
010-019	Tuberculosis, all forms	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
033	Whooping cough	M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	— —	— 1	2 —	— —	— —	1 —	1 —	— 1	1 1
320	Meningitis	M F	1 —	— —	1 —	— —	— —	— 1	— —	— —	1 —
321-324	Other inflammatory diseases of the central nervous system	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
470-474	Influenza	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
480-486	Pneumonia	M F	— —	— 1	2 —	3 1	— —	— —	2 2	2 —	1 —
490-493	Bronchitis, emphysema and asthma	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
460-466, 500-519	Other diseases of the respiratory system	M F	— —	— —	— —	10 11	— —	1 1	— 1	14 9	— —
520-577	Diseases of the digestive system	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
740	Anencephalus	M F	— —	— —	2 9	— —	— —	— —	4 4	— —	1 —
741	Spina bifida	M F	— —	— 1	3 3	4 5	— —	— —	3 6	1 3	— 2
742	Congenital hydrocephalus	M F	— —	— 1	1 2	— —	— —	— —	1 —	1 2	— —
746	Congenital anomalies of heart	M F	— —	— 1	5 3	4 5	— 1	— —	6 4	1 5	2 4
743-745, 747-759	Other congenital anomalies	M F	2 —	1 —	4 5	2 1	2 —	1 —	8 6	1 4	1 1
764-768, 772	Birth injury and difficult labour	M F	3 1	— —	6 2	1 —	— —	— —	8 —	1 —	3 1
770, 771	Conditions of placenta and cord	M F	— —	— —	— —	— —	— —	— —	1 1	— —	1 —
774, 775	Haemolytic disease of newborn	M F	— —	— —	4 —	— —	— —	— —	1 1	— —	— —
776	Anoxic and hypoxic conditions not elsewhere specified	M F	1 1	— —	14 6	— —	2 2	— —	8 5	— —	5 —
777	Immaturity, unqualified	M F	2 —	— —	17 10	— —	3 —	— —	11 9	— —	3 5
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M F	— —	— —	1 1	— —	— 1	— —	1 1	— 1	— —
780.2	Convulsions	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Other causes	M F	— —	— —	1 2	2 —	— —	— —	— —	1 3	— —

* Late foetal deaths not included.

TABLE 27 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1978,
CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
		M	F	8	5	9	-	6	4	9	3
	All causes			2	1	5	4	8	1	12	2
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
000-007 020-032 034-136	Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-
320	Meningitis	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	-	-	1	-	-	3	1
		F	-	-	-	1	-	-	2	2	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	1	-	-	-	-	1	-
		F	-	-	-	2	-	-	-	-	1
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-
741	Spina bifida	M	1	1	-	-	-	2	-	-	-
		F	-	-	-	-	1	-	-	-	1
742	Congenital hydrocephalus	M	-	-	-	-	-	1	-	-	-
		F	-	1	-	-	-	1	-	1	-
746	Congenital anomalies of heart	M	1	-	2	-	1	-	1	-	2
		F	-	-	2	1	1	-	-	3	2
743-745, 747-759	Other congenital anomalies	M	1	1	1	-	1	-	1	-	5
		F	-	-	-	-	-	-	2	-	-
764-768,	Birth injury and difficult labour	M	-	-	-	-	-	-	-	1	-
		F	-	-	1	-	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	1	-	1	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	-	4	-	1	-	5	-	5
		F	1	-	2	-	3	-	4	-	4
777	Immaturity, unqualified	M	-	-	1	-	2	-	1	-	3
		F	-	-	-	-	-	-	3	-	2
760-763 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	-	1	-	1	-	1
		F	-	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 27 (contd.)-INFANT MORTALITY-DEATHS AT AGES UNDER 4 WEEKS, AND 4 WEEKS AND UNDER ONE YEAR IN 1978,
CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed Intern- ational List Nos.	Cause of death	OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
		Under 4 weeks	4 weeks and under 1 year								
		M	F	4 2	3 4	11 10	3 5	8 10	5 7	8 5	5 2
008, 009	Enteritis and other diarrhoeal disease	M F	- -	- -	- -	- -	- -	- -	1 -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	1 -	- -	- -	1 -	- -	1 -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	1 -	- 2	- -	1 -	1 2	- 1	- -	1 -	- 1
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	1 -	2 1	- -	2 1	- -	1 -	- -	3 1	2 1
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- -	- -	1 -	- -	- 3	- -	1 1	- -	- -
741	Spina bifida	M F	- -	- -	- 1	- 1	- -	- 1	- -	- 1	- -
742	Congenital hydrocephalus	M F	- -	- -	- -	- -	- -	- -	- 1	- 1	- 1
746	Congenital anomalies of heart	M F	- -	- -	- 1	- -	1 2	- 1	1 1	- -	- 1
743-745, 747-759	Other congenital anomalies	M F	1 -	- -	- 2	- 1	- -	1 2	- 2	- -	- 1
764-768, 772	Birth injury and difficult labour	M F	1 -	- -	1 -	- -	- 1	- -	- -	- -	2 -
770, 771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
774, 775	Haemolytic disease of newborn	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	- 1	- -	7 3	- -	2 1	- -	2 -	1 -	3 5
777	Immaturity, unqualified	M F	- 1	- 1	2 3	- -	1 -	- -	5 1	- -	1 -
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M F	- -	- -	- -	- -	3 1	- -	- -	- -	1 2
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	1 -	- -	- 1	- -	1 1	- -	- -	- -

*Late foetal deaths not included.

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1978 CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
		M	F	M	F	M	F	M	F	M	F
	All causes	22	8	30	19	12	3	5	2	5	5
		9	6	38	11	15	3	8	3	11	4
008, 009	Enteritis and other diarrhoeal diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- 1	2 -	- 1	- -	- -	- -	- -	1 1
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- 1	3 1	1 1	- -	2 -	- 2	- -	2 1	1 -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	1 -	1 2	- -	9 3	- -	2 1	- -	2 -	- 1
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- 2	- -	- 6	- -	- -	- -	- 1	- -	- -
741	Spina bifida	M F	1 -	1 -	- 6	1 3	1 -	- 1	- 1	- 1	- -
742	Congenital hydrocephalus	M F	- -	- -	- -	- -	1 -	- -	- -	- 1	- -
746	Congenital anomalies of heart	M F	2 1	1 -	1 5	2 1	3 1	- -	1 -	- 2	- 1
743-745, 747-759	Other congenital anomalies	M F	5 -	2 2	5 4	3 2	2 4	- -	1 -	- -	2 1
764-768, 772	Birth injury and difficult labour	M F	2 1	- -	6 5	- -	- 2	- -	1 1	- -	1 1
770, 771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	1 -	- -	- -
774-775	Haemolytic disease of newborn	M F	- -	- -	2 1	- -	- -	- -	- -	- -	1 -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	9 3	- -	10 8	- -	3 3	- -	2 2	- -	3 5
777	Immaturity, unqualified	M F	- 1	- -	1 1	- -	- 3	1 -	- 1	- -	- -
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M F	2 -	- -	1 -	- -	- -	- -	1 -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	- -	1 1	4 1	1 1	- -	- -	- -	- -

*Late foetal deaths not included

TABLE 27 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1978, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	M F	3 3	5 1	4 7	3 4	1 2	5 2	5 1	4 1	13 11	6 4	3 1
008, 009	Enteritis and other diarrhoeal diseases	M F	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	3 1	1 1	- -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- 1	- -	- -	- 2	- -	- -	- -	- -	1 1	- -	- -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	2 1	- -	2 1	1 -	3 1	- -	1 -	2 -	3 -	- 1
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- -	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- -
741	Spina bifida	M F	- -	- -	- 1	- -	- -	- 1	- -	- -	1 2	1 1	- -
742	Congenital hydrocephalus	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
746	Congenital anomalies of heart	M F	1 -	1 -	- -	- -	- -	- 1	1 -	2 -	2 -	- -	1 -
743-745, 747-759	Other congenital anomalies	M F	1 -	1 1	1 1	1 -	- -	- -	1 -	- -	1 2	1 -	1 1
764-768, 772	Birth injury and difficult labour	M F	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -
770, 771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	- -
774, 775	Haemolytic disease of newborn	M F	1 -	- 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	1 -	- 4	2 -	- -	- -	- -	3 -	- -	2 3	- -	1 -
777	Immaturity, unqualified	M F	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- 1	- -
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M F	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- -	- -	1 -	- -	- -	- -	- -	- -	1 2	- -	- -

*Late foetal deaths not included.

TABLE 27 (contd.)-INFANT MORTALITY-DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR
IN 1978, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
	All causes	M F	4 4	4 9	2 4	4 1	3 4	8 1	6 1	3 1	18 9	9 8	4 4	1 1
008,009	Enteritis and other diarrhoeal diseases	M F	- -	- -	- -	1 -	- -	- -	- -	- -	- -	2 -	- -	- -
010-019	Tuberculosis, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
033	Whooping cough	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
000-007, 020-032, 034-136	Other infective and parasitic diseases	M F	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
320	Meningitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
321-324	Other inflammatory diseases of the central nervous system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
470-474	Influenza	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
480-486	Pneumonia	M F	- 1	1 -	- -	1 -	1 1	2 -	- -	1 -	2 -	2 -	- -	1 -
490-493	Bronchitis, emphysema and asthma	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
460-466, 500-519	Other diseases of the respiratory system	M F	- -	1 3	- -	1 -	- -	1 -	- -	- -	- -	3 1	- -	- -
520-577	Diseases of the digestive system	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
740	Anencephalus	M F	- 1	- -	- -	- -	1 -	- -	- -	- -	2 1	- -	1 -	- -
741	Spina bifida	M F	1 -	1 -	- -	- -	- -	2 -	- -	1 -	- -	2 -	- -	1 -
742	Congenital hydrocephalus	M F	- -	1 -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -
746	Congenital anomalies of heart	M F	1 -	- -	2 -	1 -	1 -	1 1	- -	- -	1 1	2 -	1 -	- -
743-745, 747-759	Other congenital anomalies	M F	2 -	1 2	1 -	1 -	- -	1 -	- -	- 1	2 3	1 1	- -	- -
764-768, 772	Birth injury and difficult labour	M F	- 1	- -	1 1	- -	- -	- -	- -	- -	1 -	- -	- -	- -
770,771	Conditions of placenta and cord	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
774,775	Haemolytic disease of newborn	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
776	Anoxic and hypoxic conditions not elsewhere specified	M F	- -	- -	1 -	- -	1 2	- -	5 1	- -	7 3	- -	2 2	- -
777	Immaturity, unqualified	M F	- -	- -	- -	- -	- -	- -	1 -	- -	2 -	- -	- -	- -
760-763, 769,773, 778,779,	Other causes of perinatal Mortality*	M F	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -
780.2	Convulsions	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
	Other causes	M F	- 1	2 -	- -	- -	- -	1 -	- -	- -	- -	2 -	1 -	- -

*Late foetal deaths not included.

TABLE 28-LATE FOETAL DEATHS NOTIFIED IN 1978 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

International List Nos. 740-779	Cause of death	Age at maternity							
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	Total
740	Anencephalus Anencephalus	7	25	31	25	15	3	1	107
741.0	Spina Bifida With hydrocephalus	-	1	5	4	3	2	-	15
741.9	Without mention of hydrocephalus	-	1	1	1	1	-	-	4
742	Congenital hydrocephalus Hydrocephalus	1	5	4	6	3	3	-	22
743.0	Other congenital anomalies of nervous system Encephalocele	-	1	-	-	-	-	-	1
743.9	Unspecified anomalies of brain, spinal cord and nervous system	-	-	1	-	-	-	-	1
746.3	Congenital anomalies of heart Ventricular septal defect	-	-	-	1	1	1	1	4
746.9	Unspecified anomalies of heart	-	1	-	-	1	-	-	2
751.5	Other congenital anomalies of digestive system Other anomalies of intestine	-	-	-	-	1	-	-	1
751.9	Unspecified anomalies of digestive system	-	-	-	-	1	-	-	1
753.0	Congenital anomalies of urinary system Renal agenesis	-	1	-	-	-	-	-	1
753.2	Obstructive defects of urinary tract	-	-	-	-	-	-	-	-
756.1	Other congenital anomalies of musculoskeletal system Anomalies of spine	-	1	-	-	-	-	-	1
756.8	Other specified anomalies of muscle, tendon and fascia	-	-	-	2	-	-	-	2
756.9	Unspecified anomalies of musculoskeletal system	-	-	-	-	1	-	-	1
758.9	Other and unspecified congenital anomalies Unspecified congenital anomaly	-	-	1	-	-	-	-	1
759.2	Congenital syndromes affecting multiple systems Other forms of monster	-	1	-	-	-	-	-	1
759.3	Down's disease	-	-	-	1	-	-	-	1
759.4	Other syndromes due to autosomal abnormality	-	-	-	-	1	-	-	1
759.5	Syndromes due to sex chromosome abnormality	-	-	-	1	-	-	-	1
759.9	Multiple congenital anomalies, unspecified	1	1	3	1	1	-	-	7
760.0	Chronic circulatory and genito-urinary diseases in mother Chronic rheumatic heart disease	-	-	-	-	-	-	-	-
760.2	Chronic hypertension	-	-	-	-	1	1	-	2
760.4	Chronic nephritis	-	-	-	-	1	-	-	1
761.1	Other maternal conditions unrelated to pregnancy Diabetes mellitus	-	1	2	1	1	1	-	6
761.2	Influenza	-	-	-	-	1	-	-	1
761.5	Injury	-	2	1	-	-	-	-	3
762.1	Toxaemia of pregnancy Pre-eclampsia of pregnancy	2	6	2	3	3	1	-	17
762.2	Eclampsia of pregnancy	1	-	-	1	-	-	-	2
762.3	Toxaemia, unspecified	-	1	1	-	1	-	-	3
762.4	Hyperemesis gravidarum	-	-	-	1	-	-	-	1
763.1	Maternal ante-and intrapartum infection Other infections of genito-urinary tract during pregnancy	-	-	-	1	-	-	-	1
763.9	Other	-	2	-	1	-	-	-	3

TABLE 28 (contd.)—LATE FOETAL DEATHS NOTIFIED IN 1978 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

International List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
	Difficult labour with abnormality of bones, organs or tissues of pelvis Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	-	-	-	-
764.9	Difficult labour with malposition of foetus With birth injury to bone or nerve	-	-	-	-	1	-	-	1
766.2	With asphyxia, anoxia or hypoxia	-	-	-	-	-	-	-	-
766.4	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	-	-	-	-
766.9	Difficult labour with other and unspecified complications With asphyxia, anoxia or hypoxia	-	-	-	-	-	-	-	-
768.4	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	-	-	-	-
768.9	Other complications of pregnancy and childbirth Premature rupture of membranes	-	1	-	-	-	-	-	1
769.1	Hydramnios	2	1	-	-	-	2	-	5
769.2	Ectopic pregnancy	-	1	-	-	-	-	-	1
769.3	Other	-	-	4	-	-	-	-	4
	Conditions of placenta Placenta praevia	-	-	2	1	-	-	-	3
770.0	Premature separation of placenta	3	9	19	15	9	5	1	61
770.1	Placental infarction	2	1	3	3	1	-	-	10
770.2	Other	-	-	1	-	-	-	-	1
770.8	Unspecified	5	6	9	9	10	1	1	41
	Conditions of umbilical cord Compression of cord	1	2	-	2	-	-	-	5
771.0	Prolapse of cord without mention of compression	-	2	4	7	3	3	-	19
771.1	Other	1	3	7	4	5	2	-	22
	Birth injury without mention of cause To brain	1	2	1	2	-	-	-	6
772.0	Other and unspecified	-	2	-	1	-	-	-	3
	Haemolytic disease of newborn, without mention of Kernicterus								
775.0	With Rh incompatibility	-	2	3	3	3	-	-	11
775.9	Without mention of cause	-	-	1	1	-	-	-	2
	Anoxic and hypoxic conditions not elsewhere classified Aspiration of content of birth canal	-	-	-	1	-	-	-	1
776.0	Hyaline membrane disease	-	-	-	1	-	-	-	1
776.1	Foetal distress	-	4	3	5	6	2	-	20
776.3	Intra-uterine anoxia	6	12	20	7	7	6	1	59
776.4	Asphyxia of newborn unspecified	1	5	2	6	-	1	-	15
	Immaturity, unqualified Prematurity	-	4	1	1	-	-	-	6
	Other conditions of foetus or newborn Haemorrhagic disease of newborn	-	1	-	-	-	-	-	1
778.2	Cold injury syndrome	-	-	-	-	-	-	-	-
778.3	Other	-	-	1	1	-	1	-	3
	Foetal death of unknown cause Maceration	3	18	22	32	21	10	3	109
779.0	Other	2	8	6	10	3	4	-	33
	Total	39	134	161	162	106	49	8	659

TABLE 29-LATE FOETAL DEATHS NOTIFIED IN 1978, CLASSIFIED BY CAUSE AND PERIOD OF GESTATION

International List Nos. 740-779	Cause of death	Period of gestation		
		28-36 weeks	37 weeks and over	Total
740	Anencephalus	63	44	107
741	Spina bifida	7	12	19
742	Congenital hydrocephalus	11	11	22
743	Other congenital anomalies of nervous system	1	1	2
746	Congenital anomalies of heart	2	4	6
751	Other congenital anomalies of digestive system	1	1	2
753	Congenital anomalies of Urinary System	-	1	1
756	Other congenital anomalies of musculoskeletal system	2	2	4
758	Other and unspecified congenital anomalies	-	1	1
759	Congenital syndromes affecting multiple systems	7	4	11
760	Chronic circulatory and genito-urinary diseases in mother	3	-	3
761	Other maternal conditions unrelated to pregnancy	6	4	10
762	Toxaemia of pregnancy	18	5	23
763	Maternal ante- and intrapartum infection	-	4	4
766	Difficult labour with malposition of foetus	-	1	1
769	Other complications of pregnancy and childbirth	8	3	11
770	Conditions of placenta	65	51	116
771	Conditions of umbilical cord	10	36	46
772	Birth injury without mention of cause	3	6	9
775	Haemolytic disease of newborn without mention of kernicterus	11	2	13
776	Anoxic and hypoxic conditions not elsewhere classified	42	54	96
777	Immaturity, unqualified	6	-	6
778	Other conditions of foetus or newborn	1	3	4
779	Foetal death of unknown cause	75	67	142
Total		342	317	659

TABLE 30 - LATE FOETAL DEATHS NOTIFIED IN 1978, CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN

International List Nos. 740-779	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	30	42	26	9	107
741	Spina bifida	5	6	5	3	19
742	Congenital hydrocephalus	6	8	5	3	22
743	Other congenital anomalies of nervous system	1	-	1	-	2
746	Congenital anomalies of heart	1	1	3	1	6
751	Other congenital anomalies of digestive system	-	-	2	-	2
753	Congenital anomalies of urinary system	1	-	-	-	1
756	Other congenital anomalies of musculoskeletal system	1	2	1	-	4
758	Other and unspecified congenital anomalies	-	1	-	-	1
759	Congenital syndromes affecting multiple systems	4	4	3	-	11
760	Chronic circulatory and genito-urinary diseases in mother	-	1	-	2	3
761	Other maternal conditions unrelated to pregnancy	4	4	2	-	10
762	Toxaemia of pregnancy	12	6	4	1	23
763	Maternal ante-and intrapartum infection	3	1	-	-	4
766	Difficult labour with malposition of foetus	-	-	1	-	1
769	Other complications of pregnancy and childbirth	4	4	-	3	11
770	Conditions of placenta	34	41	28	13	116
771	Conditions of umbilical cord	13	7	17	9	46
772	Birth injury without mention of cause	2	6	1	-	9
775	Haemolytic disease of newborn, without mention of kernicterus	1	4	6	2	13
776	Anoxic and hypoxic conditions not elsewhere classified	38	32	18	8	96
777	Immaturity, unqualified	5	1	-	-	6
778	Other conditions of foetus or newborn	2	2	-	-	4
779	Foetal death of unknown cause	41	45	39	17	142
	Total	208	218	162	71	659

TABLE 31 - LATE FOETAL DEATHS NOTIFIED IN 1978, CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28-36 weeks	37 weeks and over	Total
Males	170	145	315
Females	172	172	344
Total	342	317	659

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1978, CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
0	30	79	60	26	11	1	1	208
1	6	33	43	27	13	1	2	125
2	1	16	28	34	12	2	-	93
3	2	5	13	31	17	8	1	77
4	-	1	11	21	18	4	1	56
5	-	-	1	11	11	6	-	29
6	-	-	2	7	7	9	1	26
7	-	-	1	2	6	3	1	13
8	-	-	1	2	2	5	-	10
9	-	-	-	1	3	-	-	4
10	-	-	-	-	2	2	1	5
11	-	-	-	-	1	1	-	2
12	-	-	-	-	2	1	-	3
13	-	-	1	-	-	2	-	3
14	-	-	-	-	-	3	-	3
15 and over	-	-	-	-	1	1	-	2
Total	39	134	161	162	106	49	8	659

TABLE 33 - DEATHS SHOWING THE NUMBERS OCCURRING IN EACH QUARTER IN 1978 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,418	4,561	4,550	3,829	3,999	3,275	4,475	3,687	18,442	15,352
Carlow	67	61	63	51	49	40	50	45	229	197
Dublin Co. Borough	827	812	658	651	617	515	675	641	2,777	2,619
Dun Laoghaire Borough	85	112	61	91	67	60	80	68	293	331
Dublin Co. (remainder)	237	216	197	197	203	200	230	197	867	810
Kildare	110	77	104	104	100	80	114	79	428	340
Kilkenny	131	93	111	73	71	55	92	78	405	299
Laois	93	72	80	58	64	43	89	64	326	237
Longford	64	45	65	46	42	38	63	40	234	169
Louth	123	106	108	85	93	93	120	110	444	394
Meath	135	117	111	81	112	79	105	81	463	358
Offaly	83	63	80	72	58	57	86	50	307	242
Westmeath	118	83	96	82	75	67	74	78	363	310
Wexford	160	127	157	108	120	87	134	105	571	427
Wicklow	110	95	103	92	74	69	86	78	373	334
Leinster	2,343	2,079	1,994	1,791	1,745	1,483	1,998	1,714	8,080	7,067
Clare	160	124	145	96	137	84	156	111	598	415
Cork Co. Borough	222	207	200	168	158	160	159	168	739	703
Cork County	498	429	384	294	357	272	383	297	1,622	1,292
Kerry	223	197	202	141	197	155	217	172	839	665
Limerick Co. Borough	81	84	71	85	67	54	76	78	295	301
Limerick County	165	132	145	124	123	118	144	94	577	468
Tipperary, N.R.	107	86	96	58	70	59	80	66	353	269
Tipperary, S.R.	128	108	102	96	91	91	110	90	431	385
Waterford Co. Borough	52	48	43	55	38	42	33	41	166	186
Waterford County	103	82	78	61	53	52	74	61	308	256
Munster	1,739	1,497	1,466	1,178	1,291	1,087	1,432	1,178	5,928	4,940
Galway	302	197	217	171	180	156	213	147	912	671
Leitrim	94	50	72	44	59	37	68	45	293	176
Mayo	253	193	214	200	205	140	189	161	861	694
Roscommon	139	95	106	82	78	70	108	71	431	318
Sligo	103	84	81	63	109	68	95	73	388	288
Connacht	891	619	690	560	631	471	673	497	2,885	2,147
Cavan	134	107	112	64	77	56	93	84	416	311
Donegal	237	186	202	177	175	138	216	159	830	660
Monaghan	74	73	86	59	80	40	63	55	303	227
Ulster (part of)	445	366	400	300	332	234	372	298	1,549	1,198

TABLE 34 - BIRTHS SHOWING THE NUMBERS IN EACH QUARTER IN 1978 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,809	8,445	9,376	8,999	8,940	8,685	8,641	8,404	35,766	34,533
Carlow	133	97	143	118	111	107	118	117	505	439
Dublin Co. Borough	1,278	1,186	1,307	1,244	1,284	1,174	1,198	1,190	5,067	4,794
Dun Laoghaire Borough	91	90	124	111	83	80	94	120	392	401
Dublin Co. (remainder)	1,310	1,170	1,288	1,277	1,240	1,150	1,256	1,227	5,094	4,824
Kildare	276	287	331	313	342	296	321	293	1,270	1,189
Kilkenny	175	158	187	174	160	171	164	161	686	664
Laois	126	134	139	135	125	135	118	107	508	511
Longford	75	85	101	91	110	82	79	68	365	326
Louth	249	260	244	245	237	232	237	211	967	948
Meath	242	259	280	249	251	264	264	265	1,037	1,037
Offaly	151	140	150	179	143	172	132	130	576	621
Westmeath	158	169	157	158	161	163	150	165	626	655
Wexford	293	255	259	285	251	291	253	256	1,056	1,087
Wicklow	271	237	268	227	283	243	238	269	1,060	976
Leinster	4,828	4,527	4,978	4,806	4,781	4,560	4,622	4,579	19,209	18,472
Clare	216	221	220	235	229	212	206	219	871	887
Cork Co. Borough	299	297	351	310	345	324	323	288	1,318	1,219
Cork County	695	643	748	720	673	724	695	665	2,811	2,752
Kerry	315	306	325	287	290	294	287	252	1,217	1,139
Limerick Co. Borough	144	131	142	154	119	128	132	131	537	544
Limerick County	248	257	299	277	286	285	319	275	1,152	1,094
Tipperary N.R.	151	163	190	158	146	149	161	144	648	614
Tipperary S.R.	168	183	203	194	199	198	181	184	751	759
Waterford Co. Borough	93	96	87	107	103	87	98	93	381	383
Waterford County	145	139	156	120	140	140	148	139	589	538
Munster	2,474	2,436	2,721	2,562	2,530	2,541	2,550	2,390	10,275	9,929
Galway	381	406	474	447	453	432	415	413	1,723	1,698
Leitrim	65	57	69	74	67	54	59	58	260	243
Mayo	260	236	265	283	277	249	251	244	1,053	1,012
Roscommon	90	101	123	90	111	99	96	86	420	376
Sligo	121	137	143	135	124	126	124	108	512	506
Connacht	917	937	1,074	1,029	1,032	960	945	909	3,968	3,835
Cavan	127	136	126	141	156	125	137	130	546	532
Donegal	336	288	355	309	310	376	272	277	1,273	1,250
Monaghan	127	121	122	152	131	123	115	119	495	515
Ulster (part of)	590	545	603	602	597	624	524	526	2,314	2,297

TABLE 35 - BIRTHS IN 1978 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	70,040	259	-	-	-	-	70,040	259
Carlow	504	1	56	-	495	-	943	1
Dublin Co. Borough	25,417	64	15,668	3	51	-	9,800	61
Dun Laoghaire Borough	1,281	6	1,083	1	590	-	788	5
Dublin Co. (remainder)	162	21	143	1	9,875	4	9,894	24
Kildare	223	10	7	-	2,233	-	2,449	10
Kilkenny	1,429	2	372	-	290	1	1,347	3
Laois	896	4	105	-	224	-	1,015	4
Longford	114	-	9	-	586	-	691	-
Louth	3,578	2	1,721	-	56	-	1,913	2
Meath	132	8	4	-	1,938	-	2,066	8
Offaly	917	1	87	-	366	-	1,196	1
Westmeath	1,034	3	299	-	543	-	1,278	3
Wexford	1,902	10	96	-	326	1	2,132	11
Wicklow	17	12	2	-	2,009	-	2,024	12
Clare	650	5	11	-	1,114	-	1,753	5
Cork Co. Borough	8,453	7	5,937	-	14	-	2,530	7
Cork County	426	22	15	-	5,129	1	5,540	23
Kerry	1,705	12	25	1	665	-	2,345	11
Limerick Co. Borough	5,438	-	4,371	-	14	-	1,081	-
Limerick County	-	3	-	-	2,243	-	2,243	3
Tipperary, N.R.	169	5	1	-	1,089	-	1,257	5
Tipperary, S.R.	1,120	1	104	-	493	-	1,509	1
Waterford Co. Borough	2,073	17	1,339	1	14	-	748	16
Waterford County	123	5	1	-	999	1	1,121	6
Galway	4,755	13	1,414	-	67	-	3,408	13
Leitrim	59	3	2	-	443	-	500	3
Mayo	2,020	6	124	-	163	-	2,059	6
Roscommon	151	2	11	1	655	-	795	1
Sligo	1,445	2	512	-	83	-	1,016	2
Cavan	906	1	159	-	330	-	1,077	1
Donegal	2,322	7	6	-	200	-	2,516	7
Monaghan	619	4	6	-	393	-	1,006	4

*Including registered private maternity homes.

TABLE 36-BIRTHS IN 1978 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING
THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	70,299	35,766	34,533	3,003	1,546	1,457
15 and under	48	23	25	46	21	25
16	174	85	89	122	60	62
17	496	251	245	248	118	130
18	977	513	464	332	171	161
19	1,593	816	777	383	188	195
Under 20	3,288	1,688	1,600	1,131	558	573
20	2,147	1,054	1,093	374	192	182
21	2,751	1,399	1,352	283	150	133
22	3,175	1,622	1,553	244	126	118
23	3,766	1,942	1,824	168	93	75
24	4,141	2,091	2,050	173	91	82
20-24	15,980	8,108	7,872	1,242	652	590
25	4,658	2,384	2,274	140	69	71
26	4,592	2,273	2,319	78	50	28
27	4,601	2,325	2,276	67	32	35
28	4,469	2,303	2,166	62	34	28
29	4,488	2,293	2,195	48	24	24
25-29	22,808	11,578	11,230	395	209	186
30	4,379	2,185	2,194	29	16	13
31	3,824	1,998	1,826	35	20	15
32	3,328	1,686	1,642	32	19	13
33	2,925	1,483	1,442	17	5	12
34	2,727	1,403	1,324	12	8	4
30-34	17,183	8,755	8,428	125	68	57
35	2,295	1,197	1,098	18	10	8
36	1,878	941	937	15	10	5
37	1,535	787	748	7	3	4
38	1,314	651	663	10	5	5
39	1,144	571	573	3	-	3
35-39	8,166	4,147	4,019	53	28	25
40	822	433	389	11	7	4
41	632	327	305	3	3	-
42	466	242	224	6	3	3
43	299	164	135	1	-	1
44	186	83	103	-	-	-
40-44	2,405	1,249	1,156	21	13	8
45	120	64	56	-	-	-
46	48	31	17	2	2	-
47	15	5	10	-	-	-
48	15	6	9	-	-	-
49	5	5	-	-	-	-
45-49	203	111	92	2	2	-
50-55	4	3	1	-	-	-
Age not stated	262	127	135	34	16	18

TABLE 37-BIRTHS IN 1978, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
CARLOW							DUBLIN COUNTY BOROUGH					
Under 20 years	53	28	25	9	6	3	732	379	353	326	150	176
20-24 years	230	129	101	9	6	3	2,818	1,423	1,395	405	212	194
25-29 years	292	156	136	5	4	1	2,882	1,464	1,418	131	69	62
30-34 years	224	115	109	4	3	1	2,014	1,065	949	38	16	22
35-39 years	109	60	49	1	1	-	1,073	555	518	14	7	7
40-44 years	34	16	18	-	-	-	292	153	139	8	6	2
45 years and over	1	-	1	-	-	-	22	15	7	-	-	-
Age not stated	1	1	-	-	-	-	28	13	15	8	4	4
All ages	944	505	439	28	20	8	9,861	5,067	4,794	931	464	467
DUN LAOGHAIRE BOROUGH							DUBLIN COUNTY (remainder)					
Under 20 years	50	22	28	27	12	15	272	132	140	145	67	78
20-24 years	172	88	84	29	15	14	1,967	959	1,008	152	74	78
25-29 years	251	117	134	14	4	10	3,675	1,902	1,773	40	23	17
30-34 years	170	84	86	4	3	1	2,719	1,416	1,303	12	9	3
35-39 years	114	61	53	2	1	1	1,031	552	479	6	2	4
40-44 years	31	17	14	-	-	-	222	114	108	3	2	1
45 years and over	3	2	1	-	-	-	14	9	5	-	-	-
Age not stated	2	1	1	1	-	1	18	10	8	1	-	1
All ages	793	392	401	77	35	42	9,918	5,094	4,824	359	177	182
KILDARE							KILKENNY					
Under 20 years	134	71	63	39	24	15	64	30	34	16	7	9
20-24 years	554	292	262	42	24	18	281	153	128	19	11	8
25-29 years	831	434	397	13	8	5	436	228	208	7	4	3
30-34 years	602	299	303	4	1	3	357	176	181	1	1	-
35-39 years	253	134	119	3	1	2	161	75	86	-	-	-
40-44 years	70	30	40	-	-	-	44	21	23	1	-	1
45 years and over	9	6	3	-	-	-	5	3	2	-	-	-
Age not stated	6	4	2	-	-	-	2	-	2	-	-	-
All ages	2,459	1,270	1,189	101	58	43	1,350	626	664	44	23	21
LAOIS							LONGFORD					
Under 20 years	41	17	24	15	6	9	41	21	20	10	5	5
20-24 years	252	126	126	10	3	7	151	75	76	8	5	3
25-29 years	321	164	157	1	1	-	217	113	104	2	1	1
30-34 years	252	121	131	1	1	-	168	97	71	2	1	1
35-39 years	104	53	51	-	-	-	77	39	38	1	-	1
40-44 years	44	25	19	-	-	-	34	18	16	-	-	-
45 years and over	3	-	3	-	-	-	3	2	1	-	-	-
Age not stated	2	2	-	-	-	-	-	-	-	-	-	-
All ages	1,019	508	511	27	11	16	691	365	326	23	12	11

TABLE 37 (contd.) - BIRTHS IN 1978, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
LOUTH						MEATH						
Under 20 years	102	55	47	20	10	10	90	48	42	30	16	14
20-24 years	473	249	224	20	12	8	463	226	237	21	12	9
25-29 years	637	312	325	9	3	6	720	367	353	5	1	4
30-34 years	439	217	222	1	1	-	495	237	258	1	1	-
35-39 years	195	96	99	1	1	-	222	113	109	2	1	1
40-44 years	59	34	25	-	-	-	69	38	31	1	1	-
45 years and over	5	2	3	-	-	-	9	5	4	-	-	-
Age not stated	5	2	3	4	1	3	6	3	3	2	2	-
All ages	1,915	967	948	55	28	27	2,074	1,037	1,037	62	34	28
OFFALY						WESTMEATH						
Under 20 years	66	32	34	19	13	6	66	35	31	20	10	10
20-24 years	275	130	145	19	7	12	308	148	160	11	5	6
25-29 years	362	173	189	3	2	1	370	191	179	3	2	1
30-34 years	280	135	145	-	-	-	304	139	165	-	-	-
35-39 years	134	67	67	1	-	1	149	71	78	1	1	-
40-44 years	48	22	26	-	-	-	66	32	34	2	1	1
45 years and over	1	-	1	-	-	-	8	6	2	-	-	-
Age not stated	31	17	14	4	3	1	10	4	6	1	1	-
All ages	1,197	576	621	46	25	21	1,281	626	655	38	20	18
WEXFORD						WICKLOW						
Under 20 years	144	74	70	45	15	30	111	61	50	38	17	21
20-24 years	539	259	280	35	21	14	520	265	255	38	16	22
25-29 years	648	336	312	15	6	9	720	369	351	14	8	6
30-34 years	465	219	246	2	1	1	450	245	205	3	1	2
35-39 years	226	110	116	2	1	1	176	89	87	-	-	-
40-44 years	81	44	37	1	-	1	53	27	26	-	-	-
45 years and over	8	2	6	-	-	-	3	3	-	-	-	-
Age not stated	32	12	20	-	-	-	3	1	2	-	-	-
All ages	2,143	1,056	1,087	100	44	56	2,036	1,060	976	93	42	51
CORK COUNTY BOROUGH						CORK COUNTY						
Under 20 years	140	70	70	52	26	26	150	82	68	42	25	17
20-24 years	668	375	293	51	31	20	1,122	591	531	65	41	24
25-29 years	761	379	382	11	7	4	1,873	928	945	27	16	11
30-34 years	550	280	270	8	5	3	1,458	746	712	6	2	4
35-39 years	328	168	160	2	1	1	717	336	381	3	3	-
40-44 years	82	42	40	1	1	-	209	112	97	-	-	-
45 years and over	7	4	3	-	-	-	20	8	12	-	-	-
Age not stated	1	-	1	1	-	1	14	8	6	4	2	2
All ages	2,537	1,318	1,219	126	71	55	5,563	2,811	2,752	147	89	58

TABLE 37 (contd.) - BIRTHS IN 1978, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CLARE						KERRY					
Under 20 years	60	31	29	15	6	9	69	42	27	21	16	5
20-24 years	354	178	176	26	13	13	506	266	240	31	15	16
25-29 years	566	282	284	12	6	6	722	370	352	12	5	7
30-34 years	470	236	234	3	-	3	606	304	302	3	2	1
35-39 years	231	109	122	-	-	-	342	179	163	-	-	-
40-44 years	66	28	38	-	-	-	90	48	42	1	-	1
45 years and over	4	3	1	-	-	-	9	3	6	-	-	-
Age not stated	7	4	3	-	-	-	12	5	7	3	1	2
All ages	1,758	871	887	56	25	31	2,356	1,217	1,139	71	39	32
LIMERICK COUNTY BOROUGH												
Under 20 years	85	48	37	23	15	8	88	45	43	23	10	13
20-24 years	312	138	174	24	10	14	439	225	214	28	13	15
25-29 years	303	158	145	6	4	2	738	377	361	12	6	6
30-34 years	238	125	113	3	3	-	612	306	306	1	-	1
35-39 years	111	55	56	-	-	-	282	152	130	1	-	1
40-44 years	25	11	14	-	-	-	67	36	31	-	-	-
45 years and over	-	-	-	-	-	-	11	5	6	-	-	-
Age not stated	7	2	5	-	-	-	9	6	3	2	1	1
All ages	1,081	537	544	56	32	24	2,246	1,152	1,094	67	30	37
TIPPERARY, NORTH RIDING												
Under 20 years	58	34	24	11	7	4	88	32	56	22	6	16
20-24 years	273	137	136	17	7	10	386	191	195	24	13	11
25-29 years	404	203	201	2	1	1	448	224	224	6	4	2
30-34 years	301	155	146	1	-	1	367	188	179	3	2	1
35-39 years	168	87	81	2	1	1	159	83	76	-	-	-
40-44 years	53	30	23	-	-	-	59	31	28	-	-	-
45 years and over	4	1	3	-	-	-	3	2	1	-	-	-
Age not stated	1	1	-	-	-	-	-	-	-	-	-	-
All ages	1,262	648	614	33	16	17	1,510	751	739	55	25	30
WATERFORD COUNTY BOROUGH												
Under 20 years	66	31	35	24	13	11	58	28	30	18	6	12
20-24 years	191	88	103	15	9	6	273	136	137	17	8	9
25-29 years	224	114	110	4	2	2	346	182	164	6	3	3
30-34 years	170	90	80	-	-	-	268	150	118	2	-	2
35-39 years	84	43	41	1	-	1	143	66	77	3	1	2
40-44 years	27	15	12	1	1	-	36	25	11	-	-	-
45 years and over	1	-	1	-	-	-	1	1	-	-	-	-
Age not stated	1	-	1	-	-	-	2	1	1	-	-	-
All ages	764	381	383	46	25	20	1,127	589	538	46	18	28

TABLE 37 (contd.) - BIRTHS IN 1978 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
GALWAY						LEITRIM						
Under 20 years	130	71	59	38	21	17	14	7	7	5	3	2
20-24 years	639	332	307	34	15	19	86	40	46	4	3	1
25-29 years	1,138	588	550	5	1	4	148	76	72	1	1	-
30-34 years	896	434	462	7	3	4	148	76	72	1	1	-
35-39 years	451	221	230	2	1	1	74	37	37	1	1	-
40-44 years	141	63	78	-	-	-	28	21	7	-	-	-
45 years and over	12	7	5	1	1	-	2	1	1	-	-	-
Age not stated	14	7	7	2	1	1	3	2	1	-	-	-
All ages	3,421	1,723	1,698	89	43	46	503	260	243	12	9	3
MAYO						ROSCOMMON						
Under 20 years	60	31	29	22	13	9	21	10	11	7	5	2
20-24 years	368	174	194	14	7	7	160	88	72	8	5	3
25-29 years	705	363	342	5	2	3	237	127	110	2	1	1
30-34 years	528	262	266	1	1	-	224	111	113	-	-	-
35-39 years	281	155	126	-	-	-	100	50	50	1	1	-
40-44 years	93	54	39	1	1	-	44	27	17	-	-	-
45 years and over	8	4	4	-	-	-	7	5	2	-	-	-
Age not stated	22	10	12	1	-	1	3	2	1	-	-	-
All ages	2,065	1,053	1,012	44	24	20	796	420	376	18	12	6
SLIGO						CAVAN						
Under 20 years	40	23	17	9	4	5	51	28	23	11	7	4
20-24 years	174	93	81	18	9	9	246	118	128	16	8	8
25-29 years	363	174	189	3	2	1	338	158	180	8	5	3
30-34 years	261	138	123	1	1	-	275	155	120	3	3	-
35-39 years	120	58	62	-	-	-	122	60	62	-	-	-
40-44 years	53	24	29	-	-	-	42	24	18	-	-	-
45 years and over	4	1	3	-	-	-	3	2	1	-	-	-
Age not stated	3	1	2	-	-	-	1	1	-	-	-	-
All ages	1,018	512	506	31	16	15	1,078	546	532	38	23	15
DONEGAL						MONAGHAN						
Under 20 years	108	56	52	25	15	10	36	14	22	4	2	2
20-24 years	563	303	260	25	16	9	217	113	104	6	6	-
25-29 years	795	388	407	8	5	3	337	161	176	3	2	1
30-34 years	602	305	297	8	5	3	270	129	141	1	1	-
35-39 years	324	161	163	3	3	-	105	52	53	-	-	-
40-44 years	105	47	58	1	-	1	38	20	18	-	-	-
45 years and over	11	7	4	1	1	-	6	5	1	-	-	-
Age not stated	15	6	9	-	-	-	1	1	-	-	-	-
All ages	2,523	1,273	1,250	71	45	26	1,010	495	515	14	11	3

TABLE 38 - TOTAL BIRTHS IN 1978 CLASSIFIED BY AGE OF

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	70,299	20,475	17,348	13,297	8,431	4,778	2,450	1,419	792	472	315
15 and under	48	47	1	-	-	-	-	-	-	-	-
16	174	167	7	-	-	-	-	-	-	-	-
17	496	473	21	2	-	-	-	-	-	-	-
18	977	826	137	14	-	-	-	-	-	-	-
19	1,593	1,220	313	51	8	1	-	-	-	-	-
Under 20	3,288	2,733	479	67	8	1	-	-	-	-	-
20	2,147	1,470	550	103	16	8	-	-	-	-	-
21	2,751	1,606	813	238	68	19	6	1	-	-	-
22	3,175	1,719	1,004	337	89	20	5	1	-	-	-
23	3,766	1,745	1,313	499	149	45	12	1	1	1	-
24	4,141	1,789	1,427	631	210	57	20	6	1	-	-
20-24	15,980	8,329	5,107	1,808	532	149	43	8	2	1	-
25	4,658	1,806	1,561	863	281	102	31	11	2	-	-
26	4,592	1,461	1,591	938	403	138	42	14	5	-	-
27	4,601	1,261	1,562	1,057	462	164	59	24	7	4	1
28	4,469	1,057	1,420	1,133	550	189	68	19	17	11	2
29	4,488	847	1,241	1,213	650	306	142	49	20	10	4
25-29	22,808	6,432	7,375	5,204	2,346	899	342	117	51	25	7
30	4,379	707	1,040	1,283	727	367	133	72	23	15	5
31	3,824	477	832	1,091	787	358	153	75	23	19	4
32	3,328	387	641	884	714	381	160	72	46	15	19
33	2,925	277	462	757	678	383	161	102	52	24	16
34	2,727	268	355	587	596	408	225	131	74	44	16
30-34	17,183	2,116	3,330	4,602	3,502	1,897	832	452	218	117	60
35	2,295	181	285	453	527	374	198	122	73	29	29
36	1,878	130	204	340	411	325	187	112	69	36	28
37	1,535	101	160	240	302	279	195	100	68	29	22
38	1,314	91	112	176	261	239	152	107	50	46	26
39	1,144	55	95	132	209	193	150	113	72	40	28
35-39	8,166	558	856	1,341	1,710	1,410	882	554	332	180	133
40	822	59	53	82	118	148	120	94	41	38	25
41	632	42	50	58	70	99	95	65	51	31	20
42	466	27	31	52	59	70	48	52	31	30	25
43	299	12	17	22	39	37	34	38	26	25	17
44	186	8	11	22	18	30	26	13	17	11	10
40-44	2,405	148	162	236	304	384	323	262	166	135	97
45	120	4	10	11	8	19	12	10	9	10	12
46	48	5	2	2	5	6	8	8	3	1	1
47	15	1	-	2	2	2	2	2	3	1	1
48	15	1	-	3	-	3	2	2	-	-	1
49 and over	9	-	2	1	-	2	1	-	2	-	-
45 and over	207	11	14	17	15	32	25	22	17	12	15
Age not stated	262	148	25	22	14	6	3	4	6	2	3

MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
191	130	82	29	31	19	7	3	4	2	1	-	-	23	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1	-	-	-	-	-	-	-	-	-	-	-	-	-	20-24
-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
6	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
7	2	-	-	-	-	-	-	-	-	-	-	-	1	25-29
3	4	-	1	-	-	-	-	-	-	-	-	-	-	30
1	2	2	-	1	2	-	-	-	-	-	-	-	-	31
6	-	1	2	2	2	-	-	-	-	-	-	-	-	32
6	3	2	5	2	1	-	-	-	-	-	-	-	-	33
12	3	3	5	2	1	-	-	-	-	-	-	-	-	34
28	12	9	3	5	-	-	-	-	-	-	-	-	-	30-34
12	8	2	2	-	-	-	-	-	-	-	-	-	-	35
16	11	3	2	1	2	1	-	-	-	-	-	-	-	36
8	12	10	2	3	2	2	-	-	-	-	-	-	-	37
22	13	6	4	2	5	1	-	1	-	1	-	-	-	38
22	17	7	4	2	2	1	1	1	-	-	-	-	-	39
80	61	28	14	8	11	4	1	2	-	1	-	-	-	35-39
17	10	6	3	2	3	1	1	1	-	-	-	-	-	40
19	10	11	3	3	3	1	-	1	-	-	-	-	-	41
14	11	10	2	4	-	-	-	-	-	-	-	-	-	42
10	7	8	1	4	1	1	-	-	-	-	-	-	-	43
8	3	5	1	2	1	-	-	-	-	-	-	-	-	44
68	41	40	10	15	8	3	-	-	-	-	-	-	-	40-44
4	4	2	1	2	-	-	1	1	-	-	-	-	-	45
2	2	1	1	-	-	-	-	-	1	-	-	-	-	46
-	1	-	-	-	-	-	-	-	-	-	-	-	-	47
-	2	1	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	-	-	-	-	-	-	-	-	49 and over
6	10	4	2	2	-	-	-	-	1	-	-	-	-	45 and over
1	4	2	-	1	-	-	-	-	-	-	-	-	22	Age not stated

TABLE 39 - LEGITIMATE BIRTHS IN 1978 CLASSIFIED BY

Age of mother at maternity	Legitimate births: the year											
	Total	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1968
All ages	67,296	2,948	8,347	6,774	6,890	6,901	5,971	5,185	4,473	3,945	3,212	2,639
15 and under	2	-	1	1	-	-	-	-	-	-	-	-
16	52	37	14	-	1	-	-	-	-	-	-	-
17	248	143	95	8	-	-	1	-	-	-	-	-
18	645	267	293	70	12	1	-	-	-	-	-	-
19	1,210	411	509	174	74	27	6	3	1	1	-	-
Under 20	2,157	858	912	253	87	28	7	4	1	1	-	-
20	1,773	444	698	347	172	74	20	12	1	-	-	-
21	2,468	367	859	550	366	180	94	23	9	4	4	2
22	2,931	306	930	622	519	315	133	65	27	6	1	1
23	3,598	258	861	751	662	542	307	134	52	17	5	1
24	3,968	152	801	733	751	679	447	254	89	36	8	3
20-24	14,738	1,527	4,149	3,003	2,470	1,790	1,001	488	178	63	18	7
25	4,518	140	723	721	810	793	562	382	216	108	40	6
26	4,514	89	519	608	751	796	664	497	296	169	71	32
27	4,534	70	425	488	633	816	643	520	413	295	129	62
28	4,407	46	340	384	491	629	678	589	469	382	201	117
29	4,440	57	282	291	381	526	573	587	574	448	319	215
25-29	22,413	402	2,289	2,492	3,066	3,560	3,120	2,575	1,968	1,402	760	432
30	4,350	45	239	258	302	397	508	522	544	469	423	275
31	3,789	23	155	193	237	296	319	428	444	475	400	346
32	3,296	16	126	142	173	217	277	304	364	371	354	329
33	2,908	17	105	94	134	159	203	220	243	313	343	296
34	2,715	14	103	102	101	115	146	173	195	262	247	248
30-34	17,058	115	728	789	947	1,184	1,453	1,647	1,790	1,890	1,767	1,494
35	2,277	9	63	66	82	85	108	119	149	180	209	186
36	1,863	8	48	36	69	67	70	95	121	128	139	154
37	1,528	10	37	38	49	48	43	80	86	87	95	117
38	1,304	3	41	17	33	43	48	65	56	61	69	80
39	1,141	2	20	21	29	34	39	38	50	55	55	53
35-39	8,113	32	209	178	262	277	308	397	462	511	567	590
40	811	6	16	22	19	25	18	27	23	26	33	39
41	629	2	13	10	16	12	21	18	14	16	25	30
42	460	2	8	11	8	6	15	12	16	15	17	23
43	298	1	5	1	4	2	10	3	3	9	12	10
44	186	-	3	2	4	6	6	4	3	1	7	6
40-44	2,384	1	45	46	51	51	70	64	59	67	94	108
45	120	-	1	-	3	2	2	6	2	2	2	3
46	46	-	2	-	1	1	-	-	1	1	1	2
47	15	-	1	-	-	-	1	2	-	1	1	1
48	15	-	-	-	-	-	-	-	-	-	-	-
49 and over	9	-	-	-	1	2	-	-	-	-	-	-
45 and over	205	-	3	1	1	6	4	4	6	4	3	6
Age not stated	228	3	12	12	6	5	8	6	9	7	3	2

AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

of marriage being													Age of mother at maternity
1967	1966	1965	1964	1963	1962	1961	1960	1959	1954 1958	1953 and earlier	Not stated		
1,970	1,681	1,414	1,087	895	705	529	472	294	611	59	294	All ages	
-	-	-	-	-	-	-	-	-	-	-	-	15 and under	
-	-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	-	Under 20	
-	-	-	-	-	-	-	-	-	-	-	-	20	
-	-	-	-	-	-	-	-	-	-	-	-	21	
1	-	-	-	-	-	-	-	-	-	-	-	22	
1	1	-	-	-	-	-	-	-	-	-	-	23	
3	1	-	-	-	-	-	-	-	-	-	-	24	
2	2	3	-	-	-	-	-	-	-	-	-	20-24	
10	3	1	-	-	-	-	-	-	-	-	-	25	
24	7	2	1	1	-	-	-	-	-	-	-	26	
40	22	6	3	1	-	-	-	-	-	-	-	27	
89	47	19	7	7	4	1	-	-	-	-	-	28	
												14	29
165	81	31	11	9	4	1	-	-	-	-	-	45	25-29
171	93	55	27	12	-	2	-	-	-	-	-	8	30
219	131	68	30	13	4	1	2	-	-	-	-	5	31
220	161	106	63	36	10	7	5	2	-	1	-	12	32
226	191	156	87	68	25	15	5	-	-	-	-	8	33
235	235	216	125	94	49	26	14	2	2	-	-	11	34
1,071	811	601	332	223	88	51	26	4	3	-	-	44	30-34
206	210	186	139	104	89	46	22	6	5	-	-	8	35
144	159	160	123	118	98	51	42	19	9	-	-	5	36
109	121	124	111	110	100	68	46	30	18	-	-	1	37
93	93	86	100	105	84	82	65	40	34	1	-	5	38
60	79	79	82	78	92	69	82	45	73	1	-	5	39
612	662	635	555	515	463	316	257	140	139	2	24		35-39
41	41	59	74	50	54	55	51	43	87	1	1		40
29	29	28	48	39	34	43	54	40	103	3	2		41
29	23	19	31	18	30	23	26	25	95	7	1		42
12	12	17	16	20	16	17	23	14	78	11	2		43
5	9	10	9	4	5	13	17	8	54	9	1		44
116	114	133	178	131	139	151	171	130	417	31	7		40-44
1	5	6	4	6	7	8	11	13	27	11	-		45
2	1	1	5	3	1	1	2	1	16	7	-		46
-	-	1	-	1	-	-	2	2	2	1	-		47
-	-	-	-	2	-	-	3	4	3	-	-		48
-	1	-	-	-	-	-	1	-	1	2	-		49 and over
3	7	8	9	12	9	10	16	19	50	24	-		45 and over
-	5	6	2	5	2	-	2	1	2	2	128		Age not stated

TABLE 40—LEGITIMATE FIRST BIRTHS IN 1978 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE.

Age of mother at maternity	Total	Legitimate first births: the year of marriage being													
		1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1964-1968	1959-1963	1958 and earlier	Not stated
All ages	17,902	2,715	7,299	3,436	1,855	1,001	599	292	196	140	71	134	25	4	135
15	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
16	46	34	12	-	-	-	-	-	-	-	-	-	-	-	-
17	230	137	89	3	-	-	-	-	1	-	-	-	-	-	-
18	518	256	250	11	-	-	-	-	-	-	-	-	-	-	1
19	868	398	419	42	3	2	-	-	-	-	-	-	-	-	4
20	1,124	418	573	103	22	1	3	1	-	-	-	-	-	-	3
21	1,359	342	754	203	42	12	3	-	-	-	-	-	-	-	3
22	1,516	285	800	282	106	26	7	3	2	1	-	1	-	-	3
23	1,609	246	745	385	156	57	15	4	1	-	-	-	-	-	-
24	1,647	133	729	412	228	85	38	12	3	2	-	1	-	-	4
25	1,700	127	648	433	269	129	60	19	9	1	2	-	-	-	3
26	1,407	74	462	351	263	137	75	21	12	8	1	2	-	-	1
27	1,210	60	385	294	199	150	64	31	12	9	3	2	-	-	1
28	1,010	42	309	223	155	102	82	45	26	18	3	3	-	-	2
29	817	45	245	163	111	90	77	37	24	12	5	6	-	-	2
Under 20	1,664	825	771	57	3	2	-	1	-	-	-	-	-	-	5
20-24	7,255	1,424	3,601	1,385	554	181	66	20	6	3	-	2	-	-	13
25-29	6,144	348	2,049	1,464	997	608	358	153	83	48	14	13	-	-	9
30-34	2,043	84	647	413	230	168	138	97	87	67	40	59	2	-	11
35-39	535	26	184	82	53	28	33	18	16	19	12	46	13	-	5
40-44	135	5	33	27	17	12	4	2	3	3	3	12	9	3	2
45 and over	9	-	3	1	-	1	-	1	-	-	-	1	1	1	-
Age not stated	117	3	11	7	1	1	-	-	1	-	2	1	-	-	90

TABLE 41 - MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						Civil marriages
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	
Total	21,184	20,381	803	394	65	17	2	3	322
Carlow	226	220	6	5	-	-	-	-	1
Dublin County Borough	4,889	4,575	314	70	6	7	2	-	229
Dun Laoghaire Borough	364	338	26	22	3	1	-	-	-
Dublin County (remainder)	1,344	1,317	27	25	1	-	-	1	-
Kildare	565	545	20	16	1	1	-	-	2
Kilkenny	413	397	16	10	-	-	-	-	6
Laois	315	301	14	13	-	-	-	-	1
Longford	182	176	6	6	-	-	-	-	-
Louth	622	608	14	6	-	-	-	-	8
Meath	489	476	13	7	-	-	-	-	6
Offaly	377	368	9	9	-	-	-	-	-
Westmeath	431	424	7	3	1	-	-	-	3
Wexford	564	537	27	23	-	-	-	-	4
Wicklow	475	424	51	40	-	2	-	-	9
Leinster	11,256	10,706	550	255	12	11	2	1	269
Clare	451	451	-	-	-	-	-	-	-
Cork County Borough	963	932	31	6	1	-	-	-	24
Cork County	1,390	1,351	39	35	-	3	-	-	1
Kerry	743	732	11	5	-	-	-	-	6
Limerick County Borough	453	445	8	3	-	1	-	-	4
Limerick County	550	549	1	1	-	-	-	-	-
Tipperary, N.R.	397	388	9	8	-	-	-	-	1
Tipperary, S.R.	465	461	4	2	-	-	-	-	2
Waterford County Borough	248	242	6	2	1	-	-	-	3
Waterford County	283	281	2	-	1	-	-	-	1
Munster	5,943	5,832	111	62	3	4	-	-	42
Galway	1,014	1,006	8	1	-	-	-	-	7
Leitrim	177	174	3	1	-	1	-	-	1
Mayo	636	631	5	4	1	-	-	-	-
Roscommon	332	331	1	1	-	-	-	-	-
Sligo	312	299	13	13	-	-	-	-	-
Connacht	2,471	2,441	30	20	1	1	-	-	8
Cavan	398	370	28	25	3	-	-	-	-
Donegal	779	720	59	28	29	1	-	-	1
Monaghan	337	312	25	4	17	-	-	2	2
Ulster (part of)	1,514	1,402	112	57	49	1	-	2	3

COUNTY AND COUNTY BOROUGH DURING 1978

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
4,310	4,576	7,495	4,803	20,826	99	147	112	Total
43	42	92	49	223	-	2	1	Carlow
1,093	1,145	1,562	1,089	4,799	21	47	22	Dublin County Borough
70	98	114	82	355	2	6	1	Dun Laoghaire Borough
273	271	517	283	1,309	9	14	12	Dublin County (remainder)
113	121	215	116	554	2	4	5	Kildare
64	101	193	55	407	3	2	1	Kilkenny
86	55	104	70	310	3	1	1	Laois
29	35	82	36	180	-	1	1	Longford
130	207	99	186	608	5	7	2	Louth
120	108	155	106	476	6	4	3	Meath
67	66	150	94	372	1	1	3	Offaly
78	83	181	89	428	-	1	2	Westmeath
120	111	200	133	557	2	2	3	Wexford
100	120	178	77	458	1	8	8	Wicklow
2,386	2,563	3,842	2,465	11,036	55	100	65	Leinster
91	97	153	110	448	1	1	1	Clare
210	216	290	247	951	4	5	3	Cork County Borough
289	289	480	332	1,369	7	6	8	Cork County
121	156	255	211	734	2	5	2	Kerry
102	94	143	114	449	2	-	2	Limerick County Borough
130	100	181	139	541	3	4	2	Limerick County
84	85	143	85	389	3	4	1	Tipperary, N.R.
90	102	174	99	461	2	2	-	Tipperary, S.R.
54	51	99	44	244	2	-	2	Waterford County Borough
66	51	93	73	280	-	1	2	Waterford County
1,237	1,241	2,011	1,454	5,866	26	28	23	Munster
198	197	376	243	997	4	2	11	Galway
24	34	75	44	172	1	2	2	Leitrim
93	109	295	139	629	1	5	1	Mayo
38	58	136	100	332	-	-	-	Roscommon
52	59	132	69	305	2	2	3	Sligo
405	457	1,014	595	2,435	8	11	17	Connacht
75	82	166	75	391	2	3	2	Cavan
150	153	312	164	766	5	5	3	Donegal
57	80	150	50	332	3	-	2	Monaghan
282	315	628	289	1,489	10	8	7	Ulster (part of)

TABLE 42 - MARRIAGES REGISTERED IN 1978 CLASSIFIED BY
ALL

Age of groom	Age of																			
	16 and under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	184	467	1,004	1,475	2,004	2,286	2,465	2,180	2,018	1,483	1,215	936	679	552	404	316	233	198	142	107
16 and under	6	5	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	23	25	15	7	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18	24	55	76	63	41	15	11	9	3	-	1	-	1	1	-	-	-	-	-	-
19	34	80	145	143	119	69	33	17	8	5	3	1	2	-	-	-	-	-	1	-
20	19	76	168	257	263	165	70	41	21	17	7	4	9	4	1	-	1	-	2	-
21	23	69	169	269	282	316	194	105	47	29	25	13	9	6	5	1	-	1	-	-
22	16	50	123	212	323	372	363	214	114	81	32	22	20	11	5	3	2	2	-	1
23	11	27	99	167	258	327	436	317	181	126	68	40	24	8	11	5	3	2	1	2
24	10	28	67	93	212	258	374	348	359	169	113	65	32	26	17	10	3	3	3	2
25	2	17	42	81	151	232	303	322	329	220	147	100	50	30	23	9	7	4	2	3
26	4	8	23	60	96	150	200	242	246	212	152	102	50	47	22	17	13	7	3	4
27	1	4	19	26	83	116	138	165	212	167	162	131	65	53	30	21	10	10	5	2
28	2	9	13	25	44	82	97	124	136	130	116	108	81	70	28	26	14	8	9	9
29	-	7	11	21	40	44	63	58	97	88	96	92	84	46	37	22	17	8	6	6
30	2	2	5	13	21	39	66	71	75	70	84	65	65	39	28	24	17	13	11	5
31	-	1	6	9	13	27	33	47	55	45	56	55	47	42	36	29	17	19	8	3
32	1	1	4	8	10	23	21	26	36	31	41	34	34	33	39	26	17	17	9	7
33	1	1	2	3	10	11	16	18	32	29	34	28	21	21	21	25	19	13	6	9
34	1	-	1	1	3	9	12	9	11	14	13	18	18	20	20	15	19	9	12	3
35	1	1	-	6	4	7	4	11	13	12	24	6	10	20	13	9	18	12	7	9
36	-	-	2	3	6	3	10	13	7	8	13	12	14	24	9	15	6	7	5	5
37	1	-	-	1	2	2	4	4	6	5	4	8	8	8	17	8	6	6	7	4
38	-	-	-	2	1	-	5	4	7	4	8	7	5	8	5	15	6	15	6	2
39	-	-	1	1	-	7	1	3	5	4	3	2	5	6	5	7	6	6	1	5
40	-	-	3	-	1	1	2	4	2	5	2	6	5	10	4	4	6	9	10	4
41	-	-	1	-	1	1	3	2	2	1	1	3	3	2	7	3	6	6	4	2
42	-	1	2	-	1	-	-	2	2	1	2	2	5	3	2	6	-	5	2	1
43	-	-	-	-	-	1	-	-	2	1	1	4	1	5	7	4	2	2	3	5
44	-	-	-	-	-	-	-	1	-	1	1	-	4	-	2	-	1	3	2	1
45	-	-	-	-	1	-	2	2	1	2	2	-	3	2	2	-	5	1	4	3
46	-	-	-	1	-	-	-	-	1	-	-	-	1	1	3	1	1	1	3	3
47	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	-	2	2	2	1
48	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	2	5	3	-	1
49	-	-	-	-	-	-	1	-	-	3	-	-	1	3	-	-	1	-	3	1
50-54	1	-	-	2	-	1	-	-	-	2	3	1	1	1	2	3	1	3	6	4
55-59	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	3	-	1	-
60-64	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	1	-
65-69	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	2	-	-	2	2	1	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-	1	-	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.

MARRIAGES

bride																			Age of groom			
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
113	70	70	56	42	53	36	33	24	23	24	13	20	18	70	48	41	27	5	2	48	21,184	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	16 and under	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	17	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301	18	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	660	19	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,128	
-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	1,569	
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,971	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,117	
2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	2,199	
6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,083	
3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,665	
6	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1,431	
1	2	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1,141	
3	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	855	
6	3	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	729	30	
6	3	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	563	31	
7	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	433	32	
6	3	6	3	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	343	
5	2	3	3	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	231	
7	8	3	2	1	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	215	35	
5	3	3	2	2	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	183	36	
5	4	6	5	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	128	37	
8	2	3	4	-	2	-	-	1	-	1	1	1	1	1	-	-	-	-	-	1	125	
6	3	3	2	3	3	-	3	2	-	-	-	-	-	-	-	-	-	-	-	93	39	
4	5	7	3	2	2	3	1	-	-	-	1	-	-	-	-	-	-	-	-	106	40	
2	3	1	3	2	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	69	41	
4	4	1	3	1	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	55	42	
-	3	3	5	6	3	6	2	-	1	-	2	-	-	-	-	-	-	-	-	69	43	
2	1	5	3	1	5	-	2	2	-	2	-	1	1	3	-	-	-	-	-	44	44	
4	4	-	1	-	3	1	1	1	-	1	1	1	-	-	1	-	-	-	-	1	50	
2	1	2	2	4	3	3	3	4	2	-	-	2	-	3	-	-	-	-	-	47	46	
2	2	2	2	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	27	
2	2	1	2	4	1	-	1	-	-	-	-	1	-	1	3	-	-	-	-	35	48	
2	1	3	1	-	2	1	-	1	2	2	-	-	2	2	-	-	-	-	-	34	49	
4	3	5	4	5	2	6	1	3	8	7	5	5	2	15	7	3	1	-	-	117	50-54	
1	-	1	1	1	2	6	2	2	2	2	-	4	3	23	9	8	-	-	-	75	55-59	
1	-	2	-	-	1	1	4	3	5	3	2	1	1	11	10	8	4	-	-	63	60-64	
-	-	-	-	-	-	-	-	1	2	-	-	-	3	5	11	14	14	1	-	53	65-69	
-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	6	1	-	-	16	70-74	
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	-	-	15	75 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	Not stated		

TABLE 43 - MARRIAGES REGISTERED IN 1978 CLASSIFIED BY

FIRST

Age of groom	Age of																			
	16 and under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	184	466	1,003	1,474	2,002	2,280	2,461	2,178	2,012	1,478	1,209	930	673	543	390	309	224	190	132	99
16 and under	6	5	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	23	25	15	7	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
18	24	55	76	63	41	15	11	9	3	-	1	-	1	1	-	-	-	-	-	-
19	34	80	145	143	119	69	33	17	8	5	3	1	2	-	-	-	-	-	1	-
20	19	76	168	257	263	165	70	41	21	17	7	4	9	4	1	-	1	-	2	-
21	23	69	169	269	282	316	194	105	46	29	25	13	9	6	5	1	-	1	-	-
22	16	50	123	212	323	372	363	214	114	81	32	22	20	11	4	3	2	2	-	1
23	11	27	99	167	258	327	436	317	181	126	67	40	24	8	10	5	3	2	1	1
24	10	28	67	93	212	258	374	348	359	169	113	65	32	26	17	9	3	3	3	2
25	2	17	42	81	150	232	303	322	329	219	147	100	50	29	23	9	7	4	2	3
26	4	8	23	60	96	150	200	242	246	211	151	101	50	47	21	17	13	7	3	4
27	1	3	19	26	83	115	138	165	212	167	162	130	65	53	30	21	9	10	4	1
28	2	9	13	25	44	81	97	124	136	128	116	107	80	70	28	26	14	8	9	9
29	-	7	11	21	40	43	63	57	97	88	96	92	84	46	37	22	17	8	5	6
30	2	2	5	13	21	39	66	70	74	70	84	64	65	39	28	24	17	12	11	5
31	-	1	6	9	13	26	33	47	55	45	55	55	47	41	34	29	17	19	7	3
32	1	1	4	8	10	22	20	26	36	31	41	34	34	33	39	26	17	17	9	7
33	1	1	2	3	10	11	16	18	31	29	34	28	20	21	21	25	18	12	6	9
34	1	-	1	1	3	9	12	9	11	14	13	17	17	19	20	15	19	9	11	3
35	1	1	-	6	4	7	4	11	13	12	23	6	10	20	13	8	17	12	7	9
36	-	-	1	3	6	3	10	13	6	8	13	12	14	24	9	15	6	7	5	5
37	1	-	-	1	2	2	4	4	6	5	3	8	8	7	17	8	5	6	7	2
38	-	-	-	2	1	-	4	4	7	4	8	7	5	7	5	14	6	12	6	1
39	-	-	1	1	-	7	1	3	5	4	2	2	5	6	5	7	6	5	1	5
40	-	-	3	-	1	1	1	4	1	5	2	5	4	9	3	4	6	9	8	4
41	-	-	1	-	1	1	3	2	2	1	1	3	2	2	6	3	5	6	4	2
42	-	1	2	-	1	-	-	2	2	1	2	2	5	2	2	5	-	4	1	1
43	-	-	-	-	-	1	-	-	2	-	1	4	1	5	6	4	1	2	3	5
44	-	-	-	-	-	-	-	-	1	1	-	4	-	2	-	1	3	2	1	-
45	-	-	-	-	-	-	2	2	1	2	2	-	3	2	1	-	5	1	3	2
46	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	1	3	3	3
47	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	1	2	2	1
48	-	-	-	-	1	-	-	-	1	2	-	-	1	1	-	4	3	-	-	-
49	-	-	-	-	-	1	-	-	3	-	-	1	2	-	-	1	-	3	1	2
50-54	1	-	-	2	-	1	-	-	-	2	3	1	1	1	1	1	-	3	4	3
55-59	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	1	-	-
60-64	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	1	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.

MARRIAGES

bride																					Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages
102	65	58	49	35	44	29	24	18	13	16	9	10	7	36	12	4	-	-	47	20,826	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	16 and under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	17
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	660	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,128
-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	1,568
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,970
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,114
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2,197
6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2,080
2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,660	26
6	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1,425
1	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1,135	28
3	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	852
6	3	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	725	30
5	3	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	556	31
7	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	431	32
6	3	5	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	337	33
5	1	3	3	3	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	225
7	8	-	2	1	3	1	2	-	-	1	-	-	1	-	-	-	-	-	-	209	35
5	3	3	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	177	36
5	4	6	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	121	37
8	2	2	3	-	2	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	115
5	3	2	2	1	3	-	3	2	-	-	-	-	-	-	-	-	-	-	-	87	39
3	5	7	2	2	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	95	40
-	3	1	3	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61	41
4	4	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	48	42
-	3	3	4	5	3	3	2	-	1	-	1	-	-	-	-	-	-	-	-	60	43
1	1	3	3	1	4	-	2	1	-	1	-	1	1	3	-	-	-	-	-	37	44
3	3	-	1	-	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-	1	41
2	1	2	2	4	2	2	2	3	2	-	-	2	-	3	-	-	-	-	-	40	46
1	2	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	23
2	-	1	1	4	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	26	48
2	1	1	1	-	1	1	-	1	2	2	-	-	1	2	-	-	-	-	-	29	49
4	2	5	3	3	1	5	1	2	6	4	3	2	-	9	3	-	1	-	-	78	50-54
-	-	1	1	1	-	3	1	-	1	-	-	1	11	2	3	-	-	-	-	31	55-59
-	-	-	-	-	1	1	2	2	1	1	2	1	-	4	2	2	-	-	-	24	60-64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	10	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	35	Not stated

TABLE 44 - MARRIAGES REGISTERED IN 1978 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of Ceremony	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	1,050	8,738	6,890	2,182	701	315	179	111	71	118	26	20,381	26.1
Church of Ireland	3	124	154	59	15	8	3	6	1	14	7	394	28.9
Presbyterian	-	19	24	13	1	2	2	-	-	2	2	65	29.0
Other Religious denominations	2	8	4	1	1	5	-	-	-	-	1	22	29.2
Civil marriages	16	95	103	44	26	13	9	-	3	13	-	322	29.5
Total	1,071	8,984	7,175	2,299	744	343	193	117	75	147	36	21,184	26.2

TABLE 45 - MARRIAGES REGISTERED IN 1978 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of Ceremony	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Catholic	3,038	10,615	4,635	1,217	386	173	90	66	41	63	37	20,381	23.9
Church of Ireland	34	188	108	30	10	4	2	-	3	7	8	394	25.6
Presbyterian	5	27	19	6	3	1	-	1	-	1	2	65	26.3
Other Religious denominations	2	12	4	1	-	1	-	1	-	-	1	22	25.7
Civil marriages	51	111	79	39	17	9	6	2	4	4	-	322	26.7
Total	3,130	10,953	4,865	1,293	416	186	98	70	46	75	48	21,184	24.0

TABLE 46 - MARRIAGES REGISTERED IN 1978 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	21	459	801	445	192	89	81	37	24	21	9	2,179	30.2
Other agricultural occupations and fishermen	23	192	159	53	20	5	3	7	2	3	2	469	26.5
Higher professional	4	188	448	139	34	10	6	4	-	7	1	841	27.7
Lower professional	3	323	521	149	53	11	10	9	1	8	4	1,092	27.5
Employers and managers	18	278	406	154	53	25	13	7	4	23	1	983	28.6
Salaried employees	4	171	208	69	22	12	6	-	3	1	2	498	27.2
Intermediate non-manual workers	225	1,682	1,294	319	82	41	17	8	11	12	6	3,697	25.3
Other non-manual workers	96	832	523	194	62	38	16	10	9	10	-	1,790	26.0
Skilled manual workers	319	3,181	1,970	537	150	73	21	18	8	26	7	6,310	25.1
Other manual workers	293	1,467	729	208	67	35	17	13	12	6	3	2,850	24.6
Not stated	65	211	116	32	9	3	3	4	1	30	1	475	27.1
Total	1,071	8,984	7,175	2,299	744	343	193	117	75	147	36	21,184	26.2

TABLE 47-MARRIAGES REGISTERED IN 1978 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	4	35	44	32	6	5	2	1	7	-	1	137	29.8
Other agricultural occupations and fishermen	11	14	9	1	2	-	-	-	-	-	-	37	23.4
Higher professional	3	86	96	23	6	-	-	-	-	1	-	215	26.0
Lower professional	63	1,525	1,111	301	85	39	12	12	5	4	8	3,165	25.7
Employers and managers	5	119	73	27	9	2	7	2	-	1	2	247	26.4
Salaried employees	2	21	11	5	2	1	-	1	-	-	1	44	25.8
Intermediate non-manual workers	836	4,855	2,073	442	126	45	20	13	7	5	12	8,434	23.8
Other non-manual workers	538	1,314	601	175	61	42	17	16	1	10	7	2,782	23.8
Skilled manual workers	151	379	119	31	10	5	3	2	1	3	2	706	22.9
Other manual workers	892	1,829	453	113	38	12	13	5	-	3	9	3,367	22.1
Not stated	625	776	275	143	71	37	24	18	27	48	6	2,050	24.8
Total	3,130	10,953	4,865	1,293	416	188	98	70	48	75	48	21,184	24.0

TABLE 48-MARRIAGES REGISTERED IN 1978 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,179	94	11	7	422	14	2	799	325	38	200	267
Other agricultural occupations and fishermen	469	6	4	-	48	3	1	133	96	16	79	83
Higher professional	841	-	1	106	335	19	3	272	33	5	15	52
Lower professional	1,092	4	1	18	483	18	1	393	66	17	37	54
Employers and managers	983	2	-	11	193	59	2	519	85	18	31	63
Salaried employees	498	-	-	6	106	10	12	267	46	5	27	19
Intermediate non-manual workers	3,697	10	3	27	534	49	12	1,879	456	102	376	249
Other non-manual workers	1,790	6	3	5	160	24	3	698	309	68	344	170
Skilled manual workers	6,310	7	6	26	704	41	8	2,657	838	308	1,211	504
Other manual workers	2,850	8	8	2	123	7	-	731	484	119	1,009	359
Not stated	475	-	-	7	57	12	-	86	44	10	38	230
Total	21,184	137	37	215	3,165	247	44	8,434	2,782	706	3,367	2,050

TABLE 49—MARRIAGES REGISTERED IN 1978 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	1,071	8,984	7,175	2,299	744	343	193	117	75	147	36	21,184	26.2
Carlow	14	124	72	22	8	7	3	1	1	-	-	252	25.6
Dublin County Borough	316	2,155	1,339	393	115	68	24	20	12	36	2	4,480	25.4
Dún Laoghaire Borough	23	128	92	33	6	3	3	4	1	2	-	295	25.9
Dublin County (remainder)	53	677	525	161	53	31	10	3	3	12	4	1,532	26.2
Kildare	42	273	186	43	9	9	4	2	2	6	2	578	25.4
Kilkenny	19	149	142	47	11	2	4	3	1	1	-	379	26.2
Laois	7	135	107	47	13	10	5	6	1	-	-	331	27.1
Longford	8	66	69	32	2	2	2	-	-	-	-	189	26.5
Louth	40	247	170	49	7	6	5	4	3	7	-	538	25.7
Meath	28	199	160	49	30	3	5	3	4	4	2	487	26.5
Offaly	25	173	112	32	12	5	3	2	2	2	-	368	25.7
Westmeath	21	172	140	32	10	4	5	1	2	2	2	391	25.8
Wexford	33	235	185	60	16	10	6	1	2	5	-	553	26.1
Wicklow	28	207	120	46	19	6	7	4	-	7	2	446	26.5
Leinster	657	4,940	3,419	1,046	319	166	86	54	34	84	14	10,819	25.8
Clare	15	117	163	59	22	14	5	1	1	4	1	402	27.6
Cork County Borough	55	399	264	51	21	12	4	4	4	8	-	822	25.4
Cork County	35	543	560	182	67	29	14	11	-	5	1	1,447	26.8
Kerry	23	246	251	89	34	12	5	1	3	1	-	665	26.6
Limerick County Borough	22	203	103	21	10	1	3	2	1	-	-	366	24.6
Limerick County	24	238	224	70	17	11	5	3	1	2	-	595	26.2
Tipperary, N.R.	15	161	146	40	12	5	12	1	3	1	-	396	26.5
Tipperary, S.R.	21	183	159	29	15	2	3	1	-	1	-	414	25.3
Waterford County Borough	24	121	66	16	7	2	1	-	-	1	-	238	24.5
Waterford County	10	118	100	33	15	5	4	1	4	3	2	295	27.0
Munster	244	2,329	2,036	590	220	93	56	25	17	26	4	5,640	26.2
Galway	36	387	324	121	36	18	10	8	6	8	4	958	26.9
Leitrim	1	47	65	31	10	3	2	1	1	3	-	164	28.6
Mayo	15	178	203	77	26	5	4	3	1	2	4	518	26.9
Roscommon	11	86	99	36	14	4	3	2	-	2	5	262	27.1
Sligo	13	109	106	45	9	7	2	1	2	-	-	294	26.5
Connacht	76	807	797	310	95	37	21	15	10	15	13	2,196	27.0
Cavan	5	130	121	51	14	3	9	4	4	-	2	343	27.4
Donegal	33	256	216	70	20	13	5	7	1	8	2	631	26.6
Monaghan	10	129	108	32	11	5	3	-	4	3	-	305	26.5
Ulster (part of)	48	515	445	153	45	21	17	11	9	11	4	1,279	26.8
Ireland*	1,025	8,591	6,697	2,099	679	317	180	105	70	136	35	19,934	26.1
Northern Ireland	27	138	108	45	15	7	5	7	2	3	1	358	26.9
England and Wales	5	184	253	93	26	12	3	4	3	2	-	585	27.5
Scotland	-	16	23	10	1	-	-	-	-	-	-	50	26.7
Elsewhere	-	46	90	50	23	7	5	1	-	5	-	227	29.9
Not stated	14	9	4	2	-	-	-	-	-	1	-	30	22.7

*Exclusive of Northern Ireland

TABLE 50-MARRIAGES REGISTERED IN 1978 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Area of residence of bride	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Total	3,130	10,933	4,865	1,293	416	188	98	70	48	75	48	21,184	24.0
Carlow	59	133	45	10	7	2	1	-	1	1	1	260	23.1
Dublin County Borough	682	2,516	953	257	84	34	27	17	10	21	3	4,604	23.8
Dun Laoghaire Borough	57	181	73	19	9	1	-	3	1	4	1	349	24.2
Dublin County (remainder)	174	767	333	72	25	14	8	1	2	4	5	1,405	23.9
Kildare	104	287	83	26	10	3	3	1	1	2	2	522	23.3
Kilkenny	53	199	97	16	8	3	-	2	-	2	-	380	23.7
Laois	52	139	78	24	6	4	1	1	-	1	-	306	24.2
Longford	24	90	47	8	4	-	-	1	-	-	1	175	23.5
Louth	126	311	104	39	7	6	5	2	-	6	1	607	23.6
Meath	85	241	96	27	12	4	4	1	4	-	3	477	23.9
Offaly	75	205	73	16	5	-	4	1	2	1	-	382	23.2
Westmeath	71	204	91	33	6	3	1	2	1	1	2	415	23.7
Wexford	121	240	127	38	10	5	3	2	1	3	-	581	23.7
Wicklow	101	249	70	19	5	6	4	5	-	7	2	468	23.7
Leinster	1,784	5,792	2,270	604	198	85	61	40	23	53	21	10,931	23.7
Clare	49	212	118	34	8	2	1	-	-	1	-	425	24.2
Cork County Borough	125	491	188	33	13	8	3	2	4	2	-	869	23.6
Cork County	169	721	406	113	45	14	3	5	-	1	1	1,478	24.5
Kerry	66	365	179	60	11	6	2	1	-	2	-	692	24.4
Limerick County Borough	77	220	70	13	9	4	4	1	-	1	1	399	23.2
Limerick County	85	284	149	39	10	7	1	-	1	2	2	580	24.0
Tipperary, N.R.	57	200	101	23	11	2	1	2	1	-	-	398	24.0
Tipperary, S.R.	82	261	93	19	9	3	1	-	1	-	-	469	23.1
Waterford County Borough	55	137	43	10	5	3	1	1	1	2	-	258	23.3
Waterford County	42	134	71	19	4	3	1	1	1	1	1	278	24.1
Munster	807	3,025	1,418	363	125	52	18	13	9	13	5	5,846	24.0
Galway	108	490	249	66	16	10	4	2	2	2	1	950	24.3
Litrim	15	85	61	14	3	4	1	2	-	2	-	137	25.3
Mayo	52	268	173	34	9	6	3	2	-	-	5	554	24.4
Roscommon	29	177	77	26	5	2	2	-	1	-	8	327	24.2
Sligo	42	127	90	23	4	4	-	-	1	-	-	291	24.1
Connacht	246	1,147	650	163	37	26	10	6	5	4	23	3,369	24.4
Cavan	57	190	103	24	11	4	1	2	-	1	4	397	24.2
Donegal	124	335	135	54	12	14	4	2	2	1	3	686	24.0
Monaghan	45	156	84	19	7	1	1	1	1	1	-	316	24.1
Ulster (part of)	226	681	322	97	30	19	6	5	3	3	7	1,399	24.1
Ireland*	3,063	10,645	4,660	1,227	390	182	95	64	40	71	48	20,485	23.9
Northern Ireland	41	76	36	14	15	4	1	3	2	2	-	194	25.6
England and Wales	12	189	117	34	7	-	1	1	5	1	-	367	25.3
Scotland	2	9	6	-	1	-	-	-	1	-	-	19	25.7
Elsewhere	2	28	42	15	3	2	1	2	-	1	-	96	27.9
Not stated	10	6	4	3	-	-	-	-	-	-	-	23	21.5

*Exclusive of Northern Ireland

TABLE 51 - MARRIAGES REGISTERED IN 1978 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	21,184	260	4,604	349	1,405	522	380	306	175	607	477	382	415	581	468	10,931	425	869	1,478
Carlow	252	179	6	-	2	11	8	12	-	-	2	1	1	6	14	242	-	1	2
Dublin Co. Borough	4,480	6	3,522	68	455	28	11	8	8	16	30	8	27	28	29	4,244	16	10	21
Dun Laoghaire Borough	295	-	63	151	47	3	-	1	-	1	2	-	1	-	16	285	-	-	1
Dublin County (remainder)	1,532	3	524	77	688	27	13	6	5	9	14	3	12	12	24	1,417	8	8	8
Kildare	578	9	46	3	30	385	1	19	-	1	11	9	4	8	17	543	-	1	4
Kilkenny	379	14	3	2	3	2	261	4	2	2	2	1	-	14	-	310	-	1	2
Laois	331	10	11	-	3	10	14	214	2	1	2	14	2	4	1	288	1	1	2
Longford	189	-	9	-	4	1	1	-	107	-	1	2	12	-	1	138	-	1	1
Louth	538	-	17	1	9	-	1	-	-	432	28	1	1	1	4	495	3	-	-
Meath	487	-	34	2	26	6	2	2	-	27	306	7	14	-	4	430	-	1	2
Offaly	368	1	12	1	2	11	-	12	-	2	5	248	24	1	-	319	2	1	3
Westmeath	391	3	17	1	3	3	3	1	11	-	12	24	272	-	3	353	2	-	1
Wexford	553	10	16	4	6	3	10	2	-	2	2	3	1	443	13	515	1	3	5
Wicklow	446	6	36	13	23	9	3	3	1	-	3	4	1	13	310	425	1	1	3
Leinster	10,819	241	4,316	323	1,301	499	328	284	136	493	420	325	372	530	436	10,004	34	29	55
Clare	402	1	9	1	2	-	2	1	2	-	-	3	1	2	1	25	305	1	7
Cork County Borough	822	1	3	3	4	-	2	1	1	1	-	-	-	3	3	22	2	637	130
Cork County	1,447	-	15	1	2	2	3	5	2	3	2	2	1	2	2	42	3	152	1,110
Kerry	665	-	11	-	1	1	-	1	-	1	-	3	1	1	1	21	4	7	26
Limerick County Borough	366	1	5	-	2	1	-	-	-	-	2	2	1	1	1	16	18	3	4
Limerick	595	-	2	-	2	-	-	1	-	1	3	1	-	1	-	11	19	5	55
Tipperary N.R.	396	1	12	-	2	-	9	4	-	-	1	19	3	2	-	53	5	2	2
Tipperary S.R.	414	-	3	-	4	2	11	1	3	-	1	3	2	3	-	33	5	1	16
Waterford County Borough	238	1	1	-	1	1	4	-	-	-	-	-	-	4	1	13	-	2	2
Waterford County	295	2	3	-	-	-	10	-	1	1	-	-	-	6	4	27	1	3	25
Munster	5,640	7	64	5	20	7	41	14	9	7	9	33	9	25	13	263	362	813	1,377
Galway	958	-	19	1	5	3	2	3	3	5	4	8	9	4	1	67	16	3	5
Leitrim	164	-	5	1	-	2	-	-	6	-	-	-	1	-	-	15	1	1	-
Mayo	518	-	12	1	5	-	-	1	2	-	-	6	-	1	1	29	-	-	4
Roscommon	262	1	5	-	3	1	-	1	8	1	2	1	8	-	-	31	-	1	1
Sligo	294	2	8	-	3	-	-	-	1	-	2	-	1	1	1	19	-	-	1
Connacht	2,196	3	49	3	16	6	2	5	20	6	8	15	19	6	3	161	17	5	11
Cavan	343	-	9	-	4	1	-	-	6	6	22	2	5	3	-	58	1	1	2
Donegal	631	1	11	-	3	-	1	-	-	4	3	-	3	-	3	29	1	1	-
Monaghan	305	1	7	2	5	-	-	-	-	20	5	-	1	2	-	43	-	-	1
Ulster (part of)	1,279	2	27	2	12	1	1	1	6	30	30	2	9	5	3	130	2	2	3
Ireland*	19,934	253	4,456	333	1,349	513	372	303	171	536	467	375	409	566	455	10,558	415	849	1,446
Northern Ireland	358	1	22	3	4	-	2	1	-	63	2	1	2	2	2	105	1	1	2
England and Wales	585	5	69	9	30	3	4	2	-	5	5	3	4	6	5	150	4	13	26
Scotland	50	-	11	-	-	1	1	-	-	-	1	1	-	1	-	16	-	2	-
Elsewhere	227	1	45	4	21	5	1	-	3	2	2	2	-	4	6	96	4	3	7
Not stated	30	-	1	-	1	-	-	-	1	1	-	-	-	2	-	6	1	1	-

*Exclusive of Northern Ireland

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford/County Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Northern Ireland	England and Wales	Scotland	Elsewhere	Not stated
692	399	580	398	469	258	278	5,846	950	187	554	327	291	2,309	397	686	316	1,399	20,485	194	367	19	96	23
-	1	-	-	-	1	1	6	1	-	-	1	1	3	1	-	-	1	252	-	-	-	-	-
15	6	13	11	17	2	6	117	21	8	18	13	4	64	17	10	9	36	4,461	10	3	-	6	-
1	2	1	-	2	-	-	7	-	-	-	1	1	2	1	-	-	1	295	-	-	-	-	-
5	3	4	7	4	1	5	53	10	3	17	7	3	40	4	2	3	9	1,519	8	3	1	1	-
4	1	2	1	4	-	3	20	3	1	3	2	2	11	1	2	1	4	578	-	-	-	-	-
5	-	2	4	16	17	13	60	3	-	2	1	1	7	1	-	-	1	378	1	-	-	-	-
6	1	2	15	3	1	3	35	1	-	2	2	-	5	1	1	-	2	330	1	-	-	-	-
1	-	-	2	-	-	-	5	2	4	7	16	3	32	12	1	-	13	188	-	1	-	-	-
-	1	-	-	1	-	-	5	3	-	-	3	-	6	3	3	14	20	526	11	1	-	-	-
-	-	-	2	4	-	-	9	3	2	4	1	3	13	25	2	5	32	484	1	2	-	-	-
3	-	2	16	1	-	1	29	10	-	2	2	1	15	3	-	-	3	366	-	2	-	-	-
3	1	1	2	1	-	-	11	8	1	1	10	1	21	2	2	1	5	390	-	-	-	1	-
3	3	1	2	5	4	3	30	3	-	1	-	-	4	1	-	-	1	550	1	1	-	1	-
-	-	1	1	2	-	1	10	2	2	2	1	-	7	-	1	1	2	444	1	-	-	-	1
46	19	29	63	60	26	36	397	70	21	59	60	20	230	72	24	34	130	10,761	34	3	9	9	9
2	13	18	7	3	1	-	357	11	1	2	-	1	15	-	1	1	2	399	2	1	-	-	1
7	1	3	1	5	2	1	789	1	-	-	1	-	2	2	1	-	3	816	1	4	-	-	1
40	6	26	4	17	1	18	1,377	8	3	1	1	2	15	2	4	1	7	1,441	2	3	-	1	-
550	4	30	5	3	-	1	630	5	2	2	-	-	9	-	1	1	2	662	-	2	-	1	-
2	266	42	4	-	1	1	341	6	-	2	-	-	8	1	-	-	1	366	-	-	-	-	-
19	58	367	21	21	-	5	570	5	2	2	1	-	10	2	-	-	2	593	-	1	-	1	-
3	5	20	272	20	1	-	330	7	-	-	-	2	9	-	2	-	2	394	-	2	-	-	-
-	3	16	9	303	3	15	371	7	-	1	-	1	9	-	-	-	-	413	-	-	-	1	-
-	1	4	-	3	192	16	220	-	-	1	-	-	1	1	-	1	2	236	-	2	-	-	-
3	-	4	2	20	25	181	264	-	-	1	-	-	1	-	2	-	2	294	-	1	-	-	-
626	357	530	325	395	226	238	5,249	50	8	12	3	6	79	7	12	4	23	5,614	5	16	-	3	2
5	3	6	2	2	-	-	42	742	5	39	41	5	832	-	7	3	10	951	1	6	-	-	-
1	-	1	-	-	-	-	4	3	105	1	14	8	131	6	5	-	11	161	2	-	1	-	1
1	4	1	2	2	-	1	15	36	-	395	16	16	463	-	6	3	9	516	-	-	1	-	1
-	1	-	-	-	-	1	4	18	11	8	171	14	222	1	3	-	4	261	-	-	-	-	-
-	-	1	-	-	1	-	3	5	20	21	16	193	255	2	12	3	17	294	-	-	-	-	-
7	8	9	4	4	-	2	68	804	141	464	258	236	1,903	9	33	9	51	2,183	4	6	1	1	1
-	-	1	1	-	-	-	6	1	7	-	1	9	251	1	17	269	342	1	-	-	-	-	
1	1	2	1	-	-	-	7	9	1	4	2	10	26	2	548	3	553	615	14	1	1	-	-
2	-	-	-	-	-	-	3	-	2	3	2	2	9	31	-	207	238	293	11	-	1	-	-
3	1	3	2	-	-	-	16	10	10	7	4	13	44	284	549	227	1,060	1,250	26	-	2	-	-
682	385	571	394	459	253	276	5,730	934	180	542	325	275	2,256	372	618	274	1,264	19,808	69	35	3	15	4
-	1	1	-	-	1	-	7	4	3	2	-	6	15	14	58	37	109	236	117	3	1	-	1
5	7	4	3	4	3	2	65	6	2	4	2	7	21	7	5	3	15	251	7	324	-	2	1
-	1	1	-	1	-	-	8	1	2	2	-	1	6	-	3	1	4	34	-	1	15	-	-
5	5	-	1	5	1	-	31	5	-	4	-	1	10	3	2	1	6	143	1	3	-	79	1
-	-	3	-	-	-	-	5	-	-	-	1	1	1	1	-	-	1	13	-	1	-	-	16

TABLE 52 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Northern Ireland	23	109	83	44	13	9	4	5	2	6	1	299	27.6
England and Wales	9	261	311	100	25	10	4	3	3	1	-	727	26.7
Scotland	2	16	18	7	1	-	-	-	-	-	-	44	25.8
Europe (remainder)	-	31	59	19	9	1	-	-	-	-	-	119	27.1
U.S.A.	1	24	35	13	11	5	5	1	-	2	-	97	30.4
Canada	2	11	16	12	-	-	-	-	-	1	1	43	27.9
Australia and New Zealand	1	7	11	7	-	1	-	-	1	-	-	28	28.3
Elsewhere	-	7	25	9	4	3	-	-	-	3	-	51	31.0
Total	38	466	558	211	63	29	13	9	6	13	2	1,408	27.4

TABLE 53 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	Average age
Northern Ireland	53	128	56	33	13	5	4	3	2	2	-	299	25.4
England and Wales	34	384	222	61	14	3	2	3	3	1	-	727	24.9
Scotland	2	20	18	3	-	1	-	-	-	-	-	44	24.9
Europe (remainder)	4	56	47	9	3	-	-	-	-	-	-	119	25.1
U.S.A.	2	38	28	17	5	3	1	2	-	1	-	97	27.6
Canada	4	19	15	3	-	-	-	-	1	-	1	43	25.0
Australia and New Zealand	3	13	10	-	1	-	-	1	-	-	-	28	25.2
Elsewhere	-	22	21	3	1	1	-	1	2	-	-	51	27.2
Total	102	680	417	129	37	13	7	10	8	4	-	1,408	25.3

TABLE 54 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	299	34	1	19	27	18	7	33	26	105	24	5
England and Wales	727	7	5	98	55	62	28	103	50	250	57	12
Scotland	44	1	-	7	4	2	2	6	1	17	4	-
Europe (remainder)	119	-	-	10	14	9	7	29	10	34	-	6
U.S.A.	97	-	3	14	7	3	4	17	5	33	5	6
Canada	43	-	1	9	-	3	2	5	1	19	1	2
Australia and New Zealand	28	-	1	2	3	1	1	4	1	11	3	1
Elsewhere	51	-	-	23	2	3	5	3	2	9	-	4
Total	1,408	42	11	182	112	101	56	200	96	478	94	36

TABLE 55 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	299	-	-	2	75	8	-	86	30	18	56	24
England and Wales	727	-	1	17	264	23	2	257	65	12	52	34
Scotland	44	-	-	2	17	-	-	13	2	-	6	4
Europe (remainder)	119	-	-	2	37	6	-	45	14	1	4	10
U.S.A.	97	-	-	6	27	2	1	34	7	5	4	11
Canada	43	-	-	2	14	-	2	19	3	-	2	1
Australia and New Zealand	28	-	-	-	10	-	-	13	4	-	1	-
Elsewhere	51	-	-	1	20	1	-	11	6	2	2	8
Total	1,408	-	1	32	464	40	5	478	131	38	127	92

TABLE 56 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony							Civil marriages
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations		
Northern Ireland	299	270	11	15	-	-	-	1	2
England and Wales	727	685	33	24	-	-	-	-	5
Scotland	44	40	3	1	-	-	-	-	-
Europe (remainder)	119	113	2	-	-	-	-	-	4
U.S.A.	97	88	3	-	-	-	-	-	6
Canada	43	41	-	-	-	-	-	-	2
Australia and New Zealand	28	27	1	-	-	-	-	-	-
Elsewhere	51	39	4	1	1	-	-	-	6
Total	1,408	1,303	57	21	1	-	-	1	25

TABLE 57 - MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	299	1	8	1	3	14	272	-
England and Wales	727	29	41	64	34	13	546	-
Scotland	44	-	1	1	-	6	36	-
Europe (remainder)	119	8	10	7	3	-	91	-
U.S.A.	97	9	8	4	5	1	70	-
Canada	43	6	6	3	2	1	25	-
Australia and New Zealand	28	6	6	3	1	2	10	-
Elsewhere	51	11	9	6	-	1	24	-
Total	1,408	70	89	89	48	38	1,074	-

TABLE 58- MARRIAGES REGISTERED IN 1978 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future Permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	299	16	56	6	11	89	121	-
England and Wales	727	98	107	114	43	31	333	1
Scotland	44	8	5	5	4	8	14	-
Europe (remainder)	119	29	32	17	6	4	31	-
U.S.A.	97	22	22	12	7	3	30	1
Canada	43	10	9	5	4	1	14	-
Australia and New Zealand	28	6	8	6	2	2	4	-
Elsewhere	51	16	13	10	-	4	8	-
Total	1,408	205	252	175	77	142	555	2

TABLE 59 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE
DEPARTMENT OF HEALTH DURING THE YEAR 1978

COUNTY OR COUNTY BOROUGH	Acute anterior poliomyelitis	Acute lymphocytic meningitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenza pneumonia	Malaria	
Carlow	-	-	5	1	26	-	2	-	-	4	-	-	
Dublin Co. Borough } Dun Laoghaire Borough } Dublin }	45	3	16	1,241	-	-	43	3	215	33	2	6	
Kildare	7	23	-	4	74	-	-	2	-	4	2	-	
Kilkenny	-	-	-	-	23	-	-	-	-	7	4	-	
Laoighis	1	-	-	-	45	-	-	-	-	2	7	-	
Longford	-	2	1	1	12	-	-	-	-	-	-	-	
Louth	1	-	1	1	14	-	-	-	-	-	-	-	
Meath	9	14	2	2	41	-	-	-	-	13	-	-	
Offaly	-	14	-	-	20	-	-	-	-	6	-	-	
Westmeath	-	2	-	-	1	-	-	-	-	-	3	-	
Wexford	1	27	1	1	92	-	-	-	-	-	16	-	
Wicklow	2	8	2	2	23	-	-	-	-	10	-	-	
Clare	-	2	-	-	3	-	-	2	-	4	-	-	
Cork Co. Borough	-	-	-	-	42	-	-	2	-	1	-	-	
Cork	2	21	-	-	233	-	-	28	-	63	-	-	
Kerry	-	4	-	-	102	-	-	-	-	20	-	-	
Limerick Co. Borough	-	1	-	-	8	-	-	-	-	6	-	-	
Limerick	-	-	-	-	11	-	-	5	-	9	2	-	
Tipperary, N.R.	-	33	-	-	7	-	-	-	-	11	-	-	
Tipperary, S.R.	-	34	-	-	9	-	-	-	-	9	-	-	
Waterford Co. Borough	-	-	-	-	29	-	-	-	-	13	-	-	
Waterford	-	6	1	1	37	-	-	-	-	34	-	-	
Galway	8	17	-	-	56	-	-	3	-	36	-	-	
Leitrim	-	4	-	-	-	-	-	-	-	6	-	-	
Mayo	2	1	-	-	3	-	-	9	-	15	-	3	
Roscommon	-	-	-	-	-	-	-	3	-	-	-	-	
Sligo	-	-	1	-	7	-	-	2	-	6	-	-	
Cavan	-	9	1	1	8	-	-	-	-	17	2	-	
Donegal	-	-	-	-	-	-	-	-	-	8	-	-	
Monaghan	-	1	-	-	24	-	-	-	-	-	-	-	
Total	-	78	232	30	2,191	-	-	127	6	524	59	18	26

TABLE 59 (Contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE
DEPARTMENT OF HEALTH DURING THE YEAR 1978

COUNTY OR COUNTY BOROUGH	Measles	Paratyphoid B.	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Typhoid	Weil's disease	Whooping cough	Other notifiable Infectious diseases
Carlow	5	-	-	1	-	-	-	-	-	9	-
Dublin Co. Borough	538	-	67	105	28	78	1	2	1	412	1 (a)
Dun Laoghaire Borough } Dublin }											
Kildare	20	-	1	13	1	2	-	-	-	19	-
Kilkenny	54	-	2	1	6	1	-	-	-	21	-
Laoighis	7	-	1	5	-	2	-	-	-	7	-
Longford	-	-	-	-	-	-	-	-	-	3	-
Louth	4	-	-	-	-	-	-	-	-	11	-
Meath	83	-	4	-	-	1	-	1	-	61	-
Offaly	56	-	-	1	-	4	-	-	-	28	-
Westmeath	7	-	-	1	-	-	-	-	-	-	-
Wexford	36	-	7	8	1	2	-	-	-	58	-
Wicklow	77	-	5	1	4	3	-	-	-	36	-
Clare	-	-	-	-	-	-	1	-	-	-	-
Cork Co. Borough	-	-	-	1	-	-	-	-	-	1	-
Cork	90	-	32	12	25	2	9	-	-	24	-
Kerry	52	-	1	2	-	1	-	1	-	10	1 (b)
Limerick Co. Borough	-	-	3	5	1	-	-	-	-	8	-
Limerick	3	-	4	1	-	-	-	-	-	11	-
Tipperary, N.R.	-	-	-	2	-	-	-	-	-	1	-
Tipperary, S.R.	30	-	1	4	-	-	-	3	-	7	-
Waterford Co. Borough	114	-	-	-	12	-	-	-	-	7	-
Waterford	333	-	72	-	18	-	-	-	-	15	-
Galway	32	-	2	5	2	20	-	-	-	19	1 (c)
Leitrim	-	-	-	-	-	-	-	-	-	1	-
Mayo	10	-	2	5	-	-	-	-	1	-	-
Roscommon	1	-	-	-	-	-	-	-	-	2	-
Sligo	20	-	4	9	-	5	-	-	-	19	-
Cavan	10	-	-	-	-	-	-	-	-	5	-
Donegal	-	-	-	6	-	1	-	-	-	30	-
Monaghan	3	-	-	1	-	-	-	-	-	6	-
Total	1,585	-	208	189	98	122	11	7	2	831	1(a) 1(b) 1(c)

(a) Puerperal sepsis

(b) Puerperal pyrexia

(c) Pemphigus neonatorum