


Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



Central Statistics Office
An Phríomh-Oifig Staidrimh

Derry Heanue
6 Oct 2000

Report on Vital Statistics

Tuarascáil ar Staidreamh Beatha

1996

Published by the Stationery Office, Dublin, Ireland.

To be purchased from the:

Central Statistics Office, Information Section, Skehard
Road, Cork,

Government Publications Sales Office, Sun Alliance House,
Molesworth Street, Dublin 2,

or through any bookseller.

Compiled by the Central Statistics Office on behalf of the Department
of Health and Children.

Pn. 8940 Price £10.00.
€12.70

October 2000.

© Government of Ireland 2000

Material compiled and presented by the
Central Statistics Office.

Reproduction is authorised, except for commercial
purposes, provided the source is acknowledged.

ISBN 0-7076-1961-0
ISSN 0075-062X

Contents

Part 1 – Text

	Page
General Summary	9
Marriages	
Number and rate	11
Age at marriage	11
Mode of celebration	12
Socio-economic group	13
Area of residence	13
Births	
Number and rate	18
Age at maternity, parity and duration of marriage	18
Total Period Fertility Rate	21
Multiple births	23
Deaths	
Number and rate	24
Comparison between counties	24
Causes of death	26
Tuberculosis	30
Cancer	31
Diseases of the circulatory system	36
Respiratory diseases	38
Pregnancy, childbirth and the puerperium	38
Live births, stillbirths and infant mortality	40
Accidents, poisoning and violence	47
Uncertified deaths	49
Inquests and post-mortems	50
Diagram 1 – Births	22
" 2 – Deaths	27
" 3 – Stillbirths	43

Contents

Part 11 – Tables

Table No.		Page
1	Estimated population in thousands in each year 1851–1996	52
2	Estimated population by age, 1991–1996 in thousands	53
3	Population by sex of each county and county borough according to the Census of Population, 1996	54
4	Marriages, births and deaths and natural increase (excess of births over deaths) 1864–1996	55
5	Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1996	56
6	Marriages and the rates from the years 1971–1996 per 1,000 population	57
7	Births and deaths and the rates from the years 1971–1996 per 1,000 population	58
8	Marriages, births and deaths during each year 1987–1996, classified by month and quarter of occurrence	59
9	Deaths from principal causes in Ireland and Northern Ireland, 1996 with rates per 100,000 population	60
10	Average annual number of deaths during the period 1864–1990 and the number of deaths in the years 1987–1996 classified by sex and age	62
11	Average annual death rates for the period 1864–1990 and the death rates for the years 1987–1996 per 1,000 corresponding population classified by sex and age	64
12	Births and deaths in each county and county borough in 1996 and the numbers relating to the resident population of each area, with corresponding particulars for births outside marriage and deaths of infants under one year of age	66
13	Marriages registered in, and births and deaths assigned to each county and county borough, during 1996, showing separately births outside marriage and deaths from certain causes	68
14	Marriage, birth and death rates and the proportions of births outside marriage in each county and county borough and the death rates for some diseases in 1996	69
15	Births and deaths assigned to each municipal borough and urban district, in 1996, classified by sex	70
16	Age specific fertility rate and total period fertility rate by county of residence of mother in 1996	71
Deaths		
17	Deaths in 1996, classified by marital status and sex in certain age groups	72
18	Deaths occurring in 1996, classified by sex and age of residents in each province, county and county borough	73
19	Deaths in 1996 classified by cause (International Detailed List, 9th revision, 1975) and by sex and age	76
19A	Deaths from external causes in 1996 classified by their natural causes and by sex	122
20	Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths	132

Tables (contd.)

Table No.		Page
21	Deaths showing the numbers occurring in each quarter in 1996 assigned to the counties and county boroughs	154
22	Deaths of residents of each province, county and county borough in 1996, classified by place of occurrence	155
23	Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough	156
24	Deaths, by date of occurrence, in each month during 1996	176
25	Infant mortality – deaths under one year, in 1996 classified by sex, age and cause (International Detailed List)	178
26	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause, assigned to each province	182
27	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause, assigned to each county and county borough	184
28	Stillbirths in 1996, classified by cause and sex	194
28A	Stillbirths in 1996, classified by age of mother, sex of child and period of gestation	197
28B	Stillbirths in 1996, classified by age of mother, and number of previous live and stillborn children	197
29	Stillbirths in 1996, classified by cause and period of gestation	198
30	Stillbirths in 1996, classified by cause and number of previous children	199
31	Stillbirths in 1996, classified by cause and age group of mother	200
32	Stillbirths in 1996, classified by cause and weight	201
29A	Stillbirths in 1996, classified by cause and age of gestation	202
30A	Stillbirths in 1996, classified by cause and number of previous children	202
31A	Stillbirths in 1996, classified by cause and age of mother	202
32A	Stillbirths in 1996, classified by cause and weight	202
29B	Stillbirth rate in 1996, classified by cause and age of gestation	203
30B	Stillbirth rate in 1996, classified by cause and number of previous children	203
31B	Stillbirth rate in 1996, classified by cause and age of mother	203
32B	Stillbirth rate in 1996, classified by cause and weight	203
Births		
33	Births showing the numbers in each quarter in 1996, assigned to the counties and county boroughs	204
34	Births in 1996, classified by age of gestation and age of mother at maternity	205
34A	Births in 1996, classified by weight and age of mother at maternity	205
34B	Births in 1996, classified by gestation and weight	205

Tables (contd.)

Table No.		Page
35	Total births in 1996, classified by age of mother at maternity and number of previous liveborn children	206
36	First births within marriage in 1996, classified by age of mother at maternity and year of marriage	207
37	Births within marriage in 1996, classified by age of mother at maternity and year of marriage	208
38	Births in 1996 in each county and county borough showing place of occurrence and areas of normal residence	210
39	Births in 1996, classified by sex and age of mother at maternity and showing the number of births outside marriage	211
40	Total births (including outside marriage), in 1996, classified by age of mother at maternity and county of normal residence	212
41	Births outside marriage, in 1996, classified by age of mother at maternity and county of normal residence	213
42	Births, by date of occurrence, in each month during 1996	214
43	Births in 1996 by day of occurrence and mothers usual residence	216
Marriages		
44	Marriages in 1996 by day of occurrence and county of occurrence	217
45	Marriages registered in each county and county borough during 1996	218
46	Marriages registered in 1996 classified by age of groom and bride in single years. All marriages	220
47	Marriages registered in 1996 classified by age of groom and bride in single years. First marriages only	222
48	Marriages registered in 1996 classified according to form of ceremony and age of groom	224
49	Marriages registered in 1996 classified according to form of ceremony and age of bride	224
50	Marriages registered in 1996 classified by socio-economic group and age of groom	224
51	Marriages registered in 1996 classified by socio-economic group and age of bride	225
52	Marriages registered in 1996 classified by socio-economic group of bride and groom	225
53	Marriages registered in 1996 classified by age and area of residence of groom before marriage	226
54	Marriages registered in 1996 classified by age and area of residence of bride before marriage	227
55	Marriages registered in each county in 1996 classified by area of residence of bride and groom before marriage	228
56	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by age of groom	230
57	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by age of bride	230
58	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom	230

Tables (contd.)

Table No.		Page
59	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride	231
60	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by form of ceremony	231
61	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage	232
62	Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage	232

NOTE: The following pages are blank – Nos. 8 & 10

Appendix

Table No.		Page
A	Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by principal groups of causes, sex and age	234
B	Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by principal groups of causes, sex and year of occurrence	235
C	Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by sex and age	236
D	Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by sex and year of occurrence	237
E	Crude and Standardised death rates for all causes 1991-1995 by county of residence of deceased	238



Report on Vital Statistics for the year 1996

This Report has been prepared by the Central Statistics Office for the Minister for Health and Children in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The main statistics contained in this Report have already been published, classified by year of registration, in the CSO Quarterly Vital Statistics reports. This annual report gives a further breakdown in respect of births and deaths which occurred in 1996. The year of occurrence data have been compiled from registration data for 1996 and 1997. The report also gives further information on marriages registered in 1996.

This report includes statistics on stillbirths which became available following the introduction of a registration system under the Stillbirths Registration Act, 1994. This new series of statistics on stillbirths replaces the series on late foetal deaths compiled up to 1994.

More up to date information on Vital Statistics is published in the Quarterly Report on Births, Deaths and Marriages published about five months after the end of the quarter to which the data relate. In the Quarterly Report, births and deaths are classified according to quarter of registration.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased. Births and deaths for each year since 1943 exclude late registrations; while deaths for each of the years 1940 to 1967 exclude non-residents. From 1968 however, the number of deaths includes non-residents.

General Summary

Marriages: There were 16,174 marriages registered during the year 1996 compared with 15,604 in 1995. The marriage rate per 1,000 population was 4.5 compared with 4.3 in 1995.

Births: The number of births which occurred during 1996 was 50,655: 26,350 males and 24,305 females. The birth rate was 14.0 per 1,000 population compared with 13.5 in 1995. The number of births outside marriage which occurred in 1996 was 12,797 or 25% of all births.

Deaths: The number of deaths occurring during 1996 was 31,723: 16,672 males and 15,051 females. The death rate was 8.7 per 1,000 population. In 1995 deaths numbered 32,259 and the rate was 9.0.

Of the deaths occurring in 1996, 31% were due to ischaemic and other forms of heart disease; 23.3% to cancer; 12.7% to other diseases of the circulatory system and 15% to diseases of the respiratory system.

There were 7,389 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues. Of these, 24 were caused by Hodgkin's disease and 209 by leukaemia and aleukaemia. The death rate for cancer (ICD-9 nos. 140-208) in 1996 was 2.04 per 1,000 population, 0.05 less than in 1995.

During 1996 the number of deaths of infants under one year was 303 compared with 311 in 1995. The corresponding rate dropped from 6.4 to 6.0 per 1,000 live births.

The total number of deaths from accidents and other external causes in 1996 was 1,524 of which motor vehicle accidents accounted for 436 deaths. The corresponding figures for 1995 were 1,454 and 420 respectively.

Stillbirths: The number of stillbirths occurring during 1996 was 334 compared with 330 in 1995. The corresponding rate fell from 6.7 to 6.6 per 1,000 live and stillborn children.

Population: The Census of Population in April 1996 was 3,626,087: 1,800,232 males and 1,825,855 females.

Issue of Authority for Registration: Births and deaths (where no inquest has been held) which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir (Registrar General). The tables in the main body of this Report exclude such births and deaths. The Appendix to the Report contains an analysis of late death registrations in 1996 and of some deaths where an inquest has been held. The number of such deaths registered in 1996 was 358.



MARRIAGES

The number of marriages registered in 1996 was 16,174 an increase of 570 on the previous year; the rate was 4.5 per 1,000 population, 0.2 above that for 1995. Tables 4 and 5 of this report show the average numbers of marriages registered and marriage rates for 10 year periods since 1864 and for each year since 1987. The following table compares the marriage rate in Ireland in the years 1941 to 1996 with those in Northern Ireland, England and Wales and Scotland.

Table I Number of marriages per 1,000 population in Ireland* and neighbouring countries, 1941–1996

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950 ¹	5.6	7.6	8.6	8.5
1951–1960 ¹	5.4	6.8	7.8	8.1
1961–1970 ¹	6.0	7.3	7.9	7.9
1971–1980 ¹	6.8	6.9	7.7	7.6
1981–1990 ¹	5.4	6.4	6.9	6.9
1987	5.2	6.6	7.0	7.0
1988	5.2	6.3	6.9	7.0
1989	5.2	6.3	6.9	6.9
1990	5.1	6.0	6.5	6.8
1991	4.9	5.8	6.0	6.6
1992	4.7	5.8	6.1	6.9
1993	4.7	5.5	5.8	6.5
1994	4.6	5.3	5.6	6.1
1995	4.3	5.2	5.5	6.0
1996	4.5	5.0	5.4	5.9

* Exclusive of Northern Ireland

¹ Average annual number of marriages per 1,000 population for decennial periods from 1941–1990.

Age at Marriage

The statistics recorded on registration of marriage include the ages of the bride and groom. This information has been collected on an ongoing basis since 1957. Similar details were recorded in the 1946 Census of Population in respect of persons married in 1945/46. The following table summarises the main trends in age at marriage.

Table II Percentage distribution of marriages according to age of groom and age of bride and average age at marriage in 1945–1946 and in each year 1993–1996

Age Group	Distribution according to age of groom					Distribution according to age of bride				
	1945–46	1993	1994	1995	1996	1945–46	1993	1994	1995	1996
Under 20 years	1.0	0.7	0.7	0.5	0.5	6.6	2.1	1.6	1.6	1.2
20–24 "	14.3	17.3	14.9	12.8	10.8	29.5	29.9	27.3	23.7	21.6
25–29 "	25.7	47.9	47.4	46.5	46.3	31.1	46.8	47.5	49.1	49.5
30–34 "	24.2	23.0	24.3	27.3	29.0	19.9	14.8	16.7	18.8	19.9
35–44 "	25.8	8.9	9.9	10.4	10.9	11.1	5.1	5.5	5.5	6.4
45 years and over	9.0	2.2	2.8	2.5	2.5	1.9	1.3	1.4	1.3	1.4
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Age	33.1	29.3	29.8	30.0	30.2	28.0	27.4	27.8	28.1	28.4

In 1996, the proportion of grooms and brides at ages under 25 years continued to fall. The average age at marriage has been increasing since 1984; the average age for males being 30.2 years and for females, 28.4 years in 1996. In Table 46 all marriages registered in 1996 are cross-classified by age of groom and age of bride in single years. Table 47 gives similar details for first marriages. The average ages at first marriage of males and females were 30.0 and 28.2 respectively in 1996.

Table III compares first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1996. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

Table III First marriage rates per 1,000 single population* in each age group in Ireland and England and Wales, 1996

Age groups	Males		Females	
	Ireland ¹	England and Wales	Ireland ¹	England and Wales
15-19 years ²	0.5	1.8	1.2	8.0
20-24 "	12.0	24.3	25.9	45.5
25-29 "	79.8	60.0	105.5	77.2
30-34 "	98.0	53.9	89.2	56.3
35-39 "	47.1	35.9	39.1	33.9
40-44 "	19.8	20.7	13.5	19.1
45-49 "	8.9	11.1	5.9	11.1
50-54 "	4.1	6.9	3.9	6.5
55 and over	0.9	2.3	0.5	1.1
TOTAL, 15 years and over	26.2	29.8	30.4	37.3

* Rates are based on the 1996 Census of Population

¹ Exclusive of Northern Ireland

² 16-19 years for England and Wales

For each sex the marriage rates in Ireland were considerable below those in England and Wales in the two youngest age groups. In the 25-39 year age groups the rates for both males and females in Ireland were higher than the rates in England and Wales in 1996. In the age groups 40 years and over the rates for England and Wales were higher than the Irish rates.

Mode of Celebration

A total of 14,607 marriages (i.e. 90.3% of all marriages) were celebrated in accordance with the rites and ceremonies of the Catholic Church in 1996. There were 1,567 marriages according to other rites and ceremonies; 483 Church of Ireland, 91 Presbyterian, 38 Methodist, 2 Jewish, 25 other religious denominations and 928 civil marriages in a Registrar's Office.

The rate for Catholic Marriages in 1996 was 4.3 per 1,000 of the Catholic population. The rate for all other marriages was 7.2 per 1,000 of the population other than Catholic.

Table IV Marriages registered in the years 1951–1996 according to the mode of celebration, and the rates per 1,000 corresponding population for Catholic and all other marriages

Year	Marriages registered other than Catholic							Catholic	Total	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other Religious denominations	Civil Marriages	Total			Catholic	All other	Total
1951–60 ¹	507	112	37	18	5	65	744	14,998	15,742	5.5	4.5	5.4
1961–70 ¹	456	107	31	10	6	78	688	16,742	17,430	6.1	4.8	6.1
1971–80 ¹	433	89	27	7	8	259	823	20,739	21,562	6.9	5.1	6.8
1981–90 ¹	396	73	30	6	20	634	1,159	17,730	18,888	5.3	6.6	5.4
1987	455	54	33	16	17	655	1,230	17,079	18,309	5.1	6.1	5.2
1988	430	74	34	11	16	670	1,235	17,147	18,382	5.2	6.0	5.2
1989	352	59	21	3	27	675	1,137	17,037	18,174	5.2	5.4	5.2
1990	423	73	27	6	27	656	1,212	16,626	17,838	5.0	5.7	5.1
1991	392	52	30	0	25	649	1,148	16,293	17,441	4.9	5.3	4.9
1992	521	98	35	0	32	695	1,381	15,255	16,636	4.6	6.5	4.7
1993	444	58	43	1	41	837	1,424	15,400	16,824	4.6	6.6	4.7
1994	434	51	33	3	50	850	1,421	15,200	16,621	4.5	6.6	4.6
1995	425	76	25	1	28	891	1,446	14,158	15,604	4.2	6.7	4.3
1996	483	91	38	2	25	928	1,567	14,607	16,174	4.3	7.2	4.5

¹ Average annual number of marriages and rates for decennial periods 1951–1990

Marriages are classified according to form of ceremony, age of groom and age of bride in Tables 48 and 49. For Catholic marriages the average age of the groom was 30.0 years compared with 32.1 years for other marriages (including Civil marriages). The average age of the bride for Catholic marriages was 28.2 years and for other marriages, 29.7 years.

Socio-Economic Group (SEG)

This classification is widely used in Census of Population statistics and is determined by a person's occupation or, in some cases, by a combination of occupation and employment status. The socio-economic group (SEG) of a person not gainfully occupied is considered to be that of the gainfully occupied person on whom he or she is deemed to be dependent. The men and women married in 1996 were classified by SEG on the basis of the information on occupation given in the marriage register. The results obtained are given in Tables 50 to 52.

In Tables 50 and 51 grooms and brides are classified by SEG and age at marriage. For both grooms and brides the average marriage age in 1996 was higher in the SEG "Farmers, farmers' relatives assisting and farm managers" than in any other group and the lowest average age was in the "Other manual workers" group.

Table 52 shows marriages registered in 1996 classified by the SEG of groom and bride. The highest number of marriages among males occurred in the "Skilled manual workers" group which accounted for 27% of the grooms excluding the "not stated" cases. The highest among females was in the "Intermediate non-manual workers" group which accounted for 36% of the brides. The table also gives information on the respective SEGs of grooms and brides. Over half of the women in the SEGs "Farmers, farmers' relatives assisting and farm managers" married men in the other groups.

A revised classification of occupations and consequently of SEG was introduced in the 1996 Census of Population. As this new classification differs from the one currently used in Vital Statistics, caution should be exercised when comparing Census and Vital Statistics SEG data for 1996.

Area of residence

Four classifications of district are available: that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In Table 45, figures for marriages according to where the marriage took place are given for 1996.

A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in Table V. In Tables 53 and 54 marriages are classified by area of residence prior to marriage and by age group of groom and bride. Looking solely at marriages for which the area of residence was within the State, the average age at marriage for grooms was lowest in Donegal, (29.0) and highest in Leitrim, (31.8). The average age for brides was lowest in Laois, Offaly, Waterford County Borough and Donegal (27.3) and highest in Dun Laoghaire Rathdown, (29.5).

In Table 55 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of one or both of them was outside the State. Of the men married in the State in 1996, 1,322 were returned as residing in England, Wales or Scotland, 289 in Northern Ireland and 801 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 1,140, the number from Northern Ireland was 156 and the number from other countries was 661. In 1,811 cases both the groom and bride were living outside the State.

Table V Comparisons of area in which marriage took place with area of residence of bride, 1996

Area in which registered	Total Marriages	Marriages in the case of which bride was resident in		Col. (2) as percentage of Col (1)
		Same area (2)	Other areas* (3)	
Carlow	169	130	39	76.9
Dublin County Borough	2,182	1,403	779	64.3
South Dublin	377	254	123	67.4
Fingal	589	295	294	50.1
Dun Laoghaire Rathdown	962	469	493	48.8
Kildare	477	351	126	73.6
Kilkenny	245	173	72	70.6
Laois	247	190	57	76.9
Longford	134	100	34	74.6
Louth	384	303	81	78.9
Meath	490	338	152	69.0
Offaly	266	206	60	77.4
Westmeath	312	238	74	76.3
Wexford	495	405	90	81.8
Wicklow	556	365	191	65.7
Clare	440	287	153	65.2
Cork County Borough	888	568	320	64.0
Cork County	1,098	837	261	76.2
Kerry	642	417	225	65.0
Limerick County Borough	206	136	70	66.0
Limerick County	518	327	191	63.1
Tipperary N.R.	316	224	92	70.9
Tipperary S.R.	331	246	85	74.3
Waterford County Borough	137	93	44	67.9
Waterford County	285	193	92	67.7
Galway County Borough	343	174	169	50.7
Galway County	597	419	178	70.2
Leitrim	125	76	49	60.8
Mayo	563	357	206	63.4
Roscommon	193	124	69	64.3
Sligo	267	198	69	74.2
Cavan	313	214	99	68.4
Donegal	763	550	213	72.1
Monaghan	264	220	44	83.3
TOTAL	16,174	10,880	5,294	67.3

* Includes 2 cases in which residence was not stated and 1,957 cases in which the residence was outside the country.

Table VI compares marriage rates based on County of Registration (the simplest way of calculating marriage rates) with an alternative obtained by relating marriages classified by area of residence of groom before marriage to total resident population. Rates (a) and (b) differ as marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). Rate (b) includes marriages of men from the county who married outside the county.

Table VI Marriage Rates per 1,000 Population in each county and county borough calculated using (a) Total marriages registered in each area and (b) Marriages of men from that area, in 1996

Province, County or County Borough	Rate (a)	Rate (b)
TOTAL	4.5	4.5
LEINSTER	4.1	3.8
Carlow	4.1	3.8
Dublin County Borough	4.5	4.3
South Dublin	1.7	2.7
Fingal	3.5	3.8
Dun Laoghaire Rathdown	5.1	4.2
Kildare	3.5	3.3
Kilkenny	3.3	2.7
Laois	4.7	3.8
Longford	4.4	4.3
Louth	4.2	3.8
Meath	4.5	3.5
Offaly	4.5	3.9
Westmeath	4.9	4.1
Wexford	4.7	4.0
Wicklow	5.4	4.2
MUNSTER	4.7	3.9
Clare	4.7	3.8
Cork County Borough	7.0	4.7
Cork County	3.7	3.7
Kerry	5.1	3.7
Limerick County Borough	4.0	4.3
Limerick County	4.6	3.8
Tipperary, N.R.	5.4	3.9
Tipperary, S.R.	4.4	3.5
Waterford County Borough	3.2	2.8
Waterford County	5.5	4.5
CONNACHT	4.8	3.5
Galway County Borough	6.0	3.2
Galway County	4.5	4.0
Leitrim	5.0	3.4
Mayo	5.0	3.4
Roscommon	3.7	2.5
Sligo	4.8	3.7
ULSTER (part of)	5.7	4.0
Cavan	5.9	4.3
Donegal	5.9	3.9
Monaghan	5.1	3.9

Information on intended future residence tends not to be as accurate as other details recorded in relation to marriages. There were 253 marriages registered in which no information on future residence was provided.

Table VII Percentage of marriages with future intended residence outside the State 1980 to 1996

Year	Total marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1980	21,792	1,203	5.5
1981	20,612	1,100	5.3
1982	20,224	1,075	5.3
1983	19,467	1,013	5.2
1984	18,513	1,149	6.2
1985	18,791	1,345	7.2
1986	18,573	1,523	8.2
1987	18,309	1,843	10.1
1988	18,382	2,443	13.3
1989	18,174	2,914	16.0
1990	17,838	3,123	17.5
1991	17,441	2,887	16.6
1992	16,636	2,656	16.0
1993	16,824	2,740	16.3
1994	16,621	2,661	16.0
1995	15,604	2,502	16.0
1996	16,174	2,604	16.1

Since 1990, about one sixth of marriages each year have had intended future residence outside the State (see Table VII). In the case of 1,295 marriages the future residence was in England and Wales, 271 in Northern Ireland, 64 in Scotland, 222 in other parts of Europe, 570 in the United States of America, 25 in Canada, 86 in Australia and New Zealand and 71 elsewhere.

The age distributions and average ages of the grooms and brides going to the various countries are shown in Tables 56 and 57 respectively. The marriages of persons going abroad are classified by socio-economic groups of groom and bride in Tables 58 and 59 respectively. By comparing Tables 50 and 58 it is possible to examine the proportions of men marrying in each socio-economic group who intended to reside outside the country; this proportion varied considerably between the different groups, as can be seen in Table VIII.

Table VIII Percentage of men marrying in each socio-economic group whose intended future residence was outside the State in 1995 and 1996

Socio-economic group of groom	Percentage with intended future residence outside the State	
	1995	1996
	Per Cent	
Farmers, relatives assisting and farm managers	2	3
Other agricultural occupations and fishermen	8	8
Higher professionals	32	33
Lower professionals	23	24
Employers and managers	22	20
Salaried employees	18	16
Intermediate non-manual workers	12	12
Other non-manual workers	12	14
Skilled manual workers	18	18
Other manual workers	7	8
TOTAL	16	16

A classification of marriages of persons going abroad by form of marriage ceremony is made in Table 60. In the case of Catholic marriages the percentage with intended future residence outside the State was 16%, the same as 1995. The corresponding figure for all other marriages was 16% in 1995 and 19% in 1996.

Finally, in Tables 61 and 62, the marriages of persons going abroad are classified by area of residence before marriage of the groom and bride respectively. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

Table IX Grooms from each area whose intended future residence was outside the State, shown as a percentage of the total grooms from that area, 1995 and 1996

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1995	1996
	Per Cent	
Dublin	3	3
Leinster	3	3
Munster	3	3
Connacht	4	5
Ulster (part of)	5	5
Outside the State	90	90

Births

The number of births which occurred in 1996 was 50,655 comprising 26,350 males and 24,305 females. The corresponding total for 1995 was 48,787, 25,153 males and 23,634 females. The birth rate in 1996 was 14.0 per 1,000 population, 0.5 above 1995.

Table X Number of births in Ireland* and birth rates per 1,000 population in Ireland and neighbouring countries, 1941 to 1996

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950 ¹	65.0	21.9	22.4	16.9	18.8
1951-1960 ¹	61.7	21.2	21.3	15.8	18.5
1961-1970 ¹	62.4	21.7	22.4	17.5	18.8
1971-1980 ¹	69.4	21.8	18.1	13.2	13.6
1981-1990 ¹	61.6	17.6	17.4	13.2	12.9
1987	58.4	16.5	17.7	13.6	13.0
1988	54.6	15.5	17.6	13.8	13.0
1989	52.0	14.8	16.5	13.6	12.5
1990	53.0	15.1	16.7	13.9	12.9
1991	52.7	15.0	16.4	13.7	13.1
1992	51.1	14.4	15.8	13.4	12.9
1993	49.3	13.8	15.3	13.1	12.4
1994	48.3	13.5	14.8	12.9	12.0
1995	48.8	13.5	14.5	12.5	11.7
1996	50.7	14.0	14.8	12.5	11.6

* Exclusive of Northern Ireland

¹ Average annual number of births and birth rates for decennial periods 1941-1990.

Classification by age at maternity, parity and duration of marriage

Table 35 shows the total number of births which occurred in 1996 classified by age of mother at maternity and number of previous liveborn children (i.e. parity). The mother's age was not stated in respect of 73 births (or 0.1% of the total). In 1995 the corresponding number was 89 (0.2%). The results contained in Table 35 are summarised in Table XI. In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins, the children would be classified as a fifth and sixth child in parity order.

Table XI Births occurring in 1996 classified by age of mother at maternity and number of previous children

Age at maternity	Number of previous children								
	Total	0	1	2	3	4	5-9	10 and over	Not stated
Under 20 years	2,763	2,521	218	20	1	-	-	-	3
20-24 years	7,513	4,583	2,114	603	140	45	12	-	16
25-29 "	13,641	6,048	4,515	2,007	680	241	135	-	15
30-34 "	16,908	4,640	5,880	3,815	1,583	573	382	9	26
35-39 "	8,268	1,233	2,129	2,354	1,365	615	523	35	14
40-44 "	1,424	171	242	265	248	211	257	27	3
45 years and over	65	5	7	12	9	11	19	2	-
Not stated	73	15	16	6	8	5	1	-	22
TOTAL	50,655	19,216	15,121	9,082	4,034	1,701	1,329	73	99

Between the mid 1960's and the mid 1970's the percentage of mothers in the younger age groups increased, so that by 1975 mothers under 30 years accounted for 61.7% of births. Subsequently the proportion declined fairly steadily to reach 47.4% in 1995 and 47.3% in 1996. In England and Wales and in Scotland in 1996, 58.7% and 59.2% respectively of young mothers were aged under 30.

Table XII Percentage distribution of births according to age of mother at maternity in Ireland* in 1995 and 1996 and in England and Wales and Scotland in 1996

Age at maternity	Ireland*		England and Wales	Scotland
	1995	1996	1996	1996
Under 20 years	5.0	5.5	6.9	7.7
20-24 years	14.7	14.9	19.3	18.6
25-29 "	27.7	27.0	32.5	32.9
30-34 "	33.6	33.4	28.7	28.7
35-39 "	15.6	16.3	10.7	10.3
40-44 "	3.2	2.8	1.8	1.5
45 years and over	0.2	0.1	0.1	0.1
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	30.0	30.0	28.6	28.0

* Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the fact that women in Ireland marry at a later age and have on average more children, as may be seen from Table XV. Table XIII shows the percentage distribution of first births within marriage by age of mother.

Table XIII Percentage distribution of first births within marriage according to age of mother in Ireland* in 1995 and 1996 in England and Wales and Scotland in 1996

Age at maternity	Ireland		England and Wales	Scotland ¹
	1995	1996	1996	1996
Under 20 years	0.9	0.9	1.3	1.6
20-24 years	10.5	8.9	13.1	15.2
25-29 "	43.9	42.5	35.7	44.2
30-34 "	34.4	36.9	35.0	29.9
35-39 "	8.9	9.6	12.8	7.9
40-44 "	1.4	1.2	2.0	1.0
45 years and over	0.0	0.0	0.1	-
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	29.7	29.9	30.1	30.8

* Exclusive of Northern Ireland.

¹ First Births of First Marriage in Scotland

Table XIV compares fertility rates in Ireland and England and Wales in 1996. In most age groups the number of births within marriage per 1,000 married women was considerably higher in Ireland than in England and Wales. The number of births outside marriage per 1,000 single, widowed, divorced and separated women was lower in Ireland than in England and Wales.

The total number of births outside marriage was 12,797 in 1996, i.e. 1,935 more than in 1995. This was equivalent to an annual rate of 25.5 per 1,000 unmarried females aged 15–49 years and was 25.3% of all births.

The lowest ever number of births outside marriage was recorded in 1959. The graph on page 22 illustrates the steady increase in births outside marriage since 1959.

Table XIV Births per 1,000 women in each age group, Ireland*, England and Wales, 1996

Age of Mother	Total Births per 1,000 women		Births (within marriage) per 1,000 married women		Births (outside marriage) per 1,000 single, widowed, divorced or separated women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15–19 years	16.7	29.8	373.7 ¹	445.2	15.9	26.4
20–24 "	52.2	77.5	264.6	229.2	38.3	51.4
25–29 "	105.3	106.9	215.2	167.7	35.0	57.3
30–34 "	127.1	88.6	172.1	110.8	33.9	51.5
35–39 "	63.9	37.2	77.9	40.1	18.8	30.0
40–44 "	11.8	6.9	13.5	6.7	5.8	7.2
45–49 "	0.6	0.3	0.7	0.3	0.3	0.3
Total 15–49 years	54.2	60.5	87.6	82.9	25.5	40.7

* Exclusive of Northern Ireland; rates are based on the 1996 Census of Population.

¹ Since the number of births within marriage in the under 20 age group is small, caution should be exercised in the interpretation of trends in this rate.

The percentage distribution of births within marriage according to the number of previous children in 1995 and 1996 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1996.

The difference between the years 1995 and 1996 in respect of the percentage distribution according to number of previous children was slight. The percentage of mothers with two or more previous children was higher in Ireland than in either England and Wales or Scotland. In Ireland in 1996, 3.3% of mothers had 5 or more previous children compared to 1.3% in England and Wales and 0.7% in Scotland.

Table XV Percentage distribution of births within marriage according to number of previous children in Ireland* in 1995 and 1996 and in England and Wales and Scotland in 1996

Number of previous children	Ireland*		England and Wales	Scotland ¹
	1995	1996	1996	1996
0	29.2	29.7	39.1	42.2
1	32.5	32.4	36.9	37.4
2	21.0	21.2	15.7	14.8
3	9.9	9.5	5.3	3.9
4	3.9	3.9	1.7	1.0
5 to 9	3.3	3.1	1.3	0.7
10 and over	0.2	0.2	0.0	0.0
TOTAL	100.0	100.0	100.0	100.0

* Exclusive of Northern Ireland.

¹ Includes stillbirths.

Total Period Fertility Rate

The total period fertility rate (TPFR) is derived from the age-specific fertility rates. It gives the theoretical average number of children who would be born alive to a woman during her lifetime if she were to pass through her childbearing years conforming to the age-specific fertility rates of a given year. A value of 2.1 is generally taken to be the level of which a generation would replace itself in the long run, ignoring migration.

The TPFR has fallen by more than a half in the past 30 years. In Ireland, it dropped below replacement level in 1989, then fell below 2.0 three years later, and now stands at about 1.9. Despite the decline, we continue to have one of the highest fertility rates in Western Europe.


Table XVI Age specific fertility rate and total period fertility rate, 1961-1996

Year	Live births per 1,000 females at specified ages							TPFR
	15-19	20-24	25-29	30-34	35-39	40-44	45-49	All
1961	9.5	108.2	216.9	209.5	152.2	57.7	4.2	3.79
1966	13.5	128.1	232.5	213.0	144.4	54.9	4.3	3.95
1971	19.1	150.3	243.7	200.4	131.7	46.6	3.3	3.98
1976	21.9	133.7	211.7	162.2	94.9	34.8	3.1	3.31
1977	21.2	130.4	205.5	166.7	93.9	33.2	3.0	3.27
1978	21.8	126.2	201.7	167.8	96.5	31.1	2.8	3.24
1979	22.7	125.9	202.5	168.4	94.1	29.9	2.3	3.23
1980	23.0	125.3	202.3	165.7	97.3	29.6	2.3	3.23
1981	22.2	117.4	190.3	161.5	93.6	26.5	2.4	3.07
1982	20.7	110.2	185.0	156.9	91.6	24.9	2.2	2.96
1983	18.7	102.6	172.3	146.9	84.6	25.0	1.7	2.76
1984	18.0	95.4	163.3	138.4	78.9	21.8	1.9	2.59
1985	16.6	87.2	158.6	138.4	75.3	21.6	1.5	2.50
1986	16.4	83.1	154.4	139.0	73.4	21.2	1.5	2.45
1987	16.1	75.4	147.9	132.3	68.6	19.8	1.3	2.31
1988	15.0	69.6	141.0	125.5	63.2	17.8	1.1	2.17
1989	14.8	64.0	134.4	122.0	62.4	17.0	1.1	2.08
1990	16.7	63.3	137.6	123.8	63.1	15.4	1.1	2.10
1991	17.1	64.0	131.9	124.4	63.5	15.2	1.0	2.09
1992	16.9	58.9	123.9	122.3	61.3	14.4	0.8	1.99
1993	16.3	53.8	116.5	121.2	58.5	14.1	0.9	1.91
1994	15.0	50.7	112.5	119.8	58.6	12.8	0.7	1.85
1995	15.1	49.3	106.7	123.5	60.3	13.1	0.8	1.84
1996	16.7	52.2	105.3	127.1	63.9	11.8	0.6	1.89

Calculation of Total Period Fertility Rate

The TPFR is compiled by summing the age specific fertility rates for the relevant five-year age groups, dividing by 1,000 and multiplying by 5. The small number of births for which the age of the mother is not stated is distributed in proportion to the stated categories.



Percentage births outside marriage 1922-96




Births by parity

1955

1996



Age specific fertility rates 1976-96



Multiple Births

The number of maternities in 1996 which resulted in multiple live births was 697 consisting of 675 sets of twins and 22 sets of triplets. This is equivalent to a "twinning rate" of 13.5 (i.e. the number of live twins per 1,000 maternities which resulted in live births). Table XVII summarises the number of multiple births and the "twinning rate" for the years 1990 to 1996

Table XVII Number of multiple births and the number of twins per 1,000 maternities 1990–1996

Year	Live births	Maternities which resulted in live issue	Multiple Confinements*				Twinning rate
			Twins	Triplets	Quadruplets	Quintuplets	
1990	53,044	52,425	649	8	—	1	12.4
1991	52,718	52,142	610	6	2	—	11.7
1992	51,089	50,505	602	8	3	—	11.9
1993	49,304	48,748	574	13	—	—	11.8
1994	48,255	47,670	602	14	1	—	12.6
1995	48,787	48,138	674	16	—	—	14.0
1996	50,655	49,996	675	22	—	—	13.5

* The above statistics are based on a revised methodology which takes better account of multiple births in which a baby was stillborn

Deaths

The number of deaths which occurred during the year 1996 was 31,723 of which 16,672 were males and 15,051 were females. This is equivalent to a rate of 8.7 deaths per 1,000 total population compared to 9.0 in 1995 and 8.6 in 1994.

Table 11 shows the annual average death rates, by age group, for decennial periods from 1864 to 1990 and the death rates for each year 1987 to 1996. While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVIII compares the death rates in the years 1941-1996 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1996 was lower than in Northern Ireland, England and Wales and Scotland. Over the period covered in the table the decrease in this country has been greater than that in any of the other areas. These comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the population.

Table XVIII Death rates per 1,000 population in Ireland* and neighbouring countries, 1941-1996

Period	Number of deaths (000's) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950 ¹	41.5	14.0	12.6	12.3	13.2
1951-1960 ¹	35.4	12.2	11.0	11.6	12.0
1961-1970 ¹	33.5	11.7	10.7	11.8	12.1
1971-1980 ¹	33.7	10.6	10.9	11.9	12.3
1981-1990 ¹	32.4	9.2	10.1	11.5	12.3
1987	31.4	8.9	9.7	11.3	12.1
1988	31.6	8.9	10.0	11.3	12.2
1989	32.1	9.1	10.0	11.4	12.8
1990	31.4	8.9	9.7	11.1	12.1
1991	31.3	8.9	9.5	11.2	12.2
1992	30.9	8.7	9.3	10.9	11.9
1993	32.1	9.0	9.6	11.3	12.5
1994	30.9	8.6	9.2	10.7	11.6
1995	32.3	9.0	9.3	11.0	11.8
1996	31.7	8.7	9.1	10.8	11.8

* Exclusive of Northern Ireland

¹ Average annual number of deaths and death rates for decennial periods from 1941 - 1990

Comparison between counties

Variations in the age distribution of the population from one county to another have an effect on the comparability of death rates between counties. If a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. In an attempt to overcome this, standardised rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. See Table XIX. Throughout the remainder of the report, only crude death rates will be reported.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being South Dublin which had a crude death rate of 3.75 and a standardised rate of 7.47 (reflecting the very young age structure in South Dublin) and Leitrim where standardisation had the effect of lowering the crude death rate from 14.49 to 9.79 because of the comparatively old age structure in that county. The standardised rates in 1996 were lowest in Galway County Borough, 7.12 and highest in Limerick County Borough, 10.8.

Table XIX Crude and standardised death rates in each province, county and county borough in 1996

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
	All	All
Total	8.75	8.75
Leinster	7.80	8.65
Carlow	10.00	10.76
Dublin County Borough	10.06	9.09
South Dublin	3.75	7.47
Fingal	4.13	7.28
Dun Laoghaire Rathdown	7.78	7.66
Kildare	6.42	9.61
Kilkenny	8.56	8.27
Laois	8.46	8.33
Longford	10.24	8.75
Louth	8.00	8.57
Meath	7.34	8.49
Offaly	8.47	8.56
Westmeath	9.84	9.91
Wexford	9.47	9.34
Wicklow	8.16	8.91
Munster	9.36	8.96
Clare	9.22	8.41
Cork County Borough	10.76	10.62
Cork County	8.63	8.59
Kerry	10.66	8.75
Limerick County Borough	10.49	10.80
Limerick County	7.77	8.07
Tipperary North Riding	10.77	9.62
Tipperary South Riding	10.21	9.44
Waterford County Borough	7.26	7.86
Waterford County	8.46	7.83
Connacht	10.84	8.73
Galway County Borough	5.70	7.12
Galway County	10.55	8.72
Leitrim	14.49	9.79
Mayo	12.61	9.14
Roscommon	12.08	8.53
Sligo	10.48	8.61
Ulster (part of)	9.96	8.48
Cavan	9.99	8.19
Donegal	9.92	8.35
Monaghan	10.02	9.26

Comparability with data compiled pre 1996

Prior to 1996 the age groups used in calculating the crude and standardised death rates were as follows: 0-4, 5-14, 15-24 65-74, 75 and over. From 1996 onwards 5 year age groups up to age 84 with an 85 and over category are used. Appendix E shows updated crude and standardised death rates between 1991 and 1995 calculated on the new basis, for comparability purposes.

Causes of Death

The Ninth Revision of the International Classification of Diseases, Injuries and Causes of Death (ICD-9), as recommended by the World Health Organisation, has been used to classify deaths in Ireland by cause since 1979. It replaced the Eighth Revision (ICD-8) which was used from 1968 to 1978. To facilitate linkage with previous years all deaths in 1979 were, in addition, coded according to ICD-8. A cross-classification of deaths occurring in 1979 by the ICD-8 and ICD-9 classifications is contained in Tables 60-63 of the 1979 Report. As ICD-9 imposed certain changes in interpretation of recorded medical opinion regarding the underlying cause of death when more than one disease is mentioned on the medical certificate of cause of death, care should be taken in comparing deaths coded according to ICD-9 with those prior to 1979.

Injury and Poisoning:- This category forms part of the main body of classification in ICD-9 and deaths coded accordingly are shown in Table 19.


External Causes of Death:- In the Sixth, Seventh and Eighth Revisions the E-code was considered as part of the main classification. In ICD-9 the E-code is treated as a supplementary classification to be used where relevant in conjunction with codes from any part of the main classification.

Table XX Average annual number of deaths and death rates from some of the principal causes in each period 1970-72, 1975-77, 1980-82, 1985-87, 1990-1992 and 1996

ICD-9 Code	Cause of death	1970-72	1975-77	1980-82	1985-87	1990-92	1996
		Average annual number					
010-018, 137	Tuberculosis	196	169	130	100	63	42
Rem. 001-139	Other infectious and parasitic diseases	147	127	141	127	119	111
140-208	Malignant Neoplasms	5,637	6,167	6,280	6,848	7,307	7,389
393-398, 410-429	Ischaemic and other forms of heart disease	10,581	11,319	11,357	11,193	9,870	9,861
Rem. 390-459	Other diseases of the circulatory system	6,428	5,974	5,285	4,883	4,295	4,036
487	Influenza	531	219	68	47	33	17
Rem. 460-519	Other diseases of the respiratory system	4,065	3,920	4,258	4,257	4,282	4,700
797	Senility	500	297	80	56	34	65
Rem. 001-799	Other diseases	3,889	3,772	3,674	3,664	3,790	4,058
800-999	Injury and Poisoning	1,525	1,652	1,680	1,543	1,410	1,444
	All Causes	33,319	33,616	32,953	32,526	31,203	31,723
		Average annual rates per 100,000 population					
010-018, 137	Tuberculosis	6.6	5.2	3.8	2.8	1.8	1.2
Rem. 001-139	Other infectious and parasitic diseases	4.9	3.9	4.1	3.6	3.4	3.1
140-208	Malignant Neoplasms	188.9	191.2	182.4	193.4	207.1	203.8
393-398, 410-429	Ischaemic and other forms of heart disease	354.6	350.9	330.0	316.1	279.8	271.9
Rem. 390-459	Other diseases of the circulatory system	215.4	185.2	153.6	137.9	121.8	111.3
487	Influenza	11.8	6.8	2.0	1.3	0.9	0.5
Rem. 460-519	Other diseases of the respiratory system	136.2	121.5	123.7	120.2	121.4	129.6
797	Senility	16.8	9.2	2.3	1.6	1.0	1.8
Rem. 001-799	Other diseases	130.3	116.9	106.8	103.5	107.4	111.9
800-999	Injury and Poisoning	51.1	51.2	48.8	43.6	40.0	39.8
	All Causes	1,116.6	1,042.1	957.5	918.5	884.5	874.9

In Table XX the number of deaths in the various disease groups in the years prior to 1979 have been adjusted on an approximate basis to conform to the structure of the groups under the 9th Revision of the International Classification of Diseases.



Infant and neonatal mortality rates 1957-96




Deaths from Principal Causes

Male

Female



Stillbirth and perinatal mortality rates 1957-96



**Table XXI Age-sex specific death rates for the
Death rates per 100,000**

Mortality list no.	Cause Of Death	All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All Causes	926.1	824.3	154.6	136.4	23.0	9.1	102.1	29.1	132.2	47.5
01-07	Infectious and Parasitic Diseases	4.3	4.2	3.1	4.1	-	0.7	1.9	1.9	0.8	0.4
01	Intestinal Infectious Diseases	0.4	0.4	-	0.8	-	-	-	-	0.4	-
02	Tuberculosis	1.2	0.7	-	-	-	-	-	0.3	-	-
034	Whooping Cough	-	-	-	-	-	-	-	-	-	-
036	Meningococcal Infection	0.2	0.5	2.3	2.5	-	0.7	0.3	1.3	-	-
037	Tetanus	-	-	-	-	-	-	-	-	-	-
038	Septicaemia	1.2	1.0	-	0.8	-	-	-	-	-	-
041	Smallpox	-	-	-	-	-	-	-	-	-	-
042	Measles	-	-	-	-	-	-	-	-	-	-
052	Malaria	-	-	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	1.3	1.5	0.8	-	-	-	1.5	0.3	0.4	0.4
08-14	Malignant Neoplasms:-	221.5	186.3	3.9	2.5	4.5	1.3	7.4	2.9	11.7	11.0
091	Of Stomach	13.1	8.9	-	-	-	-	-	0.3	0.8	-
093	Colon	19.9	17.9	-	-	-	-	-	-	0.4	1.1
094	Rectum, Rectosigmoid Junction and Anus	7.5	4.2	-	-	-	-	-	-	0.4	-
101	Trachea, Bronchus and Lung	53.4	27.8	-	-	-	-	0.3	-	0.4	0.8
113	Female Breast	-	34.8	-	-	-	-	-	-	-	1.1
120	Cervix Uteri	-	4.5	-	-	-	-	-	-	-	1.1
141	Leukaemia	6.6	4.9	1.6	-	1.3	0.3	2.8	0.6	1.2	1.1
	Other Malignant Neoplasms	121.0	83.3	2.3	2.5	3.2	1.0	4.3	1.9	8.6	5.7
181	Diabetes Mellitus	13.4	10.4	-	-	0.3	-	-	-	0.4	-
191	Nutritional Marasmus	-	-	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	0.1	0.2	-	-	-	-	-	-	-	-
200	Anaemias	1.7	2.4	-	-	-	-	-	-	-	-
220	Meningitis	0.4	0.2	1.6	0.8	0.3	-	0.3	0.3	-	-
25-30	Diseases Of the Circulatory Systems	399.3	367.4	1.6	0.8	0.6	0.3	3.4	3.2	9.3	4.9
250	Acute Rheumatic Fever	0.1	0.5	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	0.5	1.8	-	-	-	-	-	-	-	-
26	Hypertensive Disease	5.2	6.0	-	-	-	-	-	-	0.4	-
27	Ischaemic Heart Disease	244.5	175.3	-	-	-	-	-	-	2.3	-
270	(Acute Myocardial Infarction)	165.9	114.0	-	-	-	-	-	-	0.8	-
29	Cerebrovascular Disease	66.5	93.3	0.8	-	-	-	0.6	1.6	1.6	1.5
300	Atherosclerosis	5.3	7.8	-	-	-	-	-	-	-	-
	Other Diseases Of the Circulatory System	77.2	82.8	0.8	0.8	0.6	0.3	2.8	1.6	5.1	3.4
321	Pneumonia	54.3	69.0	3.1	1.6	1.3	0.3	0.9	-	1.2	0.4
322	Influenza	0.3	0.6	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	13.3	10.1	-	-	0.3	-	0.3	0.6	0.8	1.1
341	Ulcer Of Stomach and Duodenum	5.1	3.6	-	-	-	-	0.6	0.3	-	-
342	Appendicitis	0.3	0.2	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	2.9	3.1	-	-	-	-	0.3	0.3	-	0.8
350	Nephritis, Nephrotic Syndrome and Nephrosis	12.8	11.2	0.8	-	-	-	0.6	-	0.8	0.4
360	Hyperplasia Of Prostate	0.7	-	-	-	-	-	-	-	-	-
38	Abortion	-	-	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	-	0.2	-	-	-	-	-	-	-	0.8
44	Congenital Anomalies	4.6	4.1	50.5	48.5	0.6	-	0.3	1.0	1.2	1.1
45	Certain Conditions originating in the perinatal period+	3.7	3.2	52.1	47.7	-	-	-	-	-	-
453	(Birth Trauma)	0.1	0.1	0.8	0.8	-	-	-	-	-	-
46	Signs, Symptoms and Ill-defined conditions	5.4	7.2	17.9	15.6	-	-	0.6	-	-	-
47-56	Injury and Poisoning	58.3	21.6	7.0	4.1	9.9	4.4	76.1	12.9	87.1	19.0
47	Fractures	8.5	7.9	-	1.6	2.9	1.0	13.3	1.3	7.8	3.0
49	Intracranial and Internal injuries inc. nerves	17.2	5.1	1.6	0.8	3.2	2.0	26.6	4.2	28.8	6.8
52	Burns	1.4	0.9	-	-	-	-	0.3	0.3	0.8	0.4
53	Poisoning and Toxic effects	7.7	2.7	3.1	0.8	0.6	0.7	7.4	2.6	12.4	2.3
	Other Injuries and Poisoning	23.4	5.0	2.3	0.8	3.2	0.7	28.5	4.5	37.3	6.5
	All Other Diseases	123.8	119.1	13.2	10.7	5.1	2.0	9.3	5.5	19.1	7.6
	External Causes (included in the foregoing)										
E47-E53	Accidents and Adverse effects	40.7	18.5	7.0	3.3	8.3	4.0	51.4	9.0	56.0	12.2
E471	Motor Vehicle Traffic Accidents	18.4	5.7	1.6	1.6	4.8	2.4	33.7	4.8	31.1	8.4
E50	Accidental Falls	6.0	7.4	-	-	0.3	-	3.1	0.3	3.1	0.8
E54	Suicide	19.2	3.5	-	-	1.3	-	25.4	4.5	34.6	5.7
E55	Homicide	1.1	0.8	-	0.8	0.3	0.3	0.9	-	1.6	1.5
	All Other External Causes	0.7	0.1	-	-	-	-	0.3	-	0.8	-

+ Stillbirths not included

Table XX shows that heart diseases remained the single biggest cause of death. Although the number of deaths from heart disease has fluctuated somewhat since 1970 - 72, the rate per 100,000 population has declined steadily over time. Deaths from influenza in the 1990's are significantly below the level twenty years earlier.

Of the deaths occurring in 1996, 78% were due to the four main causes, i.e. Ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Most of these deaths occurred at ages over 65. Diseases of the heart were responsible for the highest rates, 302 per 100,000 population for males and 242 per 100,000 females. Malignant neoplasms were the next major cause, the rates for which were 221 and 186 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 67 and 93 respectively for males and females per 100,000 population. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Table XXI contains more information on deaths classified by causes and age groups.

Some of the principal causes of deaths are considered in greater detail in the following sections.

Tuberculosis

In 1996 there were 42 deaths from tuberculosis, of which 31 were caused by the respiratory form and 11 by other forms of the disease. Deaths from tuberculosis are now only at a fraction of their level 50 years ago. All of the 42 deaths in 1996 were in the age group 15 and over.

The mortality from tuberculosis in the counties and county boroughs in 1996 is compared in Table 14 of this Report.

Table XXII Number of deaths and death rates per 1,000 population from tuberculosis of the respiratory system and from all other forms of tuberculosis, 1941 - 1996

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 Population	Number	Rate per 1,000 Population	Tuberculosis respiratory system	Other forms of Tuberculosis
1941-1950 ¹	2,739	0.92	779	0.26	1.05	1.07
1951-1960 ¹	787	0.27	190	0.06	1.62	1.28
1961-1970 ¹	304	0.11	34	0.01	2.27	1.35
1971-1980 ¹	120	0.04	55	0.02	2.49	1.60
1981-1990 ¹	64	0.02	33	0.01	2.09	1.49
1987	67	0.02	29	0.01	2.19	1.90
1988	44	0.01	28	0.01	1.75	1.55
1989	49	0.01	30	0.01	1.04	1.14
1990	45	0.01	23	0.01	1.81	0.64
1991	43	0.01	21	0.01	1.87	2.50
1992	36	0.01	20	0.01	3.50	1.00
1993	46	0.01	28	0.01	1.42	1.15
1994	34	0.01	18	0.01	1.83	1.00
1995	33	0.01	11	0.00	1.20	1.75
1996	31	0.01	11	0.00	1.82	0.57

¹ Average annual number of deaths and death rates for decennial periods from 1941-1990.

Cancer

Table XXIII shows the death rate from cancer in certain age groups in the years 1981 to 1996.

Table XXIII Age-sex specific death rates from cancer (Nos. 140–208) per 100,000 corresponding population, 1981–1996.

Year	Age Group (years)							Total
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	
Males								
1981	7	13	44	169	491	1,123	2,008	199
1982	6	17	36	161	501	1,138	1,973	196
1983	6	12	39	178	526	1,125	2,049	200
1984	7	12	37	169	528	1,139	2,142	203
1985	5	14	38	164	553	1,187	2,143	210
1986	8	15	38	162	531	1,205	2,230	214
1987	4	13	35	158	506	1,173	2,397	214
1988	5	14	40	151	509	1,266	2,270	220
1989	5	14	40	144	502	1,203	2,328	221
1990	5	10	40	140	499	1,182	2,360	221
1991	4	11	33	146	514	1,201	2,335	223
1992	4	14	41	152	468	1,282	2,445	231
1993	5	15	35	143	491	1,238	2,585	234
1994	5	12	30	131	513	1,212	2,329	223
1995	4	9	32	152	459	1,208	2,529	229
1996	6	12	34	129	457	1,189	2,364	221
Females								
1981	4	12	51	189	385	675	1,184	162
1982	6	18	59	209	393	682	1,194	167
1983	5	14	51	187	417	684	1,281	169
1984	5	19	63	192	399	722	1,331	175
1985	4	13	58	174	414	688	1,204	168
1986	4	14	50	194	421	704	1,292	175
1987	5	13	56	170	403	712	1,372	179
1988	5	13	62	176	425	726	1,360	185
1989	4	12	57	180	418	780	1,479	197
1990	4	14	49	176	396	713	1,358	185
1991	4	15	61	176	396	724	1,366	189
1992	2	13	60	173	382	764	1,424	194
1993	3	12	56	165	362	697	1,488	191
1994	3	12	51	166	386	758	1,368	191
1995	3	12	48	160	351	771	1,357	189
1996	2	11	49	149	337	740	1,381	186

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 34 years but between the ages 35 and 54 years the female rates were generally greater than those for males. In 1996 the male death rate for all ages was 19% above that for females.

Comparability with data compiled pre-1950:

Prior to 1950 under the Fifth Revision of the International List of Causes of Death, cancer deaths were those classified under codes 045 – 055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140 – 205 (Nos. 140 – 208 in the Ninth Revision) of the International Statistical classification which now includes Hodgkin's disease and leukaemia. Thus, for comparability with the years prior to 1950 the total cancer figure less Hodgkin's disease and leukaemia should also be shown. In 1996 there were 7,389 deaths from cancer (Nos. 140 to 208). Of this number 24 deaths were caused by Hodgkin's disease and 209 by leukaemia and aleukaemia.

Table XXIV Deaths from cancer (nos. 140–208) per 1,000 population in Ireland* and neighbouring countries, 1981–1996.

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1981	1.81	1.86	2.62	2.71
1982	1.82	1.99	2.63	2.72
1983	1.85	2.03	2.68	2.76
1984	1.89	2.12	2.78	2.78
1985	1.89	2.07	2.80	2.81
1986	1.95	2.06	2.78	2.84
1987	1.96	2.14	2.80	2.87
1988	2.03	2.12	2.85	2.89
1989	2.09	2.21	2.84	2.93
1990	2.03	2.20	2.80	2.93
1991	2.06	2.18	2.81	2.98
1992	2.12	2.20	2.80	3.00
1993	2.12	2.22	2.70	3.00
1994	2.07	2.19	2.70	3.00
1995	2.09	2.12	2.70	3.00
1996	2.04	2.18	2.64	2.96

*Exclusive of Northern Ireland

In the period under review the crude rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland.

The death rates from cancer in 1996 in counties and county boroughs are compared in Table XXV. Standardised rates, which reduces the effect of different age distributions in the different areas, are also shown. The crude death rate from cancer in 1996 varied from 3.14 per 1,000 population in Cork County Borough to 1.04 in Fingal. When comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west, standardisation generally had the effect of lowering the death rates considerably. The standardised rates varied from 3.04 per 1,000 population in Cork County Borough to 1.69 in Clare. Again, throughout the remainder of this report, only crude death rates will be reported.

Full details of deaths due to cancer occurring in 1996, classified by site of the disease and age group are contained in Table 19. The number of deaths and death rates from cancer per 100,000 in each group for the main groups of sites are shown in Table XXVI, which shows that there is, in general, a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly one third of the total cancer deaths for both males and females, the death rate for males being 27% higher than that for females. The death rate from malignant neoplasms of the respiratory system for males was double that for females.

Table XXV Crude and standardised death rates from cancer (ICD-9 nos. 140-208) in each province, county and county borough in 1996

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
	All	All
Total	2.04	2.04
Leinster	1.86	2.03
Carlow	2.04	2.14
Dublin County Borough	2.50	2.27
South Dublin	1.06	1.97
Fingal	1.04	1.71
Dun Laoghaire Rathdown	2.05	2.01
Kildare	1.84	2.71
Kilkenny	1.82	1.72
Laois	1.96	1.89
Longford	2.02	1.73
Louth	1.82	1.90
Meath	1.51	1.70
Offaly	1.79	1.76
Westmeath	1.77	1.75
Wexford	2.20	2.17
Wicklow	1.57	1.71
Munster	2.15	2.05
Clare	1.82	1.69
Cork County Borough	3.14	3.04
Cork County	1.92	1.91
Kerry	2.08	1.75
Limerick County Borough	2.63	2.64
Limerick County	1.70	1.77
Tipperary North Riding	2.41	2.16
Tipperary South Riding	2.16	1.98
Waterford County Borough	1.86	2.01
Waterford County	2.15	1.96
Connacht	2.37	1.98
Galway County Borough	1.52	1.90
Galway County	2.23	1.91
Leitrim	3.11	2.23
Mayo	2.78	2.11
Roscommon	2.56	1.87
Sligo	2.24	1.88
Ulster (part of)	2.41	2.10
Cavan	2.66	2.17
Donegal	2.38	2.08
Monaghan	2.22	2.07

Table XXVI Mortality in 1996 from Malignant Neoplasms, classified by site, sex, and age, with corresponding rates per 100,000 population

Site	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	-	-	4	18	18	30	35	105	1	-	2	2	4	11	17	37
Digestive organs and peritoneum	150-159	-	7	23	93	236	434	492	1,285	2	4	17	49	120	274	564	1,030
Respiratory system	160-165	2	1	9	59	198	404	360	1,033	-	2	10	34	66	188	224	524
Bone, connective tissue, skin and breast	170-175	8	-	8	11	16	13	31	87	2	4	36	109	152	168	228	699
Genito-urinary organs	179-189	1	6	5	28	56	215	426	737	2	6	36	52	77	133	168	474
Other and unspecified sites	190-199	12	9	17	37	83	125	128	411	5	8	13	34	42	116	176	394
Lymphatic and haematopoietic tissues	200-208	20	7	17	23	62	91	109	329	4	5	9	23	28	65	110	244
TOTAL		43	30	83	269	669	1,312	1,581	3,987	16	29	123	303	489	955	1,487	3,402

Rates per 100,000 corresponding population

Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	0.0	0.0	1.6	8.6	12.3	27.2	52.3	5.8	0.1	0.0	0.8	1.0	2.8	8.5	15.8	2.0
Digestive organs and peritoneum	150-159	0.0	2.7	9.3	44.6	161.1	393.1	735.4	71.4	0.3	1.5	6.8	24.1	82.8	212.4	523.7	56.4
Respiratory system	160-165	0.3	0.4	3.7	28.3	135.2	365.9	538.1	57.4	0.0	0.8	4.0	16.7	45.5	145.7	208.0	28.7
Bone, connective tissue, skin and breast	170-175	1.0	0.0	3.2	5.3	10.9	11.8	46.3	4.8	0.3	1.5	14.4	53.6	104.8	130.2	211.7	38.3
Genito-urinary organs	179-189	0.1	2.3	2.0	13.4	38.2	194.7	636.8	40.9	0.3	2.3	14.4	25.6	53.1	103.1	156.0	26.0
Other and unspecified sites	190-199	1.6	3.5	6.9	17.7	56.7	113.2	191.3	22.8	0.7	3.0	5.2	16.7	29.0	89.9	163.4	21.6
Lymphatic and haematopoietic tissues	200-208	2.6	2.7	6.9	11.0	42.3	82.4	162.9	18.3	0.5	1.9	3.6	11.3	19.3	50.4	102.1	13.4
TOTAL		5.6	11.7	33.7	129.0	456.7	1,188.4	2,363.2	221.5	2.2	11.0	49.2	149.0	337.2	740.3	1,380.7	186.3

Cancer of the bronchus, trachea and lung

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1981 to 1996, classified by sex and age group, are shown in Table XXVII.

Table XXVII Deaths and death rates per 100,000 corresponding population in each year 1981 to 1996 from cancer of the bronchus, trachea and lung, classified by sex and age group

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1981	1	15	76	263	691	1,046	2	10	26	100	240	378
1982	1	13	76	240	624	954	4	6	36	104	228	378
1983	3	14	91	275	663	1,046	-	5	34	104	295	438
1984	3	15	89	266	723	1,096	1	8	37	105	294	445
1985	2	9	78	262	761	1,112	4	3	26	105	292	430
1986	1	5	77	254	778	1,115	1	6	29	104	303	443
1987	1	10	72	218	714	1,015	3	2	30	91	293	419
1988	1	12	75	243	729	1,060	1	4	29	120	332	486
1989	3	18	48	219	766	1,054	1	6	25	102	406	540
1990	1	15	63	212	753	1,044	1	6	35	106	337	485
1991	-	14	62	198	738	1,012	-	6	27	88	339	460
1992	-	12	61	195	780	1,048	2	7	28	77	397	511
1993	3	9	62	215	808	1,097	2	6	35	78	390	511
1994	1	15	66	240	709	1,031	1	7	34	91	386	519
1995	1	10	71	196	757	1,035	-	10	36	76	417	539
1996	2	8	53	180	718	961	2	10	33	63	400	508
Death rates per 100,000 corresponding population												
1981	0.1	8.1	49.6	186.2	418.3	60.5	0.2	5.7	17.5	67.7	117.8	22.1
1982	0.1	6.8	49.1	170.1	374.3	54.6	0.4	3.3	24.0	70.4	110.1	21.8
1983	0.3	7.1	58.3	195.6	395.6	59.6	-	2.6	22.6	70.6	140.7	25.1
1984	0.3	7.4	56.6	189.7	429.6	62.0	0.1	4.1	24.4	71.5	138.4	25.3
1985	0.2	4.3	49.4	188.2	451.4	62.8	0.4	1.5	17.2	72.0	136.3	24.3
1986	0.1	2.3	48.8	184.4	461.1	63.0	0.1	2.9	19.2	72.0	140.5	25.0
1987	0.1	4.5	45.1	159.8	420.7	57.3	0.3	0.9	19.6	63.7	134.1	23.6
1988	0.1	5.3	46.3	178.4	425.1	60.3	0.1	1.8	18.6	84.6	149.7	27.4
1989	0.3	7.9	29.2	161.1	443.5	60.4	0.1	2.7	15.7	72.4	180.5	30.6
1990	0.1	6.5	37.3	155.9	434.5	59.9	0.1	2.6	21.4	75.8	148.7	27.5
1991	-	6.0	35.4	144.2	424.6	57.7	-	2.6	16.0	62.9	148.0	26.0
1992	-	5.1	33.5	140.3	446.8	59.3	0.2	3.0	16.0	54.8	171.7	28.6
1993	0.3	3.8	32.7	153.0	461.5	61.7	0.2	2.5	19.1	55.3	167.5	28.5
1994	0.1	6.2	33.6	168.7	404.7	57.8	0.1	2.9	17.9	63.9	165.3	28.8
1995	0.1	4.1	35.1	136.0	429.9	57.9	-	4.1	18.3	52.8	177.2	29.7
1996	0.2	3.2	25.4	122.9	405.1	53.4	0.2	4.0	16.2	43.4	169.0	27.8

About twice as many men as women die from cancer of the bronchus, trachea and lung. However, the death rates for females aged 65 and over have increased since 1981.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1981 to 1996.

Table XXVIII Deaths and death rates in Ireland* and neighbouring countries from cancer of the bronchus, trachea and lung in each year 1981 to 1996

Year	Ireland*	Northern Ireland	England and Wales	Scotland
Number of Deaths				
1981	1,424	691	34,727	4,114
1982	1,332	690	34,832	4,116
1983	1,484	691	35,572	4,178
1984	1,541	788	35,739	4,225
1985	1,542	757	35,792	4,307
1986	1,558	733	35,257	4,054
1987	1,434	759	35,138	4,290
1988	1,546	777	35,302	4,144
1989	1,594	827	33,184	4,234
1990	1,529	768	33,159	4,123
1991	1,472	788	34,190	4,209
1992	1,559	771	33,662	4,308
1993	1,608	812	32,614	4,299
1994	1,550	768	32,143	4,237
1995	1,574	752	31,627	4,221
1996	1,469	816	30,810	4,126
Rates per 100,000 population				
1981	41	44	70	80
1982	38	44	70	80
1983	42	44	72	81
1984	44	51	72	82
1985	44	49	72	81
1986	44	47	70	81
1987	40	48	70	84
1988	44	49	70	81
1989	45	52	66	83
1990	44	48	65	81
1991	42	49	67	84
1992	44	48	66	84
1993	45	50	63	84
1994	43	47	62	83
1995	44	46	61	82
1996	41	49	59	80

*Exclusive of Northern Ireland.

Diseases of the circulatory system

There were 13,897 deaths ascribed to diseases of the circulatory system (Nos. 390–459) in 1996, of which 7,188 were deaths of males and 6,709 of females. Details of these deaths, classified by cause and age may be obtained from Table 19 of this report while the numbers assigned to each county and county borough are shown in Table 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths is largely reflected in the number of deaths from ischaemic heart disease (4,401 males compared with 3,200 females), the majority of which were due to acute myocardial infarction (2,986 males compared with 2,081 females). The converse is true for cerebrovascular disease (1,703 females compared with 1,198 males). In respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

Table XXIX Deaths from Diseases of the Circulatory System in 1996 classified by sex, and age, with corresponding death rates per 100,000 population

Cause of Death	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Acute rheumatic fever	390-392	-	-	-	-	-	1	1	2	-	-	-	1	-	7	2	10
Chronic rheumatic heart disease	393-398	-	-	1	-	3	3	2	9	-	-	1	4	3	9	16	33
Hypertensive disease	401-405	-	1	2	4	10	30	46	93	-	-	-	3	3	17	86	109
Ischaemic heart disease	410-414	-	6	64	261	639	1,319	2,112	4,401	-	-	9	35	160	631	2,365	3,200
Diseases of pulmonary circulation	415-417	1	-	-	-	3	13	12	29	-	1	1	2	3	10	20	37
Other forms of heart disease	420-429	11	9	14	36	86	207	643	1,006	6	4	6	10	49	146	925	1,146
Cerebrovascular disease	430-438	3	4	14	42	82	281	772	1,198	5	4	14	28	73	239	1,340	1,703
Diseases of arteries, arterioles and capillaries	440-448	-	1	3	6	37	115	218	380	1	3	5	6	8	73	265	361
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	-	3	1	6	15	19	26	70	-	1	1	2	9	31	66	110
Total diseases of circulatory system		15	24	99	355	875	1,988	3,832	7,188	12	13	37	91	308	1,163	5,085	6,709

Rates per 100,000 population

Acute rheumatic fever	390-392	0.0	0.0	0.0	0.0	0.0	0.9	1.5	0.1	0.0	0.0	0.0	0.5	0.0	5.4	1.9	0.5
Chronic rheumatic heart disease	393-398	0.0	0.0	0.4	0.0	2.0	2.7	3.0	0.5	0.0	0.0	0.4	2.0	2.1	7.0	14.9	1.8
Hypertensive disease	401-405	0.0	0.4	0.8	1.9	6.8	27.2	68.8	5.2	0.0	0.0	0.0	1.5	2.1	13.2	79.9	6.0
Ischaemic heart disease	410-414	0.0	2.3	26.0	125.1	436.2	1,194.7	3,157.0	244.5	0.0	0.0	3.6	17.2	110.3	489.1	2,195.9	175.3
Diseases of pulmonary circulation	415-417	0.1	0.0	0.0	0.0	2.0	11.8	17.9	1.6	0.0	0.4	0.4	1.0	2.1	7.8	18.6	2.0
Other forms of heart disease	420-429	1.4	3.5	5.7	17.3	58.7	187.5	961.1	55.9	0.8	1.5	2.4	4.9	33.8	113.2	858.9	62.8
Cerebrovascular disease	430-438	0.4	1.6	5.7	20.1	56.0	254.5	1,154.0	66.5	0.7	1.5	5.6	13.8	50.3	185.3	1,244.2	93.3
Diseases of arteries, arterioles and capillaries	440-448	0.0	0.4	1.2	2.9	25.3	104.2	325.9	21.1	0.1	1.1	2.0	2.9	5.5	56.6	246.1	19.8
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	0.0	1.2	0.4	2.9	10.2	17.2	38.9	3.9	0.0	0.4	0.4	1.0	6.2	24.0	61.3	6.0
Total diseases of circulatory system		2.0	9.3	40.2	170.2	597.3	1,800.7	5,728.0	399.3	1.6	4.9	14.8	44.7	212.4	901.6	4,721.4	367.4

Respiratory Diseases

Deaths from respiratory diseases (Nos. 460–519 in the International List) in 1996 numbered 4,717. These included 2,237 deaths from pneumonia, 217 from bronchitis, 17 from influenza and 2,246 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

There were 3 maternal deaths in 1996 compared with none in 1995.

Table XXX shows the maternal deaths in 1996 classified by age of mother and cause.

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1981 – 1996.

Table XXX Maternal deaths in 1996 classified by age of mother and principal cause

Cause of death	Age group							
	All ages	15-19	20-24	25-29	30-34	35-39	40-44	45 years & older
Postpartum haemorrhage	1	-	-	-	-	1	-	-
Various complications in pregnancy and the puerperium	1	-	-	1	-	-	-	-
Obstetrical pulmonary embolism	1	-	-	1	-	-	-	-
Total	3	-	-	2	-	1	-	-

Table XXXI Maternal deaths per 100,000 total live and still births in Ireland¹ and neighbouring countries; 1981 – 1996

Year	Numbers of deaths	Death per 100,000 live and still births			
		Ireland ¹	Northern Ireland	England and Wales	Scotland
1981	3	4	4	9	19
1982	4	6	7	7	9
1983	8	12	15	9	12
1984	4	6	11	8	12
1985	4	6	-	7	13
1986	3	5	-	7	11
1987	2	3	4	7	3
1988	1	2	7	6	12
1989	2	4	-	8	6
1990	2	4	-	1	6
1991	3	6	1	1	9
1992	2	4	-	6	11
1993	-	-	-	4	11
1994	1	2	-	7	15
1995	-	-	-	7	10
1996	3	6	4	6	10

¹ Exclusive of Northern Ireland.

* One maternal death which occurred in 1993 was registered in 1995

Stillbirths and Infant Mortality

The terms used in relation to stillbirths and infant mortality are defined as follows:

Stillbirth: Stillbirth weighing 500 grams or more or at gestational age of 24 weeks or more. This definition applies to stillbirth figures from 1995 onwards.

Late foetal death: Foetal death at or over 28 weeks gestation. This definition was applied up to 1994 inclusive.

Early neonatal death: Death at ages under 1 week of live born infant.

Perinatal deaths: Stillbirths or late foetal deaths plus early neonatal deaths.

Late neonatal death: Death between the ages of 1 week and 4 weeks of live born infant.

Neonatal death: Death at ages under 4 weeks of live born infant.

Post neonatal death: Death between the ages of 4 weeks and 1 year of live born infant.

Infant death: Death at ages under 1 year of live born infant.

Stillbirth rate: Stillbirths divided by total live births plus stillbirths, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Early neonatal mortality rate: Early neonatal deaths divided by total live births, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus stillbirths, multiplied by 1,000.

Late neonatal mortality rate: Late neonatal deaths divided by total live births, multiplied by 1,000.

Neonatal mortality rate: Neonatal deaths divided by total live births, multiplied by 1,000.

Post neonatal mortality rate: Post neonatal deaths divided by total live births, multiplied by 1,000.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since 1863, particulars of late foetal mortality have been obtained through a scheme of notification to the Directors of Community Care. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently, the number of late foetal deaths in the early years of the scheme is believed to be understated.

In 1995 stillbirths were registered in Ireland for the first time under the Stillbirths Registration Act, 1994. The definition of a stillbirth under the Act is broader than the definition used for late foetal deaths in previous Vital Statistics Reports (see above). This report contains tables in relation to 334 stillbirths which occurred in 1996, including one stillbirth for which a statistical return was received but which had not been registered. This compares with 330 stillbirths in 1995. Care should be taken in comparing statistics on stillbirths and late foetal deaths in consideration of the changes between the notification and registration systems.

Table XXXIV shows that the highest county rate for infant mortality was in Leitrim and the lowest in Mayo. The rate for perinatal mortality was highest in Fingal and lowest in Waterford County while for stillbirths the highest rate was in Laois and lowest in Waterford County.

Table XXXII Live births, stillbirths and infant mortality, 1957 to 1996

Year	Live births	Population	Stillbirths ⁴	Perinatal deaths	Neonatal deaths			Post	Infant deaths
					Early	Late	Total		
Both sexes									
1957-60 ¹	60419	2854	1321	2316	995	321	1316	644	1960
1961-70 ²	62417	2881	1060	1890	830	206	1036	514	1550
1971-80 ²	69439	3196	780	1398	618	113	731	369	1100
1981-90 ²	61628	3513	475	758	283	58	341	228	569
1987	58433	3546	416	610	194	58	252	212	464
1988	54600	3531	386	624	238	53	291	193	484
1989	52018	3510	330	542	212	37	249	174	423
1990	53044	3506	327	543	216	39	255	179	434
1991	52718	3525	301	502	201	63	264	137	401
1992	51089	3554	285	476	191	28	219	112	331
1993	49304	3574	291	450	159	39	198	104	302
1994	48255	3586	297	451	154	39	193	84	277
1995	48787	3601	330 (257)	520 (447)	190	42	232	79	311
1996	50655	3626	334 (262)	509 (437)	175	34	209	94	303
Males									
1957-60 ¹	30915	1439	-	-	579	188	767	372	1139
1961-70 ²	32053	1448	475 ³	891 ³	470	118	588	291	879
1971-80 ²	35715	1606	380	740	360	63	423	205	629
1981-90 ²	31747	1756	246	407	161	32	193	129	322
1987	29931	1770	231	342	111	29	140	131	271
1988	28083	1759	212	342	130	29	159	111	270
1989	26754	1744	187	308	121	25	146	103	249
1990	27559	1743	180	302	122	23	145	104	249
1991	27122	1753	158	270	112	34	146	87	233
1992	26307	1768	161	270	109	16	125	71	196
1993	25359	1778	146	230	84	21	105	64	169
1994	24957	1783	153	244	91	19	110	51	161
1995	25153	1788	168 (131)	282 (245)	114	16	130	44	174
1996	26350	1800	169 (133)	268 (232)	99	19	118	51	169
Females									
1957-60 ¹	29504	1415	-	-	416	133	549	272	821
1961-70 ²	30364	1433	471 ³	800 ³	360	88	448	223	671
1971-80 ²	33724	1590	400	658	258	50	308	164	472
1981-90 ²	29882	1758	229	351	122	26	148	99	247
1987	28502	1776	185	268	83	29	112	81	193
1988	26517	1772	174	282	108	24	132	82	214
1989	25264	1766	143	234	91	12	103	71	174
1990	25485	1763	147	241	94	16	110	75	185
1991	25596	1772	143	232	89	29	118	50	168
1992	24782	1786	124	206	82	12	94	41	135
1993	23945	1796	145	220	75	18	93	40	133
1994	23298	1803	144	207	63	20	83	33	116
1995	23634	1813	162 (126)	238 (202)	76	26	102	35	137
1996	24305	1826	165 (129)	241 (205)	76	15	91	43	134

1 4 year average

2 Decennial average

3 5 year average, 1966-1970

4 Figures on stillbirths up to 1994 inclusive refer to the definition of late foetal deaths at or over 28 weeks gestation. From 1995 the figures relate to the new broader definition of stillbirths at or over 500g or at a gestational age of 24 weeks or more. For comparison purposes, figures according to the old definition are given in brackets from 1995 onwards.

Table XXXIII Live birth, stillbirth and infant mortality rates, 1957 to 1996

Year	Live births	Stillbirths ⁴	Perinatal deaths	Neonatal deaths			Post	Infant deaths
				Early	Late	Total		
Both sexes								
1957-60 ¹	21.2	21.4	37.5	16.5	5.3	21.8	10.7	32.4
1961-70 ²	21.7	16.7	29.8	13.3	3.3	16.6	8.2	24.8
1971-80 ²	21.7	11.1	19.9	8.9	1.6	10.5	5.3	15.8
1981-90 ²	17.5	7.6	12.2	4.6	0.9	5.5	3.7	9.2
1987	16.5	7.1	10.4	3.3	1.0	4.3	3.6	7.9
1988	15.5	7.0	11.3	4.4	1.0	5.3	3.5	8.9
1989	14.8	6.3	10.4	4.1	0.7	4.8	3.3	8.1
1990	15.1	6.1	10.2	4.1	0.7	4.8	3.4	8.2
1991	15.0	5.7	9.5	3.8	1.2	5.0	2.6	7.6
1992	14.4	5.5	9.3	3.7	0.5	4.3	2.2	6.5
1993	13.8	5.9	9.1	3.2	0.8	4.0	2.1	6.1
1994	13.5	6.1	9.3	3.2	0.8	4.0	1.7	5.7
1995	13.5	6.7 (5.2)	10.6 (9.1)	3.9	0.9	4.8	1.6	6.4
1996	14.0	6.6 (5.1)	10.0 (8.6)	3.5	0.7	4.1	1.9	6.0
Males								
1957-60 ¹	21.5	-	-	18.7	6.1	24.8	12.0	36.8
1961-70 ²	22.1	14.6 ³	27.4 ³	14.7	3.6	18.3	9.1	27.4
1971-80 ²	22.2	10.5	20.5	10.1	1.8	11.9	5.7	17.6
1981-90 ²	18.1	7.7	12.7	5.1	1.0	6.1	4.1	10.1
1987	16.9	7.7	11.3	3.7	1.0	4.7	4.4	9.1
1988	16.0	7.5	12.1	4.6	1.0	5.7	4.0	9.6
1989	15.3	6.9	11.4	4.5	0.9	5.5	3.8	9.3
1990	15.8	6.5	10.9	4.4	0.8	5.3	3.8	9.0
1991	15.5	5.8	9.9	4.1	1.3	5.4	3.2	8.6
1992	14.9	6.1	10.2	4.1	0.6	4.8	2.7	7.5
1993	14.3	5.7	9.0	3.3	0.8	4.1	2.5	6.7
1994	14.0	6.1	9.7	3.6	0.8	4.4	2.0	6.5
1995	14.1	6.6 (5.2)	11.1 (9.7)	4.5	0.6	5.2	1.7	6.9
1996	14.6	6.4 (5.0)	10.1 (8.8)	3.8	0.7	4.5	1.9	6.4
Females								
1957-60 ¹	20.9	-	-	14.1	4.5	18.6	9.2	27.8
1961-70 ²	21.2	15.3 ³	26.0 ³	11.9	2.9	14.8	7.3	22.1
1971-80 ²	21.2	11.7	19.3	7.7	1.4	9.1	4.9	14.0
1981-90 ²	17.0	7.6	11.6	4.1	0.9	5.0	3.3	8.3
1987	16.0	6.4	9.3	2.9	1.0	3.9	2.8	6.8
1988	15.0	6.5	10.6	4.1	0.9	5.0	3.1	8.1
1989	14.3	5.6	9.2	3.6	0.5	4.1	2.8	6.9
1990	14.5	5.7	9.4	3.7	0.6	4.3	2.9	7.3
1991	14.4	5.6	9.0	3.5	1.1	4.6	2.0	6.6
1992	13.9	5.0	8.3	3.3	0.5	3.8	1.7	5.4
1993	13.3	6.0	9.1	3.1	0.8	3.9	1.7	5.6
1994	12.9	6.1	8.8	2.7	0.9	3.6	1.4	5.0
1995	13.0	6.8 (5.3)	10.0 (8.5)	3.2	1.1	4.3	1.5	5.8
1996	13.3	6.7 (5.3)	9.8 (8.4)	3.1	0.6	3.7	1.8	5.5

1 4 year average

2 Decennial average

3 5 year average, 1966-1970









4 Figures on stillbirths up to 1994 inclusive refer to the definition of late foetal deaths at or over 28 weeks gestation. From 1995 the figures relate to the new broader definition of stillbirths at or over 500g or at a gestational age of 24 weeks or more. For comparison purposes, figures according to the old definition are given in brackets from 1995 onwards.

Table XXXIV Stillbirths and Infant mortality* 1996

Area	Infant Mortality		Neonatal Mortality		Stillbirths		Perinatal Mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	303	6.0	209	4.1	334	6.6	509	10.0
LEINSTER	184	6.6	133	4.8	189	6.7	303	10.8
Carlow	5	8.2	4	6.6	5	8.1	9	14.6
Dublin County Borough	41	6.5	29	4.6	37	5.9	59	9.3
South Dublin	24	6.3	14	3.7	24	6.3	35	9.2
Fingal	21	7.8	16	5.9	28	10.3	44	16.1
Dun Laoghaire Rathdown	22	8.2	17	6.3	15	5.6	30	11.1
Kildare	20	9.0	16	7.2	12	5.4	26	11.7
Kilkenny	5	5.3	3	3.2	4	4.3	6	6.4
Laois	2	2.9	1	1.4	9	12.7	10	14.1
Longford	2	5.0	2	5.0	1	2.5	3	7.4
Louth	11	8.5	7	5.4	9	6.9	15	11.5
Meath	8	5.3	6	4.0	7	4.6	13	8.6
Offaly	4	4.8	3	3.6	4	4.8	6	7.2
Westmeath	7	7.4	5	5.3	9	9.4	13	13.6
Wexford	6	4.0	5	3.3	11	7.2	15	9.8
Wicklow	6	3.9	5	3.3	14	9.1	19	12.4
MUNSTER	79	5.6	56	4.0	90	6.3	137	9.6
Clare	7	5.7	6	4.9	9	7.3	15	12.2
Cork County Borough	20	11.4	14	8.0	13	7.4	25	14.1
Cork County	17	4.2	11	2.7	33	8.1	41	10.1
Kerry	6	3.9	5	3.3	14	9.0	18	11.6
Limerick County Borough	5	5.3	4	4.2	3	3.2	7	7.4
Limerick County	9	6.0	7	4.6	6	4.0	11	7.2
Tipperary N.R.	6	7.4	3	3.7	2	2.5	5	6.1
Tipperary S.R.	4	4.0	2	2.0	9	8.9	11	10.8
Waterford County Borough	2	3.2	2	3.2	-	-	2	3.2
Waterford County	3	4.1	2	2.7	1	1.4	2	2.7
CONNACHT	21	3.8	10	1.8	41	7.5	47	8.5
Galway County Borough	4	5.6	2	2.8	7	9.6	8	11.0
Galway County	5	2.8	3	1.7	13	7.2	15	8.3
Leitrim	5	17.9	2	7.2	1	3.6	2	7.1
Mayo	3	2.1	1	0.7	11	7.8	12	8.5
Roscommon	2	3.7	1	1.9	4	7.4	5	9.3
Sligo	2	2.8	1	1.4	5	6.8	5	6.8
ULSTER (part of)	19	6.1	10	3.2	14	4.5	22	7.1
Cavan	4	5.8	2	2.9	2	2.9	4	5.7
Donegal	11	6.3	7	4.0	9	5.1	15	8.5
Monaghan	4	6.1	1	1.5	3	4.6	3	4.6

* For definition see page 39

The stillbirth and infant mortality rates in some areas based on small numbers are subject to considerable fluctuation and caution should be exercised in their interpretation.



Infant mortality

During the year 1996 there were 303 deaths of infants under one year, compared to 311 in 1995. The infant mortality rate, which had increased to 6.4 per 1,000 births in 1995, fell to 6.0 in 1996.

Table XXXV Infant mortality by age, 1941 to 1996

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50 ¹	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60 ¹	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961-70 ¹	7.1	6.2	1.4	1.1	0.8	16.6	2.1	1.5	2.7	2.0	8.2	24.9
1971-80 ¹	5.1	3.8	0.9	0.4	0.4	10.6	1.2	1.0	1.8	1.4	5.3	15.9
1981-90 ¹	2.8	1.8	0.5	0.2	0.3	5.5	0.7	0.7	1.3	0.9	3.7	9.1
1987	1.9	1.5	0.5	0.3	0.2	4.3	0.8	0.8	1.5	0.7	3.6	7.9
1988	2.6	1.7	0.5	0.3	0.2	5.3	0.7	0.6	1.2	1.0	3.5	8.9
1989	2.4	1.6	0.3	0.2	0.2	4.8	0.4	0.8	1.2	0.9	3.3	8.1
1990	2.6	1.5	0.4	0.1	0.3	4.8	0.7	0.5	1.3	0.8	3.4	8.2
1991	2.4	1.4	0.7	0.2	0.3	5.0	0.6	0.3	1.1	0.6	2.6	7.6
1992	2.2	1.5	0.3	0.1	0.2	4.3	0.4	0.3	0.8	0.7	2.2	6.5
1993	2.3	1.0	0.4	0.2	0.2	4.0	0.6	0.3	0.6	0.6	2.1	6.1
1994	2.0	1.2	0.3	0.3	0.2	4.0	0.5	0.3	0.6	0.4	1.7	5.7
1995	2.1	1.8	0.5	0.2	0.1	4.8	0.5	0.2	0.6	0.4	1.6	6.4
1996	2.2	1.2	0.4	0.2	0.1	4.1	0.5	0.2	0.5	0.6	1.9	6.0

¹Decennial average.

Table XXXVI Infant mortality rates in Ireland* and neighbouring countries, 1941 to 1996

Year	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50 ¹	66	60	43	57
1951-60 ¹	37	32	25	30
1961-70 ¹	25	25	19	23
1971-80 ¹	16	19	15	16
1981-90 ¹	9	10	9	9
1987	8	9	9	8
1988	9	9	9	8
1989	8	7	8	7
1990	8	8	8	8
1991	8	7	7	7
1992	6	6	7	7
1993	6	7	6	6
1994	6	6	6	6
1995	6	7	6	6
1996	6	6	6	6

¹Decennial average

* Exclusive of Northern Ireland

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in Table 19. In Table 25 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXVII.

The relative importance of the various groups of causes differs appreciably between deaths of infants aged under one week and deaths at ages 4 weeks to 1 year. Of all deaths at ages under one week, 43% were due to congenital anomalies; 18% to immaturity and birth injuries and 8% to anoxic and hypoxic conditions not elsewhere classified.

On the other hand, the most common cause of death for infants aged 4 weeks to 1 year was sudden death (32%) followed by congenital anomalies (19%).

Table XXXVII Stillbirths and deaths of infants under 1 year occurring in 1996 classified by cause and age

ICD-9 Codes	Cause of Death	Stillbirths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	-	-	-	-
Rem (001-139)	Other infective and parasitic diseases	-	1	1	-	4	6
320-322	Meningitis	-	-	-	1	2	3
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	1	-	-	5	6
520-579	Diseases of the digestive system	-	-	-	1	2	3
740-759	Congenital anomalies	33	48	28	13	18	107
736,767	Birth injuries	-	-	1	-	1	2
765.1	Immaturity unqualified	2	22	8	9	4	43
768-769, 770.1, 770.7	Anoxic and hypoxic conditions N.E.C.	25	8	6	3	6	23
773, 774	Haemolytic disease of newborn	-	1	-	-	-	1
779	Other and ill-defined conditions originating in the perinatal period	105	2	1	-	1	4
798	Sudden death, cause unknown	-	-	-	2	30	32
Rem (001-999)	Other causes	169	29	18	5	21	73
	TOTAL	334	112	63	34	94	303

Deaths classified as being due to ill-defined conditions originating in the perinatal period accounted for 31% of the stillbirths. Deaths due to congenital anomalies were next at 10% and deaths due to anoxic and hypoxic conditions not elsewhere classified at 7%.

As can be seen from Table XXXVIII 315 stillbirths in 1996 occurred in hospitals; this is equivalent to 94% of the total number of stillbirths.

Table XXXVIII Stillbirths in the year 1996 classified by period of gestation and place in which confinement occurred

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
Under 24 weeks	13	1	-	14
24-27 weeks	56	2	-	58
28-36 Weeks	121	8	3	132
37 Weeks and over	125	5	-	130
Not stated	-	-	-	-
TOTAL	315	16	3	334

The perinatal mortality and stillbirth rates in Ireland and neighbouring countries from 1980 to 1996 are compared in Table XXXIX.

Table XXXIX Comparable⁽²⁾ stillbirth and perinatal mortality rates in Ireland¹ and neighbouring countries, 1980-1996

Year	Stillbirth rate				Perinatal mortality rate			
	Ireland	Northern Ireland	England and Wales	Scotland	Ireland	Northern Ireland	England and Wales	Scotland
1980	9.1	9.2	7.2	6.7	14.8	15.6	13.3	13.1
1981	8.2	8.7	6.6	6.3	13.4	15.3	11.8	11.6
1982	8.0	6.9	6.3	5.8	13.5	13.3	11.3	11.5
1983	8.6	7.4	5.7	5.8	13.7	13.1	10.4	10.6
1984	8.4	5.9	5.7	5.8	13.7	10.8	10.1	11.0
1985	8.2	6.4	5.5	5.5	12.3	11.1	9.8	9.8
1986	7.8	4.4	5.3	5.8	11.9	9.5	9.6	10.2
1987	7.1	6.1	5.0	5.1	10.4	9.8	8.9	8.9
1988	7.0	5.0	4.9	5.4	11.3	9.3	8.7	8.9
1989	6.3	5.1	4.7	5.0	10.3	8.2	8.3	8.7
1990	6.1	4.4	4.6	5.3	10.2	7.6	8.1	8.7
1991	5.7	4.7	4.6	5.5	9.5	8.4	8.0	8.6
1992	5.5	4.7	4.3	4.9	9.3	8.0	7.6	8.5
1993	5.9	4.1	4.4	4.8	9.1	7.7	7.6	8.0
1994	6.1	5.2	4.4	4.5	9.3	8.6	7.6	7.4
1995 ²	5.2 (6.5)	4.6 (6.1)	4.2 (5.5)	4.9 (6.6)	9.1 (10.3)	8.9 (10.4)	7.4 (8.7)	7.9 (9.6)
1996 ²	5.1 (6.3)	4.7 (6.3)	4.0 (5.4)	5.0 (6.4)	8.6 (9.7)	7.8 (9.4)	7.2 (8.6)	7.9 (9.2)

¹ Exclusive of Northern Ireland.

² For comparison purposes, the rates in the table are based on foetal deaths at or over 28 weeks gestation. The rates in brackets for 1995 and 1996 refer to foetal deaths at or over 24 weeks gestation.

Accidents, poisoning and violence

The number of deaths from external causes (numbers E800–E999) occurring in 1996 was 1,524 of which 1,108 were males and 416 were females. The corresponding figures for 1995 were 1,454 deaths – 1,025 male and 429 female. As has been mentioned on page 9 deaths which have not been registered within one year of their occurrence have been excluded from the main body of this report. The exclusion of these cases may have a relatively more significant effect on the number of deaths classified to some external causes.

Table XL Deaths from accidents, poisoning and violence, 1987 – 1996

ICD – 9 code	Cause of Death	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
E800–E807	Railway accidents	5	4	3	5	3	4	-	4	1	3
E810–E829	Road vehicle accidents	461	474	475	465	446	393	422	407	431	449
E850–E869	Accidental poisoning	37	33	16	22	44	29	56	69	92	110
E980–E982	Poisoning undetermined whether accidentally or purposely inflicted	7	17	19	9	9	4	5	4	3	8
E890–E899 E921, E923 E924	Accidents caused by fire explosion and burns	70	81	88	64	65	68	67	79	56	75
E910	Accidental drowning and submersion	62	61	80	72	69	58	67	82	79	69
E984	Drowning (submersion) undetermined whether accidentally or purposely inflicted	51	41	45	25	21	12	11	9	4	6
E880–E888	Accidental falls	292	250	302	285	269	242	261	247	249	242
Rem.(E800– E999)	Other accidents and external causes	259	200	218	221	183	190	161	151	135	153
E950–E959	Suicide and self inflicted injury	245	266	278	334	346	363	327	395	404	409
	TOTAL	1,489	1,427	1,524	1,502	1,455	1,363	1,377	1,447	1,454	1,524

As can be seen from Table XLI there is an excess of male mortality from accidents which may be largely attributed to the category suicide and self-inflicted injury followed by road vehicle accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls.

Table XLI Deaths from accidents, poisonings and violence in 1996 classified by age and sex

Cause of Death	ICD-9 Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Railway accidents													
M	E800-807	1	-	-	-	-	1	-	-	-	-	-	-
F		2	-	-	-	-	-	-	-	-	1	1	-
Road vehicle accidents													
M	E810-829	341	-	2	15	112	81	37	27	21	21	25	
F		108	-	2	8	16	22	9	10	14	16	11	
Accidental poisoning													
M	E850-869	86	-	1	1	20	25	10	18	5	2	4	
F		24	-	-	-	2	3	3	6	6	1	3	
Accidental falls													
M	E880-888	108	-	-	1	10	8	5	9	12	18	45	
F		134	-	-	-	1	1	-	5	4	14	109	
Accidents caused by fire, explosion and burns													
M	E890-899,921	46	-	3	1	3	3	4	4	2	10	16	
F	E923,924	29	-	1	2	3	2	2	4	1	1	13	
Accidental drowning and submersion													
M	E910	63	-	2	2	13	12	9	9	7	5	4	
F		6	-	-	2	1	-	-	1	2	-	-	
Suicide and self-inflicted injury													
M	E950-959	345	-	-	4	82	89	72	39	31	13	15	
F		64	-	-	-	14	15	12	13	7	1	2	
Injury undetermined whether accidentally or purposely inflicted													
M	E980-989	12	-	-	-	1	2	3	5	1	-	-	
F		2	-	-	-	-	-	1	1	-	-	-	
Other accidents and external causes													
M	Rem.	106	-	1	7	11	18	19	19	16	7	8	
F	E800-999	47	2	-	1	5	7	7	5	8	6	6	
TOTAL													
M		1,108	-	9	31	252	239	159	130	95	76	117	
F		416	2	3	13	42	50	34	45	43	40	144	

As can be seen from Table XLII below, 292 deaths resulted from accidents in the home. This compares with 287 in 1995. Of the 292 deaths in 1996, 106 were accidental falls, and over half of these were in the 75 years and over age category. Accidents caused by fire and flames accounted for 68 deaths, 4 of which were in the under 5 age group. There were 64 deaths from accidental poisoning.

Table XLII Deaths due to accidents in the home in 1996 classified by cause and age group

Cause of Death	ICD-9 Code	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Accidental poisoning by drugs, medicaments, biologicals, other solids and liquid substances												
M	E850-866	37	-	-	-	11	10	4	9	1	2	-
F		11	-	-	-	-	3	2	4	2	-	-
Accidental poisoning by gases and vapours												
M	E867-869	11	-	1	1	3	-	-	2	-	-	4
F		5	-	-	-	1	-	-	-	1	-	3
Accidental falls												
M	E880-888	51	-	-	-	3	3	2	4	7	9	23
F		55	-	-	-	-	-	-	5	3	6	41
Accident caused by fires and flames												
M	E890-899	44	-	3	1	3	3	3	4	2	10	15
F		24	-	1	2	2	2	2	1	1	1	12
Hunger, thirst, exposure, neglect												
M	E904	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation												
M	E911	11	-	-	-	1	2	3	2	2	1	-
F		10	-	-	-	-	-	1	4	3	1	1
Accidental mechanical suffocation												
M	E913	4	-	1	2	-	1	-	-	-	-	-
F		1	1	-	-	-	-	-	-	-	-	-
Accident caused by hot substance or object, caustic or corrosive material and steam												
M	E924	-	-	-	-	-	-	-	-	-	-	-
F		2	-	-	-	-	-	-	1	-	-	1
Accidents caused by electric current												
M	E925	1	-	-	-	-	-	-	1	-	-	-
F		1	-	-	-	1	-	-	-	-	-	-
Other and unspecified accidents												
M		20	-	-	1	4	1	4	3	3	1	3
F		4	-	-	-	1	-	-	-	1	1	1
TOTAL												
M		179	-	5	5	25	20	16	25	15	23	45
F		113	1	1	2	5	5	5	15	11	9	59

Uncertified deaths

The number of cases in 1996 in which the cause of death was not certified by a medical practitioner was 52 which represents 0.2% of the total deaths. This is much lower than the 8.5% in the period 1951-1960 and the 3.1% in the period 1961-70.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1996 was 3,929 compared with 3,821 in 1995.

Tables

Table 1 Estimated population in thousands in each year 1851* - 1996

Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1926	2,971	1,507	1,464
1852	4,927	2,413	2,514	1927	2,957	1,502	1,455
1853	4,807	2,358	2,449	1928	2,944	1,498	1,446
1854	4,704	2,311	2,393	1929	2,937	1,496	1,441
1855	4,638	2,281	2,357	1930	2,927	1,493	1,434
1856	4,594	2,261	2,333	1931	2,933	1,497	1,436
1857	4,540	2,234	2,306	1932	2,949	1,505	1,444
1858	4,506	2,217	2,289	1933	2,962	1,512	1,450
1859	4,471	2,199	2,272	1934	2,971	1,518	1,453
1860	4,428	2,179	2,249	1935	2,971	1,520	1,451
1861	4,393	2,164	2,229	1936	2,967	1,520	1,447
1862	4,377	2,158	2,219	1937	2,948	1,510	1,438
1863	4,328	2,134	2,194	1938	2,937	1,505	1,432
1864	4,263	2,103	2,160	1939	2,934	1,503	1,431
1865	4,223	2,084	2,139	1940	2,958	1,515	1,443
1866	4,163	2,051	2,112	1941	2,993	1,533	1,460
1867	4,130	2,033	2,097	1942	2,963	1,499	1,464
1868	4,109	2,022	2,087	1943	2,946	1,490	1,456
1869	4,090	2,012	2,078	1944	2,944	1,487	1,457
1870	4,062	1,996	2,066	1945	2,952	1,490	1,462
1871	4,042	1,986	2,056	1946	2,957	1,496	1,461
1872	4,023	1,975	2,048	1947	2,974	1,505	1,469
1873	3,989	1,955	2,034	1948	2,985	1,512	1,473
1874	3,966	1,944	2,022	1949	2,981	1,513	1,468
1875	3,951	1,940	2,011	1950	2,969	1,510	1,459
1876	3,949	1,942	2,007	1951	2,961	1,507	1,454
1877	3,956	1,947	2,009	1952	2,953	1,501	1,452
1878	3,952	1,948	2,004	1953	2,949	1,498	1,451
1879	3,939	1,944	1,995	1954	2,941	1,493	1,448
1880	3,891	1,920	1,971	1955	2,921	1,479	1,442
1881	3,847	1,901	1,946	1956	2,898	1,463	1,435
1882	3,808	1,882	1,926	1957	2,885	1,456	1,429
1883	3,745	1,853	1,892	1958	2,853	1,439	1,414
1884	3,703	1,834	1,869	1959	2,846	1,435	1,411
1885	3,671	1,820	1,851	1960	2,832	1,427	1,405
1886	3,642	1,808	1,834	1961	2,818	1,417	1,402
1887	3,600	1,788	1,812	1962	2,830	1,423	1,407
1888	3,554	1,766	1,788	1963	2,850	1,433	1,417
1889	3,516	1,748	1,768	1964	2,864	1,440	1,424
1890	3,482	1,733	1,749	1965	2,876	1,446	1,430
1891	3,449	1,718	1,731	1966	2,884	1,449	1,435
1892	3,408	1,697	1,711	1967	2,900	1,457	1,443
1893	3,382	1,684	1,698	1968	2,913	1,464	1,449
1894	3,362	1,675	1,687	1969	2,926	1,470	1,455
1895	3,333	1,662	1,671	1970	2,950	1,482	1,468
1896	3,314	1,653	1,661	1971	2,978	1,496	1,482
1897	3,298	1,646	1,652	1972	3,024	1,519	1,505
1898	3,283	1,640	1,643	1973	3,073	1,544	1,529
1899	3,265	1,631	1,634	1974	3,124	1,570	1,554
1900	3,234	1,616	1,618	1975	3,177	1,597	1,580
1901	3,213	1,607	1,606	1976	3,228	1,623	1,605
1902	3,200	1,603	1,597	1977	3,272	1,645	1,627
1903	3,185	1,599	1,586	1978	3,314	1,666	1,648
1904	3,175	1,597	1,578	1979	3,368	1,693	1,675
1905	3,165	1,594	1,571	1980	3,401	1,709	1,692
1906	3,160	1,593	1,567	1981	3,443	1,729	1,714
1907	3,151	1,589	1,562	1982	3,480	1,746	1,734
1908	3,145	1,588	1,557	1983	3,504	1,756	1,748
1909	3,142	1,589	1,553	1984	3,529	1,767	1,762
1910	3,139	1,588	1,551	1985	3,540	1,771	1,769
1911	3,132	1,586	1,546	1986	3,541	1,770	1,771
1912	3,120	1,581	1,539	1987	3,547	1,770	1,776
1913	3,103	1,572	1,531	1988	3,531	1,759	1,772
1914	3,092	1,568	1,524	1989	3,510	1,744	1,766
1915	3,068	1,546	1,522	1990	3,506	1,743	1,763
1916	3,068	1,549	1,519	1991	3,526	1,753	1,772
1917	3,065	1,551	1,514	1992	3,555	1,768	1,786
1918	3,066	1,553	1,513	1993	3,574	1,778	1,796
1919	3,102	1,598	1,504	1994	3,586	1,783	1,803
1920	3,103	1,598	1,505	1995	3,601	1,788	1,813
1921	3,096	1,599	1,497	1996	3,626	1,800	1,826
1922	3,022	1,529	1,493				
1923	3,014	1,526	1,488				
1924	3,005	1,521	1,484				
1925	2,985	1,512	1,473				

* For 1951 and subsequent years the figures relate to mid - April

Table 2 Estimated population by age 1991 to 1996 in thousands

Age Group	Persons						Males						Females					
	1991	1992	1993	1994	1995	1996	1991	1992	1993	1994	1995	1996	1991	1992	1993	1994	1995	1996
Under 1	53.0	52.4	50.2	48.8	48.2	48.9	27.4	26.9	25.9	25.2	24.9	25.2	25.7	25.5	24.3	23.6	23.3	23.6
1-4	220.7	217.0	214.3	211.4	207.3	201.5	113.2	111.2	110.0	108.9	106.7	103.5	107.5	105.8	104.3	102.6	100.6	98.0
5-9	318.5	310.7	302.6	293.4	287.3	282.9	163.3	159.6	155.2	150.5	147.3	145.3	155.2	151.1	147.3	143.0	139.9	137.6
10-14	348.3	350.7	349.9	344.9	335.2	326.1	178.9	180.3	179.8	177.8	172.4	167.4	169.4	170.4	170.1	167.2	162.7	158.7
15-19	335.0	333.2	330.5	331.0	335.2	339.5	171.4	170.7	169.4	169.2	171.4	174.0	163.6	162.5	161.0	161.8	163.8	165.6
20-24	266.6	276.9	285.4	290.1	290.4	293.4	136.5	142.3	146.8	148.9	148.0	149.1	130.1	134.7	138.6	141.2	142.5	144.2
25-29	246.3	247.1	246.5	247.3	252.5	259.0	120.7	121.1	121.5	123.1	126.0	129.4	125.7	126.0	125.0	124.2	126.5	129.7
30-34	249.1	253.5	256.1	257.8	259.8	260.9	123.2	125.6	126.1	125.9	127.1	127.7	125.9	127.9	130.0	131.9	132.7	133.2
35-39	237.9	241.5	244.1	247.4	249.7	255.7	118.7	120.0	121.0	122.6	123.2	126.1	119.2	121.6	123.1	124.8	126.4	129.5
40-44	225.7	228.6	232.3	234.0	237.7	240.4	113.9	114.9	116.8	117.5	119.1	120.1	111.8	113.6	115.5	116.5	118.6	120.4
45-49	187.8	199.0	207.7	215.8	222.3	225.4	95.4	101.3	105.8	109.5	112.3	113.8	92.3	97.7	101.9	106.3	110.0	111.6
50-54	156.8	158.6	165.1	170.6	176.4	186.6	79.9	81.0	84.1	86.9	89.8	94.8	76.9	77.6	81.0	83.7	86.6	91.8
55-59	142.5	144.8	145.3	147.9	151.7	153.8	71.7	72.8	73.2	74.4	76.2	77.8	70.9	72.1	72.1	73.6	75.5	76.0
60-64	134.6	134.6	136.2	136.7	136.4	137.9	65.6	66.2	67.3	67.9	67.9	68.7	69.0	68.4	69.0	68.9	68.6	69.3
65-69	130.8	130.2	128.2	126.9	126.6	126.8	61.0	60.6	59.9	59.5	59.7	60.3	69.8	69.7	68.3	67.4	66.9	66.6
70-74	109.3	110.3	113.3	113.9	113.3	112.5	49.2	49.6	50.8	51.0	50.4	50.1	60.1	60.7	62.6	62.9	62.9	62.4
75-79	84.1	83.6	81.8	81.7	82.4	84.1	35.7	35.3	34.3	34.3	34.7	35.2	48.4	48.3	47.4	47.5	47.8	48.9
80-84	49.3	51.6	53.6	54.6	55.9	55.8	19.0	20.1	20.9	21.1	21.3	21.1	30.3	31.5	32.7	33.5	34.6	34.7
85 and over	29.4	30.1	31.1	31.5	33.1	34.7	8.9	9.0	9.2	9.3	10.0	10.6	20.5	21.1	21.8	22.2	23.1	24.1
All ages	3,525.7	3,554.5	3,574.1	3,585.9	3,601.3	3,626.1	1,753.4	1,768.4	1,778.0	1,783.3	1,788.4	1,800.2	1,772.3	1,786.1	1,796.1	1,802.6	1,812.9	1,825.9

Table 3 Population by sex of each county and county borough according to the Census of Population, 1996

Province, County or County Borough	Persons	Males	Females
TOTAL	3,626,087	1,800,232	1,825,855
LEINSTER	1,924,702	944,669	980,033
Carlow	41,616	21,086	20,530
Dublin*	1,058,264	508,966	549,298
of which			
Dublin Co. Borough	481,854	228,401	253,453
South Dublin	218,728	107,410	111,318
Fingal	167,683	82,720	84,963
Dun Laoghaire-Rathdown	189,999	90,435	99,564
Kildare	134,992	68,007	66,985
Kilkenny	75,336	38,144	37,192
Laoighis	52,945	27,160	25,785
Longford	30,166	15,468	14,698
Louth	92,166	45,641	46,525
Meath	109,732	55,340	54,392
Offaly	59,117	30,003	29,114
Westmeath	63,314	31,599	31,715
Wexford	104,371	52,432	51,939
Wicklow	102,683	50,823	51,860
MUNSTER	1,033,903	518,217	515,686
Clare	94,006	47,789	46,217
Cork*	420,510	209,177	211,333
of which			
Cork County	293,323	147,923	145,400
Cork Co. Borough	127,187	61,254	65,933
Kerry	126,130	63,801	62,329
Limerick*	165,042	82,546	82,496
of which			
Limerick County	113,003	57,454	55,549
Limerick County Borough	52,039	25,092	26,947
Tipperary, N.R.	58,021	29,290	28,731
Tipperary, S.R.	75,514	38,312	37,202
Waterford*	94,680	47,302	47,378
of which			
Waterford County	52,140	26,512	25,628
Waterford County Borough	42,540	20,790	21,750
CONNACHT	433,231	218,387	214,844
Galway*	188,854	94,529	94,325
of which			
Galway County	131,613	67,556	64,057
Galway Co. Borough	57,241	26,973	30,268
Leitrim	25,057	13,044	12,013
Mayo	111,524	56,371	55,153
Roscommon	51,975	26,695	25,280
Sligo	55,821	27,748	28,073
ULSTER (part of)	234,251	118,959	115,292
Cavan	52,944	27,281	25,663
Donegal	129,994	65,520	64,474
Monaghan	51,313	26,158	25,155

* County and County Borough

Table 4 Marriages, births and deaths and natural increase (excess of births over deaths) 1864-1996

Period	Marriages	Births							Deaths			Natural increase
		Total			within marriage	outside marriage			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
1864-1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871-1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	33,387	32,768
1881-1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901-1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911-1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921-1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931-1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941-1950	15,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951-1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961-1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	28,843
1971-1980	21,562	69,439	35,715	33,724	66,806	2,633	1,356	1,277	33,727	18,390	15,337	35,712
1981-1990	18,888	61,628	31,747	29,882	55,985	5,644	2,894	2,749	32,376	17,572	14,804	29,253
1987	18,309	58,433	29,931	28,502	52,086	6,347	3,236	3,111	31,413	17,002	14,411	27,020
1988	18,382	54,600	28,083	26,517	48,117	6,483	3,380	3,103	31,580	16,980	14,600	23,020
1989	18,174	52,018	26,754	25,264	45,347	6,671	3,372	3,299	32,111	17,058	15,053	19,907
1990	17,838	53,044	27,559	25,485	45,277	7,767	4,002	3,765	31,370	16,828	14,542	21,674
1991	17,441	52,718	27,122	25,596	43,806	8,912	4,579	4,333	31,305	16,603	14,702	21,413
1992	16,636	51,089	26,307	24,782	41,878	9,211	4,697	4,514	30,931	16,516	14,415	20,158
1993	16,824	49,304	25,359	23,945	39,478	9,826	5,036	4,790	32,148	17,035	15,113	17,156
1994	16,621	48,255	24,957	23,298	38,206	10,049	5,183	4,866	30,948	16,338	14,610	17,307
1995	15,604	48,787	25,153	23,634	37,925	10,862	5,649	5,213	32,259	17,075	15,184	16,528
1996	16,174	50,655	26,350	24,305	37,858	12,797	6,671	6,126	31,723	16,672	15,051	18,932

Note: The figures for the period 1864-1990 are annual averages.

Table 5 Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1996

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Within marriage per 1,000 population	Births outside marriage		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,056	16.64	84.86	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971-1980	6.77	21.75	20.93	0.82	3.77	1,059	10.57	15.91	11.18
1981-1990	5.38	17.54	15.94	1.61	9.16	1,062	9.22	9.23	8.33
1987	5.16	16.48	14.70	1.79	10.86	1,050	8.86	7.94	7.62
1988	5.21	15.46	13.63	1.82	11.87	1,059	8.94	8.86	6.52
1989	5.18	14.82	12.92	1.90	12.82	1,059	9.15	8.13	5.67
1990	5.09	15.13	12.93	2.22	14.64	1,081	8.95	8.18	6.18
1991	4.95	14.95	12.42	2.53	16.91	1,060	8.88	7.61	6.05
1992	4.68	14.37	11.78	2.59	18.03	1,062	8.70	6.48	5.67
1993	4.71	13.79	11.05	2.75	19.93	1,059	8.99	6.13	4.80
1994	4.64	13.46	10.65	2.80	20.82	1,071	8.63	5.74	4.83
1995	4.33	13.55	10.53	3.02	22.26	1,064	8.96	6.37	4.59
1996	4.46	13.97	10.44	3.53	25.26	1,084	8.75	5.98	5.22

Note: The figures for the period 1864-1990 are annual averages.

Table 6 Marriages* and the rates from the years 1971-1996 per 1,000 population

Year	Marriages*														
	Catholic					All Others					Total				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average															
1971-1980	4,416	4,446	7,300	4,577	20,739	162	208	284	171	824	4,577	4,653	7,584	4,748	21,562
1981-1990	2,581	4,267	7,385	3,476	17,730	234	306	389	229	1,159	2,848	4,451	7,686	3,902	18,888
1987	1,941	3,895	7,574	3,669	17,079	193	327	428	282	1,230	2,134	4,222	8,002	3,951	18,309
1988	1,929	3,968	7,574	3,676	17,147	235	319	460	221	1,235	2,164	4,287	8,034	3,897	18,382
1989	1,870	4,479	8,097	2,591	17,037	179	330	412	216	1,137	2,049	4,809	8,509	2,807	18,174
1990	1,468	4,700	7,762	2,480	16,626	197	368	455	192	1,212	2,172	4,278	7,758	3,630	17,838
1991	1,486	4,472	7,798	2,537	16,293	216	287	420	225	1,148	1,702	4,759	8,218	2,762	17,441
1992	1,308	3,112	7,384	3,451	15,255	286	315	529	251	1,381	1,594	3,427	7,913	3,702	16,636
1993	1,609	3,583	7,066	3,142	15,400	276	353	542	253	1,424	1,885	3,936	7,608	3,395	16,824
1994	1,509	3,725	6,793	3,173	15,200	216	331	568	306	1,421	1,725	4,056	7,361	3,479	16,621
1995	1,560	3,309	5,894	3,395	14,158	191	402	557	296	1,446	1,751	3,711	6,451	3,691	15,604
1996	1,642	3,151	6,272	3,542	14,607	332	502	596	137	1,567	1,974	3,653	6,868	3,679	16,174
Equivalent Annual Rate per 1,000 corresponding population															
Average															
1971-1980	5.8	5.9	9.6	6.0	6.8	4.1	5.2	7.1	4.3	5.2	5.7	5.8	9.5	5.9	6.7
1981-1990	3.1	5.1	8.9	4.2	5.3	5.3	7.0	8.9	5.2	6.6	3.2	5.1	8.8	4.4	5.4
1987	2.3	4.7	9.1	4.4	5.1	3.8	6.4	8.4	5.6	6.1	2.4	4.8	9.0	4.5	5.2
1988	2.3	4.8	9.1	4.4	5.2	4.6	6.2	8.9	4.3	6.0	2.5	4.9	9.1	4.4	5.2
1989	2.3	5.4	9.8	3.1	5.2	3.4	6.3	7.9	4.1	5.4	2.3	5.5	9.7	3.2	5.2
1990	1.8	5.7	9.4	3.0	5.0	3.7	6.9	8.5	3.6	5.7	2.5	4.9	8.9	4.1	5.1
1991	1.8	5.4	9.4	3.1	4.9	4.0	5.3	7.7	4.1	5.3	1.9	5.4	9.3	3.1	4.9
1992	1.6	3.7	8.8	4.1	4.6	5.4	5.9	9.9	4.7	6.5	1.8	3.9	8.9	4.2	4.7
1993	1.9	4.3	8.4	3.7	4.6	5.1	6.6	10.1	4.7	6.6	2.1	4.4	8.5	3.8	4.7
1994	1.8	4.4	8.1	3.8	4.5	4.0	6.2	10.6	5.7	6.6	1.9	4.5	8.2	3.9	4.6
1995	1.8	3.9	7.0	4.0	4.2	3.5	7.4	10.3	5.5	6.7	1.9	4.1	7.2	4.1	4.3
1996	1.9	3.7	7.4	4.2	4.3	6.1	9.2	11.0	2.5	7.2	2.2	4.0	7.6	4.1	4.5

* Marriages by Quarter of Registration.

Table 7 Births and deaths and the rates from the years 1971-1996 per 1,000 population

Year	Births					Deaths				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average										
1971-1980	17,335	18,050	17,398	16,656	69,439	9,682	8,306	7,366	8,373	33,727
1981-1990	15,506	15,898	15,503	14,621	61,628	9,303	7,783	7,115	8,174	32,376
1987	14,533	15,345	14,819	13,736	58,433	8,780	7,592	7,061	7,980	31,413
1988	13,795	14,307	13,863	12,635	54,600	8,985	7,580	7,165	7,850	31,580
1989	12,878	13,672	13,096	12,372	52,018	8,325	7,834	7,007	8,945	32,111
1990	12,806	13,908	13,430	12,900	53,044	8,957	7,374	7,031	8,008	31,370
1991	13,001	13,416	13,643	12,658	52,718	8,968	7,581	6,784	7,972	31,305
1992	12,869	13,397	13,053	11,770	51,089	8,725	7,290	7,119	7,797	30,931
1993	12,054	12,803	12,768	11,679	49,304	8,245	7,738	7,264	8,901	32,148
1994	11,722	12,323	12,264	11,946	48,255	8,589	7,474	7,154	7,731	30,948
1995	11,952	12,568	12,569	11,698	48,787	9,056	7,740	7,023	8,440	32,259
1996	12,059	12,437	13,284	12,875	50,655	8,913	7,720	7,179	7,911	31,723

Equivalent Annual Rate per 1,000 corresponding population

Average										
1971-1980	21.7	22.6	21.8	20.8	21.7	12.1	10.4	9.2	10.5	10.6
1981-1990	17.7	18.1	17.7	16.6	17.5	10.6	8.9	8.1	9.3	9.2
1987	16.4	17.3	16.7	15.5	16.5	9.9	8.6	8.0	9.0	8.9
1988	15.6	16.2	15.7	14.3	15.5	10.2	8.6	8.1	8.9	8.9
1989	14.7	15.6	14.9	14.1	14.8	9.5	8.9	8.0	10.2	9.1
1990	14.6	15.9	15.3	14.7	15.1	10.2	8.4	8.0	9.1	8.9
1991	14.7	15.2	15.5	14.4	15.0	10.2	8.6	7.7	9.0	8.9
1992	14.5	15.1	14.7	13.2	14.4	9.8	8.2	8.0	8.8	8.7
1993	13.5	14.3	14.3	13.1	13.8	9.2	8.7	8.1	10.0	9.0
1994	13.1	13.7	13.7	13.3	13.5	9.6	8.3	8.0	8.6	8.6
1995	13.3	14.0	14.0	13.0	13.5	10.1	8.6	7.8	9.4	9.0
1996	13.3	13.7	14.7	14.2	14.0	9.8	8.5	7.9	8.7	8.7

Table 8 Marriages, births and deaths during each year 1987-1996, classified by month and quarter of occurrence

Year	Month of Occurrence												Quarter ending the last day of				
	Jan.	Feb.	Mar.	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Mar.	June	Sept.	Dec.	Total
Marriages																	
1987	588	686	893	1,257	1,584	2,067	2,526	3,118	2,681	1,698	642	569	2,167	4,908	8,325	2,909	18,309
1988	556	633	956	1,440	1,316	2,109	2,783	2,982	2,766	1,589	633	619	2,145	4,865	8,531	2,841	13,382
1989	465	498	1,086	1,262	1,352	2,195	2,556	2,939	3,014	1,550	610	647	2,049	4,809	8,509	2,807	18,174
1990	470	478	933	1,265	1,461	2,342	2,308	3,164	2,745	1,391	563	718	1,881	5,068	8,217	2,672	17,838
1991	423	485	794	1,231	1,379	2,149	2,232	3,384	2,602	1,565	589	608	1,702	4,759	8,218	2,762	17,441
1992	320	439	588	1,000	1,564	1,868	2,487	3,200	2,657	1,504	504	505	1,347	4,432	8,344	2,513	16,636
1993	405	468	653	1,143	1,517	1,965	2,618	2,814	2,616	1,545	498	582	1,526	4,625	8,048	2,625	16,824
1994	401	427	726	1,239	1,373	1,872	2,409	2,810	2,686	1,577	464	637	1,554	4,484	7,905	2,678	16,621
1995	317	421	672	1,164	1,330	1,919	2,028	2,621	2,653	1,338	481	660	1,410	4,413	7,302	2,479	15,604
1996	330	413	806	1,037	1,588	1,983	2,091	3,003	2,267	1,402	527	727	1,549	4,608	7,361	2,656	16,174
Births																	
1987	4,897	4,581	5,055	5,069	5,210	5,066	5,142	4,790	4,887	4,705	4,352	4,679	14,533	15,345	14,819	13,736	58,433
1988	4,621	4,287	4,887	4,704	4,864	4,739	4,736	4,538	4,589	4,206	4,241	4,188	13,795	14,307	13,863	12,635	54,600
1989	4,248	3,948	4,682	4,408	4,829	4,435	4,485	4,302	4,309	4,107	3,956	4,309	12,878	13,672	13,096	12,372	52,018
1990	4,152	4,072	4,582	4,424	4,851	4,633	4,556	4,392	4,482	4,522	4,196	4,182	12,806	13,908	13,430	12,900	53,044
1991	4,395	4,116	4,490	4,460	4,687	4,269	4,612	4,534	4,497	4,438	4,066	4,154	13,001	13,416	13,643	12,658	52,718
1992	4,315	4,076	4,478	4,513	4,601	4,283	4,515	4,240	4,298	3,997	3,815	3,958	12,869	13,397	13,053	11,770	51,089
1993	4,083	3,806	4,165	4,144	4,410	4,249	4,325	4,158	4,285	4,192	3,790	3,697	12,054	12,803	12,768	11,679	49,304
1994	3,826	3,582	4,314	3,944	4,271	4,108	4,141	4,051	4,072	3,987	3,967	3,992	11,722	12,323	12,264	11,946	48,255
1995	4,108	3,657	4,187	4,100	4,336	4,132	4,318	4,121	4,130	4,117	3,727	3,854	11,952	12,568	12,569	11,698	48,787
1996	4,132	3,843	4,084	4,184	4,189	4,064	4,491	4,356	4,437	4,352	4,243	4,280	12,059	12,437	13,284	12,875	50,655
Deaths																	
1987	3,202	2,779	2,799	2,664	2,554	2,374	2,314	2,382	2,365	2,540	2,479	2,961	8,780	7,592	7,061	7,980	31,413
1988	2,921	2,943	3,121	2,650	2,612	2,318	2,407	2,412	2,346	2,531	2,478	2,841	8,985	7,580	7,165	7,850	31,580
1989	2,765	2,530	3,030	2,763	2,616	2,455	2,360	2,381	2,266	2,496	2,518	3,931	8,325	7,834	7,007	8,945	32,111
1990	3,627	2,630	2,700	2,505	2,439	2,430	2,460	2,256	2,315	2,495	2,532	2,981	8,957	7,374	7,031	8,008	31,370
1991	3,114	2,940	2,914	2,640	2,551	2,390	2,296	2,291	2,197	2,574	2,599	2,799	8,968	7,581	6,784	7,972	31,305
1992	2,988	3,033	2,704	2,546	2,438	2,306	2,383	2,305	2,431	2,463	2,498	2,836	8,725	7,290	7,119	7,797	30,931
1993	2,961	2,398	2,886	2,733	2,583	2,422	2,431	2,400	2,433	2,672	3,166	3,063	8,245	7,738	7,264	8,901	32,148
1994	3,155	2,630	2,804	2,592	2,471	2,411	2,433	2,337	2,384	2,447	2,436	2,848	8,589	7,474	7,154	7,731	30,948
1995	3,096	2,710	3,250	2,685	2,626	2,429	2,434	2,286	2,303	2,504	2,605	3,331	9,056	7,740	7,023	8,440	32,259
1996	3,277	2,804	2,832	2,637	2,658	2,425	2,348	2,398	2,433	2,485	2,502	2,924	8,913	7,720	7,179	7,911	31,723

Table 9 Deaths from principal causes in Ireland and Northern Ireland, 1996 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	31,723	874.9	15,218	914.9
001,002	Typhoid and Paratyphoid fevers	-	-	1	0.1
004, 006	Shigellosis and amoebiasis	-	-	-	-
008, 009	Intestinal infectious diseases	11	0.3	-	-
010-012	Tuberculosis of respiratory system	31	0.9	9	0.5
013-018, 137	Other tuberculosis, including late effects	11	0.3	3	0.2
032	Diphtheria	-	-	-	-
033	Whooping cough	-	-	-	-
034	Streptococcal sore throat and scarlatina	-	-	-	-
036	Meningococcal infection	13	0.4	5	0.3
038	Septicaemia	40	1.1	19	1.1
045	Acute Poliomyelitis	-	-	-	-
055	Measles	-	-	-	-
070	Viral hepatitis	6	0.2	-	-
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	2	0.1	-	-
Rem (001-139)	All other infective and parasitic diseases	39	1.1	16	1.0
140-208	Malignant neoplasms including neoplasms of lymphatic and haemtopoietic tissues:-	7,389	203.8	3,623	217.8
140-208 (except 201 and 204-208)	(a) Cancer	7,156	197.3	3,522	211.8
201, 204-208	(b) Hodgkins disease and leukaemia	233	6.4	101	6.1
230-234	Carcinoma in situ	-	-	-	-
210-229, 239	Benign neoplasms and neoplasms of unspecified nature	16	0.4	60	3.6
235-238	Neoplasm of uncertain behaviour	34	0.9	32	1.9
250	Diabetes mellitus	432	11.9	49	3.0
260-269	Nutritional deficiencies	6	0.2	-	-
280-285	Anaemias	74	2.0	11	0.7
320-322	Meningitis	11	0.3	7	0.4
390-392	Acute rheumatic fever	12	0.3	1	0.1
393-398	Chronic rheumatic heart disease	42	1.2	29	1.7
401-405	Hypertensive disease	202	5.6	75	4.5
410-414	Ischaemic heart disease	7,601	209.6	3,856	231.8
420-429	Other forms of heart disease	2,152	59.3	573	34.4
430-438	Cerebrovascular disease	2,901	80.0	1,653	99.4

* Exclusive of Northern Ireland

Note - The classification of cause of death in this table is based on the Abbreviated List, 1975

Table 9 (contd.) Deaths from principal causes in Ireland and Northern Ireland, 1996 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
487	Influenza	17	0.5	6	0.4
480-486	Pneumonia	2,237	61.7	1,817	109.2
490-493	Bronchitis	424	11.7	168	10.1
531-533	Peptic ulcer	157	4.3	102	6.1
540-543	Appendicitis	9	0.2	-	-
550-553, 560	Intestinal obstruction and hernia	105	2.9	52	3.1
571	Chronic liver disease and cirrhosis	109	3.0	88	5.3
580-589	Nephritis, nephrotic syndrome and nephrosis	436	12.0	168	10.1
600	Hyperplasia of prostate	13	0.4	3	0.2
630-639	Pregnancy with abortive outcome	-	-	-	-
640-676	Other complications of pregnancy, childbirth and the puerperium	3	0.1	1	0.1
740-759	Congenital anomalies	157	4.3	72	4.3
760-763 767,768	Birth injury, difficult labour and other anoxic and hypoxic conditions	33	0.9	10	0.6
764-766 769-779	Certain conditions originating in the perinatal period ¹	92	2.5	58	3.5
780-799	Senility without mention of psychosis ill-defined and unknown causes	230	6.3	88	5.3
800-999	Injury and poisoning	1,444	39.8	598	36.0
	All other diseases	5,232	144.3	1,964	118.1
	EXTERNAL CAUSES (included in the foregoing)				
E810-E825	Motor vehicle accidents	439	12.1	121	7.3
E800-E807 E826-E949	All other accidents	629	17.3	283	17.0
E950-E959	Suicide and self-inflicted injuries	409	11.3	124	7.5
E960-E999	All other external causes	47	1.3	70	4.2

* Exclusive of Northern Ireland
¹ Stillbirths not included

Table 10 Average annual number of deaths during the period 1864-1990 and the number of deaths in the years 1987-1996 classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224 ¹	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971-1980	18,390	742	74	61	127	154	242	397	1,158	2,902	5,224	5,196	1,992	126
1981-1990	17,572	395	51	49	135	160	260	387	908	2,488	5,226	5,457	1,932	123
1987	17,002	321	39	45	125	150	241	375	877	2,387	4,994	5,452	1,879	120
1988	16,980	346	44	42	142	131	265	327	830	2,324	5,115	5,389	1,908	117
1989	17,058	318	49	43	115	173	247	423	852	2,175	4,954	5,678	1,910	121
1990	16,828	305	35	35	109	145	254	404	798	2,204	4,710	5,691	2,020	118
1991	16,603	276	34	47	130	158	288	394	814	2,148	4,670	5,551	1,953	140
1992	16,516	233	34	35	126	159	298	383	846	1,936	4,653	5,700	1,987	126
1993	17,035	206	36	49	120	149	288	387	850	2,084	4,757	5,825	2,153	131
1994	16,338	205	32	37	99	182	284	390	833	2,005	4,476	5,591	2,093	111
1995	17,075	206	31	39	125	179	298	421	865	2,007	4,612	5,893	2,243	156
1996	16,672	199	25	47	121	209	340	418	891	1,931	4,324	5,649	2,360	158
Females														
Average-														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387 ¹	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971-1980	15,337	557	43	33	51	55	119	246	728	1,691	3,529	5,233	2,767	285
1981-1990	14,804	299	30	29	50	50	113	225	537	1,444	3,332	5,190	3,171	335
1987	14,411	242	299	27	42	41	103	225	495	1,354	3,269	5,039	3,228	317
1988	14,600	252	22	31	53	49	110	240	492	1,363	3,220	5,132	3,272	364
1989	15,053	214	22	30	46	51	98	221	511	1,316	3,336	5,400	3,419	389
1990	14,542	217	22	26	58	47	128	235	517	1,223	3,033	5,280	3,380	376
1991	14,702	201	24	25	49	44	118	254	492	1,174	3,096	5,270	3,509	446
1992	14,415	168	17	22	38	36	104	244	541	1,159	3,016	5,280	3,385	405
1993	15,113	162	17	25	33	41	112	252	512	1,141	3,066	5,566	3,747	439
1994	14,610	138	9	17	38	49	105	241	550	1,091	2,943	5,230	3,769	430
1995	15,184	167	12	29	42	59	138	247	563	1,096	2,976	5,525	3,843	487
1996	15,051	166	11	16	51	39	125	235	540	1,044	2,865	5,496	3,979	484

Table 10 (contd.) Average annual number of deaths for the period 1864-1990 and the number of deaths in the years 1987-1996 classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Persons														
Average-														
1864-1870	67,323	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971-1980	33,727	1,299	117	94	179	209	361	642	1,880	4,593	8,653	10,429	4,760	411
1981-1990	32,376	694	81	79	185	210	374	611	1,445	3,932	8,555	10,647	5,103	458
1987	31,413	563	68	72	167	191	344	600	1,372	3,738	8,238	10,491	5,107	437
1988	31,580	598	66	73	195	180	375	567	1,322	3,687	8,335	10,521	5,180	481
1989	32,111	532	71	73	161	224	345	644	1,363	3,491	8,290	11,078	5,329	510
1990	31,370	522	57	61	167	192	382	639	1,315	3,427	7,743	10,971	5,400	494
1991	31,305	477	58	72	179	202	406	648	1,306	3,322	7,766	10,821	5,462	586
1992	30,931	401	51	57	164	195	402	627	1,387	3,095	7,669	10,980	5,372	531
1993	32,148	368	53	74	153	190	400	639	1,362	3,225	7,823	11,391	5,900	570
1994	30,948	343	41	54	137	231	389	631	1,383	3,096	7,419	10,821	5,862	541
1995	32,259	373	43	68	167	238	436	668	1,428	3,103	7,588	11,418	6,086	643
1996	31,723	365	36	63	172	248	465	653	1,431	2,975	7,189	11,145	6,339	642

* For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

1 For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

Table 11 Average annual death rates for the period 1864-1990 and death rates for the years 1987-1996 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
Average-													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971-1980	11.51	4.38	0.43	0.37	0.84	1.24	1.25	2.43	7.35	19.98	49.49	118.50	261.64
1981-1990	10.01	2.38	0.29	0.28	0.80	1.13	1.06	1.84	5.70	17.97	46.63	111.41	251.22
1987	9.60	1.98	0.22	0.25	0.74	1.04	0.96	1.70	5.49	17.48	44.91	108.39	243.78
1988	9.65	2.22	0.25	0.24	0.85	0.93	1.08	1.45	5.12	17.06	46.04	103.83	238.24
1989	9.78	2.12	0.28	0.25	0.70	1.26	1.03	1.85	5.19	16.00	45.59	107.13	236.16
1990	9.66	2.11	0.20	0.20	0.65	1.07	1.06	1.74	4.73	16.21	42.51	105.58	248.60
1991	9.47	1.96	0.29	0.26	0.75	1.16	1.18	1.69	5.21	15.64	42.38	101.48	221.70
1992	9.34	1.69	0.21	0.19	0.74	1.12	1.21	1.63	4.64	13.93	42.23	102.86	234.78
1993	9.58	1.52	0.23	0.27	0.71	1.01	1.16	1.63	4.48	14.83	42.97	105.53	248.26
1994	9.16	1.53	0.21	0.21	0.59	1.22	1.14	1.62	4.24	14.09	40.51	100.92	236.9
1995	9.55	1.57	0.21	0.23	0.73	1.21	1.18	1.74	4.28	13.93	41.89	105.23	239.90
1996	9.26	1.55	0.17	0.28	0.70	1.40	1.32	1.70	4.27	13.18	39.17	100.33	238.22
Females													
Average-													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971-1980	9.67	3.45	0.26	0.21	0.36	0.45	0.61	1.54	4.69	11.60	30.16	88.70	223.93
1981-1990	8.42	1.90	0.18	0.17	0.31	0.36	0.46	1.11	3.50	9.99	26.05	73.96	201.84
1987	8.11	1.58	0.17	0.16	0.26	0.29	0.41	1.05	3.24	9.48	25.34	70.57	195.86
1988	8.24	1.71	0.13	0.19	0.33	0.36	0.44	1.09	3.16	9.61	24.86	69.73	194.44
1989	8.53	1.50	0.13	0.18	0.28	0.38	0.39	0.99	3.22	9.35	25.70	71.33	196.29
1990	8.25	1.57	0.14	0.16	0.36	0.36	0.51	1.03	3.17	8.74	23.44	68.04	191.63
1991	8.30	1.51	0.15	0.15	0.30	0.34	0.47	1.10	2.91	8.39	23.83	69.96	192.92
1992	8.07	1.28	0.11	0.13	0.23	0.27	0.41	1.04	3.09	8.25	23.14	66.15	180.00
1993	8.41	1.26	0.12	0.15	0.20	0.30	0.44	1.06	2.80	8.09	23.42	69.49	192.02
1994	8.10	1.09	0.06	0.10	0.23	0.35	0.41	1.00	2.89	7.66	22.59	64.57	189.14
1995	8.38	1.35	0.09	0.18	0.26	0.41	0.53	1.01	2.86	7.61	22.93	67.05	187.45
1996	8.24	1.36	0.08	0.10	0.31	0.27	0.48	0.94	2.65	7.19	22.21	65.77	185.24

Table 11 (contd.) Average annual death rates for the period 1864-1990 and death rates for the years 1987-1996 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Persons													
Average-													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	35.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971-1980	10.57	3.93	0.35	0.30	0.61	0.86	0.91	2.00	6.03	15.80	39.32	101.43	237.94
1981-1990	9.22	2.15	0.23	0.23	0.56	0.75	0.76	1.47	4.62	13.89	35.65	89.35	217.65
1987	8.86	1.79	0.19	0.21	0.51	0.67	0.69	1.38	4.39	13.38	34.30	86.20	210.80
1988	8.94	1.97	0.19	0.21	0.59	0.65	0.76	1.28	4.16	13.26	34.64	83.83	208.89
1989	9.15	1.82	0.21	0.21	0.49	0.83	0.71	1.42	4.22	12.62	34.43	86.14	208.54
1990	8.95	1.85	0.17	0.18	0.51	0.72	0.78	1.39	3.96	12.42	32.25	83.37	208.27
1991	8.88	1.74	0.18	0.21	0.53	0.76	0.82	1.40	3.79	11.99	32.34	81.12	205.71
1992	8.70	1.49	0.16	0.16	0.49	0.70	0.80	1.33	3.88	11.08	31.89	81.19	196.40
1993	8.99	1.39	0.18	0.21	0.46	0.67	0.80	1.34	3.65	11.46	32.39	84.13	208.04
1994	8.63	1.32	0.14	0.16	0.41	0.80	0.77	1.31	3.58	10.88	30.81	79.39	203.27
1995	8.96	1.46	0.15	0.20	0.50	0.82	0.85	1.37	3.58	10.77	31.63	82.56	203.29
1996	8.75	1.46	0.13	0.19	0.51	0.85	0.89	1.32	3.47	10.20	30.04	79.68	201.40

Table 12 Births and deaths in each county and county borough in 1996 and the numbers relating to the marriage and deaths of infants

Area	Births (including births outside marriage)				Births outside marriage			
	Total number registered	Number transferred from area	Number transferred to area	Net Number	Total number registered	Number transferred from area	Number transferred to area	Net Number
TOTAL	50,655	29,188	29,188	50,655	12,797	6,209	6,209	12,797
Carlow	1	-	609	610	1	-	162	163
Dublin County Borough	19,588	13,448	135	6,275	6,104	3,354	16	2,766
South Dublin	10	1	3,789	3,798	6	1	1,222	1,227
Fingal	6	-	2,694	2,700	1	-	571	572
Dun Laoghaire Rathdown	952	650	2,378	2,680	47	31	505	521
Kildare	9	1	2,205	2,213	2	-	520	522
Kilkenny	1,187	483	231	935	257	135	36	158
Laois	983	407	125	701	234	119	20	135
Longford	-	-	402	402	-	-	75	75
Louth	2,243	1,002	51	1,292	626	243	7	390
Meath	10	-	1,500	1,510	3	-	286	289
Offaly	-	-	828	828	-	-	166	166
Westmeath	1,088	582	443	949	246	139	93	200
Wexford	1,313	33	237	1,517	347	7	52	392
Wicklow	11	2	1,511	1,520	3	-	408	411
Clare	11	-	1,211	1,222	6	-	242	248
Cork County Borough	6,395	4,649	8	1,754	1,330	726	1	605
Cork County	31	-	3,999	4,030	16	-	664	680
Kerry	1,092	69	510	1,533	267	14	48	301
Limerick County Borough	3,717	2,783	8	942	912	531	4	385
Limerick County	3	1	1,510	1,512	1	-	238	239
Tipperary N.R.	5	-	809	814	-	-	164	164
Tipperary S.R.	992	228	243	1,007	286	64	53	275
Waterford County Borough	1,562	940	8	630	444	228	5	221
Waterford County	-	-	732	732	-	-	171	171
Galway County Borough	2,543	1,830	7	720	471	278	3	196
Galway County	1,708	1,264	1,356	1,800	232	190	205	247
Leitrim	2	-	277	279	2	-	43	45
Mayo	1,250	57	203	1,396	218	7	33	244
Roscommon	4	1	532	535	-	-	72	72
Sligo	1,218	518	27	727	234	109	3	128
Cavan	809	229	115	695	109	28	17	98
Donegal	1,550	6	202	1,746	329	4	49	374
Monaghan	362	4	293	651	63	1	55	117

resident population of each area, with corresponding particulars for births outside under one year of age.

Deaths				Deaths of infants (under one year)				Area
Total number registered	Number transferred from area	Number transferred to area	Net Number	Total number registered	Number transferred from area	Number transferred to area	Net Number	
31,723	7,903	7,903	31,723	303	190	190	303	TOTAL
277	28	167	416	1	-	4	5	Carlow
7,631	3,077	293	4,847	173	132	-	41	Dublin County Borough
203	122	739	820	-	-	24	24	South Dublin
142	62	612	692	1	-	20	21	Fingal
1,068	394	805	1,479	1	-	21	22	Dun Laoghaire Rathdown
694	89	261	866	-	-	20	20	Kildare
638	143	150	645	2	1	4	5	Kilkenny
431	56	73	448	4	3	1	2	Laois
215	20	114	309	-	-	2	2	Longford
810	161	88	737	10	3	4	11	Louth
630	97	272	805	-	-	8	8	Meath
502	87	86	501	1	-	3	4	Offaly
568	113	168	623	4	-	3	7	Westmeath
943	43	88	988	2	-	4	6	Wexford
482	72	428	838	-	-	6	6	Wicklow
752	48	163	867	1	-	6	7	Clare
2,134	880	115	1,369	32	16	4	20	Cork County Borough
1,871	140	799	2,530	2	-	15	17	Cork County
1,287	48	105	1,344	5	1	2	6	Kerry
369	129	306	546	16	12	1	5	Limerick County Borough
1,120	453	211	878	2	1	8	9	Limerick County
448	24	201	625	-	-	6	6	Tipperary N.R.
739	94	126	771	3	2	3	4	Tipperary S.R.
647	362	24	309	8	7	1	2	Waterford County Borough
245	32	228	441	-	-	3	3	Waterford County
877	599	48	326	6	3	1	4	Galway County Borough
994	157	552	1,389	8	5	2	5	Galway County
242	19	140	363	1	-	4	5	Leitrim
1,314	40	132	1,406	3	-	-	3	Mayo
580	61	109	628	2	1	1	2	Roscommon
719	174	40	585	3	2	1	2	Sligo
471	41	99	529	1	1	4	4	Cavan
1,217	19	91	1,289	9	-	2	11	Donegal
463	19	70	514	2	-	2	4	Monaghan

Table 13 Marriages registered in, and births and deaths assigned¹ to each county and county borough, during 1996, showing separately births outside marriage and deaths from certain causes

	Marriages	Births						Deaths					
		Total (including outside marriage)			Outside marriage			All causes			Under 1 year	Tuber- culosis	Malignant neoplasms
		M	F	Total	M	F	Total	M	F	Total			
Total	16174	26350	24305	50655	6671	6126	12797	16672	15051	31723	303	42	7389
Leinster	7885	14583	13347	27930	4169	3818	7987	7682	7332	15014	184	16	3580
Carlow	169	320	290	610	97	66	163	218	198	416	5	-	85
Dublin C.B.	2182	3346	2929	6275	1478	1288	2766	2321	2526	4847	41	6	1206
South Dublin	377	1971	1827	3798	622	605	1227	435	385	820	24	-	232
Fingal	589	1440	1260	2700	305	267	572	386	306	692	21	2	174
Dun Laoghaire													
Rathdown	962	1397	1283	2680	264	257	521	716	763	1479	22	3	390
Kildare	477	1150	1063	2213	275	247	522	467	399	866	20	-	248
Kilkenny	245	471	464	935	76	82	158	340	305	645	5	1	137
Laois	247	362	339	701	73	62	135	255	193	448	2	-	104
Longford	134	192	210	402	29	46	75	161	148	309	2	-	61
Louth	384	668	624	1292	190	200	390	404	333	737	11	-	168
Meath	490	795	715	1510	145	144	289	421	384	805	8	1	166
Offaly	266	404	424	828	90	76	166	283	218	501	4	1	106
Westmeath	312	494	455	949	109	91	200	363	260	623	7	-	112
Wexford	495	800	717	1517	217	175	392	489	499	988	6	-	230
Wicklow	556	773	747	1520	199	212	411	423	415	838	6	2	161
Munster	4861	7339	6837	14176	1730	1559	3289	5150	4530	9680	79	13	2219
Clare	440	659	563	1222	133	115	248	476	391	867	7	4	171
Cork C.B.	888	921	833	1754	334	271	605	709	660	1369	20	1	400
Cork Co.	1098	2083	1947	4030	358	322	680	1369	1161	2530	17	1	563
Kerry	642	793	740	1533	150	151	301	735	609	1344	6	1	262
Limerick C.B.	206	484	458	942	208	177	385	255	291	546	5	2	137
Limerick Co.	518	777	735	1512	116	123	239	473	405	878	9	-	192
Tipperary N.R.	316	401	413	814	80	84	164	351	274	625	6	3	140
Tipperary S.R.	331	533	474	1007	141	134	275	391	380	771	4	1	163
Waterford C.B.	137	330	300	630	127	94	221	148	161	309	2	-	79
Waterford Co.	285	358	374	732	83	88	171	243	198	441	3	-	112
Connacht	2088	2832	2625	5457	468	464	932	2554	2143	4697	21	13	1026
Galway C.B.	343	366	354	720	96	100	196	167	159	326	4	1	87
Galway Co.	597	949	851	1800	132	115	247	804	585	1389	5	7	293
Leitrim	125	145	134	279	23	22	45	195	168	363	5	-	78
Mayo	563	705	691	1396	121	123	244	757	649	1406	3	2	310
Roscommon	193	285	250	535	29	43	72	339	289	628	2	-	133
Sligo	267	382	345	727	67	61	128	292	293	585	2	3	125
Ulster (part of)	1340	1596	1496	3092	304	285	589	1286	1046	2332	19	-	564
Cavan	313	330	365	695	48	50	98	304	225	529	4	-	141
Donegal	763	933	813	1746	207	167	374	704	585	1289	11	-	309
Monaghan	264	333	318	651	49	68	117	278	236	514	4	-	114

¹ Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths

Table 14 Marriage, birth and death* rates and the proportions of births outside marriage in each county and county borough and the death rates for some diseases in 1996

Area of residence	Marriages per 1,000 population	Live Births		Death rate per 1,000 population			
		Total births per 1,000 population	% outside marriage of total births	All Causes	Tuberculosis	Malignant Neoplasms	Deaths under one year per 1,000 live births
Total	4.46	13.97	25.26	8.75	0.01	2.04	5.98
Leinster	4.10	14.51	28.60	7.80	0.01	1.86	6.59
Carlow	4.06	14.66	26.72	10.00	-	2.04	8.20
Dublin County Borough	4.53	13.02	44.08	10.06	0.01	2.50	6.53
South Dublin	1.72	17.36	32.31	3.75	-	1.06	6.32
Fingal	3.51	16.10	21.19	4.13	0.01	1.04	7.78
Dun Laoghaire Rathdown	5.06	14.11	19.44	7.78	0.02	2.05	8.21
Kildare	3.53	16.39	23.59	6.42	-	1.84	9.04
Kilkenny	3.25	12.41	16.90	8.56	0.01	1.82	5.35
Laois	4.67	13.24	19.26	8.46	-	1.96	2.85
Longford	4.44	13.33	18.66	10.24	-	2.02	4.98
Louth	4.17	14.02	30.19	8.00	-	1.82	8.51
Meath	4.47	13.76	19.14	7.34	0.01	1.51	5.30
Offaly	4.50	14.01	20.05	8.47	0.02	1.79	4.83
Westmeath	4.93	14.99	21.07	9.84	-	1.77	7.38
Wexford	4.74	14.53	25.84	9.47	-	2.20	3.96
Wicklow	5.41	14.80	27.04	8.16	0.02	1.57	3.95
Munster	4.70	13.71	23.20	9.36	0.01	2.15	5.57
Clare	4.68	13.00	20.29	9.22	0.04	1.82	5.73
Cork County Borough	6.98	13.79	34.49	10.76	0.01	3.14	11.40
Cork County	3.74	13.74	16.87	8.63	-	1.92	4.22
Kerry	5.09	12.15	19.63	10.66	0.01	2.08	3.91
Limerick County Borough	3.96	18.10	40.87	10.49	0.04	2.63	5.31
Limerick County	4.58	13.38	15.81	7.77	-	1.70	5.95
Tipperary North Riding	5.45	14.03	20.15	10.77	0.05	2.41	7.37
Tipperary South Riding	4.38	13.34	27.31	10.21	0.01	2.16	3.97
Waterford County Borough	3.22	14.81	35.08	7.26	-	1.86	3.17
Waterford County	5.47	14.04	23.36	8.46	-	2.15	4.10
Connacht	4.82	12.60	17.08	10.84	0.03	2.37	3.85
Galway County Borough	5.99	12.58	27.22	5.70	0.02	1.52	5.56
Galway County	4.54	13.68	13.72	10.55	0.05	2.23	2.78
Leitrim	4.99	11.13	16.13	14.49	-	3.11	17.92
Mayo	5.05	12.52	17.48	12.61	0.02	2.78	2.15
Roscommon	3.71	10.29	13.46	12.08	-	2.56	3.74
Sligo	4.78	13.02	17.61	10.48	0.05	2.24	2.75
Ulster (part of)	5.72	13.20	19.05	9.96	-	2.41	6.14
Cavan	5.91	13.13	14.10	9.99	-	2.66	5.76
Donegal	5.87	13.43	21.42	9.92	-	2.38	6.30
Monaghan	5.14	12.69	17.97	10.02	-	2.22	6.14

* Classified by area of residence of mother in the case of live births and by area of residence of deceased in the case of deaths

Table 15 Births and deaths¹ assigned to each municipal borough and urban district, in 1996, classified by sex

Province and county in which situated			Births			Deaths			
			Males	Females	All	Males	Females	All	
Total			3440	3289	6729	3488	3250	6738	
Leinster	Carlow	Carlow	81	85	166	72	77	149	
	Kildare	Athy	47	49	96	55	53	108	
		Naas	170	149	319	73	73	146	
	Kilkenny	Kilkenny	92	112	204	63	59	122	
	Longford	Longford	38	47	85	32	27	59	
	Louth	Drogheda	206	182	388	101	96	197	
		Dundalk	212	205	417	174	155	329	
	Meath	Kells	51	41	92	51	50	101	
		Navan	98	104	202	121	95	216	
		Trim	24	19	43	24	29	53	
	Offaly	Birr	31	39	70	52	47	99	
		Tullamore	86	91	177	91	68	159	
	Westmeath	Athlone	107	99	206	127	77	204	
	Wexford	Enniscorthy	71	57	128	89	99	188	
		New Ross	43	40	83	60	48	108	
		Wexford	86	79	165	79	91	170	
	Wicklow	Arklow	48	65	113	43	37	80	
		Bray	205	194	399	117	168	285	
		Wicklow	69	63	132	40	23	63	
	Munster	Clare	Ennis	126	97	223	77	76	153
			Kilrush	11	11	22	44	28	72
Cork		Clonakilty	6	6	12	37	31	68	
		Cobh	59	49	108	44	46	90	
		Fermoy	25	23	48	26	28	54	
		Kinsale	13	17	30	19	19	38	
		Macroom	11	9	20	47	33	80	
		Mallow	44	47	91	99	111	210	
		Midleton	19	20	39	48	57	105	
		Skibbereen	12	6	18	38	30	68	
		Youghal	29	38	67	37	31	68	
Kerry		Killarney	63	48	111	94	79	173	
		Listowel	27	23	50	53	52	105	
		Tralee	134	121	255	131	111	242	
Tipperary North Riding		Nenagh	36	39	75	79	61	140	
		Templemore	11	18	29	28	21	49	
		Thurles	69	74	143	102	76	178	
Tipperary South Riding		Carrick-on-Suir	29	37	66	41	58	99	
		Cashel	13	13	26	26	50	76	
		Clonmel	107	96	203	93	94	187	
		Tipperary	33	30	63	44	39	83	
Waterford	Dungarvan	49	58	107	51	43	94		
Connacht	Galway	Ballinasloe	85	57	142	141	91	232	
	Mayo	Ballina	95	89	184	138	105	243	
	Castlebar	72	75	147	78	84	162		
	Westport	50	60	110	73	69	142		
	Sligo	Sligo	128	112	240	65	89	154	
Ulster (part of)	Cavan	Cavan	46	39	85	27	27	54	
	Donegal	Bunrana	31	30	61	25	26	51	
		Bundoran	25	33	58	41	35	76	
		Letterkenny	104	94	198	49	49	98	
	Monaghan	Carrickmacross	22	22	44	30	30	60	
		Castleblaney	26	24	50	45	38	83	
		Clones	20	10	30	17	17	34	
	Monaghan	45	44	89	37	44	81		

¹Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths

Table 16 Age specific fertility rate and total period fertility rate by county of residence of mother in 1996

Area of residence	Live births per 1,000 females at specified ages							TPFR
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	All ages
Total	16.7	52.2	105.3	127.1	63.9	11.8	0.6	1.89
Leinster	19.4	51.8	98.0	123.4	62.1	10.6	0.5	1.83
Carlow	24.2	70.0	127.6	110.9	63.3	14.5	2.5	2.06
Dublin County Borough	25.2	44.0	64.8	92.9	55.6	10.6	0.5	1.47
South Dublin	24.5	73.4	119.2	135.8	57.8	8.7	0.7	2.10
Fingal	14.2	43.8	119.5	137.5	62.8	9.7	0.5	1.94
Dun Laoghaire Rathdown	12.5	26.4	77.0	140.6	79.5	12.3	0.2	1.74
Kildare	17.0	58.0	134.0	138.8	62.3	9.0	0.0	2.10
Kilkenny	10.0	55.3	105.2	127.0	60.6	13.4	0.4	1.86
Laois	15.4	64.5	121.1	131.0	55.3	12.0	0.7	2.00
Longford	16.1	67.7	133.7	151.3	71.8	11.5	1.1	2.27
Louth	21.5	62.4	116.4	109.9	55.7	10.3	1.0	1.89
Meath	13.5	49.7	113.5	134.7	71.3	13.3	0.3	1.98
Offaly	14.3	70.6	129.7	135.5	58.9	12.3	0.0	2.11
Westmeath	21.4	64.3	127.0	145.6	58.1	10.9	0.0	2.14
Wexford	22.3	70.9	120.4	136.1	60.1	11.3	1.3	2.11
Wicklow	18.5	63.0	118.1	128.2	66.6	8.2	0.3	2.01
Munster	14.9	52.4	113.8	133.2	64.6	12.4	0.6	1.96
Clare	9.1	61.9	118.8	132.8	66.5	12.0	0.6	2.01
Cork County Borough	19.1	42.9	91.6	115.4	60.3	10.4	0.6	1.70
Cork County	11.5	41.9	120.2	142.9	65.6	12.8	0.7	1.98
Kerry	12.3	54.6	105.9	125.0	66.8	14.4	0.8	1.90
Limerick County Borough	30.6	76.2	125.1	136.5	57.2	14.6	0.0	2.20
Limerick County	12.5	36.9	110.9	145.1	70.6	14.3	0.6	1.95
Tipperary North Riding	17.3	63.0	129.9	132.6	80.2	15.9	1.7	2.20
Tipperary South Riding	18.8	84.6	122.0	116.2	54.7	7.4	0.0	2.02
Waterford County Borough	20.8	58.5	106.3	119.8	47.3	6.3	0.0	1.80
Waterford County	14.1	69.7	129.2	148.9	65.1	11.9	0.0	2.19
Connacht	10.0	47.0	112.9	133.1	72.1	14.2	0.9	1.95
Galway County Borough	12.3	29.3	70.2	99.5	49.0	12.4	0.0	1.36
Galway County	6.8	59.8	136.5	154.6	83.5	12.7	1.3	2.28
Leitrim	12.2	55.9	135.0	131.9	65.1	16.9	0.0	2.09
Mayo	12.6	53.4	128.4	139.0	69.3	17.9	1.2	2.11
Roscommon	7.1	52.4	103.6	119.0	68.6	14.8	0.0	1.83
Sligo	11.4	47.3	104.8	131.5	81.6	10.5	1.1	1.94
Ulster (part of)	15.2	65.3	129.6	124.7	62.1	15.5	0.7	2.06
Cavan	12.5	55.6	138.5	142.8	70.4	16.2	0.7	2.18
Donegal	16.1	68.1	126.9	123.9	59.4	16.1	0.5	2.06
Monaghan	15.3	66.3	128.2	109.1	59.8	13.0	1.3	1.96

Table 17 Deaths in 1996, classified by marital status and sex in certain age groups

Age group	Persons			
	Total	Single	Married	Widowed
ALL AGES	31,723	9,119	11,601	11,003
Under 15 years	464	464	—	—
15-19	172	172	—	—
20-24	248	238	10	—
25-29	233	201	32	—
30-34	232	146	85	1
35-39	269	118	151	—
40-44	384	121	260	3
45-49	585	166	404	15
50-54	846	220	593	33
55-59	1,147	302	754	91
60-64	1,828	480	1,138	210
65-69	2,911	759	1,622	530
70-74	4,278	1,078	1,972	1,228
75-79	5,286	1,353	1,959	1,974
80-84	5,859	1,523	1,569	2,767
85 and over	6,981	1,778	1,052	4,151

Age group	Males			
	Total	Single	Married	Widowed
ALL AGES	16,672	5,482	8,111	3,079
Under 15 years	271	271	—	—
15-19	121	121	—	—
20-24	209	204	5	—
25-29	177	160	17	—
30-34	163	109	53	1
35-39	175	92	83	—
40-44	243	91	149	3
45-49	364	118	237	9
50-54	527	168	346	13
55-59	743	225	482	36
60-64	1,188	364	753	71
65-69	1,841	549	1,132	160
70-74	2,483	743	1,377	363
75-79	2,840	812	1,464	564
80-84	2,809	809	1,195	805
85 and over	2,518	646	818	1,054

Age group	Females			
	Total	Single	Married	Widowed
ALL AGES	15,051	3,637	3,490	7,924
Under 15 years	193	193	—	—
15-19	51	51	—	—
20-24	39	34	5	—
25-29	56	41	15	—
30-34	69	37	32	—
35-39	94	26	68	—
40-44	141	30	111	—
45-49	221	48	167	6
50-54	319	52	247	20
55-59	404	77	272	55
60-64	640	116	385	139
65-69	1,070	210	490	370
70-74	1,795	335	595	865
75-79	2,446	541	495	1,410
80-84	3,050	714	374	1,962
85 and over	4,463	1,132	234	3,097

— Data not available.

Table 18 Deaths occurring in 1996, classified by sex and age of residents in each province, county and county borough

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
TOTAL																				
Males	16,672	169	199	25	47	121	209	177	163	175	243	364	527	743	1,188	1,841	2,483	2,840	2,809	2,518
Females	15,051	134	166	11	16	51	39	56	69	94	141	221	319	404	640	1,070	1,795	2,446	3,050	4,463
Leinster																				
Males	7,682	114	131	17	17	63	108	116	100	96	127	190	283	357	594	883	1,154	1,224	1,170	1,052
Females	7,332	70	84	6	4	30	19	24	41	50	73	127	177	231	332	557	944	1,163	1,380	2,090
Munster																				
Males	5,150	32	40	6	16	34	66	32	48	52	70	107	149	240	354	582	775	906	862	811
Females	4,530	47	57	4	7	9	13	14	16	28	36	62	98	115	187	320	530	740	941	1,353
Connacht																				
Males	2,554	14	18	-	8	16	24	16	8	22	26	47	65	110	170	231	372	477	521	423
Females	2,143	7	15	-	2	7	5	10	8	13	23	17	28	35	86	127	210	361	500	696
Ulster (part of)																				
Males	1,286	9	10	2	6	8	11	13	7	5	20	20	30	36	70	145	182	233	256	232
Females	1,046	10	10	1	3	5	2	8	4	3	9	15	16	23	35	66	111	182	229	324
LEINSTER																				
Carlow																				
Males	218	4	4	1	-	6	4	8	7	-	3	6	9	6	15	21	33	29	39	27
Females	198	1	1	-	-	1	1	1	1	1	3	2	5	9	11	13	34	37	36	42
Dublin County Borough																				
Males	2,321	28	32	1	7	19	29	40	39	40	42	55	80	104	211	282	357	361	326	296
Females	2,526	13	18	2	2	5	5	12	17	16	18	49	45	66	126	205	314	415	460	751
South Dublin																				
Males	435	16	20	2	1	1	8	10	7	11	10	14	27	27	41	45	56	73	41	41
Females	385	8	10	1	-	3	-	1	4	6	7	17	14	20	18	31	54	64	46	89
Fingal																				
Males	386	9	11	-	3	5	7	7	3	9	13	20	12	25	37	40	39	48	49	58
Females	306	12	12	1	-	3	2	-	2	4	11	7	12	17	15	17	34	39	64	66
Dun Laoghaire Rathdown																				
Males	716	14	14	2	-	1	3	5	9	4	8	16	19	38	53	100	110	107	127	100
Females	763	8	8	-	-	3	1	-	1	4	4	10	22	23	25	47	89	100	149	277
Kildare																				
Males	467	12	12	4	2	2	7	6	7	11	11	8	18	26	33	42	65	78	64	71
Females	399	8	10	-	-	1	2	-	3	2	5	10	12	15	24	33	64	61	61	96
Kilkenny																				
Males	340	3	3	2	-	2	5	3	2	2	8	7	10	13	20	37	54	60	61	51
Females	305	2	3	-	1	-	1	1	1	-	2	1	8	7	12	35	48	49	54	82
Laois																				
Males	255	2	2	-	1	3	9	4	2	2	-	2	5	11	18	32	46	41	42	35
Females	193	-	1	2	-	1	1	2	1	1	2	2	5	5	7	20	30	31	40	42
Longford																				
Males	161	-	-	-	-	-	2	3	2	3	3	1	4	8	3	23	25	30	26	28
Females	148	2	2	-	-	-	-	-	1	-	1	1	3	6	7	7	21	27	35	37
Louth																				
Males	404	6	6	2	-	4	8	7	5	3	6	14	19	15	24	34	75	64	76	42
Females	333	5	5	-	-	-	-	1	3	4	3	4	16	18	11	35	41	55	58	79
Meath																				
Males	421	6	9	1	1	2	7	4	2	-	6	14	18	19	27	52	58	69	75	57
Females	384	2	2	-	1	2	2	-	2	5	2	7	8	13	22	29	37	60	82	110

Table 18 Deaths occurring in 1996, classified by sex and age of residents in each province, county and county borough — Continued

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
Offaly																				
Males	283	2	5	1	-	1	4	4	2	2	4	8	14	9	23	33	46	50	40	37
Females	218	2	4	-	-	1	-	-	3	1	3	4	4	4	12	14	30	40	41	57
Westmeath																				
Males	363	4	4	-	1	4	4	5	6	2	2	8	16	10	32	44	56	60	52	57
Females	260	3	3	-	-	3	1	1	-	3	3	3	3	8	6	18	31	48	51	78
Wexford																				
Males	489	3	3	-	1	7	5	6	3	2	8	12	18	25	32	59	70	81	82	75
Females	499	3	4	-	-	4	3	5	-	2	4	2	13	12	23	25	73	75	108	146
Wicklow																				
Males	423	5	6	1	-	6	6	4	4	5	3	5	14	21	25	39	64	73	70	77
Females	415	1	1	-	-	3	-	-	2	1	5	8	7	8	13	28	44	62	95	138
MUNSTER																				
Clare																				
Males	476	4	5	-	-	2	8	3	6	6	4	4	12	19	30	50	68	86	86	87
Females	391	3	3	2	-	1	1	1	2	1	1	6	11	4	9	25	50	52	84	138
Cork County Borough																				
Males	709	9	10	1	2	3	7	6	7	8	11	18	20	57	61	99	124	102	87	86
Females	660	11	15	1	-	2	2	4	4	5	4	13	18	20	38	44	67	99	125	199
Cork County																				
Males	1,369	8	10	-	5	11	23	10	12	14	25	29	41	51	75	140	178	253	273	219
Females	1,161	9	13	1	-	3	3	2	2	5	16	10	21	29	43	79	142	206	238	348
Kerry																				
Males	735	2	2	-	3	5	6	4	5	3	9	6	22	28	60	69	109	134	128	142
Females	609	4	5	-	1	-	1	2	5	3	1	5	8	11	19	41	76	99	143	189
Limerick County Borough																				
Males	255	2	2	-	1	-	7	4	5	2	5	9	13	15	21	35	42	34	30	30
Females	291	3	3	-	2	1	1	1	1	2	4	4	7	11	17	35	35	50	52	65
Limerick County																				
Males	473	2	4	1	1	4	5	2	2	6	6	12	11	15	28	51	58	89	87	91
Females	405	7	8	-	2	1	1	1	1	5	6	7	10	9	16	27	38	71	78	124
Tipperary, North Riding																				
Males	351	-	1	-	1	2	3	-	1	2	3	4	8	14	27	37	65	69	61	53
Females	274	6	6	-	-	1	1	1	-	2	2	5	8	9	10	19	29	41	56	84
Tipperary, South Riding																				
Males	391	3	3	2	1	6	3	2	3	6	5	10	8	23	20	53	74	70	59	43
Females	380	1	1	-	1	-	-	1	1	3	2	8	6	9	15	29	55	60	81	108
Waterford County Borough																				
Males	148	-	-	2	1	1	1	1	2	1	2	7	7	9	12	23	21	23	15	20
Females	161	2	2	-	1	-	1	1	-	-	-	1	4	9	9	6	23	25	32	47
Waterford County																				
Males	243	2	3	-	1	-	3	-	5	4	-	8	7	9	20	25	36	46	36	40
Females	198	1	1	-	-	-	2	-	-	2	-	3	5	4	11	15	15	37	52	51
CONNACHT																				
Galway County Borough																				
Males	167	2	2	-	3	-	4	2	1	1	4	4	8	7	11	12	31	28	24	25

Table 18 Deaths occurring in 1996, classified by sex and age of residents in each province, county and county borough — Continued

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
CONNACHT																				
Galway County Borough																				
Females	159	2	2	-	-	-	1	-	1	1	4	5	3	3	7	18	14	21	35	44
Galway County																				
Males	804	4	6	-	-	8	11	7	4	6	7	19	16	37	46	68	115	158	164	132
Females	585	1	3	-	-	2	3	6	5	8	3	5	11	16	29	31	57	80	130	196
Leitrim																				
Males	195	4	5	-	-	1	-	-	-	-	3	8	7	10	20	26	33	48	34	
Females	168	1	2	-	-	-	-	2	1	-	4	1	-	1	7	12	14	30	38	56
Mayo																				
Males	757	1	1	-	1	3	6	6	3	8	3	14	20	35	49	82	101	138	157	130
Females	649	2	3	-	2	4	-	-	-	2	7	5	5	7	23	32	61	114	165	219
Roscommon																				
Males	339	2	2	-	2	2	2	-	-	3	5	2	5	11	23	28	57	65	69	63
Females	289	-	2	-	-	1	1	1	1	-	1	-	6	2	12	13	36	57	64	92
Sligo																				
Males	292	1	2	-	2	2	1	1	-	4	7	5	8	13	31	21	42	55	59	39
Females	293	1	3	-	-	-	-	1	-	2	4	1	3	6	8	21	28	59	68	89
ULSTER (part of)																				
Cavan																				
Males	304	2	3	-	3	2	3	3	2	2	3	6	9	9	16	33	38	65	64	43
Females	225	2	2	-	2	-	-	2	1	-	2	3	3	3	7	13	25	42	48	72
Donegal																				
Males	704	4	4	2	3	4	4	8	3	2	10	9	16	21	40	77	105	114	143	139
Females	585	7	7	1	1	3	2	6	2	1	5	9	6	14	20	34	63	95	136	180
Monaghan																				
Males	278	3	3	-	-	2	4	2	2	1	7	5	5	6	14	35	39	54	49	50
Females	236	1	1	-	-	2	-	-	1	2	2	3	7	6	8	19	23	45	45	72

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	1	1	1	-	-	-	110-118
-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	2	-	-	-	-	-	-	-	1	1	1	-	-	-	117
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	130-136
-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	135
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	136
-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	137-139
-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	137
-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	138
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
12	12	15	16	23	61	95	175	265	408	607	709	685	557	352	140-239
3	6	8	21	42	82	112	196	211	278	394	568	554	526	419	-
12	12	15	15	23	60	95	174	262	407	605	707	681	551	349	140-208
3	6	8	21	42	81	109	194	211	278	392	563	551	523	413	-
-	-	-	-	-	4	4	14	2	16	10	20	23	6	6	140-149
-	1	-	-	1	1	-	2	2	2	3	8	5	8	4	-
-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	140
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	2	2	3	-	3	2	3	6	2	2	141
-	1	-	-	1	-	-	-	1	-	-	1	1	4	-	-
-	-	-	-	-	-	-	-	-	1	-	4	4	1	1	142
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	143
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	1	1	3	-	3	-	1	-	-	144
-	-	-	-	-	1	1	4	2	3	1	1	2	2	-	145
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	1	-	1	-	2	2	1	-	-	146
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	147
-	-	-	-	-	-	-	1	-	3	1	2	4	1	-	148
-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-
-	-	-	-	-	-	1	4	-	2	2	3	3	-	-	149
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	3	4	6	17	36	57	90	146	205	229	210	171	111	150-159
-	1	1	3	5	12	17	32	55	65	96	178	173	211	180	-
-	-	-	1	-	3	8	10	14	23	28	36	33	19	14	150
-	-	-	-	1	2	2	6	4	6	11	18	26	22	16	-
-	-	1	1	2	5	6	11	17	23	37	39	42	33	19	151
-	1	-	-	1	2	3	7	6	13	15	30	23	34	28	-
-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	152
-	-	-	-	1	-	-	-	-	-	-	3	2	-	1	-
-	-	-	1	1	2	8	11	28	36	64	66	57	52	32	153
-	-	-	3	-	3	5	7	18	24	29	54	50	73	61	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	1	-	1	2	3	10	12	24	21	19	15	18	9	154
-	-	-	-	-	1	2	2	5	7	6	9	10	23	11	
-	-	1	1	-	1	3	3	3	7	12	14	13	6	7	155
-	-	1	-	1	-	-	-	-	3	1	2	6	14	9	7
-	-	-	-	-	-	-	-	-	1	4	4	6	3	1	156
-	-	-	-	-	-	-	1	3	3	5	6	4	8	6	
-	-	-	-	-	1	3	7	11	16	27	32	26	23	15	157
-	-	-	-	-	1	4	8	10	8	19	39	34	28	24	
-	-	-	-	-	1	-	1	-	2	1	2	1	1	-	158
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
-	-	-	-	1	2	5	4	5	14	9	16	17	15	14	159
-	-	-	-	1	3	1	1	6	3	9	11	10	14	26	
1	1	-	1	2	7	13	46	88	110	203	201	189	120	51	160-165
-	-	-	2	1	9	8	26	24	42	73	115	108	83	33	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	160
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	1	3	2	6	8	7	9	11	3	-	161
-	-	-	-	-	-	-	1	1	-	1	2	2	3	-	
1	-	-	1	2	6	10	43	80	100	188	189	178	114	49	162
-	-	-	2	1	9	8	25	23	40	72	112	106	78	32	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	162.0
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	162.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	1	1	6	3	-	1	-	163
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	1	2	-	-	1	-	164
-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	
4	-	-	-	-	8	3	8	9	7	5	8	7	10	14	170-175
2	-	1	3	13	23	50	59	74	78	79	89	88	63	77	
2	-	-	-	-	-	1	2	4	2	-	-	-	1	1	170
1	-	-	-	1	-	1	-	-	1	1	1	-	1	4	
2	-	-	-	-	2	1	2	3	1	1	3	2	-	1	171
1	-	-	-	-	2	3	1	3	2	2	2	1	-	2	
-	-	-	-	-	5	1	2	2	3	3	3	2	3	3	172
-	-	-	1	1	-	1	-	4	2	4	5	8	4	3	
-	-	-	-	-	-	-	1	-	-	1	2	3	6	6	173
-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	
-	-	1	2	11	23	46	56	69	72	72	80	79	58	66	174
-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	175
-	1	4	2	3	2	14	14	19	37	80	135	144	155	127	179-189
-	1	1	5	13	23	14	38	26	51	68	65	64	61	43	
-	-	-	-	-	-	-	1	-	2	1	-	2	2	3	179
-	-	1	2	7	14	3	10	5	9	11	9	4	2	5	180
-	-	-	-	-	1	3	4	5	5	9	10	6	2	4	182
-	-	-	-	-	1	3	4	5	5	9	10	6	2	4	182.0
-	1	-	2	6	7	4	19	14	28	31	23	35	29	12	183
-	-	-	-	-	-	-	1	-	2	4	2	2	2	3	184
-	-	-	-	1	-	1	3	4	22	56	98	114	122	102	185
-	1	2	-	1	-	1	-	-	2	1	-	-	3	-	186
-	-	-	1	-	1	1	-	1	1	1	2	-	-	-	187

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	2	-	-	-	2	4	6	4	13	19	24	24	16	188
-	-	-	-	-	1	-	-	2	-	6	10	9	11	10	
-	-	-	1	1	1	9	7	8	8	9	16	6	6	9	189
-	-	-	1	-	-	4	3	-	5	6	11	6	13	6	
2	2	4	5	3	14	14	23	29	54	64	61	60	46	22	190-199
-	1	4	4	7	6	13	21	17	25	50	66	65	64	47	
-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	190
-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	
1	1	2	4	3	8	9	13	12	13	14	14	10	6	1	191
-	1	1	3	3	3	7	7	9	10	20	13	18	9	4	
-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	192
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
-	-	-	-	-	1	-	-	1	1	-	-	2	1	-	193
-	-	-	-	-	1	1	2	2	1	1	6	3	-	3	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	194
-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	
-	-	1	-	-	-	2	2	1	9	6	8	5	8	3	195
-	-	-	-	2	-	-	1	-	4	4	3	9	10	12	
1	1	-	1	-	4	3	6	15	31	43	38	42	30	17	199
-	-	3	1	2	2	4	11	6	9	24	40	34	42	27	
5	8	4	3	9	8	11	12	25	37	38	53	48	43	18	200-208
1	2	1	4	2	7	7	16	13	15	23	42	48	33	29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	200
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
-	2	1	-	2	3	3	-	1	1	3	1	1	2	-	201
-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	
1	1	1	2	1	4	4	9	11	16	11	18	14	15	3	202
1	-	-	1	1	5	2	7	4	5	12	11	15	9	10	
-	-	-	-	1	-	1	2	6	10	8	14	17	13	6	203
-	-	-	-	-	-	1	1	5	6	7	11	13	11	10	
2	4	1	1	3	-	1	-	2	5	7	10	4	1	5	204
-	-	-	1	-	-	-	1	2	-	-	6	4	6	3	
2	-	1	-	2	1	2	1	4	3	6	8	6	7	2	205
-	-	-	2	1	2	4	6	1	3	1	8	12	6	-	
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	206
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	1	-	-	-	-	-	-	1	-	3	2	6	5	2	208
-	2	-	-	-	-	-	-	-	1	2	4	4	1	5	
-	-	-	-	-	-	-	-	1	-	2	1	-	4	-	210-229
-	-	-	-	-	-	1	-	-	-	2	2	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	211
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	212
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	215
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	216
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	222
-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	225
-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	
-	-	-	1	-	1	-	1	2	1	-	1	4	2	3	235-238
-	-	-	-	-	1	2	2	-	-	-	3	2	2	6	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	237
-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	2	1	-	1	4	2	3	238
-	-	-	-	-	-	-	1	-	-	-	3	1	1	6	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239
2	1	5	8	7	9	9	4	12	25	45	50	52	48	35	240-279
4	1	2	3	2	4	2	2	8	15	22	33	41	63	61	
-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	240-246
-	-	-	-	-	-	-	-	-	1	1	4	2	8	7	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	242
-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	244
-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	245
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	1	1	3	7	2	9	22	38	41	47	45	28	250-259
-	-	-	-	-	3	1	2	7	11	19	26	35	48	48	
-	-	-	1	1	2	7	2	9	22	38	41	46	44	28	250
-	-	-	-	-	3	1	2	4	11	17	25	35	45	47	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	252
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	-	1	1	-	3	1	255
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	259
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	260-269
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	263
-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	266
2	1	5	7	6	6	2	2	3	2	6	7	5	2	5	270-279
4	1	2	3	2	1	1	-	1	3	2	2	4	5	6	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	270
-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	
-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	272
-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	273
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
1	-	-	-	-	-	-	-	1	-	1	1	-	-	2	274
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	275
-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	276
1	1	2	-	-	-	-	-	-	-	-	-	1	1	-	
4	1	1	-	1	-	-	-	-	1	1	-	-	-	-	277
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	278
-	-	3	7	6	6	2	1	2	-	-	-	-	-	-	
-	-	1	3	1	1	-	-	-	-	-	-	-	1	-	279
-	-	-	-	1	-	-	2	1	10	8	6	9	15	11	280-289
1	-	1	1	1	-	-	1	3	4	5	7	5	15	28	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	280
-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	281
-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	282
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	283
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	284
-	-	-	-	-	-	-	-	1	-	-	-	-	1	6	
-	-	-	-	-	-	-	-	-	1	2	1	2	4	3	285
-	-	-	-	-	-	-	1	1	1	1	2	2	7	14	
-	-	-	-	1	-	-	1	1	-	3	-	-	1	-	286
1	-	1	1	1	-	-	-	-	1	3	2	1	-	2	
-	-	-	-	-	-	-	1	-	1	1	-	1	1	2	287
-	-	-	-	-	-	-	-	-	2	1	-	1	2	2	
-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	288
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	5	1	2	1	2	1	289
-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	
4	8	12	9	8	7	9	8	7	9	11	14	30	32	28	290-319
1	1	-	3	-	3	5	6	4	1	7	11	22	41	84	
-	-	-	-	-	-	-	-	1	1	2	8	16	18	17	290-294
-	-	-	-	-	-	-	-	-	-	5	5	14	28	54	
-	-	-	-	-	-	-	-	-	1	2	8	16	18	17	290
-	-	-	-	-	-	-	-	-	-	5	4	14	28	53	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	294
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	1	1	2	3	9	11	10	10	295-299
-	-	-	-	-	-	-	-	-	-	4	6	10	25	-	
-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	296
-	-	-	-	-	-	-	-	1	1	2	2	8	9	10	298
-	-	-	-	-	-	-	-	-	-	4	5	9	22	-	
4	8	12	9	8	7	9	8	5	7	7	3	5	3	1	300-316
1	1	-	3	-	3	5	6	4	-	2	2	2	3	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	300
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	301
-	1	1	-	3	7	4	7	4	7	7	2	3	2	-	303
-	-	-	1	-	2	3	5	1	-	-	2	-	-	-	
4	7	10	9	3	-	3	-	-	-	-	1	-	-	-	304
1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	
-	-	1	-	2	-	2	1	1	-	-	-	-	1	-	305
-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	307
-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	307
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	311
-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317-319
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
4	7	7	17	32	67	145	210	323	552	826	1,162	1,320	1,304	1,208	390-459
6	4	7	6	15	22	37	54	93	215	413	750	1,191	1,526	2,368	
-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	390-392
-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	390
-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	
-	-	-	-	-	1	-	-	3	-	3	-	-	-	2	393-398
-	-	-	-	-	1	1	3	3	-	-	9	6	5	5	
-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	394
-	-	-	-	-	1	1	-	1	-	-	4	4	4	5	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	397
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	398
-	-	-	-	-	-	-	3	2	-	-	5	1	1	-	
-	-	-	1	-	2	2	2	4	6	10	20	19	20	7	401-405
-	-	-	-	-	-	1	2	-	3	6	11	26	29	31	
-	-	-	-	-	-	-	1	-	1	3	4	14	8	11	401
-	-	-	-	-	-	-	-	-	2	5	8	9	13	18	
-	-	-	1	-	2	1	2	2	2	2	5	7	5	3	402
-	-	-	-	-	-	1	2	-	1	-	2	14	13	12	
-	-	-	-	-	-	-	-	1	1	3	1	4	4	1	403
-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	404
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	6	15	49	97	164	248	391	562	757	804	706	602	410-414
-	-	-	-	1	8	10	25	45	115	240	391	622	689	1,054	
-	-	-	2	3	27	61	100	176	246	386	528	571	503	383	410
-	-	-	-	-	6	3	18	30	70	175	274	420	453	632	
-	-	-	1	-	-	1	3	1	5	4	3	4	4	3	411
-	-	-	-	-	-	-	-	-	-	3	2	6	1	3	
-	-	-	-	-	3	-	-	-	4	4	5	3	-	-	412
-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	
-	-	-	-	-	-	-	-	-	-	3	1	2	-	2	413
-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	
-	-	-	3	12	22	35	58	71	136	165	220	224	199	214	414
-	-	-	-	-	2	7	7	15	45	61	113	194	232	419	
-	-	-	-	-	-	-	-	1	2	7	6	5	7	-	415-417
-	-	-	1	1	-	2	-	2	1	5	5	3	11	6	
-	-	-	-	-	-	-	-	1	-	6	5	5	7	-	415
-	-	-	1	1	-	1	-	2	1	4	4	3	9	6	
-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	416
-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	417
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
3	6	5	4	11	3	21	15	29	57	93	114	206	205	232	420-429
3	1	4	-	3	3	5	5	14	35	47	99	154	264	507	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	420
-	1	-	-	-	1	-	-	-	-	3	2	-	2	1	421
1	-	-	-	-	-	-	1	-	-	1	2	2	-	1	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	422
-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	
-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	423
-	-	1	1	-	-	1	1	1	9	10	12	13	8	9	
1	-	-	-	-	1	1	-	1	3	7	7	19	17	22	424
1	2	3	-	5	1	4	3	11	14	17	14	14	8	6	425
-	-	-	-	-	-	1	-	2	9	5	8	7	7	5	

Table 19 (contd.) - Deaths in 1996 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
458	Hypotension	M	1	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
459	Other Disorders of Circulatory System	M	18	-	-	-	-	-	-	-	-
		F	29	-	-	-	-	-	-	-	-
460-519	8.Diseases of The Respiratory System	M	2,344	3	-	1	2	-	6	5	2
		F	2,373	3	1	-	-	-	4	-	3
460-466	Acute Respiratory Infections	M	6	1	-	-	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	-
466	Acute Bronchitis and Bronchiolitis	M	6	1	-	-	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	-
470-478	Other Diseases of Upper Respiratory Tract	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
478	Other Diseases of Upper Respiratory Tract	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
480-487	Pneumonia and Influenza	M	983	1	-	1	2	-	4	2	2
		F	1,271	1	1	-	-	-	2	-	1
480	Viral Pneumonia	M	3	-	-	-	-	-	-	1	-
		F	3	-	-	-	-	-	-	-	-
481	Pneumococcal Pneumonia	M	112	-	-	-	-	-	-	-	-
		F	115	-	-	-	-	-	-	-	-
482	Other Bacterial Pneumonia	M	5	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	1
483	Pneumonia Due to Other Specified Organism	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
485	Bronchopneumonia, Organism Unspecified	M	497	-	-	-	-	-	-	-	1
		F	675	1	1	-	-	-	2	-	-
486	Pneumonia, Organism Unspecified	M	360	1	-	1	2	-	4	1	1
		F	453	-	-	-	-	-	-	-	-
487	Influenza	M	6	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
490-496	Chronic Obstructive Pulmonary Disease and Allied Conditions	M	1,117	-	-	-	-	-	-	1	-
		F	770	-	-	-	-	-	-	-	-
490	Bronchitis, Not Specified As Acute or Chronic	M	14	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-
491	Chronic Bronchitis	M	123	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-
492	Emphysema	M	55	-	-	-	-	-	-	-	-
		F	42	-	-	-	-	-	-	-	-
493	Asthma	M	47	-	-	-	-	-	-	1	-
		F	63	-	-	-	-	-	-	-	-
494	Bronchiectasis	M	16	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-
495	Extrinsic Allergic Alveolitis	M	6	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
496	Chronic Airways Obstruction, Not Elsewhere Classified	M	856	-	-	-	-	-	-	-	-
		F	562	-	-	-	-	-	-	-	-
500-508	Pneumoconioses and Other Lung Diseases Due to External Agents	M	37	-	-	-	-	-	-	-	-
		F	25	1	-	-	-	-	1	-	-
501	Asbestosis	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
505	Pneumoconiosis, Unspecified	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
507	Pneumonitis Due to Solids and Liquids	M	31	-	-	-	-	-	-	-	-
		F	25	1	-	-	-	-	1	-	-
510-519	Other Diseases of Respiratory System	M	199	1	-	-	-	-	1	2	-
		F	302	1	-	-	-	-	1	-	2
510	Empyema	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
511	Pleurisy	M	8	-	-	-	-	-	-	-	-
		F	7	1	-	-	-	-	1	-	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	458
-	-	-	-	-	-	1	-	-	-	2	2	-	1	2	
-	-	-	-	-	-	-	1	-	4	4	2	1	1	5	459
-	-	-	1	1	-	-	-	2	-	2	5	1	6	11	
6	1	5	-	7	7	15	32	44	79	187	334	463	561	590	460-519
1	1	3	3	5	7	13	18	35	48	124	238	364	519	987	
-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	460-466
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	466
-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	470-478
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	478
2	1	3	-	1	2	8	10	16	26	49	83	171	270	333	480-487
-	-	1	-	3	1	3	4	9	11	40	61	154	298	683	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	480
-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	
-	-	1	-	-	1	2	1	2	4	9	13	17	31	31	481
-	-	1	-	1	-	1	-	-	3	6	12	18	26	47	
-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	482
-	-	-	-	-	-	-	1	-	-	-	2	1	4	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	483
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	1	-	6	2	3	10	22	39	84	138	191	485
-	-	-	-	-	-	2	1	6	4	18	25	84	154	379	
1	1	2	-	-	1	-	6	11	11	17	31	67	97	109	486
-	-	-	-	2	1	-	2	3	4	15	22	48	112	244	
-	-	-	-	-	-	-	1	-	-	-	-	2	3	-	487
-	-	-	-	-	-	-	-	-	-	-	-	3	1	7	
1	-	2	-	3	4	6	16	21	48	114	201	241	246	213	490-496
1	1	1	2	1	4	7	10	22	32	67	147	162	148	165	
-	-	-	-	-	-	-	-	1	-	-	4	4	2	3	490
-	-	-	-	-	-	1	-	-	1	-	3	1	4	6	
-	-	-	-	-	-	1	1	1	5	14	22	29	27	23	491
-	-	-	-	-	-	1	2	1	2	2	9	22	12	13	
-	-	-	-	1	-	1	-	4	4	9	12	11	7	6	492
-	-	-	-	-	-	-	-	-	4	3	12	9	3	11	
1	-	2	-	1	4	1	4	3	3	10	5	7	2	3	493
1	1	1	2	1	3	5	3	3	2	9	6	8	6	12	
-	-	-	-	-	-	1	-	2	-	1	3	5	2	2	494
-	-	-	-	-	-	-	2	3	1	2	2	3	4	3	
-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	495
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	
-	-	-	-	1	-	2	10	10	35	80	154	184	204	176	496
-	-	-	-	-	1	-	2	15	22	50	114	119	119	120	
-	-	-	-	-	1	-	-	1	1	5	8	9	9	3	500-508
-	-	-	-	-	1	-	-	-	-	4	1	5	2	11	
-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	501
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	505
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	5	7	7	7	3	507
-	-	-	-	1	-	-	-	-	-	4	1	5	2	11	
3	-	-	-	3	-	1	6	6	4	18	40	42	35	38	510-519
-	-	1	1	-	2	3	4	4	4	12	28	43	70	127	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	510
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	1	4	-	3	-	511
-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	512
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	513
-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	514
-	-	-	-	-	-	-	1	1	-	-	-	7	3	10	515
-	-	-	-	-	-	-	-	-	-	-	1	5	11	21	516
-	-	-	-	1	-	1	2	-	-	2	8	6	1	2	517
-	-	-	-	-	-	-	1	-	-	2	6	4	8	5	518
-	-	-	-	-	-	-	-	2	1	4	6	8	3	2	519
-	-	-	-	-	-	-	-	-	1	1	4	7	1	2	520
-	-	-	-	1	-	-	1	1	2	3	-	1	3	1	521
-	-	1	1	-	1	2	-	1	1	1	1	1	4	3	522
3	-	-	-	1	-	-	1	2	1	7	20	18	22	23	523
-	-	-	-	-	-	-	3	3	1	8	15	23	43	94	524
2	2	1	-	5	5	14	21	26	24	53	63	59	80	74	525-529
1	1	1	4	5	3	12	14	18	17	37	59	86	99	138	526
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	527-529
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	528
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	529
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	530
2	-	-	-	1	-	3	6	2	4	18	16	24	23	22	531-537
1	-	1	1	-	-	1	3	5	2	4	9	22	19	26	532
-	-	-	-	1	-	-	1	-	1	2	1	6	2	4	533
-	-	-	-	-	-	-	1	1	-	-	3	2	1	2	534
2	-	-	-	-	-	-	1	-	1	4	5	7	5	3	535
-	-	-	-	-	-	-	1	-	-	1	3	4	4	2	536
-	-	-	-	-	-	2	3	1	2	7	7	6	5	4	537
1	-	-	-	-	-	-	-	3	2	1	2	6	8	7	538
-	-	-	-	-	-	-	1	1	-	2	3	3	10	6	539
-	-	-	-	-	-	-	1	-	-	2	-	4	4	10	540
-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	541
-	-	1	-	-	-	1	-	1	-	-	-	2	1	3	542
-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	543
-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	544
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	545
-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	546
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	547
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	548
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	549
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	550
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	552
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	553
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	554
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	555
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	556
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	557
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	558
-	-	-	-	-	-	1	2	1	1	8	4	3	10	3	559-558
-	-	-	-	1	-	1	-	3	2	3	10	4	13	18	560
-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	561
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	562

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	556
-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-
-	-	-	-	-	-	1	1	1	1	6	2	1	6	3	557
-	-	-	-	1	-	-	-	3	1	2	7	3	10	12	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	558
-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	-
-	1	-	-	-	2	2	3	3	4	5	22	12	16	22	560-569
-	-	-	-	-	1	1	2	3	4	9	18	29	32	52	-
-	1	-	-	-	-	-	-	1	2	1	7	7	2	12	560
-	-	-	-	-	-	1	1	1	2	1	5	6	11	17	-
-	-	-	-	-	1	-	-	1	-	2	3	-	5	4	562
-	-	-	-	-	-	-	-	2	-	3	9	12	9	24	-
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	564
-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	566
-	-	-	-	-	-	1	-	-	1	1	3	-	1	2	-
-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	567
-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	568
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	1	1	1	1	1	6	5	7	3	569
-	-	-	-	-	1	-	1	-	-	3	2	8	7	4	-
-	1	1	-	4	3	8	10	19	15	21	20	16	25	21	570-579
-	1	-	3	4	2	9	9	7	9	17	19	26	32	39	-
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	570
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
-	1	-	-	1	1	3	7	12	10	8	4	3	-	2	571
-	1	-	2	2	2	8	7	2	3	8	5	10	7	-	-
-	-	-	-	1	-	3	1	3	2	2	2	-	4	-	572
-	-	-	-	-	-	-	1	-	1	2	4	1	-	2	-
-	-	1	-	-	1	-	-	-	1	-	1	-	1	1	573
-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	574
-	-	-	-	-	-	-	-	1	-	2	-	2	1	7	-
-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	575
-	-	-	-	-	-	-	-	-	-	-	1	-	7	1	-
-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	576
-	-	-	-	-	-	-	-	-	1	-	1	-	1	5	-
-	-	-	-	1	1	-	-	3	-	3	3	-	2	3	577
-	-	-	1	-	-	1	-	1	1	2	1	3	6	6	-
-	-	-	-	1	1	1	2	-	2	2	6	7	13	12	578
-	-	-	-	-	-	-	-	2	2	3	5	8	9	18	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	579
-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-
-	2	2	1	-	-	5	1	5	10	18	44	75	89	84	580-629
-	-	1	-	-	-	1	-	3	8	9	31	58	80	109	-
-	2	1	1	-	-	3	1	4	8	16	32	49	57	56	580-589
-	-	1	-	-	-	1	-	3	8	6	23	40	54	69	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	580
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	581
-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	582
-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-
-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	583
-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	-
-	-	-	-	-	-	-	-	1	2	2	4	8	6	3	584
-	-	-	-	-	-	-	-	-	1	1	3	7	5	6	-
-	1	-	1	-	-	1	-	2	2	5	6	18	21	19	585
-	-	1	-	-	-	1	-	-	2	-	6	10	13	19	-

Table 19 (contd.) - Deaths in 1996 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Under Ages	1	2	3	4	Under 5	5-9	10-14
586	Renal Failure, Unspecified	M	116	-	-	-	-	-	-	-
		F	112	-	-	-	-	-	-	-
587	Renal Sclerosis, Unspecified	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
588	Disorders Resulting From Impaired Renal Function	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
589	Small Kidney of Unknown Cause	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
590-599	Other Diseases of Urinary System	M	90	-	-	-	-	-	-	-
		F	93	1	-	-	-	1	-	-
590	Infections of Kidney	M	11	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-
591	Hydronephrosis	M	3	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
592	Calculus of Kidney and Ureter	M	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
593	Other Disorders of Kidney and Ureter	M	13	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-
595	Cystitis	M	2	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
596	Other Disorders of Bladder	M	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
599	Other Disorders of Urethra and Urinary Tract	M	58	-	-	-	-	-	-	-
		F	71	1	-	-	-	1	-	-
600-608	Diseases of Male Genital Organs	M	16	-	-	-	-	-	-	-
600	Hyperplasia of Prostate	M	13	-	-	-	-	-	-	-
601	Inflammatory Diseases of Prostate	M	1	-	-	-	-	-	-	-
602	Other Disorders of Prostate	M	1	-	-	-	-	-	-	-
605	Redundant Prepuce and Phimosis	M	1	-	-	-	-	-	-	-
614-616	Inflammatory Disease of Female Pelvic Organs	F	1	-	-	-	-	-	-	-
614	Inflammatory Disease of Ovary, Fallopian Tube, Pelvic Cellular Tissue and Peritoneum	F	1	-	-	-	-	-	-	-
617-629	Other Disorders of Female Genital Tract	F	2	-	-	-	-	-	-	-
620	Noninflammatory Disorders of Ovary, Fallopian Tube and Broad Ligament	F	1	-	-	-	-	-	-	-
629	Other Disorders of Female Genital Organs	F	1	-	-	-	-	-	-	-
630-676	11. Complications of Pregnancy, Childbirth and The Puerperium	F	3	-	-	-	-	-	-	-
660-669	Complications Occurring Mainly In The Course of Labour and Delivery	F	1	-	-	-	-	-	-	-
666	Postpartum Haemorrhage	F	1	-	-	-	-	-	-	-
670-676	Complications of The Puerperium	F	2	-	-	-	-	-	-	-
671	Venous Complications In Pregnancy and The Puerperium	F	1	-	-	-	-	-	-	-
673	Obstetrical Pulmonary Embolism	F	1	-	-	-	-	-	-	-
680-709	12. Diseases of The Skin and Subcutaneous Tissue	M	32	-	-	-	-	-	-	-
		F	46	-	-	-	-	-	-	-
680-686	Infections of Skin and Subcutaneous Tissue	M	11	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-
682	Other Cellulitis and Abscess	M	7	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-
686	Other Local Infections of Skin and Subcutaneous Tissue	M	4	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code	
-	-	-	-	-	-	-	2	1	-	3	7	18	22	29	34	586
-	-	-	-	-	-	-	-	-	-	4	4	11	23	32	38	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	587
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	588
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	589
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	1	-	-	-	-	2	-	1	2	1	11	20	31	21	590-599
-	-	-	-	-	-	-	-	-	-	3	8	18	25	38		
-	-	1	-	-	-	-	-	-	-	-	-	2	3	5		590
-	-	-	-	-	-	-	-	-	-	1	2	3	3	3		591
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-		592
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		593
-	-	-	-	-	-	-	1	-	-	1	1	3	4	2	1	595
-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	596
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	599
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	7	13	24	13	599
-	-	-	-	-	-	-	-	-	-	2	4	12	19	33		
-	-	-	-	-	-	-	-	-	-	1	1	6	1	7		600-608
-	-	-	-	-	-	-	-	-	-	-	1	6	1	5		600
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-		601
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	602
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	605
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		614-616
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	614
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	617-629
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	620
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	629
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	630-676
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	660-669
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	666
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	670-676
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	671
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	673
-	-	-	-	-	-	-	-	-	-	3	5	9	8	7		680-709
-	-	-	-	1	-	-	2	1	1	2	1	8	17	13		
-	-	-	-	-	-	-	-	-	1	1	2	3	3	2		680-686
-	-	-	-	-	-	-	1	-	1	-	-	2	3	2		
-	-	-	-	-	-	-	-	-	-	-	1	2	2	2		682
-	-	-	-	-	-	-	1	-	1	-	-	-	1	2		
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-		686
-	-	-	-	-	-	-	-	-	-	-	-	2	2	-		

Table 19 (contd.) - Deaths in 1996 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
690-698	Other Inflammatory Conditions of Skin and Subcutaneous Tissue	M	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
695	Erythematous Conditions	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
696	Psoriasis and Similar Disorders	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
700-709	Other Diseases of Skin and Subcutaneous Tissue	M	21	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-
707	Chronic Ulcer of Skin	M	20	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-
709	Other Disorders of Skin and Subcutaneous Tissue	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
710-739	13.Diseases of The Musculoskeletal System and Connective Tissue	M	60	-	-	-	-	-	-	-	-
		F	115	-	-	-	-	-	-	-	-
710-719	Arthropathies and Related Disorders	M	44	-	-	-	-	-	-	-	-
		F	89	-	-	-	-	-	-	-	-
710	Diffuse Diseases of Connective Tissue	M	5	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
711	Arthropathy Associated With Infections	M	2	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
714	Rheumatoid Arthritis and Other Inflammatory Polyarthropathies	M	18	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-
715	Osteoarthritis and Allied Disorders	M	14	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
716	Other and Unspecified Arthropathies	M	5	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
720-724	Dorsopathies	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
721	Spondylosis and Allied Disorders	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
724	Other and Unspecified Disorders of Back	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
725-729	Rheumatism, Excluding The Back	M	4	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
725	Polymyalgia Rheumatica	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
728	Disorders of Muscle, Ligament and Fascia	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
729	Other Disorders of Soft Tissues	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
730-739	Osteopathies, Chondropathies and Acquired Musculoskeletal Deformities	M	11	-	-	-	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-
730	Osteomyelitis, Periostitis and Other Infections Involving Bone	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
731	Osteitis Deformans and Osteopathies Associated With Other Disorders Classified Elsewhere	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
732	Osteochondropathies	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
733	Other Disorders of Bone and Cartilage	M	6	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
737	Curvature of Spine	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
740-759	14.Congenital Anomalies	M	83	60	4	1	-	-	65	1	1
		F	74	47	7	3	1	1	59	-	-
740	Anencephalus and Similar Anomalies	M	9	9	-	-	-	-	9	-	-
		F	2	2	-	-	-	-	2	-	-
741.0	Spina Bifida With Hydrocephalus	M	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	-

Table 19 (contd.) - Deaths in 1996 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
775	Endocrine and Metabolic Disturbances Specific to The Fetus and Newborn	M	-	-	-	-	-	-	-	-	-
		F	3	1	2	-	-	-	3	-	-
777	Perinatal Disorders of Digestive System	M	2	2	-	-	-	-	2	-	-
		F	1	1	-	-	-	-	1	-	-
778	Conditions Involving The Integument and Temperature Regulation of Fetus and Newborn	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
779	Other and Ill-defined Conditions Originating In The Perinatal Period	M	2	2	-	-	-	-	2	-	-
		F	2	2	-	-	-	-	2	-	-
780-799	16.Symptoms, Signs and Ill-defined Conditions	M	98	22	-	1	-	-	23	-	-
		F	132	15	4	-	-	-	19	-	-
780-789	Symptoms	M	31	-	-	-	-	-	-	-	-
		F	37	4	1	-	-	-	5	-	-
780	General Symptoms	M	4	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
781	Symptoms Involving Nervous and Musculoskeletal Systems	M	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
782	Symptoms Involving Skin and Other Integumentary Tissue	M	2	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
783	Symptoms Concerning Nutrition, Metabolism and Development	M	1	-	-	-	-	-	-	-	-
		F	7	2	1	-	-	-	3	-	-
784	Symptoms Involving Head and Neck	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
785	Symptoms Involving Cardiovascular System	M	15	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
786	Symptoms Involving Respiratory System and Other Chest Symptoms	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
787	Symptoms Involving Digestive System	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
788	Symptoms Involving Urinary System	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
789	Other Symptoms Involving Abdomen and Pelvis	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
790-796	Nonspecific Abnormal Findings	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
795	Nonspecific Abnormal Histological and Immunological Findings	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
797-799	Ill-defined and Unknown Causes of Morbidity and Mortality	M	66	21	-	1	-	-	22	-	-
		F	95	11	3	-	-	-	14	-	-
797	Senility Without Mention of Psychosis	M	18	-	-	-	-	-	-	-	-
		F	47	-	-	-	-	-	-	-	-
798	Sudden Death, Cause Unknown	M	26	21	-	1	-	-	22	-	-
		F	16	11	3	-	-	-	14	-	-
798.0	Sudden Infant Death Syndrome	M	21	20	-	1	-	-	21	-	-
		F	14	11	3	-	-	-	14	-	-
799	Other Ill-defined and Unknown Causes of Morbidity and Mortality	M	22	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	-	-	-
800-999	17.Injury and Poisoning	M	1,049	-	1	4	3	1	9	9	22
		F	395	2	1	1	1	-	5	7	6
800-804	Fracture of Skull	M	82	-	-	-	-	-	-	3	4
		F	27	1	1	-	-	-	2	-	2
800	Fracture of Vault of Skull	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
801	Fracture of Base of Skull	M	3	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	-	1	-	1
802	Fracture of Face Bones	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
803	Other and Unqualified Skull Fractures	M	75	-	-	-	-	-	-	3	4
		F	22	1	-	-	-	-	1	-	1

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	4	-	2	-	1	4	3	8	15	8	28	780-799
-	-	-	-	1	1	1	3	-	-	2	6	7	17	75	
-	-	-	-	1	1	1	2	-	2	2	4	9	6	6	780-789
-	-	-	-	1	1	1	2	-	-	1	3	4	8	11	
-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	780
-	-	-	-	1	1	1	-	-	-	-	-	-	2	2	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	781
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	782
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	783
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	784
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	2	4	3	4	785
-	-	-	-	-	-	-	-	-	-	1	2	1	3	7	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	786
-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	787
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	788
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	789
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	790-796
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	795
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	3	-	1	-	1	2	1	4	6	2	22	797-799
-	-	-	-	-	-	-	1	-	-	1	3	3	9	64	
-	-	-	-	-	-	-	-	-	-	-	-	1	2	15	797
-	-	-	-	-	-	-	-	-	-	-	-	-	4	43	
-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	798
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	798.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	1	2	1	4	5	-	7	799
-	-	-	-	-	-	-	-	-	-	1	3	3	5	20	
82	164	123	101	74	74	64	56	45	43	40	30	45	32	36	800-999
25	15	27	23	20	12	24	13	14	27	11	24	28	39	75	
17	22	7	6	1	2	3	-	1	4	2	3	4	1	2	800-804
1	2	7	-	1	1	2	1	1	3	2	1	1	-	-	
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	800
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	801
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	802
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	21	6	5	1	2	2	-	1	3	2	3	4	1	2	803
-	2	7	-	1	1	1	-	1	3	2	1	1	-	-	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	804
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	2	4	3	1	3	2	1	2	3	1	2	1	3	805-809
1	-	1	-	1	-	-	-	1	1	1	3	2	1	1	-
1	-	1	1	2	-	1	1	1	1	1	1	1	-	-	805
-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	806
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	3	1	1	2	1	-	1	2	-	1	-	3	807
-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	808
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	810-819
-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	812
-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	813
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	814
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	2	-	1	-	-	-	-	1	-	4	4	5	8	14	820-829
-	-	-	-	-	-	1	1	-	2	2	8	25	8	59	-
-	-	-	-	-	-	-	-	-	1	-	3	7	3	9	820
-	-	-	-	-	-	-	-	-	-	2	1	6	14	44	-
-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	821
-	-	-	-	-	-	-	-	-	-	-	1	1	11	14	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	823
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	824
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	827
1	2	-	1	-	-	-	-	-	-	2	1	-	-	-	829
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	830-839
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	831
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	839
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	25	16	11	10	7	6	7	5	7	6	3	3	3	3	850-854
3	3	3	2	1	-	2	1	1	4	-	5	1	2	2	-
-	3	2	1	1	-	-	2	1	1	-	-	-	-	-	851
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	-	-	-	-	-	-	1	1	-	2	-	-	852
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	853
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	19	12	9	9	7	6	5	4	5	5	3	1	3	2	854
2	3	2	2	1	-	2	1	1	4	-	5	1	2	1	-
20	33	27	18	8	17	10	7	5	7	3	8	3	3	5	860-869
5	2	5	7	5	3	5	1	1	7	2	4	3	3	2	-
-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	860
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	2	-	-	-	1	-	-	-	1	1	-	1	861
1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	862
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 19 (contd.) - Deaths in 1996 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
958-959	Certain Traumatic Complications and Unspecified Injuries	M	22	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
958	Certain Early Complications of Trauma	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
959	Injury, Other and Unspecified	M	22	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
960-979	Poisoning By Drugs, Medicaments and Biological Substances	M	49	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-
962	Poisoning By Hormones and Synthetic Substitutes	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
965	Poisoning By Analgesics, Antipyretics and Antirheumatics	M	14	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
967	Poisoning By Sedatives and Hypnotics	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
969	Poisoning By Psychotropic Agents	M	23	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
971	Poisoning By Drugs Primarily Affecting The Autonomic Nervous System	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
972	Poisoning By Agents Primarily Affecting The Cardiovascular System	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
974	Poisoning By Water, Mineral and Uric Acid Metabolism Drugs	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
976	Poisoning By Agents Primarily Affecting Skin and Mucous Membrane, Ophthalmological, Otorhinolaryngological and Dental Drugs	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
977	Poisoning By Other and Unspecified Drugs and Medicaments	M	5	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
980-989	Toxic Effects of Substances Chiefly Nonmedicinal As to Source	M	90	-	-	1	3	-	4	-	2
		F	21	-	-	1	-	-	1	2	-
980	Toxic Effect of Alcohol	M	9	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
985	Toxic Effect of Other Metals	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
986	Toxic Effect of Carbon Monoxide	M	50	-	-	-	1	-	1	-	-
		F	5	-	-	-	-	-	-	-	-
987	Toxic Effect of Other Gases, Fumes or Vapours	M	24	-	-	1	2	-	3	-	2
		F	12	-	-	1	-	-	1	2	-
989	Toxic Effect of Other Substances, Chiefly Nonmedicinal As to Source	M	6	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
990-995	Other and Unspecified Effects of External Causes	M	325	-	-	3	-	-	3	2	7
		F	62	1	-	-	-	-	1	1	1
991	Effects of Reduced Temperature	M	6	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
994	Effects of Other External Causes	M	319	-	-	3	-	-	3	2	7
		F	56	1	-	-	-	-	1	1	1
995	Certain Adverse Effects Not Elsewhere Classified	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
996-999	Complications of Surgical and Medical Care Not Elsewhere Classified	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
996	Complications Peculiar to Certain Specified Procedures	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
997	Complications Affecting Specified Body Systems, Not Elsewhere Classified	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
E800-E999	Supplementary Classification of External Causes of Injury and Poisoning (Included In The Foregoing)	M	1,108	-	1	4	3	1	9	9	22
		F	416	2	1	1	1	-	5	7	6

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
1	4	1	4	3	-	3	4	1	1	-	-	-	-	-	958-959
1	-	-	-	-	-	-	-	-	-	1	2	1	-	1	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	958
1	4	1	4	3	-	3	4	1	1	-	-	-	-	-	959
1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	
4	7	10	6	5	4	4	5	3	-	-	-	1	-	-	960-979
3	2	-	3	5	3	4	2	2	4	-	-	-	-	-	
-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	962
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	3	1	3	-	-	1	1	-	-	-	-	-	-	965
2	-	-	1	3	-	2	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	967
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	6	4	2	2	2	3	2	-	-	-	-	-	-	969
1	2	-	1	1	2	2	1	1	3	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	971
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	972
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	974
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	976
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	977
-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	
1	12	8	8	9	10	5	6	5	5	5	1	5	2	2	980-989
2	1	2	1	2	-	2	-	2	-	1	-	3	-	2	
-	3	-	1	1	-	1	2	-	-	1	-	-	-	-	980
-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	7	7	6	6	6	3	2	2	2	2	-	3	1	1	986
1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	
-	2	1	1	1	1	1	1	3	2	2	1	2	1	-	987
1	1	1	1	2	-	1	-	-	-	-	-	2	-	-	
-	-	-	-	1	2	-	1	-	1	-	-	-	-	1	989
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	51	42	32	30	28	24	17	17	11	9	8	13	6	2	990-995
7	4	7	6	4	4	5	6	4	4	2	2	4	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	991
-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	
23	51	42	32	30	28	24	17	16	11	8	8	11	5	1	994
7	4	7	6	4	4	5	6	3	4	-	1	2	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	995
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	996-999
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	996
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	997
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
84	168	131	108	80	79	69	61	46	49	43	33	47	32	38	E800-E999
27	15	27	23	20	14	27	18	16	27	13	27	28	40	76	

Table 19A Deaths from external causes in 1996 classified by their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E804	Fall in, on or from Railway Train, of which:	897	Traumatic amputation of leg(s) (complete) (partial)	-	1
E805	Hit by rolling stock, of which:	854	Intracranial injury of other and unspecified nature	1	-
E807	Railway accident of unspecified nature, of which:	901	Injury to blood vessels or Thorax	-	1
E811	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, of which:	869	Internal injury to unspecified or ill-defined organs	1	1
E812	Other Motor vehicle traffic accident involving collision with another motor vehicle, of which:	432	Other and unspecified intracranial haemorrhage	1	-
		512	Pneumothorax	1	-
		800	Fracture of vault of skull	1	-
		801	Fracture of base of skull	3	1
		803	Other and unqualified skull fractures	11	2
		805	Fracture of vertebral column without mention of spinal cord lesion	1	1
		807	Fracture of rib(s), sternum, larynx and trachea	9	2
		824	Fracture of ankle	-	1
		829	Fracture of unspecified bones	3	-
		851	Cerebral laceration and contusion	-	1
		853	Other and unspecified intracranial haemorrhage following injury	1	-
		854	Intracranial injury of other and unspecified nature	14	2
		860	Traumatic pneumothorax and haemothorax	1	-
		861	Injury to heart and lung	3	1
		862	Injury to other and unspecified intrathoracic organs	1	1
		863	Injury to gastrointestinal tract	-	1
		864	Injury to liver	1	2
		865	Injury to spleen	1	1
		868	Injury to other intraabdominal organs	2	0
		869	Internal injury to unspecified or ill-defined organs	45	20
875	Open wound of chest (wall)	4	-		
879	Open wound of other unspecified sites except limbs	2	-		
901	Injury to blood vessels of thorax	4	-		
959	Injury, other and unspecified	5	1		
E813	Motor vehicle traffic accident involving collision with other vehicle, of which:	803	Other and unqualified skull fractures	4	1
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	-
		854	Intracranial injury of other and unspecified nature	4	-
		860	Traumatic pneumothorax and haemothorax	1	-
		861	Injury to heart and lung	1	1
		869	Internal injury to unspecified or ill-defined organs	7	2
E814	Motor vehicle traffic accident involving collision with pedestrian, of which:	303	Alcohol dependence syndrome	1	-
		414	Other forms of chronic ischaemic heart disease	1	-
		432	Other and unspecified intracranial haemorrhage	1	-
		486	Pneumonia, organism unspecified	-	1
		513	Abscess of lung and mediastinum	1	-
		586	Renal failure, unspecified	1	-
		801	Fracture of base of skull	-	1

Table 19A(contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death Description	I.C.D. - 9 code	Natural Cause of Death Description	Number of Deaths			
				Males	Females		
E814	Motor vehicle traffic accident involving collision with pedestrian, of which:	803	Other and unqualified skull fractures	12	6		
		804	Multiple fractures involving skull or face with other bones	-	1		
		805	Fracture of vertebral column without mention of spinal cord lesion	3	1		
		806	Fracture of vertebral column with spinal cord lesion	1	-		
		807	Fracture of rib(s), sternum, larynx and trachea	1	-		
		808	Fracture of pelvis	1	-		
		829	Fracture of unspecified bones	1	-		
		839	Other, multiple and ill-defined dislocations	1	-		
		851	cerebral laceration and contusion	1	-		
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	-	1		
		853	Other and unspecified intracranial haemorrhage following injury	1	-		
		854	Intracranial injury of other and unspecified nature	17	12		
		869	Internal injury to unspecified or ill-defined organs	27	11		
		901	Injury to blood vessels of thorax	3	1		
		902	Injury to blood vessels of abdomen and pelvis	1	-		
		929	Crushing injury of multiple and unspecified sites	1	-		
		959	Injury, other and unspecified	1	-		
		E815	Other motor vehicle traffic accident involving collision on the highway, of which:	801	Fracture of base of skull	-	1
				802	Fracture of face bones	1	-
				803	Other and unqualified skull fractures	13	-
804	Multiple fractures involving skull or face with other bones			1	-		
805	Fracture of vertebral column without mention of spinal cord lesion			3	1		
806	Fracture of vertebral column with spinal cord lesion			-	2		
807	Fracture of rib(s), sternum, larynx and trachea			1	-		
851	Cerebral laceration and contusion			1	-		
852	Subarachnoid, subdural and extradural haemorrhage, following injury			2	-		
854	Intracranial injury of other and unspecified nature			11	4		
860	Traumatic pneumothorax and haemothorax			-	1		
861	Injury to heart and lung			1	1		
864	Injury to liver			2	1		
868	Injury to other intraabdominal organs			2	-		
869	Internal injury to unspecified or ill-defined organs			24	1		
901	Injury to blood vessels of thorax			1	-		
903	Injury to blood vessels of upper extremity			-	1		
959	Injury, other and unspecified	4	-				
994	Effects of other external causes	1	-				
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway, of which:	414	Nature of Injury or poisoning other forms of chronic ischaemic heart disease	1	-		
		803	Other and unqualified skull fractures	5	4		
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-		
		853	Other and unspecified intracranial haemorrhage following injury	1	-		
		854	Intracranial injury of other and unspecified nature	7	1		
		861	Injury to heart and lung	1	-		
		864	Injury to liver	1	-		

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway, of which:	868	Injury to other intraabdominal organs	1	-
		869	Internal injury to unspecified or ill-defined organs	10	2
		901	Injury to blood vessels of thorax	2	-
		933	Foreign body in pharynx and larynx	1	-
		959	Injury, other and unspecified	3	-
		994	Effects of other external causes	2	2
E817	Noncollision motor vehicle traffic accident while boarding or alighting, of which:	854	Intracranial injury of other and unspecified nature	1	-
E818	Other noncollision motor vehicle traffic accident, of which:	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		869	Internal injury to unspecified or ill-defined organs	2	-
E819	Motor vehicle traffic accident of unspecified nature, of which:	414	Other forms of chronic ischaemic heart disease	1	-
		803	Other and unqualified skull fractures	2	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	6	3
		901	Injury to blood vessels of thorax	1	-
		949	Burn, unspecified	1	-
		958	Certain early complications of trauma	-	1
		959	Injury, other and unspecified	-	1
E823	Other motor vehicle nontraffic accident involving collision with stationary object, of which:	854	Intracranial injury of other and unspecified nature	1	-
E825	Other motor vehicle nontraffic accident of other and unspecified nature, of which:	821	Fracture of other and unspecified parts of femur	-	1
		879	Open wound of other unspecified sites, except limbs	1	-
E826	Pedal cycle accident, of which:	415	Acute pulmonary heart disease	-	1
		803	Other and unqualified skull fractures	2	-
		853	Other and unspecified intracranial haemorrhage following injury	1	-
		854	Intracranial injury of other and unspecified nature	2	1
E827	Animal-drawn vehicle accident, of which:	432	Other and unspecified intracranial haemorrhage	-	1
		854	Intracranial injury of other and unspecified nature	1	-
E828	Accident involving animal being ridden, of which:	807	Fracture of rib(s), sternum, larynx and trachea	1	-
E830	Accident to watercraft causing submersion, of which:	994	Effects of other external causes	5	-
E832	Other accidental submersion or drowning in water transport accident, of which:	994	Effects of other external causes	1	-
E836	Machinery accident in wather transport, of which:	952	Spinal cord lesion without evidence of spinal bone injury	1	-

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E841	Accident to powered aircraft, other and unspecified, of which:	851	Cerebral laceration and contusion	1	-
		869	Internal injury to unspecified or ill-defined organs	2	-
E844	Other specified air transport accidents, of which:	854	Intracranial injury of other and unspecified nature	1	-
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics, of which	303	Alcohol dependence syndrome	-	1
		304	Drug dependence	14	-
		965	Poisoning by analgesics, antipyretics and antirheumatics	8	4
E853	Accidental poisoning by tranquillizers, of which:	304	Drug dependence	2	2
		969	Poisoning by psychotropic agents	8	4
E854	Accidental poisoning by other psychotropic agents, of which:	304	Drug dependence	1	-
		969	Poisoning by psychotropic agents	7	1
E858	Accidental poisoning by other drugs, of which:	304	Drug dependence	3	-
		933	Foreign body in pharynx and larynx	1	-
		962	Poisoning by hormones and synthetic substitutes	1	-
		977	Poisoning by other and unspecified drugs and medicaments	2	2
E860	Accidental poisoning by alcohol, not elsewhere classified, of which	303	Alcohol dependence syndrome	9	1
		305	Nondependent abuse of drugs	1	-
		933	Foreign body in pharynx and larynx	1	1
		980	Toxic effect of alcohol	8	3
E862	Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere classified, of which:	987	Toxic effect of other gases, fumes or vapours	1	-
E863	Accidental poisoning by agricultural preparations other than plant foods and fertilizers, of which:	986	Toxic effect of carbon monoxide	1	-
E865	Accidental poisoning from foodstuffs and poisonous plants, of which:	933	Foreign body in pharynx and larynx	1	-
E867	Accidental poisoning by gas distributed by pipeline, of which:	986	Toxic effect of carbon monoxide	1	1
E868	Accidental poisoning by other utility gas and other carbon monoxide, of which:	986	Toxic effect of carbon monoxide	9	4
		987	Toxic effect of other gases, fumes or vapours	1	-
E869	Accidental poisoning by other gases and vapours, of which:	987	Toxic effect of other gases, fumes or vapours	6	-
E870	Accidental cut, puncture, perforation or haemorrhage during medical care, of which:	459	Other disorders of circulatory system	1	-
E875	Contaminated or infected blood, other fluid, drug or biological substance, of which:	70	Viral hepatitis	-	1
E876	Other and unspecified misadventures during medical care, of which:	996	Complications peculiar to certain specified procedures	1	-
		997	Complications affecting specified body systems, not elsewhere classified	-	1

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death Description	I.C.D. - 9 code	Natural Cause of Death Description	Number of Deaths	
				Males	Females
E878	Surgical operation and other surgical procedures	530	Diseases of oesophagus	-	1
E880	Fall on or from stairs or steps	303	Alcohol dependence syndrome	1	1
		803	Other and unqualified skull fractures	6	3
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		807	Fracture of rib(s), sternum, larynx and trachea	1	-
		820	Fracture of neck of femur	1	2
		839	Other, multiple and ill-defined dislocations	1	-
		851	Cerebral laceration and contusion	1	-
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	2	-
		854	Intracranial injury of other and unspecified nature	6	6
		869	Internal injury to unspecified or ill-defined organs	-	1
		933	Foreign body in pharynx and larynx	1	-
959	Injury, other and unspecified	1	1		
E881	Fall on or from ladders or scaffolding	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	2	-
E882	Fall from or out of building or other structure, of which:	803	Other and unqualified skull fractures	1	-
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		854	Intracranial injury of other and unspecified nature	6	-
		869	Internal injury to unspecified or ill-defined organs	2	-
		994	Effects of other external causes	1	-
E883	Fall into hole or other opening in surface of which:	417	Other diseases of pulmonary circulation	-	1
E884	Other fall from one level to another of which:	803	Other and unqualified skull fractures	2	1
		805	Fracture of vertebral column without mention of spinal cord lesion	1	2
		807	Fracture of rib(s), sternum, larynx and trachea	-	1
		820	Fracture of neck of femur	2	8
		821	Fracture of other and unspecified parts of femur	1	4
		823	Fracture of tibia and fibula	-	1
		851	Cerebral laceration and contusion	-	1
		854	Intracranial injury of other and unspecified nature	3	1
		864	Injury to liver	1	-
		869	Internal injury to unspecified or ill-defined organs	3	-
		890	Open wound of hip and thigh	1	-
		952	Spinal cord lesion without evidence of spinal bone injury	1	-
		E885	Fall on same level from slipping, tripping or stumbling, of which:	803	Other and unqualified skull fractures
807	Fracture of rib(s), sternum, larynx and trachea			1	1
812	Fracture of humerus			-	1
813	Fracture of radius and ulna			-	1
820	Fracture of neck of femur			8	19

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E885	Fall on same level from slipping, tripping or stumbling, of which:	821	Fracture of other and unspecified parts of femur	1	2
		824	Fracture of ankle	1	1
		827	Other, multiple and ill-defined fractures of lower limb	1	-
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	2	-
		854	Intracranial injury of other and unspecified nature	2	-
		991	Effects of reduced temperature	1	-
E887	Fracture, cause unspecified, of which:	803	Other and unqualified skull fractures	-	1
		807	Fracture of rib(s), sternum, larynx and trachea	2	-
		812	Fracture of humerus	-	4
		814	Fracture of carpal bone(s)	-	1
		820	Fracture of neck of femur	8	31
		821	Fracture of other and unspecified parts of femur	4	18
		823	Fracture of tibia and fibula	-	1
E888	Other and unspecified fall, of which:	303	Alcohol dependence syndrome	1	0
		348	Other conditions of brain	2	0
		414	Other forms of chronic ischaemic heart disease	1	-
		441	Aortic aneurysm	-	1
		803	Other and unqualified skull fractures	2	1
		808	Fracture of pelvis	-	2
		820	Fracture of neck of femur	4	7
		821	Fracture of other and unspecified parts of femur	2	2
		829	Fracture of unspecified bones	1	-
		831	Dislocation of shoulder	1	1
		851	Cerebral laceration and contusion	1	-
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	1
		854	Intracranial injury of other and unspecified nature	7	2
959	Injury, other and unspecified	-	1		
991	Effects of reduced temperature	-	1		
E890	Conflagration in private dwelling, of which:	869	Internal injury to unspecified or ill-defined nature	1	-
		945	Burn of lower limb(s)	1	-
		948	Burns classified according to extent of body surface involved	1	-
		949	Burn, unspecified	10	7
		986	Toxic effect of carbon monoxide	4	-
		987	Toxic effect of other gases, fumes or vapours	15	12
E892	Conflagration not in building or structure., of which:	949	Burn, unspecified	1	1
E893	Accident caused by ignition of clothing, of which:	949	Burn, unspecified	4	4
		987	Toxic effect of other gases, fumes or vapours	1	-
E894	Ignition of highly inflammable material, of which:	949	Burn, unspecified	-	1
E895	Accident caused by controlled fire in private dwelling, of which:	942	Burn of trunk	1	-
		948	Burns classified according to extent of body surface involved	-	1
		949	Burn, unspecified	5	-

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E898	Accident caused by other specified fire and flames, of which:	945	Burn of lower limb(s)	1	-
		949	Burn, unspecified	1	-
E901	Excessive cold, of which:	991	Effects of reduced temperature	5	3
E906	Other injury caused by animals, of which:	562	Diverticula of intestine	1	-
		851	Cerebral laceration and contusion	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	1	-
		933	Foreign body in pharynx and larynx	1	-
E907	Lightning, of which:	994	Effects of other external causes	1	-
E910	Accidental drowning and submersion, of which:	303	Alcohol dependence syndrome	3	-
		994	Effects of other external causes	60	6
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation, of which:	303	Alcohol dependence syndrome	7	4
		304	Drug dependence	-	1
		305	Nondependent abuse of drugs	-	2
		933	Foreign body in pharynx and larynx	11	10
		934	Foreign body in trachea, bronchus and lung	4	1
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation:	933	Foreign body in pharynx and larynx	2	-
E913	Accidental mechanical suffocation, of which:	994	Effects of other external causes	4	1
E916	Struck accidentally by falling object, of which:	803	Other and unqualified skull fractures	2	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		869	Internal injury to unspecified or ill-defined organs	1	-
		879	Open wound of other unspecified sites, except limbs	1	-
		901	Injury to blood vessels of thorax	1	-
E917	Striking against or struck accidentally by objects or persons, of which:	803	Other and unqualified skull fractures	1	-
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		959	Injury, other and unspecified	-	1
E918	Caught accidentally in or between objects, of which:	854	Intracranial injury of other and unspecified nature	1	1
		861	Injury to heart and lung	1	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		959	Injury, other and unspecified	2	-
E919	Accidents caused by machinery, of which:	359	Muscular dystrophies and other myopathies	1	-
		803	Other and unqualified skull fractures	1	-
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		829	Fracture of unspecified bones	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		860	Traumatic pneumothorax and haemothorax	1	-
		869	Internal injury to unspecified or ill-defined organs	1	-

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E919	Accidents caused by machinery, of which:	959	Injury, other and unspecified	1	-
		994	Effects of other external causes	1	-
E920	Accidents caused by cutting and piercing instruments or objects, of which;	869	Internal injury to unspecified or ill-defined organs	1	-
		891	Open wound of knee, leg (except thigh) and ankle	1	1
		959	Injury, other and unspecified	1	-
E922	Accident caused by firearm missile of which:	875	Open wound of chest (wall)	1	-
E924	Accident caused by hot substance or object, caustic, or corrosive material and steam, of which:	303	Alcohol dependence syndrome	-	1
		945	Burn of lower limb(s)	-	1
		949	Burn, unspecified	-	1
E925	Accident caused by electric current, of which:	994	Effects of other external causes	5	1
E928	Other and unspecified environmental and accidental causes, of which:	854	Intracranial injury of other and unspecified nature	1	-
E929	Late effects of accidental injury, of which:	854	Intracranial injury of other and unspecified nature	1	-
		952	Spinal cord lesion without evidence of spinal bone injury	-	1
		959	Injury, other and unspecified	1	-
E939	Psychotropic agents, of which:	969	Poisoning by psychotropic agents	-	1
		995	Certain adverse effects not elsewhere classified	-	2
E950	Suicide and self-inflicted poisoning by solid or liquid substances, of which:	305	Nondependent abuse of drugs	-	1
		962	Poisoning by hormones and synthetic substitutes	2	-
		965	Poisoning by analgesics, antipyretics and antirheumatics	6	4
		967	Poisoning by sedatives and hypnotics	1	-
		969	Poisoning by psychotropic agents	6	7
		971	Poisoning by drugs primarily affecting the autonomic nervous system	1	-
		972	Poisoning by agents primarily affecting the cardiovascular system	1	-
		974	Poisoning by water, mineral and uric acid metabolism drugs	1	-
		976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs	-	1
		977	Poisoning by other and unspecified drugs and medicaments	2	2
		980	Toxic effect of alcohol	-	1
E952	Suicide and self-inflicted poisoning by other gases and vapours, of which:	985	Toxic effect of other metals	1	-
		989	Toxic effect of other substances, chiefly nonmedicinal as to source	6	-
E952	Suicide and self-inflicted poisoning by other gases and vapours, of which:	986	Toxic effect of carbon monoxide	35	-
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation, of which:	994	Effects of other external causes	166	21

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E954	Suicide and self-inflicted injury by submersion (drowning), of which:	994	Effects of other external causes	65	22
E955	Suicide and self-inflicted injury by firearms and explosives, of which:	803	Other and unqualified skull fractures	4	-
		829	Fracture of unspecified bones	1	-
		851	Cerebral laceration and contusion	6	-
		854	Intracranial injury of other and unspecified nature	7	-
		861	Injury to heart and lung	1	1
		868	Injury to other intraabdominal organs	1	-
		869	Internal injury to unspecified or ill-defined organs	-	1
		873	Other open wound of head	6	-
		874	Open wound of neck	1	-
		875	Open wound of chest (wall)	4	-
		879	Open wound of other unspecified sites, except limbs	3	-
959	Injury, other and unspecified	1	-		
E956	Suicide and self-inflicted injury by cutting and piercing instruments, of which:	874	Open wound of neck	2	-
		875	Open wound of chest (wall)	1	-
E957	Suicide and self-inflicted injuries by jumping from high place, of which:	803	Other and unqualified skull fractures	1	-
		868	Injury to other intraabdominal organs	1	-
		869	Internal injury to unspecified or ill-defined organs	4	2
E958	Suicide and self-inflicted injury by other and unspecified means, of which:	869	Internal injury to unspecified or ill-defined organs	5	-
		949	Burn, unspecified	-	1
		952	Spinal cord lesion without evidence of spinal bone injury	1	-
		959	Injury, other and unspecified	1	-
		994	Effects of other external causes	1	-
E960	Fight, brawl, rape, of which:	862	Injury to other and unspecified intrathoracic organs	1	-
E963	Assault by hanging and strangulation	994	Effects of other external causes	-	3
E965	Assault by firearms and explosives, of which:	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		861	Injury to heart and lung	1	1
		862	Injury to other and unspecified intrathoracic organs	2	-
		873	Other open wound of head	2	-
		875	Open wound of chest (wall)	1	1
		879	Open wound of other unspecified sites, except limbs	1	-
E966	Assault by cutting and piercing instrument, of which:	860	Traumatic pneumothorax and haemothorax	1	-
		861	Injury to heart and lung	2	-
		874	Open wound of neck	1	-
		875	Open wound of chest (wall)	-	1
		879	Open wound of other unspecified sites, except limbs	1	2
E967	Child battering and other maltreatment, of which:	803	Other and unqualified skull fractures	-	1

Table 19A (contd.) Deaths from external causes in 1996 classified by nature of their natural causes and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Natural Cause of Death	Number of Deaths	
	Description		Description	Males	Females
E968	Assault by other and unspecified means, of which:	800	Fracture of vault of skull	1	-
		801	Fracture of base of skull	-	1
		803	Other and unqualified skull fractures	1	2
		854	Intracranial injury of other and unspecified nature	1	2
		959	Injury, other and unspecified	1	-
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	303	Alcohol dependence syndrome	1	-
		304	Drug dependence	1	-
		965	Poisoning by analgesics, antipyretics and antirheumatics	-	1
		969	Poisoning by psychotropic agents	2	1
		977	Poisoning by other and unspecified drugs and medicaments	1	-
		980	Toxic effect of alcohol	1	-
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted, of which:	994	Effects of other external causes	6	-

Table 20 - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Detailed ICD-9 code	Mortality List No.	Cause of Death		Total	Uncertified
		Total	M	16,672	25
			F	15,051	27
001-139	01-07	Infectious and Parasitic Diseases	M	77	-
			F	76	1
001-009	01	Intestinal Infectious Diseases	M	7	-
			F	8	-
010-018	02	Tuberculosis	M	21	-
			F	12	-
33	034	Whooping Cough	M	-	-
			F	-	-
36	036	Meningococcal Infection	M	4	-
			F	9	-
37	037	Tetanus	M	-	-
			F	-	-
38	038	Septicaemia	M	21	-
			F	19	-
50	041	Smallpox	M	-	-
			F	-	-
55	042	Measles	M	-	-
			F	-	-
84	052	Malaria	M	-	-
			F	-	-
Rem(001-139)		Other Infectious and Parasitic Diseases	M	24	-
			F	28	1
140-208	08-14	Malignant Neoplasms:-	M	3,987	8
			F	3,402	7
151	091	of Stomach	M	236	-
			F	163	1
153	093	Colon	M	358	-
			F	327	2
154	094	Rectum, Rectosigmoid Junction and Anus	M	135	-
			F	76	-
162	101	Trachea, Bronchus and Lung	M	961	1
			F	508	-
174	113	Female Breast	F	635	-
180	120	Cervix Uteri	F	82	-
204-208	141	Leukaemia	M	119	1
			F	90	-
Rem(140-208)		Other Malignant Neoplasms	M	2,178	6
			F	1,521	4
250	181	Diabetes Mellitus	M	242	-
			F	190	1
261	191	Nutritional Marasmus	M	-	-
			F	-	-
262,263	192	Other Protein-calorie Malnutrition	M	1	-
			F	3	-
280-285	200	Anaemias	M	30	-
			F	44	-
320-322	220	Meningitis	M	7	-
			F	4	-
390-459	25-30	Diseases of the Circulatory System	M	7,188	14
			F	6,709	11
390-392	250	Acute Rheumatic Fever	M	2	-
			F	10	-
393-398	251	Chronic Rheumatic Heart Disease	M	9	-
			F	33	-
401-405	26	Hypertensive Disease	M	93	-
			F	109	1
410-414	27	Ischaemic Heart Disease	M	4,401	13
			F	3,200	2
(410)	270	(Acute Myocardial Infarction)	M	2,986	10
			F	2,081	2
430-438	29	Cerebrovascular Disease	M	1,198	-
			F	1,703	4
440	300	Atherosclerosis	M	95	1
			F	143	1
Rem(390-459)		Other Diseases of the Circulatory System	M	1,390	-
			F	1,511	3

Table 20 - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Detailed ICD-9 code	Mortality List No.	Cause of Death		Total	Uncertified
480-486	321	Pneumonia	M	977	-
			F	1,260	1
487	322	Influenza	M	6	-
			F	11	-
490-493	323	Bronchitis, Emphysema and Asthma	M	239	-
			F	185	-
531-533	341	Ulcer of Stomach and Duodenum	M	91	-
			F	66	-
540-543	342	Appendicitis	M	6	-
			F	3	-
571	347	Chronic Liver Disease and Cirrhosis	M	52	-
			F	57	-
580-589	350	Nephritis, Nephrotic Syndrome and Nephrosis	M	231	-
			F	205	1
600	360	Hyperplasia of Prostate	M	13	-
630-639	38	Abortion	F	-	-
640-646,651-676	39	Direct Obstetric Deaths	F	3	-
740-759	44	Congenital Anomalies	M	83	-
			F	74	-
760-779	45	Certain Conditions Originating in the Perinatal Period +	M	67	-
(767)	453	(Birth Trauma)	F	58	-
			M	1	-
			F	1	-
780-799	46	Signs, symptoms and Ill-Defined Conditions	M	98	-
			F	132	-
800-999	47-56	Injury and Poisoning	M	1,049	2
			F	395	1
800-829	47	Fractures	M	153	1
			F	145	-
850-869,950-957	49	Intracranial and Internal Injuries, Including Nerves	M	309	-
			F	93	-
940-949	52	Burns	M	26	-
			F	17	1
960-989	53	Poisonings and Toxic Effects	M	139	-
			F	49	-
Rem(800-999)		Other Injuries and Poisonings	M	422	1
			F	91	-
Rem(001-999)		All Other Diseases	M	2,228	1
			F	2,174	4
		External Causes (Included in the Foregoing)			
E800-E949	E47-E53	Accidents and Adverse Effects	M	733	1
			F	338	1
E810-E819	E471	Motor Vehicle Traffic Accidents	M	332	-
			F	104	-
E880-E888	E50	Accidental Falls	M	108	1
			F	136	-
E950-E959	E54	Suicide	M	345	1
			F	64	-
E960-E969	E55	Homicide	M	19	-
			F	14	-
Rem(E800-E999)		All Other External Causes	M	12	-
			F	2	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	7,682	3	5,150	1	2,554	21	1,286	-
		F	7,332	5	4,530	2	2,143	18	1,046	2
01-07	Infectious and Parasitic Diseases	M	42	-	16	-	18	-	1	-
		F	37	-	17	-	17	1	5	-
01	Intestinal Infectious Diseases	M	3	-	3	-	1	-	-	-
		F	4	-	1	-	3	-	-	-
02	Tuberculosis	M	8	-	7	-	6	-	-	-
		F	3	-	6	-	3	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	1	-	1	-	1	-	1	-
		F	7	-	1	-	1	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	15	-	2	-	4	-	-	-
		F	9	-	1	-	6	-	3	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	15	-	3	-	6	-	-	-
		F	14	-	8	-	4	1	2	-
08-14	Malignant Neoplasms:-	M	1,880	-	1,193	-	577	8	337	-
		F	1,700	2	1,026	1	449	3	227	1
091	of Stomach	M	128	-	54	-	27	-	27	-
		F	81	-	42	-	25	1	15	-
093	Colon	M	155	-	117	-	56	-	30	-
		F	151	-	109	-	48	1	19	1
094	Rectum, Rectosigmoid Junction and Anus	M	58	-	38	-	27	-	12	-
		F	44	-	19	-	8	-	5	-
101	Trachea, Bronchus and Lung	M	505	-	259	-	107	1	90	-
		F	290	-	136	-	60	-	22	-
113	Female Breast	F	300	-	202	-	94	-	39	-
120	Cervix Uteri	F	42	-	27	-	8	-	5	-
141	Leukaemia	M	56	-	40	-	15	1	8	-
		F	42	-	29	-	10	-	9	-
	Other Malignant Neoplasms	M	978	-	685	-	345	6	170	-
		F	750	2	462	1	196	1	113	-
181	Diabetes Mellitus	M	101	-	88	-	30	-	23	-
		F	98	1	48	-	26	-	18	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	1	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
200	Anaemias	M	11	-	9	-	8	-	2	-
		F	18	-	17	-	7	-	2	-
220	Meningitis	M	5	-	1	-	1	-	-	-
		F	2	-	1	-	1	-	-	-
25-30	Diseases of the Circulatory System	M	3,201	2	2,340	-	1,123	12	524	-
		F	3,246	2	1,978	-	1,015	9	470	-
250	Acute Rheumatic Fever	M	1	-	-	-	1	-	-	-
		F	5	-	2	-	3	-	-	-
251	Chronic Rheumatic Heart Disease	M	6	-	2	-	1	-	-	-
		F	23	-	3	-	6	-	1	-
26	Hypertensive Disease	M	43	-	29	-	14	-	7	-
		F	46	-	34	-	23	1	6	-
27	Ischaemic Heart Disease	M	1,980	2	1,406	-	674	11	341	-
		F	1,547	1	933	-	473	1	247	-
270	(Acute Myocardial Infarction)	M	1,279	-	990	-	468	10	249	-
		F	1,000	1	601	-	315	1	165	-
29	Cerebrovascular Disease	M	523	-	404	-	186	-	85	-
		F	849	-	478	-	260	4	116	-
300	Atherosclerosis	M	41	-	36	-	13	1	5	-
		F	48	-	73	-	19	1	3	-
	Other Diseases of the Circulatory System	M	607	-	463	-	234	-	86	-
		F	728	1	455	-	231	2	97	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	454	-	270	-	177	-	76	-
		F	595	-	372	-	202	1	91	-
322	Influenza	M	3	-	1	-	1	-	1	-
		F	-	-	8	-	3	-	-	-
323	Bronchitis, Emphysema and Asthma	M	111	-	75	-	26	-	27	-
		F	99	-	48	-	28	-	10	-
341	Ulcer of Stomach and Duodenum	M	40	-	18	-	25	-	8	-
		F	30	-	22	-	9	-	5	-
342	Appendicitis	M	3	-	1	-	2	-	-	-
		F	2	-	-	-	1	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	25	-	14	-	11	-	2	-
		F	33	-	14	-	6	-	4	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	96	-	70	-	46	-	19	-
		F	105	-	50	-	32	1	18	-
360	Hyperplasia of Prostate	M	3	-	6	-	2	-	2	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	1	-	2	-	-	-
44	Congenital Anomalies	M	53	-	22	-	5	-	3	-
		F	34	-	31	-	4	-	5	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	48	-	14	-	2	-	3	-
		F	35	-	17	-	2	-	4	-
453		M	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	47	-	33	-	12	-	6	-
		F	46	-	64	-	14	-	8	-
47-56	Injury and Poisoning	M	523	1	313	1	137	-	76	-
		F	205	-	113	1	49	-	28	-
47	Fractures	M	56	-	43	1	40	-	14	-
		F	66	-	46	-	23	-	10	-
49	Intracranial and Internal Injuries, Including Nerves	M	193	-	76	-	25	-	15	-
		F	48	-	31	-	5	-	9	-
52	Burns	M	10	-	12	-	2	-	2	-
		F	10	-	5	1	-	-	2	-
53	Poisonings and Toxic Effects	M	73	-	42	-	16	-	8	-
		F	35	-	9	-	5	-	-	-
	Other Injuries and Poisonings	M	191	1	140	-	54	-	37	-
		F	46	-	22	-	16	-	7	-
	All Other Diseases	M	1,036	-	665	-	351	1	176	-
		F	1,046	-	701	-	276	3	151	1
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	387	-	196	1	102	-	48	-
		F	180	-	87	1	46	-	25	-
E471	Motor Vehicle Traffic Accidents	M	184	-	79	-	47	-	22	-
		F	47	-	31	-	16	-	10	-
E50	Accidental Falls	M	49	-	31	1	18	-	10	-
		F	66	-	43	-	18	-	9	-
E54	Suicide	M	159	1	118	-	38	-	30	-
		F	32	-	23	-	6	-	3	-
E55	Homicide	M	15	-	3	-	-	-	1	-
		F	9	-	3	-	1	-	1	-
	All Other External Causes	M	6	-	3	-	3	-	-	-
		F	2	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Carlow County		Dublin C.B.		South Dublin		Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	218	1	2,321	-	435	1	386	-
		F	198	-	2,526	-	385	1	306	-
01-07	Infectious and Parasitic Diseases	M	-	-	12	-	4	-	4	-
		F	-	-	14	-	2	-	2	-
01	Intestinal Infectious Diseases	M	-	-	2	-	-	-	-	-
		F	-	-	2	-	-	-	-	-
02	Tuberculosis	M	-	-	3	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	3	-	1	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	2	-	3	-	2	-
		F	-	-	3	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	5	-	1	-	1	-
		F	-	-	5	-	1	-	2	-
08-14	Malignant Neoplasms:-	M	40	-	587	-	135	-	106	-
		F	45	-	619	-	97	-	68	-
091	of Stomach	M	1	-	49	-	10	-	9	-
		F	-	-	38	-	2	-	4	-
093	Colon	M	6	-	47	-	10	-	8	-
		F	5	-	42	-	7	-	4	-
094	Rectum, Rectosigmoid Junction and Anus	M	2	-	17	-	3	-	4	-
		F	3	-	21	-	2	-	-	-
101	Trachea, Bronchus and Lung	M	8	-	184	-	39	-	31	-
		F	8	-	130	-	18	-	12	-
113	Female Breast	F	8	-	89	-	19	-	10	-
120	Cervix Uteri	F	1	-	14	-	5	-	3	-
141	Leukaemia	M	1	-	12	-	6	-	1	-
		F	1	-	13	-	-	-	3	-
	Other Malignant Neoplasms	M	22	-	278	-	67	-	53	-
		F	19	-	272	-	44	-	32	-
181	Diabetes Mellitus	M	3	-	24	-	3	-	3	-
		F	3	-	26	-	4	-	6	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
200	Anaemias	M	-	-	3	-	-	-	-	-
		F	3	-	5	-	-	-	1	-
220	Meningitis	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	1	-	-	-
25-30	Diseases of the Circulatory System	M	90	-	973	-	160	1	153	-
		F	87	-	1,123	-	163	1	129	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-
251	Chronic Rheumatic Heart Disease	M	-	-	3	-	-	-	-	-
		F	1	-	10	-	4	-	2	-
26	Hypertensive Disease	M	1	-	15	-	1	-	1	-
		F	2	-	23	-	4	-	1	-
27	Ischaemic Heart Disease	M	51	-	608	-	111	1	88	-
		F	44	-	537	-	64	1	63	-
270	(Acute Myocardial Infarction)	M	36	-	359	-	65	-	45	-
		F	31	-	343	-	38	1	43	-
29	Cerebrovascular Disease	M	15	-	139	-	26	-	31	-
		F	22	-	258	-	42	-	30	-
300	Atherosclerosis	M	-	-	9	-	1	-	3	-
		F	1	-	12	-	3	-	2	-
	Other Diseases of the Circulatory System	M	23	-	199	-	21	-	30	-
		F	17	-	283	-	46	-	29	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Carlow County		Dublin C.B.		South Dublin		Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	12	-	134	-	16	-	23	-
		F	9	-	212	-	20	-	26	-
322	Influenza	M	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	2	-	30	-	5	-	2	-
		F	4	-	40	-	5	-	4	-
341	Ulcer of Stomach and Duodenum	M	1	-	11	-	1	-	4	-
		F	-	-	11	-	2	-	-	-
342	Appendicitis	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	9	-	-	-	3	-
		F	-	-	9	-	3	-	1	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	1	-	24	-	4	-	6	-
		F	1	-	25	-	2	-	2	-
360	Hyperplasia of Prostate	M	-	-	1	-	1	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	3	-	14	-	9	-	5	-
		F	-	-	8	-	3	-	5	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	2	-	8	-	6	-	3	-
		F	-	-	7	-	4	-	7	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	1	-	14	-	6	-	-	-
		F	5	-	15	-	2	-	2	-
47-56	Injury and Poisoning	M	24	1	143	-	25	-	33	-
		F	7	-	64	-	17	-	10	-
47	Fractures	M	2	-	16	-	-	-	-	-
		F	1	-	22	-	2	-	2	-
49	Intracranial and Internal Injuries, Including Nerves	M	4	-	38	-	11	-	21	-
		F	4	-	14	-	6	-	2	-
52	Burns	M	-	-	3	-	-	-	-	-
		F	-	-	3	-	-	-	-	-
53	Poisonings and Toxic Effects	M	4	-	26	-	5	-	1	-
		F	-	-	15	-	3	-	2	-
	Other Injuries and Poisonings	M	14	1	60	-	9	-	11	-
		F	2	-	10	-	6	-	4	-
	All Other Diseases	M	39	-	330	-	59	-	41	-
		F	34	-	346	-	60	-	43	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	12	-	110	-	20	-	19	-
		F	7	-	56	-	13	-	6	-
E471	Motor Vehicle Traffic Accidents	M	10	-	33	-	10	-	7	-
		F	5	-	15	-	4	-	1	-
E50	Accidental Falls	M	1	-	15	-	-	-	4	-
		F	2	-	19	-	4	-	2	-
E54	Suicide	M	12	1	49	-	7	-	12	-
		F	-	-	11	-	5	-	3	-
E55	Homicide	M	-	-	6	-	2	-	5	-
		F	-	-	4	-	1	-	2	-
	All Other External Causes	M	-	-	5	-	1	-	-	-
		F	-	-	2	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	716	-	467	1	340	-	255	-
		F	763	-	399	1	305	-	193	1
01-07	Infectious and Parasitic Diseases	M	4	-	2	-	1	-	-	-
		F	7	-	-	-	3	-	-	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
02	Tuberculosis	M	2	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	2	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	1	-	-	-
		F	1	-	-	-	2	-	-	-
08-14	Malignant Neoplasms:-	M	200	-	133	-	66	-	59	-
		F	190	-	115	-	71	-	45	1
091	of Stomach	M	15	-	6	-	6	-	2	-
		F	6	-	2	-	4	-	2	-
093	Colon	M	22	-	10	-	5	-	2	-
		F	25	-	10	-	4	-	6	-
094	Rectum, Rectosigmoid Junction and Anus	M	8	-	3	-	2	-	3	-
		F	5	-	1	-	1	-	1	-
101	Trachea, Bronchus and Lung	M	48	-	33	-	12	-	14	-
		F	24	-	23	-	7	-	2	-
113	Female Breast	F	44	-	21	-	13	-	7	-
120	Cervix Uteri	F	2	-	2	-	1	-	3	-
141	Leukaemia	M	7	-	1	-	3	-	1	-
		F	3	-	3	-	7	-	-	-
	Other Malignant Neoplasms	M	100	-	80	-	38	-	37	-
		F	81	-	53	-	34	-	24	1
181	Diabetes Mellitus	M	7	-	4	-	10	-	2	-
		F	5	-	6	-	3	-	4	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	-	-	1	-	1	-
		F	3	-	-	-	-	-	1	-
220	Meningitis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	309	-	166	1	146	-	103	-
		F	337	-	162	1	139	-	79	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
251	Chronic Rheumatic Heart Disease	M	1	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
26	Hypertensive Disease	M	5	-	1	-	2	-	2	-
		F	4	-	3	-	1	-	-	-
27	Ischaemic Heart Disease	M	176	-	103	1	89	-	68	-
		F	146	-	82	-	77	-	45	-
270	(Acute Myocardial Infarction)	M	127	-	59	-	61	-	55	-
		F	97	-	48	-	57	-	28	-
29	Cerebrovascular Disease	M	64	-	30	-	26	-	14	-
		F	109	-	46	-	40	-	22	-
300	Atherosclerosis	M	8	-	3	-	2	-	-	-
		F	10	-	1	-	1	-	2	-
	Other Diseases of the Circulatory System	M	55	-	29	-	27	-	19	-
		F	67	-	28	1	20	-	9	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	43	-	21	-	19	-	20	-
		F	65	-	27	-	23	-	14	-
322	Influenza	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	5	-	7	-	7	-	8	-
		F	6	-	9	-	3	-	1	-
341	Ulcer of Stomach and Duodenum	M	3	-	1	-	3	-	1	-
		F	2	-	-	-	-	-	2	-
342	Appendicitis	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	3	-	2	-	3	-	-	-
		F	5	-	1	-	1	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	10	-	4	-	4	-	4	-
		F	13	-	4	-	6	-	4	-
360	Hyperplasia of Prostate	M	-	-	-	-	-	-	1	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	7	-	5	-	2	-	1	-
		F	2	-	4	-	2	-	1	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	5	-	7	-	1	-	-	-
		F	4	-	4	-	-	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	2	-	2	-	2	-	-	-
		F	4	-	2	-	1	-	1	-
47-56	Injury and Poisoning	M	26	-	37	-	28	-	20	-
		F	17	-	10	-	5	-	9	-
47	Fractures	M	5	-	3	-	4	-	4	-
		F	9	-	3	-	2	-	3	-
49	Intracranial and Internal Injuries, Including Nerves	M	9	-	17	-	9	-	6	-
		F	1	-	1	-	2	-	-	-
52	Burns	M	1	-	-	-	1	-	2	-
		F	1	-	1	-	-	-	-	-
53	Poisonings and Toxic Effects	M	3	-	5	-	3	-	3	-
		F	3	-	-	-	-	-	4	-
	Other Injuries and Poisonings	M	8	-	12	-	11	-	5	-
		F	3	-	5	-	1	-	2	-
	All Other Diseases	M	90	-	75	-	46	-	35	-
		F	103	-	55	-	48	-	32	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	20	-	26	-	21	-	17	-
		F	19	-	7	-	5	-	9	-
E471	Motor Vehicle Traffic Accidents	M	7	-	18	-	10	-	7	-
		F	1	-	2	-	2	-	2	-
E50	Accidental Falls	M	7	-	-	-	3	-	2	-
		F	9	-	1	-	3	-	2	-
E54	Suicide	M	8	-	12	-	7	-	3	-
		F	1	-	3	-	-	-	-	-
E55	Homicide	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	1	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	161	-	404	-	421	-	283	-
		F	148	1	333	1	384	-	218	-
01-07	Infectious and Parasitic Diseases	M	1	-	1	-	2	-	4	-
		F	-	-	2	-	2	-	1	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
02	Tuberculosis	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	1	-	-	-	-	-	1	-
		F	-	-	-	-	1	-	1	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	1	-	1	-	1	-
		F	-	-	2	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	34	-	88	-	88	-	64	-
		F	27	-	80	1	78	-	42	-
091	of Stomach	M	2	-	5	-	6	-	7	-
		F	2	-	5	-	3	-	2	-
093	Colon	M	3	-	9	-	5	-	2	-
		F	1	-	5	-	12	-	3	-
094	Rectum, Rectosigmoid Junction and Anus	M	-	-	4	-	1	-	1	-
		F	1	-	1	-	2	-	1	-
101	Trachea, Bronchus and Lung	M	8	-	22	-	20	-	15	-
		F	2	-	14	-	11	-	4	-
113	Female Breast	F	8	-	14	-	18	-	9	-
120	Cervix Uteri	F	1	-	-	-	1	-	-	-
141	Leukaemia	M	2	-	7	-	4	-	-	-
		F	-	-	2	-	3	-	1	-
	Other Malignant Neoplasms	M	19	-	41	-	52	-	39	-
		F	12	-	39	1	28	-	22	-
181	Diabetes Mellitus	M	1	-	8	-	8	-	6	-
		F	4	1	3	-	10	-	6	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	-	-	2	-	2	-
		F	-	-	1	-	-	-	1	-
220	Meningitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	69	-	165	-	191	-	117	-
		F	64	-	128	-	176	-	89	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	1	-
26	Hypertensive Disease	M	2	-	3	-	3	-	-	-
		F	-	-	1	-	1	-	2	-
27	Ischaemic Heart Disease	M	43	-	110	-	113	-	78	-
		F	29	-	67	-	96	-	43	-
270	(Acute Myocardial Infarction)	M	33	-	82	-	61	-	57	-
		F	17	-	48	-	52	-	32	-
29	Cerebrovascular Disease	M	13	-	29	-	28	-	18	-
		F	21	-	40	-	40	-	17	-
300	Atherosclerosis	M	2	-	2	-	4	-	-	-
		F	5	-	1	-	-	-	-	-
	Other Diseases of the Circulatory System	M	9	-	21	-	42	-	21	-
		F	9	-	19	-	39	-	26	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	24	-	25	-	23	-	13	-
		F	21	-	27	-	30	-	18	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	1	-	7	-	1	-	4	-
		F	2	-	4	-	3	-	-	-
341	Ulcer of Stomach and Duodenum	M	-	-	3	-	-	-	2	-
		F	2	-	4	-	1	-	1	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	-	-	1	-	1	-
		F	2	-	4	-	3	-	1	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	-	1	-	7	-	4	-
		F	2	-	4	-	7	-	5	-
360	Hyperplasia of Prostate	M	-	-	-	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	-	-	1	-	3	-	-	-
		F	1	-	1	-	2	-	2	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	-	-	3	-	4	-	1	-
		F	1	-	3	-	-	-	2	-
453		M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	2	-	1	-	2	-	3	-
		F	1	-	2	-	2	-	3	-
47-56	Injury and Poisoning	M	11	-	38	-	34	-	18	-
		F	3	-	12	-	8	-	6	-
47	Fractures	M	1	-	1	-	4	-	2	-
		F	1	-	5	-	3	-	2	-
49	Intracranial and Internal Injuries, Including Nerves	M	5	-	18	-	17	-	11	-
		F	1	-	5	-	1	-	3	-
52	Burns	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	-	-	6	-	7	-	-	-
		F	1	-	1	-	2	-	-	-
	Other Injuries and Poisonings	M	5	-	13	-	6	-	5	-
		F	-	-	1	-	2	-	1	-
	All Other Diseases	M	13	-	62	-	55	-	44	-
		F	18	-	58	-	61	-	40	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	8	-	31	-	27	-	15	-
		F	3	-	12	-	5	-	6	-
E471	Motor Vehicle Traffic Accidents	M	5	-	16	-	16	-	12	-
		F	1	-	3	-	-	-	2	-
E50	Accidental Falls	M	-	-	5	-	4	-	-	-
		F	1	-	7	-	3	-	3	-
E54	Suicide	M	5	-	8	-	8	-	3	-
		F	-	-	1	-	3	-	-	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	363	-	489	-	423	-	476	1
		F	260	-	499	-	415	-	391	-
01-07	Infectious and Parasitic Diseases	M	3	-	-	-	4	-	2	-
		F	-	-	1	-	3	-	3	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
02	Tuberculosis	M	-	-	-	-	1	-	2	-
		F	-	-	-	-	1	-	2	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	-	-	2	-	-	-
		F	-	-	1	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	3	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	68	-	123	-	89	-	96	-
		F	44	-	107	-	72	-	75	-
091	of Stomach	M	2	-	3	-	5	-	8	-
		F	3	-	3	-	5	-	6	-
093	Colon	M	7	-	11	-	8	-	4	-
		F	3	-	14	-	10	-	9	-
094	Rectum, Rectosigmoid Junction and Anus	M	2	-	6	-	2	-	3	-
		F	2	-	3	-	-	-	-	-
101	Trachea, Bronchus and Lung	M	20	-	28	-	23	-	12	-
		F	4	-	17	-	14	-	8	-
113	Female Breast	F	8	-	21	-	11	-	19	-
120	Cervix Uteri	F	1	-	6	-	2	-	5	-
141	Leukaemia	M	2	-	5	-	4	-	4	-
		F	1	-	2	-	3	-	-	-
	Other Malignant Neoplasms	M	35	-	70	-	47	-	65	-
		F	22	-	41	-	27	-	28	-
181	Diabetes Mellitus	M	4	-	10	-	8	-	9	-
		F	4	-	9	-	5	-	1	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	1	-	-	-	1	-	1	-
		F	1	-	1	-	1	-	2	-
220	Meningitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	178	-	200	-	181	-	198	-
		F	132	-	236	-	202	-	155	-
250	Acute Rheumatic Fever	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	2	-	-	-
251	Chronic Rheumatic Heart Disease	M	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-
26	Hypertensive Disease	M	4	-	2	-	1	-	2	-
		F	3	-	1	-	-	-	1	-
27	Ischaemic Heart Disease	M	103	-	130	-	109	-	112	-
		F	47	-	112	-	95	-	65	-
270	(Acute Myocardial Infarction)	M	71	-	90	-	78	-	94	-
		F	35	-	67	-	64	-	35	-
29	Cerebrovascular Disease	M	24	-	34	-	32	-	49	-
		F	32	-	66	-	64	-	45	-
300	Atherosclerosis	M	4	-	-	-	3	-	2	-
		F	3	-	6	-	1	-	2	-
	Other Diseases of the Circulatory System	M	42	-	33	-	36	-	33	-
		F	46	-	50	-	40	-	42	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	23	-	28	-	30	-	34	-
		F	15	-	44	-	44	-	49	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	9	-	18	-	5	-	7	-
		F	4	-	8	-	6	-	6	-
341	Ulcer of Stomach and Duodenum	M	3	-	6	-	1	-	2	-
		F	2	-	1	-	2	-	1	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	2	-	1	-	1	-
		F	-	-	2	-	1	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	-	10	-	7	-	10	-
		F	4	-	14	-	12	-	7	-
360	Hyperplasia of Prostate	M	-	-	-	-	-	-	2	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	1	-	1	-	1	-	5	-
		F	2	-	-	-	1	-	3	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	2	-	2	-	4	-	-	-
		F	1	-	1	-	1	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	2	-	5	-	5	-	4	-
		F	1	-	3	-	2	-	8	-
47-56	Injury and Poisoning	M	27	-	33	-	26	-	32	1
		F	10	-	13	-	14	-	12	-
47	Fractures	M	4	-	7	-	3	-	2	1
		F	1	-	4	-	6	-	3	-
49	Intracranial and Internal Injuries, Including Nerves	M	9	-	13	-	5	-	9	-
		F	2	-	3	-	3	-	3	-
52	Burns	M	2	-	1	-	-	-	3	-
		F	2	-	2	-	1	-	2	-
53	Poisonings and Toxic Effects	M	1	-	3	-	6	-	4	-
		F	1	-	-	-	3	-	-	-
	Other Injuries and Poisonings	M	11	-	9	-	12	-	14	-
		F	4	-	4	-	1	-	4	-
	All Other Diseases	M	37	-	50	-	60	-	73	-
		F	40	-	59	-	49	-	69	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	22	-	22	-	17	-	16	1
		F	7	-	12	-	13	-	11	-
E471	Motor Vehicle Traffic Accidents	M	12	-	13	-	8	-	6	-
		F	1	-	5	-	3	-	4	-
E50	Accidental Falls	M	-	-	7	-	1	-	4	1
		F	2	-	2	-	6	-	4	-
E54	Suicide	M	5	-	11	-	9	-	17	-
		F	3	-	1	-	1	-	1	-
E55	Homicide	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Cork C.B.		Cork County		Kerry County		Limerick C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	709	-	1,369	-	735	-	255	-
		F	660	-	1,161	1	609	-	291	-
01-07	Infectious and Parasitic Diseases	M	2	-	3	-	1	-	3	-
		F	2	-	2	-	2	-	3	-
01	Intestinal Infectious Diseases	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
02	Tuberculosis	M	1	-	-	-	-	-	2	-
		F	-	-	1	-	1	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	1	-	1	-	1	-
		F	2	-	1	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	231	-	295	-	143	-	73	-
		F	169	-	268	-	119	-	64	-
091	of Stomach	M	13	-	14	-	6	-	2	-
		F	6	-	11	-	5	-	2	-
093	Colon	M	28	-	27	-	14	-	10	-
		F	15	-	34	-	11	-	6	-
094	Rectum, Rectosigmoid Junction and Anus	M	8	-	10	-	2	-	2	-
		F	4	-	6	-	3	-	-	-
101	Trachea, Bronchus and Lung	M	60	-	53	-	26	-	17	-
		F	29	-	26	-	18	-	12	-
113	Female Breast	F	26	-	47	-	22	-	13	-
120	Cervix Uteri	F	4	-	5	-	2	-	-	-
141	Leukaemia	M	6	-	13	-	4	-	2	-
		F	1	-	6	-	11	-	4	-
	Other Malignant Neoplasms	M	116	-	178	-	91	-	40	-
		F	84	-	133	-	47	-	27	-
181	Diabetes Mellitus	M	9	-	20	-	22	-	5	-
		F	9	-	7	-	7	-	7	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	1	-	3	-	2	-	1	-
		F	-	-	7	-	2	-	1	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	288	-	649	-	352	-	120	-
		F	267	-	536	-	278	-	129	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	1	-
26	Hypertensive Disease	M	4	-	10	-	6	-	2	-
		F	6	-	5	-	9	-	2	-
27	Ischaemic Heart Disease	M	176	-	404	-	207	-	68	-
		F	137	-	258	-	127	-	67	-
270	(Acute Myocardial Infarction)	M	128	-	285	-	152	-	33	-
		F	83	-	180	-	87	-	35	-
29	Cerebrovascular Disease	M	40	-	100	-	70	-	10	-
		F	52	-	130	-	68	-	21	-
300	Atherosclerosis	M	5	-	14	-	7	-	-	-
		F	12	-	43	-	4	-	1	-
	Other Diseases of the Circulatory System	M	63	-	120	-	61	-	40	-
		F	59	-	100	-	70	-	37	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Cork C.B.		Cork County		Kerry County		Limerick C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	39	-	73	-	51	-	2	-
		F	55	-	95	-	64	-	21	-
322	Influenza	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	2	-	-	-
323	Bronchitis, Emphysema and Asthma	M	14	-	15	-	16	-	2	-
		F	10	-	10	-	7	-	4	-
341	Ulcer of Stomach and Duodenum	M	1	-	3	-	3	-	-	-
		F	5	-	3	-	6	-	1	-
342	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	6	-	3	-	1	-
		F	3	-	1	-	2	-	2	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	-	21	-	8	-	2	-
		F	8	-	10	-	4	-	3	-
360	Hyperplasia of Prostate	M	-	-	1	-	1	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	1	-	-	-	-	-	-	-
44	Congenital Anomalies	M	3	-	4	-	2	-	1	-
		F	7	-	7	-	3	-	1	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	5	-	5	-	-	-	1	-
		F	4	-	2	-	2	-	2	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	1	-	4	-	5	-	5	-
		F	10	-	14	-	7	-	8	-
47-56	Injury and Poisoning	M	36	-	103	-	31	-	20	-
		F	25	-	27	1	13	-	6	-
47	Fractures	M	3	-	11	-	7	-	2	-
		F	11	-	11	-	8	-	1	-
49	Intracranial and Internal Injuries, Including Nerves	M	8	-	24	-	5	-	6	-
		F	6	-	7	-	2	-	3	-
52	Burns	M	-	-	2	-	3	-	-	-
		F	1	-	2	1	-	-	-	-
53	Poisonings and Toxic Effects	M	6	-	14	-	4	-	3	-
		F	2	-	1	-	1	-	2	-
	Other Injuries and Poisonings	M	19	-	52	-	12	-	9	-
		F	5	-	6	-	2	-	-	-
	All Other Diseases	M	74	-	163	-	94	-	19	-
		F	85	-	170	-	91	-	39	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	23	-	64	-	18	-	10	-
		F	17	-	19	1	12	-	5	-
E471	Motor Vehicle Traffic Accidents	M	6	-	25	-	7	-	2	-
		F	5	-	5	-	4	-	3	-
E50	Accidental Falls	M	5	-	6	-	5	-	1	-
		F	11	-	10	-	7	-	1	-
E54	Suicide	M	13	-	39	-	14	-	7	-
		F	7	-	7	-	1	-	1	-
E55	Homicide	M	-	-	-	-	-	-	3	-
		F	1	-	1	-	-	-	-	-
	All Other External Causes	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Limerick County		Tipperary N.R.		Tipperary S.R.		Waterford C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	473	-	351	-	391	-	148	-
		F	405	-	274	-	380	1	161	-
01-07	Infectious and Parasitic Diseases	M	1	-	2	-	2	-	-	-
		F	2	-	3	-	-	-	-	-
01	Intestinal Infectious Diseases	M	1	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
02	Tuberculosis	M	-	-	1	-	1	-	-	-
		F	-	-	2	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	103	-	68	-	77	-	39	-
		F	89	-	72	-	86	1	40	-
091	of Stomach	M	3	-	2	-	3	-	-	-
		F	4	-	3	-	4	-	-	-
093	Colon	M	11	-	4	-	9	-	4	-
		F	9	-	6	-	9	-	3	-
094	Rectum, Rectosigmoid Junction and Anus	M	2	-	2	-	4	-	3	-
		F	-	-	2	-	2	-	1	-
101	Trachea, Bronchus and Lung	M	26	-	17	-	22	-	11	-
		F	9	-	15	-	5	-	5	-
113	Female Breast	F	26	-	14	-	18	-	9	-
120	Cervix Uteri	F	5	-	1	-	2	-	2	-
141	Leukaemia	M	4	-	3	-	-	-	2	-
		F	-	-	2	-	2	-	2	-
	Other Malignant Neoplasms	M	57	-	40	-	39	-	19	-
		F	36	-	29	-	44	1	18	-
181	Diabetes Mellitus	M	5	-	6	-	9	-	1	-
		F	7	-	4	-	4	-	-	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
200	Anaemias	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	208	-	178	-	184	-	67	-
		F	179	-	119	-	161	-	59	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
26	Hypertensive Disease	M	2	-	-	-	2	-	-	-
		F	5	-	3	-	2	-	-	-
27	Ischaemic Heart Disease	M	119	-	98	-	112	-	47	-
		F	77	-	45	-	79	-	27	-
270	(Acute Myocardial Infarction)	M	80	-	67	-	72	-	33	-
		F	37	-	35	-	55	-	19	-
29	Cerebrovascular Disease	M	34	-	33	-	37	-	10	-
		F	44	-	29	-	42	-	24	-
300	Atherosclerosis	M	2	-	1	-	5	-	-	-
		F	2	-	2	-	5	-	-	-
	Other Diseases of the Circulatory System	M	51	-	46	-	28	-	10	-
		F	48	-	40	-	33	-	8	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Limerick County		Tipperary N.R.		Tipperary S.R.		Waterford C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	27	-	13	-	16	-	3	-
		F	20	-	10	-	41	-	7	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	1	-
323	Bronchitis, Emphysema and Asthma	M	8	-	4	-	7	-	-	-
		F	4	-	-	-	5	-	1	-
341	Ulcer of Stomach and Duodenum	M	3	-	4	-	-	-	-	-
		F	3	-	2	-	1	-	-	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	1	-	-	-	-	-	1	-
		F	-	-	2	-	2	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	6	-	7	-	4	-	3	-
		F	4	-	3	-	6	-	3	-
360	Hyperplasia of Prostate	M	-	-	1	-	1	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	2	-	-	-	1	-	1	-
		F	4	-	2	-	1	-	3	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	1	-	-	-	2	-	-	-
		F	2	-	4	-	-	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	7	-	3	-	2	-	-	-
		F	7	-	5	-	3	-	1	-
47-56	Injury and Poisoning	M	22	-	12	-	31	-	10	-
		F	10	-	6	-	6	-	3	-
47	Fractures	M	5	-	2	-	5	-	4	-
		F	4	-	1	-	3	-	2	-
49	Intracranial and Internal Injuries, Including Nerves	M	10	-	3	-	9	-	-	-
		F	3	-	3	-	1	-	1	-
52	Burns	M	-	-	-	-	3	-	-	-
		F	-	-	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	1	-	2	-	4	-	1	-
		F	2	-	-	-	-	-	-	-
	Other Injuries and Poisonings	M	6	-	5	-	10	-	5	-
		F	1	-	2	-	2	-	-	-
	All Other Diseases	M	78	-	52	-	55	-	23	-
		F	73	-	41	-	62	-	42	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	15	-	7	-	23	-	9	-
		F	8	-	3	-	5	-	3	-
E471	Motor Vehicle Traffic Accidents	M	12	-	3	-	14	-	1	-
		F	4	-	2	-	1	-	1	-
E50	Accidental Falls	M	2	-	3	-	-	-	3	-
		F	2	-	1	-	3	-	2	-
E54	Suicide	M	8	-	5	-	8	-	1	-
		F	2	-	2	-	1	-	-	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Waterford County		Galway C.B.		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	243	-	167	-	804	14	195	-
		F	198	-	159	-	585	14	168	-
01-07	Infectious and Parasitic Diseases	M	-	-	-	-	9	-	1	-
		F	-	-	1	-	4	-	-	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
02	Tuberculosis	M	-	-	-	-	4	-	-	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	-	-	2	-	1	-
		F	-	-	-	-	2	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	2	-	-	-
		F	-	-	1	-	2	-	-	-
08-14	Malignant Neoplasms:-	M	68	-	43	-	178	6	44	-
		F	44	-	44	-	115	2	34	-
091	of Stomach	M	3	-	2	-	9	-	2	-
		F	1	-	1	-	9	-	1	-
093	Colon	M	6	-	1	-	14	-	4	-
		F	7	-	5	-	13	1	4	-
094	Rectum, Rectosigmoid Junction and Anus	M	2	-	2	-	6	-	4	-
		F	1	-	1	-	2	-	1	-
101	Trachea, Bronchus and Lung	M	15	-	9	-	28	1	12	-
		F	9	-	4	-	12	-	2	-
113	Female Breast	F	8	-	12	-	22	-	5	-
120	Cervix Uteri	F	1	-	1	-	2	-	3	-
141	Leukaemia	M	2	-	2	-	5	1	1	-
		F	1	-	1	-	4	-	-	-
	Other Malignant Neoplasms	M	40	-	27	-	116	4	21	-
		F	16	-	19	-	51	1	18	-
181	Diabetes Mellitus	M	2	-	3	-	6	-	1	-
		F	2	-	2	-	6	-	1	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	1	-	3	-	-	-
		F	3	-	-	-	1	-	-	-
220	Meningitis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	-	-
25-30	Diseases of the Circulatory System	M	96	-	69	-	373	7	80	-
		F	95	-	72	-	289	8	68	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	1	-	-	-
		F	-	-	2	-	1	-	1	-
26	Hypertensive Disease	M	1	-	-	-	5	-	2	-
		F	1	-	1	-	7	1	-	-
27	Ischaemic Heart Disease	M	63	-	39	-	231	6	43	-
		F	51	-	36	-	137	1	30	-
270	(Acute Myocardial Infarction)	M	46	-	23	-	156	5	32	-
		F	35	-	24	-	82	1	21	-
29	Cerebrovascular Disease	M	21	-	18	-	61	-	9	-
		F	23	-	16	-	76	4	23	-
300	Atherosclerosis	M	-	-	-	-	3	1	3	-
		F	2	-	1	-	3	1	3	-
	Other Diseases of the Circulatory System	M	11	-	12	-	72	-	22	-
		F	18	-	16	-	65	1	11	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Waterford County		Galway C.B.		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	12	-	7	-	46	-	29	-
		F	10	-	11	-	58	1	30	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	2	-	2	-	5	-	-	-
		F	1	-	1	-	3	-	3	-
341	Ulcer of Stomach and Duodenum	M	2	-	2	-	6	-	2	-
		F	-	-	1	-	4	-	-	-
342	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	1	-	2	-	3	-	-	-
		F	2	-	-	-	-	-	1	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	4	-	3	-	12	-	-	-
		F	2	-	2	-	7	-	3	-
360	Hyperplasia of Prostate	M	-	-	1	-	1	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	1	-	-	-
44	Congenital Anomalies	M	3	-	-	-	1	-	2	-
		F	-	-	1	-	1	-	-	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	-	-	-	-	1	-	1	-
		F	1	-	1	-	1	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	2	-	1	-	5	-	2	-
		F	1	-	-	-	2	-	4	-
47-56	Injury and Poisoning	M	16	-	10	-	57	-	9	-
		F	5	-	3	-	18	-	5	-
47	Fractures	M	2	-	4	-	17	-	3	-
		F	2	-	1	-	6	-	4	-
49	Intracranial and Internal Injuries, Including Nerves	M	2	-	2	-	8	-	1	-
		F	2	-	-	-	3	-	1	-
52	Burns	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	3	-	2	-	6	-	2	-
		F	1	-	1	-	2	-	-	-
	Other Injuries and Poisonings	M	8	-	2	-	25	-	3	-
		F	-	-	1	-	7	-	-	-
	All Other Diseases	M	34	-	22	-	97	1	24	-
		F	29	-	20	-	74	3	19	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	11	-	7	-	41	-	6	-
		F	4	-	4	-	15	-	5	-
E471	Motor Vehicle Traffic Accidents	M	3	-	5	-	21	-	-	-
		F	2	-	1	-	8	-	1	-
E50	Accidental Falls	M	2	-	1	-	5	-	3	-
		F	2	-	-	-	3	-	4	-
E54	Suicide	M	6	-	3	-	17	-	2	-
		F	1	-	-	-	3	-	-	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	757	6	339	-	292	1	304	-
		F	649	3	289	1	293	-	225	-
01-07	Infectious and Parasitic Diseases	M	4	-	2	-	2	-	-	-
		F	5	1	4	-	3	-	1	-
01	Intestinal Infectious Diseases	M	1	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
02	Tuberculosis	M	1	-	-	-	1	-	-	-
		F	1	-	-	-	2	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	-	-	1	-	-	-
		F	2	-	1	-	1	-	1	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	2	-	2	-	-	-	-	-
		F	1	1	-	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	171	1	71	-	70	1	81	-
		F	139	1	62	-	55	-	60	-
091	of Stomach	M	10	-	1	-	3	-	6	-
		F	7	1	3	-	4	-	3	-
093	Colon	M	25	-	7	-	5	-	5	-
		F	13	-	13	-	-	-	5	-
094	Rectum, Rectosigmoid Junction and Anus	M	10	-	1	-	4	-	5	-
		F	4	-	-	-	-	-	1	-
101	Trachea, Bronchus and Lung	M	34	-	13	-	11	-	25	-
		F	21	-	9	-	12	-	6	-
113	Female Breast	F	31	-	10	-	14	-	10	-
120	Cervix Uteri	F	2	-	-	-	-	-	1	-
141	Leukaemia	M	4	-	1	-	2	-	2	-
		F	2	-	1	-	2	-	3	-
	Other Malignant Neoplasms	M	88	1	48	-	45	1	38	-
		F	59	-	26	-	23	-	31	-
181	Diabetes Mellitus	M	14	-	1	-	5	-	5	-
		F	6	-	7	-	4	-	7	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	3	-	-	-	1	-	1	-
		F	5	-	-	-	1	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	312	5	157	-	132	-	124	-
		F	301	1	139	-	146	-	101	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	1	-
26	Hypertensive Disease	M	5	-	-	-	2	-	1	-
		F	11	-	1	-	3	-	4	-
27	Ischaemic Heart Disease	M	184	5	109	-	68	-	82	-
		F	139	-	79	-	52	-	46	-
270	(Acute Myocardial Infarction)	M	129	5	72	-	56	-	62	-
		F	91	-	51	-	46	-	26	-
29	Cerebrovascular Disease	M	48	-	22	-	28	-	15	-
		F	66	-	34	-	45	-	24	-
300	Atherosclerosis	M	4	-	2	-	1	-	-	-
		F	11	-	1	-	-	-	1	-
	Other Diseases of the Circulatory System	M	71	-	24	-	33	-	26	-
		F	71	1	23	-	45	-	25	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	45	-	43	-	7	-	13	-
		F	46	-	32	-	25	-	11	-
322	Influenza	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	2	-	-	-
323	Bronchitis, Emphysema and Asthma	M	13	-	4	-	2	-	5	-
		F	11	-	6	-	4	-	3	-
341	Ulcer of Stomach and Duodenum	M	8	-	5	-	2	-	1	-
		F	2	-	1	-	1	-	1	-
342	Appendicitis	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	4	-	-	-	2	-	1	-
		F	2	-	3	-	-	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	21	-	1	-	9	-	5	-
		F	9	-	5	1	6	-	2	-
360	Hyperplasia of Prostate	M	-	-	-	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	1	-	-	-
44	Congenital Anomalies	M	-	-	1	-	1	-	2	-
		F	1	-	-	-	1	-	1	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	2	-	2	-	-	-	-	-
		F	3	-	3	-	2	-	3	-
47-56	Injury and Poisoning	M	33	-	14	-	14	-	22	-
		F	13	-	4	-	6	-	2	-
47	Fractures	M	7	-	6	-	3	-	6	-
		F	8	-	2	-	2	-	1	-
49	Intracranial and Internal Injuries, Including Nerves	M	7	-	2	-	5	-	1	-
		F	-	-	1	-	-	-	-	-
52	Burns	M	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	1	-
53	Poisonings and Toxic Effects	M	4	-	1	-	1	-	6	-
		F	1	-	-	-	1	-	-	-
	Other Injuries and Poisonings	M	15	-	4	-	5	-	8	-
		F	4	-	1	-	3	-	-	-
	All Other Diseases	M	125	-	38	-	45	-	44	-
		F	104	-	23	-	36	-	32	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	23	-	11	-	14	-	13	-
		F	13	-	4	-	5	-	2	-
E471	Motor Vehicle Traffic Accidents	M	12	-	4	-	5	-	3	-
		F	3	-	3	-	-	-	1	-
E50	Accidental Falls	M	2	-	2	-	5	-	2	-
		F	6	-	1	-	4	-	-	-
E54	Suicide	M	11	-	2	-	3	-	9	-
		F	1	-	-	-	2	-	-	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
	All Other External Causes	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
	Total	M	704	-	278	-
		F	585	1	236	1
01-07	Infectious and Parasitic Diseases	M	1	-	-	-
		F	3	-	1	-
01	Intestinal Infectious Diseases	M	-	-	-	-
		F	-	-	-	-
02	Tuberculosis	M	-	-	-	-
		F	-	-	-	-
034	Whooping Cough	M	-	-	-	-
		F	-	-	-	-
036	Meningococcal Infection	M	1	-	-	-
		F	-	-	-	-
037	Tetanus	M	-	-	-	-
		F	-	-	-	-
038	Septicaemia	M	-	-	-	-
		F	1	-	1	-
041	Smallpox	M	-	-	-	-
		F	-	-	-	-
042	Measles	M	-	-	-	-
		F	-	-	-	-
052	Malaria	M	-	-	-	-
		F	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-
		F	2	-	-	-
08-14	Malignant Neoplasms:-	M	193	-	63	-
		F	116	-	51	1
091	of Stomach	M	15	-	6	-
		F	8	-	4	-
093	Colon	M	20	-	5	-
		F	12	-	2	1
094	Rectum, Rectosigmoid Junction and Anus	M	6	-	1	-
		F	3	-	1	-
101	Trachea, Bronchus and Lung	M	46	-	19	-
		F	11	-	5	-
113	Female Breast	F	14	-	15	-
120	Cervix Uteri	F	4	-	-	-
141	Leukaemia	M	5	-	1	-
		F	4	-	2	-
	Other Malignant Neoplasms	M	101	-	31	-
		F	60	-	22	-
181	Diabetes Mellitus	M	14	-	4	-
		F	9	-	2	-
191	Nutritional Marasmus	M	-	-	-	-
		F	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-
		F	-	-	-	-
200	Anaemias	M	1	-	-	-
		F	1	-	1	-
220	Meningitis	M	-	-	-	-
		F	-	-	-	-
25-30	Diseases of the Circulatory System	M	287	-	113	-
		F	248	-	121	-
250	Acute Rheumatic Fever	M	-	-	-	-
		F	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-
		F	-	-	-	-
26	Hypertensive Disease	M	6	-	-	-
		F	-	-	2	-
27	Ischaemic Heart Disease	M	179	-	80	-
		F	129	-	72	-
270	(Acute Myocardial Infarction)	M	139	-	48	-
		F	100	-	39	-
29	Cerebrovascular Disease	M	55	-	15	-
		F	67	-	25	-
300	Atherosclerosis	M	4	-	1	-
		F	-	-	2	-
	Other Diseases of the Circulatory System	M	43	-	17	-
		F	52	-	20	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1996 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
321	Pneumonia	M	55	-	8	-
		F	64	-	16	-
322	Influenza	M	1	-	-	-
		F	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	10	-	12	-
		F	2	-	5	-
341	Ulcer of Stomach and Duodenum	M	3	-	4	-
		F	2	-	2	-
342	Appendicitis	M	-	-	-	-
		F	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	1	-	-	-
		F	4	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	11	-	3	-
		F	11	-	5	-
360	Hyperplasia of Prostate	M	1	-	1	-
38	Abortion	F	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-
44	Congenital Anomalies	M	-	-	1	-
		F	4	-	-	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	2	-	1	-
		F	3	-	-	-
453		M	-	-	-	-
		F	-	-	-	-
46	Signs, symptoms and Ill-Defined Conditions	M	3	-	3	-
		F	4	-	1	-
47-56	Injury and Poisoning	M	31	-	23	-
		F	21	-	5	-
47	Fractures	M	4	-	4	-
		F	7	-	2	-
49	Intracranial and Internal Injuries, Including Nerves	M	9	-	5	-
		F	8	-	1	-
52	Burns	M	1	-	-	-
		F	1	-	-	-
53	Poisonings and Toxic Effects	M	1	-	1	-
		F	-	-	-	-
	Other Injuries and Poisonings	M	16	-	13	-
		F	5	-	2	-
	All Other Diseases	M	90	-	42	-
		F	93	1	26	-
External Causes (Included in the Foregoing)						
E47-E53	Accidents and Adverse Effects	M	21	-	14	-
		F	19	-	4	-
E471	Motor Vehicle Traffic Accidents	M	12	-	7	-
		F	7	-	2	-
E50	Accidental Falls	M	4	-	4	-
		F	8	-	1	-
E54	Suicide	M	11	-	10	-
		F	1	-	2	-
E55	Homicide	M	1	-	-	-
		F	1	-	-	-
	All Other External Causes	M	-	-	-	-
		F	-	-	-	-

+ Stillbirths not included

Table 21 Deaths showing the numbers occurring in each quarter in 1996 assigned to the counties and county boroughs

Province, county or county borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	4,694	4,219	4,016	3,704	3,794	3,385	4,168	3,743	16,672	15,051
LEINSTER	2,160	2,039	1,789	1,787	1,760	1,670	1,973	1,836	7,682	7,332
Carlow	68	53	52	44	39	49	59	52	218	198
Dublin Co. Borough	645	702	522	604	519	562	635	658	2,321 ✓	2,526
South Dublin	126	122	101	96	116	78	92	89	435 ✓	385
Fingal	100	92	93	61	93	61	100	92	386 ✓	306
Dun Laoghaire Rathdown	197	202	162	173	174	185	183	203	716 ✓	763
Kildare	144	92	117	108	112	104	94	95	467	399
Kilkenny	103	85	79	82	61	72	97	66	340	305
Laois	89	55	69	53	43	34	54	51	255	193
Longford	42	42	30	36	38	34	51	36	161	148
Louth	106	89	91	77	107	103	100	64	404	333
Meath	99	106	92	107	116	80	114	91	421	384
Offaly	81	57	72	51	59	45	71	65	283	218
Westmeath	102	77	85	67	73	58	103	58	363	260
Wexford	145	132	117	117	112	127	115	123	489	499
Wicklow	113	133	107	111	98	78	105	93	423	415
MUNSTER	1,448	1,287	1,276	1,121	1,163	983	1,263	1,139	5,150	4,530
Clare	140	108	132	119	100	87	104	77	476	391
Cork Co. Borough	198	186	163	157	171	144	177	173	709	660
Cork County	380	358	318	259	318	251	353	293	1,369	1,161
Kerry	202	169	186	149	161	145	186	146	735	609
Limerick Co. Borough	71	69	64	81	59	58	61	83	255	291
Limerick County	123	136	128	87	122	91	100	91	473	405
Tipperary N.R.	112	77	95	61	57	61	87	75	351	274
Tipperary S.R.	124	99	95	100	78	73	94	108	391	380
Waterford Co. Borough	41	42	35	42	39	34	33	43	148	161
Waterford County	57	43	60	66	58	39	68	50	243	198
CONNACHT	705	631	633	549	592	465	624	498	2,554	2,143
Galway Co. Borough	47	44	51	43	34	34	35	38	167	159
Galway County	237	171	186	150	184	124	197	140	804	585
Leitrim	67	39	50	41	38	42	40	46	195	168
Mayo	192	204	188	143	182	153	195	149	757	649
Roscommon	97	77	80	87	80	54	82	71	339	289
Sligo	65	96	78	85	74	58	75	54	292	293
ULSTER (PART OF)	381	262	318	247	279	267	308	270	1,286	1,046
Cavan	89	59	63	48	70	57	82	61	304	225
Donegal	197	140	188	144	154	159	165	142	704	585
Monaghan	95	63	67	55	55	51	61	67	278	236

Table 22 Deaths of residents of each province, county and county borough in 1996, classified by place of occurrence

Province, county or county borough	ALL AGES		Place of Occurrence							
	Males	Females	General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
			Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	16,672	15,051	4,258	4,574	152	174	6,681	5,927	5,581	4,376
Leinster	7,682	7,332	2,806	2,940	74	89	2,548	2,407	2,254	1,896
Munster	5,150	4,530	1,041	1,191	40	43	2,212	1,945	1,857	1,351
Connacht	2,554	2,143	282	305	28	36	1,322	1,066	922	736
Ulster (part of)	1,286	1,046	129	138	10	6	599	509	548	393
LEINSTER:										
Carlow	218	198	27	30	8	3	101	99	82	66
Dublin County Borough	2,321	2,526	1,276	1,373	25	35	484	526	536	592
South Dublin	435	385	164	145	4	2	189	154	78	84
Fingal	386	306	224	163	6	10	77	59	79	74
Dun Laoghaire Rathdown	716	763	440	492	6	4	96	88	174	179
Kildare	467	399	91	85	1	5	200	189	175	120
Kilkenny	340	305	62	63	9	12	135	130	134	100
Laois	255	193	24	25	2	1	122	109	107	58
Longford	161	148	10	22	1	-	85	82	65	44
Louth	404	333	124	109	2	1	158	130	120	93
Meath	421	384	103	133	-	4	161	149	157	98
Offaly	283	218	30	29	2	3	127	110	124	76
Westmeath	363	260	62	54	4	1	172	134	125	71
Wexford	489	499	53	98	3	5	249	261	184	135
Wicklow	423	415	116	119	1	3	192	187	114	106
MUNSTER:										
Clare	476	391	41	66	1	1	261	231	173	93
Cork County Borough	709	660	354	355	2	10	158	123	195	172
Cork County	1,369	1,161	281	271	10	8	500	499	578	383
Kerry	735	609	54	76	3	4	404	312	274	217
Limerick County Borough	255	291	75	109	1	2	122	117	57	63
Limerick County	473	405	99	97	6	2	229	187	139	119
Tipperary N.R.	351	274	59	79	6	1	148	108	138	86
Tipperary S.R.	391	380	43	87	8	12	195	188	145	93
Waterford County Borough	148	161	13	20	1	1	76	80	58	60
Waterford County	243	198	22	31	2	2	119	100	100	65
CONNACHT:										
Galway County Borough	167	159	19	28	3	2	100	86	45	43
Galway County	804	585	150	143	13	12	323	237	318	193
Leitrim	195	168	14	17	2	3	107	91	72	57
Mayo	757	649	40	52	5	12	440	348	272	237
Roscommon	339	289	34	32	-	4	187	153	118	100
Sligo	292	293	25	33	5	3	165	151	97	106
ULSTER (part of):										
Cavan	304	225	36	33	4	1	143	116	121	75
Donegal	704	585	76	92	5	1	318	275	305	217
Monaghan	278	236	17	13	1	4	138	118	122	101

Table 23 - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Total												
Tuberculosis, All Forms	M	24	-	-	-	-	-	-	1	2	6	15
	F	18	-	-	-	1	-	-	1	2	8	6
Other Infective and Parasitic Diseases	M	53	2	2	-	6	2	6	-	7	14	14
	F	58	4	1	2	5	1	1	3	4	11	26
Malignant Neoplasms	M	3987	1	4	14	24	30	83	269	669	1312	1581
	F	3402	1	2	4	9	29	123	303	489	955	1487
Ischaemic and Other Forms of Heart Disease	M	5445	-	1	2	9	15	79	297	731	1542	2769
	F	4416	-	1	1	4	5	17	51	215	796	3326
Hypertensive Disease	M	93	-	-	-	-	1	2	4	10	30	46
	F	109	-	-	-	-	-	-	3	3	17	86
Cerebrovascular Disease	M	1198	1	-	-	2	4	14	42	82	281	772
	F	1703	-	-	-	5	4	14	28	73	239	1340
Other Diseases of the Circulatory System	M	452	-	-	-	-	4	4	12	52	135	245
	F	481	-	-	-	1	4	6	9	17	111	333
Diseases of the Respiratory System	M	2344	3	3	7	7	5	14	47	123	521	1614
	F	2373	3	1	3	2	6	12	31	83	362	1870
Senility	M	18	-	-	-	-	-	-	-	-	-	18
	F	47	-	-	-	-	-	-	-	-	-	47
Other Diseases	M	2009	162	11	18	36	55	68	99	167	413	980
	F	2049	124	24	4	23	26	30	74	117	331	1296
Injury and Poisoning	M	1049	-	9	31	246	224	148	120	88	70	113
	F	395	2	3	13	40	50	32	37	41	35	142
All Causes	M	16672	169	30	72	330	340	418	891	1931	4324	8167
	F	15051	134	32	27	90	125	235	540	1044	2865	9959
Leinster												
Tuberculosis, All Forms	M	10	-	-	-	-	-	-	1	-	2	7
	F	6	-	-	-	-	-	-	-	1	2	3
Other Infective and Parasitic Diseases	M	32	1	1	-	4	2	4	-	3	10	7
	F	31	4	-	2	3	-	1	2	2	7	10
Malignant Neoplasms	M	1880	-	2	5	13	14	44	142	337	640	683
	F	1700	-	-	1	4	15	60	171	261	496	692
Ischaemic and Other Forms of Heart Disease	M	2421	-	-	-	7	11	33	156	359	734	1121
	F	2126	-	-	-	2	2	10	31	121	424	1536
Hypertensive Disease	M	43	-	-	-	-	-	-	1	7	10	25
	F	46	-	-	-	-	-	-	2	2	6	36
Cerebrovascular Disease	M	523	1	-	-	-	2	5	23	37	125	330
	F	849	-	-	-	3	-	5	19	42	131	649
Other Diseases of the Circulatory System	M	214	-	-	-	-	2	1	7	33	66	105
	F	225	-	-	-	-	3	2	5	9	61	145
Diseases of the Respiratory System	M	1067	2	-	4	4	4	8	29	66	244	706
	F	1153	1	-	2	1	3	8	16	47	198	877
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	7	-	-	-	-	-	-	-	-	-	7
Other Diseases	M	964	110	6	6	24	44	44	57	78	177	418
	F	984	64	12	-	13	16	16	38	57	163	605
Injury and Poisoning	M	523	-	8	19	119	137	84	57	31	29	39
	F	205	1	2	5	23	26	21	20	21	13	73
All Causes	M	7682	114	17	34	171	216	223	473	951	2037	3446
	F	7332	70	14	10	49	65	123	304	563	1501	4633

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Munster												
Tuberculosis, All Forms	M	7	-	-	-	-	-	-	-	-	4	3
	F	6	-	-	-	1	-	-	-	1	3	1
Other Infective and Parasitic Diseases	M	9	-	-	-	2	-	1	-	-	3	3
	F	11	-	-	-	1	1	-	-	1	2	6
Malignant Neoplasms	M	1193	1	2	5	6	10	26	80	205	386	472
	F	1026	1	1	3	2	7	36	86	145	286	459
Ischaemic and Other Forms of Heart Disease	M	1775	-	-	1	2	4	29	91	228	502	918
	F	1304	-	1	1	2	-	5	16	57	230	992
Hypertensive Disease	M	29	-	-	-	-	1	1	3	2	14	8
	F	34	-	-	-	-	-	-	-	1	7	26
Cerebrovascular Disease	M	404	-	-	-	2	1	6	10	25	94	266
	F	478	-	-	-	-	1	4	5	22	60	386
Other Diseases of the Circulatory System	M	132	-	-	-	-	1	2	3	12	37	77
	F	162	-	-	-	-	-	3	2	4	37	116
Diseases of the Respiratory System	M	687	1	3	1	1	-	2	11	33	159	476
	F	727	1	-	-	1	2	3	12	21	107	580
Senility	M	11	-	-	-	-	-	-	-	-	-	11
	F	36	-	-	-	-	-	-	-	-	-	36
Other Diseases	M	590	30	2	8	8	8	16	22	53	132	311
	F	633	44	7	3	7	5	8	26	36	105	392
Injury and Poisoning	M	313	-	1	7	79	55	39	36	36	26	34
	F	113	1	1	4	8	14	5	13	14	13	40
All Causes	M	5150	32	8	22	100	80	122	256	594	1357	2579
	F	4530	47	10	11	22	30	64	160	302	850	3034
Connacht												
Tuberculosis, All Forms	M	7	-	-	-	-	-	-	-	2	-	5
	F	6	-	-	-	-	-	-	1	-	3	2
Other Infective and Parasitic Diseases	M	11	-	1	-	-	-	1	-	4	1	4
	F	11	-	1	-	1	-	-	-	1	1	7
Malignant Neoplasms	M	577	-	-	3	4	4	8	37	93	170	258
	F	449	-	1	-	-	5	19	29	55	112	228
Ischaemic and Other Forms of Heart Disease	M	846	-	1	1	-	-	12	33	99	202	498
	F	667	-	-	-	-	2	1	4	26	97	537
Hypertensive Disease	M	14	-	-	-	-	-	-	-	-	6	8
	F	23	-	-	-	-	-	-	1	-	2	20
Cerebrovascular Disease	M	186	-	-	-	-	-	-	6	15	40	125
	F	260	-	-	-	2	1	5	1	6	32	213
Other Diseases of the Circulatory System	M	77	-	-	-	-	1	1	1	7	22	45
	F	65	-	-	-	1	-	1	1	2	10	50
Diseases of the Respiratory System	M	404	-	-	1	2	1	3	6	14	82	295
	F	343	1	1	-	-	-	1	1	11	36	292
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Other Diseases	M	293	14	2	2	3	1	5	12	28	68	158
	F	267	6	5	-	1	5	5	5	15	37	188
Injury and Poisoning	M	137	-	-	1	31	17	18	17	18	12	23
	F	49	-	-	2	7	5	4	2	5	7	17
All Causes	M	2554	14	4	8	40	24	48	112	280	603	1421
	F	2143	7	8	2	12	18	36	45	121	337	1557

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Ulster (part of)												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	3
Malignant Neoplasms	M	337	-	-	1	1	2	5	10	34	116	168
	F	227	-	-	-	3	2	8	17	28	61	108
Ischaemic and Other Forms of Heart Disease	M	403	-	-	-	-	-	5	17	45	104	232
	F	319	-	-	-	-	1	1	-	11	45	261
Hypertensive Disease	M	7	-	-	-	-	-	1	-	1	-	5
	F	6	-	-	-	-	-	-	-	-	2	4
Cerebrovascular Disease	M	85	-	-	-	-	1	3	3	5	22	51
	F	116	-	-	-	-	2	-	3	3	16	92
Other Diseases of the Circulatory System	M	29	-	-	-	-	-	-	1	-	10	18
	F	29	-	-	-	-	1	-	1	2	3	22
Diseases of the Respiratory System	M	186	-	-	1	-	-	1	1	10	36	137
	F	150	-	-	1	-	1	-	2	4	21	121
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	162	8	1	2	1	2	3	8	8	36	93
	F	165	10	-	1	2	-	1	5	9	26	111
Injury and Poisoning	M	76	-	-	4	17	15	7	10	3	3	17
	F	28	-	-	2	2	5	2	2	1	2	12
All Causes	M	1286	9	1	8	19	20	25	50	106	327	721
	F	1046	10	-	4	7	12	12	31	58	177	735
County Carlow												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	40	-	-	-	2	-	1	4	4	13	16
	F	45	-	-	-	-	1	2	5	8	11	18
Ischaemic and Other Forms of Heart Disease	M	71	-	-	-	1	1	1	5	9	20	34
	F	56	-	-	-	-	-	-	1	7	14	34
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	1	1
Cerebrovascular Disease	M	15	-	-	-	-	1	-	1	3	3	7
	F	22	-	-	-	-	-	-	1	-	8	13
Other Diseases of the Circulatory System	M	3	-	-	-	-	-	-	-	1	1	1
	F	7	-	-	-	-	-	-	-	1	2	4
Diseases of the Respiratory System	M	44	-	-	1	1	-	-	3	3	11	25
	F	34	-	-	-	-	-	-	-	1	5	28
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other Diseases	M	20	4	-	-	-	-	-	-	-	5	11
	F	23	1	-	-	1	-	2	-	2	5	12
Injury and Poisoning	M	24	-	-	-	6	13	1	2	1	1	-
	F	7	-	-	-	1	1	-	-	1	1	3
All Causes	M	218	4	-	1	10	15	3	15	21	54	95
	F	198	1	-	-	2	2	4	7	20	47	115

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Dublin County Borough												
Tuberculosis, All Forms	M	3	-	-	-	-	-	-	1	-	-	2
	F	3	-	-	-	-	-	-	-	1	1	1
Other Infective and Parasitic Diseases	M	9	-	-	-	1	1	2	-	1	3	1
	F	11	1	-	1	2	-	-	1	1	2	3
Malignant Neoplasms	M	587	-	-	-	1	6	15	35	120	206	204
	F	619	-	-	-	1	5	19	46	95	188	265
Ischaemic and Other Forms of Heart Disease	M	760	-	-	-	3	2	10	53	122	220	350
	F	764	-	-	-	-	-	4	9	46	152	553
Hypertensive Disease	M	15	-	-	-	-	-	-	-	2	6	7
	F	23	-	-	-	-	-	-	2	-	4	17
Cerebrovascular Disease	M	139	1	-	-	-	-	1	3	11	36	87
	F	258	-	-	-	-	-	7	14	14	33	204
Other Diseases of the Circulatory System	M	59	-	-	-	-	1	-	1	12	19	26
	F	78	-	-	-	-	1	1	1	3	21	51
Diseases of the Respiratory System	M	301	-	-	1	1	2	3	10	21	85	178
	F	390	-	-	2	-	2	-	4	17	74	291
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Other Diseases	M	305	27	1	1	12	33	24	17	18	57	115
	F	313	12	5	-	2	8	4	14	10	41	217
Injury and Poisoning	M	143	-	3	6	30	34	27	15	8	7	13
	F	64	-	-	1	5	13	6	10	5	3	21
All Causes	M	2321	28	4	8	48	79	82	135	315	639	983
	F	2526	13	5	4	10	29	34	94	192	519	1626
South Dublin												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	4	-	-	-	-	-	2	-	1	1	-
	F	2	1	-	-	-	-	-	1	-	-	-
Malignant Neoplasms	M	135	-	2	-	2	3	4	15	24	37	48
	F	97	-	-	-	-	1	4	14	22	28	28
Ischaemic and Other Forms of Heart Disease	M	123	-	-	-	-	1	5	12	27	37	41
	F	99	-	-	-	-	-	-	5	5	25	64
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	1	-	3
Cerebrovascular Disease	M	26	-	-	-	-	-	1	2	4	9	10
	F	42	-	-	-	-	-	2	2	2	7	29
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	1	4	1	4
	F	18	-	-	-	-	-	1	1	1	7	8
Diseases of the Respiratory System	M	48	1	-	1	-	-	-	2	3	10	31
	F	52	-	-	-	-	-	-	2	2	8	40
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	63	15	1	1	2	6	3	6	3	6	20
	F	54	7	2	-	-	1	1	5	4	10	24
Injury and Poisoning	M	25	-	1	1	5	7	6	3	2	-	-
	F	17	-	-	1	3	3	5	1	1	-	3
All Causes	M	435	16	4	3	9	17	21	41	68	101	155
	F	385	8	2	1	3	5	13	31	38	85	199

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Fingal												
Tuberculosis, All Forms	M	2	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	1	1	-
Malignant Neoplasms	M	106	-	-	-	2	-	7	13	23	27	34
	F	68	-	-	-	1	1	8	12	10	12	24
Ischaemic and Other Forms of Heart Disease	M	110	-	-	-	-	1	4	7	25	28	45
	F	91	-	-	-	-	-	1	2	7	18	63
Hypertensive Disease	M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	31	-	-	-	-	-	-	1	1	9	20
	F	30	-	-	-	-	-	-	-	5	3	22
Other Diseases of the Circulatory System	M	11	-	-	-	-	-	-	1	2	3	5
	F	7	-	-	-	-	-	-	1	-	1	5
Diseases of the Respiratory System	M	35	-	-	-	-	-	-	3	2	4	26
	F	44	-	-	-	1	-	-	-	4	7	32
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	55	9	1	2	3	-	-	2	9	8	21
	F	53	12	-	-	2	-	3	3	4	9	20
Injury and Poisoning	M	33	-	1	1	7	9	11	4	-	-	-
	F	10	-	-	1	1	1	3	1	1	-	2
All Causes	M	386	9	2	3	12	10	22	32	62	79	155
	F	306	12	-	1	5	2	15	19	32	51	169
Dun Laoghaire Rathdown												
Tuberculosis, All Forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	-	-	2
	F	6	1	-	-	1	-	-	-	-	2	2
Malignant Neoplasms	M	200	-	-	1	-	1	16	47	76	58	89
	F	190	-	-	-	-	4	20	29	48	105	163
Ischaemic and Other Forms of Heart Disease	M	212	-	-	-	-	2	3	8	22	28	163
	F	200	-	-	-	-	-	1	8	28	4	4
Hypertensive Disease	M	5	-	-	-	-	-	-	-	-	1	4
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular Disease	M	64	-	-	-	-	-	1	1	4	13	45
	F	109	-	-	-	1	-	1	4	3	15	85
Other Diseases of the Circulatory System	M	28	-	-	-	-	-	-	-	5	9	14
	F	24	-	-	-	-	-	-	1	6	17	58
Diseases of the Respiratory System	M	88	-	-	-	1	-	1	2	5	21	89
	F	114	-	-	-	-	-	1	2	2	20	89
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	88	14	-	1	1	2	1	7	7	13	42
	F	98	7	-	-	1	1	1	2	3	15	68
Injury and Poisoning	M	26	-	-	-	2	9	5	1	1	3	5
	F	17	-	-	-	1	-	1	3	2	1	9
All Causes	M	716	14	-	2	4	14	12	35	91	210	334
	F	763	8	-	-	4	1	8	32	48	136	526

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Kildare												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	133	-	-	2	-	1	4	9	21	44	52
	F	115	-	-	-	-	-	3	15	19	40	38
Ischaemic and Other Forms of Heart Disease	M	119	-	-	-	-	-	2	8	21	27	61
	F	101	-	-	-	-	-	-	1	8	27	65
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	1	-	2
Cerebrovascular Disease	M	30	-	-	-	-	1	1	2	-	8	18
	F	46	-	-	-	1	-	1	1	4	5	35
Other Diseases of the Circulatory System	M	16	-	-	-	-	-	-	2	3	3	8
	F	12	-	-	-	-	1	-	-	1	3	7
Diseases of the Respiratory System	M	67	-	-	-	-	-	-	4	4	13	46
	F	56	-	-	-	-	-	2	3	2	8	41
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	62	12	-	-	-	-	5	-	8	11	26
	F	56	8	1	-	-	-	-	2	3	13	29
Injury and Poisoning	M	37	-	-	4	9	11	10	1	2	-	-
	F	10	-	1	-	2	2	2	-	1	1	1
All Causes	M	467	12	-	6	9	13	22	26	59	107	213
	F	399	8	2	-	3	3	7	22	39	97	218
County Kilkenny												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	1	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Malignant Neoplasms	M	66	-	-	1	-	-	2	4	8	21	30
	F	71	-	-	1	-	1	2	6	7	27	27
Ischaemic and Other Forms of Heart Disease	M	108	-	-	-	-	1	1	5	12	41	48
	F	93	-	-	-	-	1	-	1	8	27	56
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	26	-	-	-	-	-	1	-	2	3	20
	F	40	-	-	-	-	-	-	1	1	6	32
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	-	-	3	7
	F	5	-	-	-	-	-	-	-	-	2	3
Diseases of the Respiratory System	M	53	-	-	1	-	-	2	1	1	10	38
	F	56	-	-	-	-	-	-	-	2	14	40
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	45	3	-	-	1	-	1	1	5	11	23
	F	31	2	1	-	-	-	-	1	1	6	20
Injury and Poisoning	M	28	-	-	-	6	3	3	6	5	1	4
	F	5	-	-	-	1	-	-	-	-	1	3
All Causes	M	340	3	-	2	7	5	10	17	33	91	172
	F	305	2	1	1	1	2	2	9	19	83	185

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Laois												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	59	-	-	-	1	1	-	2	6	23	26
	F	45	-	-	-	-	-	1	3	4	17	20
Ischaemic and Other Forms of Heart Disease	M	83	-	-	-	2	-	-	3	19	34	25
	F	54	-	-	-	-	-	1	2	3	9	39
Hypertensive Disease	M	2	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	14	-	-	-	-	-	-	1	-	5	8
	F	22	-	-	-	-	-	-	-	-	7	15
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	-	-	4
	F	3	-	-	-	-	-	-	-	-	1	2
Diseases of the Respiratory System	M	49	1	-	-	-	-	-	-	2	11	35
	F	28	-	-	-	-	-	-	1	3	5	19
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	24	1	-	-	1	-	-	1	-	3	18
	F	32	-	-	-	2	2	1	-	1	11	15
Injury and Poisoning	M	20	-	-	1	8	5	2	-	1	2	1
	F	9	-	1	2	-	1	-	1	1	-	3
All Causes	M	255	2	-	1	12	6	2	7	29	78	118
	F	193	-	1	2	2	3	3	7	12	50	113
County Longford												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	34	-	-	-	-	-	1	1	5	13	14
	F	27	-	-	-	-	-	1	1	7	5	13
Ischaemic and Other Forms of Heart Disease	M	48	-	-	-	-	-	-	1	5	21	21
	F	36	-	-	-	-	-	-	1	2	6	27
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	13	-	-	-	-	-	-	-	-	2	11
	F	21	-	-	-	-	-	-	-	-	5	16
Other Diseases of the Circulatory System	M	6	-	-	-	-	-	-	1	-	1	4
	F	7	-	-	-	-	-	-	-	-	1	6
Diseases of the Respiratory System	M	31	-	-	-	-	-	-	-	-	6	25
	F	34	-	-	-	-	-	-	-	1	6	27
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	14	-	-	-	-	-	2	2	1	3	6
	F	20	2	-	-	-	1	-	2	2	4	9
Injury and Poisoning	M	11	-	-	-	2	5	3	-	-	-	1
	F	3	-	-	-	-	-	-	-	1	1	1
All Causes	M	161	-	-	-	2	5	6	5	11	48	84
	F	148	2	-	-	-	1	1	4	13	28	99

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Louth												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1
Malignant Neoplasms	M	88	-	-	-	3	1	1	9	12	33	29
	F	80	-	-	-	-	2	3	17	11	22	25
Ischaemic and Other Forms of Heart Disease	M	121	-	-	-	-	1	1	8	16	38	57
	F	78	-	-	-	-	-	-	-	3	19	56
Hypertensive Disease	M	3	-	-	-	-	-	-	-	2	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	29	-	-	-	-	-	-	2	1	6	20
	F	40	-	-	-	-	-	1	-	4	10	25
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	-	-	7	5
	F	9	-	-	-	-	-	-	-	-	4	5
Diseases of the Respiratory System	M	74	-	-	-	-	1	2	2	4	16	49
	F	62	-	-	-	-	-	2	1	-	10	49
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	38	6	-	-	-	-	-	6	1	5	20
	F	49	5	-	-	-	1	-	1	8	8	26
Injury and Poisoning	M	38	-	-	2	8	9	5	6	3	3	2
	F	12	-	-	-	-	1	1	1	3	2	4
All Causes	M	404	6	-	2	12	12	9	33	39	109	182
	F	333	5	-	-	-	4	7	20	29	76	192
County Meath												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	1	-	-	-	-	-	1	-
Malignant Neoplasms	M	88	-	-	-	-	1	2	11	10	33	31
	F	78	-	-	-	2	1	4	11	13	17	30
Ischaemic and Other Forms of Heart Disease	M	143	-	-	-	-	1	-	9	23	42	68
	F	130	-	-	-	1	-	-	1	7	20	101
Hypertensive Disease	M	3	-	-	-	-	-	-	-	-	-	3
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	28	-	-	-	-	-	-	1	1	5	21
	F	40	-	-	-	-	-	-	-	3	4	33
Other Diseases of the Circulatory System	M	17	-	-	-	-	-	1	-	3	6	7
	F	5	-	-	-	-	-	-	-	1	2	2
Diseases of the Respiratory System	M	51	-	-	-	-	-	-	1	2	12	36
	F	62	-	-	-	-	-	-	1	3	10	48
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	55	6	1	-	-	-	-	3	6	8	31
	F	58	2	-	-	-	1	1	2	7	12	33
Injury and Poisoning	M	34	-	2	2	9	4	3	7	1	3	3
	F	8	-	-	-	1	-	2	-	1	-	4
All Causes	M	421	6	3	2	9	6	6	32	46	110	201
	F	384	2	-	1	4	2	7	15	35	66	252

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Offaly												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	-	1	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	64	-	-	1	1	-	1	8	9	21	23
	F	42	-	-	-	-	1	1	2	3	18	17
Ischaemic and Other Forms of Heart Disease	M	94	-	-	-	-	-	-	5	13	32	44
	F	60	-	-	-	-	-	1	2	2	13	42
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1
Cerebrovascular Disease	M	18	-	-	-	-	-	-	5	1	2	10
	F	17	-	-	-	-	-	-	1	1	1	14
Other Diseases of the Circulatory System	M	5	-	-	-	-	1	-	-	1	2	1
	F	10	-	-	-	-	1	-	-	-	2	7
Diseases of the Respiratory System	M	43	-	-	-	-	-	-	-	4	10	29
	F	37	-	-	-	-	-	2	-	3	4	28
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	37	2	2	-	1	-	3	2	1	7	19
	F	43	2	2	-	1	-	-	2	5	5	26
Injury and Poisoning	M	18	-	-	-	3	5	2	2	3	3	-
	F	6	-	-	-	-	1	-	1	2	-	2
All Causes	M	283	2	3	1	5	6	6	22	32	79	127
	F	218	2	2	-	1	3	4	8	16	44	138
County Westmeath												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	1	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	68	-	-	-	-	-	-	5	8	22	33
	F	44	-	-	-	-	-	1	2	8	14	19
Ischaemic and Other Forms of Heart Disease	M	139	-	-	-	-	-	1	11	16	40	71
	F	86	-	-	-	-	-	3	2	1	15	65
Hypertensive Disease	M	4	-	-	-	-	-	-	-	2	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	24	-	-	-	-	-	-	1	6	9	8
	F	32	-	-	-	1	-	1	-	1	6	23
Other Diseases of the Circulatory System	M	11	-	-	-	-	-	-	1	1	4	5
	F	11	-	-	-	-	-	-	-	-	2	9
Diseases of the Respiratory System	M	50	-	-	-	-	-	-	1	4	7	38
	F	31	-	-	-	-	-	1	-	2	4	24
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	37	3	-	-	1	1	2	1	4	15	10
	F	42	2	-	-	2	-	-	1	2	7	28
Injury and Poisoning	M	27	-	-	1	5	10	1	4	1	3	2
	F	10	1	-	-	1	1	-	1	-	1	5
All Causes	M	363	4	-	1	8	11	4	24	42	100	169
	F	260	3	-	-	4	1	6	6	14	49	177

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Wexford												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	123	-	-	-	1	-	2	4	21	43	52
	F	107	-	-	-	-	1	3	10	18	28	47
Ischaemic and Other Forms of Heart Disease	M	154	-	-	-	1	-	3	14	18	41	77
	F	153	-	-	-	-	1	-	1	7	26	118
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	34	-	-	-	-	-	-	1	2	8	23
	F	66	-	-	-	-	-	-	1	2	14	49
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	-	-	4	6
	F	16	-	-	-	-	-	-	-	1	3	12
Diseases of the Respiratory System	M	69	-	-	-	-	1	-	-	6	18	44
	F	79	1	-	-	-	1	-	1	3	15	58
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	64	3	-	1	1	-	1	7	8	14	29
	F	62	1	1	-	2	-	2	2	3	11	40
Injury and Poisoning	M	33	-	-	-	9	8	4	4	2	1	5
	F	13	-	-	-	5	2	1	-	1	1	3
All Causes	M	489	3	-	1	12	9	10	30	57	129	238
	F	499	3	1	-	7	5	6	15	35	98	329
County Wicklow												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	1	1	1
	F	2	-	-	-	-	-	1	-	-	-	1
Malignant Neoplasms	M	89	-	-	-	-	-	3	6	19	28	33
	F	72	-	-	-	-	1	4	7	7	21	32
Ischaemic and Other Forms of Heart Disease	M	136	-	-	-	-	1	2	7	11	41	74
	F	125	-	-	-	1	-	-	2	7	25	90
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	32	-	-	-	-	-	-	2	1	7	22
	F	64	-	-	-	-	-	-	1	2	7	54
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	-	1	3	8
	F	13	-	-	-	-	-	-	2	-	4	7
Diseases of the Respiratory System	M	64	-	-	-	1	-	-	-	5	10	48
	F	74	-	-	-	-	-	-	1	2	8	63
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	57	5	-	-	1	2	2	2	7	11	27
	F	50	1	-	-	-	1	1	1	2	6	38
Injury and Poisoning	M	26	-	1	1	10	5	1	2	1	2	3
	F	14	-	-	-	2	-	-	1	1	1	9
All Causes	M	423	5	1	1	12	8	8	19	46	103	220
	F	415	1	-	-	3	2	6	15	21	72	295

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Clare												
Tuberculosis, All Forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	2	-	-	-	-	-	-	-	-	2	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant Neoplasms	M	96	-	-	-	1	1	3	5	18	26	42
	F	75	-	-	-	1	1	2	10	5	19	37
Ischaemic and Other Forms of Heart Disease	M	139	-	-	-	-	-	2	6	21	36	74
	F	101	-	-	1	-	-	-	2	2	21	75
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	49	-	-	-	1	-	-	1	2	12	33
	F	45	-	-	-	-	-	-	-	1	8	36
Other Diseases of the Circulatory System	M	8	-	-	-	-	-	-	-	-	1	7
	F	8	-	-	-	-	-	-	-	-	2	6
Diseases of the Respiratory System	M	82	-	1	-	-	-	-	1	3	18	59
	F	85	-	-	-	-	-	-	2	1	13	69
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	4
Other Diseases	M	66	4	-	-	1	1	1	-	3	17	39
	F	57	3	-	-	-	1	-	2	3	5	43
Injury and Poisoning	M	32	-	-	-	7	7	4	3	2	6	3
	F	12	-	-	1	1	1	-	1	-	5	3
All Causes	M	476	4	1	-	10	9	10	16	49	118	259
	F	391	3	-	2	2	3	2	17	13	75	274
Cork County Borough												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	1	-	-	-	1	-
Malignant Neoplasms	M	231	1	-	-	2	3	3	16	55	77	74
	F	169	-	1	-	1	1	4	12	36	38	76
Ischaemic and Other Forms of Heart Disease	M	223	-	-	1	-	2	6	11	38	74	91
	F	179	-	-	-	1	-	1	3	5	34	135
Hypertensive Disease	M	4	-	-	-	-	-	-	-	-	3	1
	F	6	-	-	-	-	-	-	-	-	-	6
Cerebrovascular Disease	M	40	-	-	-	-	-	1	2	2	13	22
	F	52	-	-	-	-	-	1	1	2	4	44
Other Diseases of the Circulatory System	M	21	-	-	-	-	-	1	-	3	9	8
	F	30	-	-	-	-	-	1	-	3	6	20
Diseases of the Respiratory System	M	87	-	1	1	-	-	-	2	5	26	52
	F	92	-	-	-	1	-	-	2	3	13	73
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	4
Other Diseases	M	65	8	-	1	2	1	2	3	7	15	26
	F	101	10	2	-	1	1	1	10	7	15	54
Injury and Poisoning	M	36	-	-	-	6	7	6	4	8	4	1
	F	25	1	1	-	1	5	1	3	2	-	11
All Causes	M	709	9	1	3	10	13	19	38	118	223	275
	F	660	11	4	1	4	8	9	31	58	111	423

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Cork												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	-	-	3
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	295	-	-	-	1	2	13	14	41	91	133
	F	268	-	-	-	1	2	12	15	26	79	133
Ischaemic and Other Forms of Heart Disease	M	497	-	-	-	2	-	3	24	46	133	289
	F	334	-	-	-	1	-	1	2	17	57	256
Hypertensive Disease	M	10	-	-	-	-	-	-	3	1	5	1
	F	5	-	-	-	-	-	-	-	1	2	2
Cerebrovascular Disease	M	100	-	-	-	-	1	-	2	9	16	72
	F	130	-	-	-	-	-	1	2	3	17	107
Other Diseases of the Circulatory System	M	42	-	-	-	-	1	1	1	3	13	23
	F	67	-	-	-	-	-	1	1	-	11	54
Diseases of the Respiratory System	M	171	1	1	-	1	-	-	3	5	25	135
	F	174	-	-	-	-	1	1	2	10	22	138
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	6
Other Diseases	M	147	7	-	3	3	1	7	8	9	33	76
	F	148	9	4	-	3	-	3	6	10	29	84
Injury and Poisoning	M	103	-	1	2	27	17	15	15	12	2	12
	F	27	-	-	1	-	1	2	3	5	4	11
All Causes	M	1369	8	2	5	34	22	39	70	126	318	745
	F	1161	9	4	1	6	4	21	31	72	221	792
County Kerry												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	143	-	-	2	2	-	2	14	28	39	56
	F	119	-	-	1	-	1	2	7	15	38	55
Ischaemic and Other Forms of Heart Disease	M	259	-	-	-	-	1	3	9	33	62	151
	F	187	-	1	-	-	-	-	2	9	34	141
Hypertensive Disease	M	6	-	-	-	-	-	-	-	1	3	2
	F	9	-	-	-	-	-	-	-	-	1	8
Cerebrovascular Disease	M	70	-	-	-	-	-	2	1	6	20	41
	F	68	-	-	-	-	-	-	-	2	11	55
Other Diseases of the Circulatory System	M	17	-	-	-	-	-	-	-	1	4	12
	F	14	-	-	-	-	-	-	1	1	4	8
Diseases of the Respiratory System	M	107	-	-	-	-	-	-	1	6	22	78
	F	100	-	-	-	-	-	1	-	-	14	85
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	5
Other Diseases	M	101	2	-	-	-	-	2	1	11	28	57
	F	92	4	-	-	-	3	1	1	3	14	66
Injury and Poisoning	M	31	-	-	1	8	8	3	2	2	-	7
	F	13	-	-	-	1	3	-	2	-	1	6
All Causes	M	735	2	-	3	11	9	12	28	88	178	404
	F	609	4	1	1	1	7	4	13	30	117	431

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Limerick County Borough												
Tuberculosis, All Forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	1	1
Malignant Neoplasms	M	73	-	-	-	-	2	2	11	12	26	20
	F	64	1	-	1	-	1	3	6	11	21	20
Ischaemic and Other Forms of Heart Disease	M	104	-	-	-	-	-	1	4	15	37	47
	F	98	-	-	-	-	-	-	1	11	19	67
Hypertensive Disease	M	2	-	-	-	-	1	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular Disease	M	10	-	-	-	-	-	-	1	-	4	5
	F	21	-	-	-	-	-	1	-	1	3	16
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	1	1	2
	F	8	-	-	-	-	-	-	-	-	2	6
Diseases of the Respiratory System	M	13	-	-	-	-	-	-	1	-	3	9
	F	41	-	-	-	-	-	-	1	1	12	27
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	7	-	-	-	-	-	-	-	-	-	7
Other Diseases	M	23	2	-	-	-	2	1	2	6	4	6
	F	41	2	-	-	1	-	2	1	3	12	20
Injury and Poisoning	M	20	-	-	1	7	4	2	3	2	1	-
	F	6	-	-	1	-	1	-	2	1	-	1
All Causes	M	255	2	-	1	7	9	7	22	36	77	94
	F	291	3	-	2	2	2	6	11	28	70	167
County Limerick												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Malignant Neoplasms	M	103	-	1	1	-	1	1	6	13	37	43
	F	89	-	-	-	-	1	5	11	12	19	41
Ischaemic and Other Forms of Heart Disease	M	159	-	-	-	-	-	4	9	15	33	98
	F	119	-	-	-	-	-	2	2	4	18	93
Hypertensive Disease	M	2	-	-	-	-	-	1	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	2	3
Cerebrovascular Disease	M	34	-	-	-	-	-	2	1	1	9	21
	F	44	-	-	-	-	-	1	-	6	5	32
Other Diseases of the Circulatory System	M	13	-	-	-	-	-	-	2	2	1	8
	F	11	-	-	-	-	-	1	-	-	5	5
Diseases of the Respiratory System	M	85	-	-	-	-	-	1	-	6	18	60
	F	67	1	-	-	-	-	-	2	-	9	55
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	5	-	-	-	-	-	-	-	-	-	5
Other Diseases	M	48	2	1	1	1	-	1	3	2	9	28
	F	53	6	1	1	-	-	-	2	1	7	35
Injury and Poisoning	M	22	-	-	-	8	3	2	2	4	1	2
	F	10	-	-	1	2	1	2	-	2	-	2
All Causes	M	473	2	2	2	9	4	12	23	43	109	267
	F	405	7	1	2	2	2	11	17	25	65	273

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Tipperary, N.R.												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	1	1	-
Other Infective and Parasitic Diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	68	-	1	-	-	-	-	4	13	21	29
	F	72	-	-	-	-	-	3	8	9	21	31
Ischaemic and Other Forms of Heart Disease	M	137	-	-	-	-	-	3	7	14	45	68
	F	82	-	-	-	-	-	-	1	2	12	67
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	33	-	-	-	-	-	-	-	3	5	25
	F	29	-	-	-	-	-	-	1	3	3	22
Other Diseases of the Circulatory System	M	8	-	-	-	-	-	-	-	1	2	5
	F	5	-	-	-	-	-	-	-	-	2	3
Diseases of the Respiratory System	M	42	-	-	-	-	-	-	1	4	17	20
	F	30	-	-	-	-	-	-	2	1	3	24
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	49	-	-	-	1	-	-	-	3	12	33
	F	43	6	-	-	1	-	1	-	1	6	28
Injury and Poisoning	M	12	-	-	1	3	1	2	-	3	-	2
	F	6	-	-	-	1	1	-	1	2	-	1
All Causes	M	351	-	1	1	5	1	5	12	41	102	183
	F	274	6	-	-	2	1	4	13	19	48	181
Tipperary, S.R.												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	77	-	-	1	-	-	2	7	12	28	27
	F	86	-	-	-	-	-	3	6	15	28	34
Ischaemic and Other Forms of Heart Disease	M	134	-	-	-	-	-	3	5	23	46	57
	F	103	-	-	-	-	-	1	2	2	20	78
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	2	-
	F	2	-	-	-	-	-	-	-	-	1	1
Cerebrovascular Disease	M	37	-	-	-	1	-	1	1	-	12	22
	F	42	-	-	-	-	-	-	1	-	3	38
Other Diseases of the Circulatory System	M	11	-	-	-	-	-	-	-	-	5	6
	F	14	-	-	-	-	-	-	-	-	5	9
Diseases of the Respiratory System	M	52	-	-	-	-	-	-	1	2	20	29
	F	69	-	-	-	-	1	1	1	3	15	48
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	2
Other Diseases	M	44	3	-	1	-	2	1	1	4	7	25
	F	56	1	-	1	-	-	-	3	3	11	37
Injury and Poisoning	M	31	-	-	1	8	3	4	3	2	5	5
	F	6	-	-	-	-	1	-	1	1	1	2
All Causes	M	391	3	-	3	9	5	11	18	43	127	172
	F	380	1	-	1	-	2	5	14	24	84	249

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Waterford County Borough												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	39	-	-	-	-	-	-	-	4	20	15
	F	40	-	-	-	-	-	-	5	10	12	13
Ischaemic and Other Forms of Heart Disease	M	53	-	-	-	-	1	2	9	12	11	18
	F	34	-	-	-	-	-	-	-	1	7	26
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	10	-	-	-	-	-	-	1	1	1	7
	F	24	-	-	-	-	1	-	-	1	3	19
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	-	1	3
	F	1	-	-	-	-	-	-	-	-	-	1
Diseases of the Respiratory System	M	16	-	-	-	-	-	-	1	1	4	10
	F	38	-	-	-	-	-	-	-	2	3	33
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	16	-	-	2	-	-	-	2	2	5	5
	F	20	2	-	1	1	-	-	-	4	2	10
Injury and Poisoning	M	10	-	-	1	2	2	1	1	1	2	-
	F	3	-	-	-	-	-	-	-	-	2	1
All Causes	M	148	-	-	3	2	3	3	14	21	44	58
	F	161	2	-	1	1	1	-	5	18	29	104
County Waterford												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	68	-	-	1	-	1	-	3	9	21	33
	F	44	-	-	-	-	-	2	6	6	11	19
Ischaemic and Other Forms of Heart Disease	M	70	-	-	-	-	-	2	7	11	25	25
	F	67	-	-	-	-	-	-	1	4	8	54
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular Disease	M	21	-	-	-	-	-	-	-	1	2	18
	F	23	-	-	-	-	-	-	-	3	3	17
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	1	-	3
	F	4	-	-	-	-	-	-	-	-	-	4
Diseases of the Respiratory System	M	32	-	-	-	-	-	1	-	1	6	24
	F	31	-	-	-	-	-	-	-	-	3	28
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	31	2	1	-	-	1	1	2	6	2	16
	F	22	1	-	-	-	-	-	1	1	4	15
Injury and Poisoning	M	16	-	-	-	3	3	-	3	-	5	2
	F	5	-	-	-	2	-	-	-	1	-	2
All Causes	M	243	2	1	1	3	5	4	15	29	61	122
	F	198	1	-	-	2	-	2	8	15	30	140

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Galway County Borough												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	43	-	-	2	1	1	-	3	7	12	17
	F	44	-	-	-	-	-	3	7	6	15	13
Ischaemic and Other Forms of Heart Disease	M	47	-	-	-	-	-	2	4	6	13	22
	F	51	-	-	-	-	-	-	1	-	12	38
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	18	-	-	-	-	-	-	1	2	5	10
	F	16	-	-	-	-	-	1	-	1	1	13
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	-	4	-
	F	4	-	-	-	-	-	-	-	-	-	4
Diseases of the Respiratory System	M	19	-	-	-	-	-	-	1	-	5	13
	F	18	-	-	-	-	-	-	-	1	1	16
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	26	2	-	-	-	-	1	3	2	4	14
	F	21	2	-	-	1	1	1	-	-	2	14
Injury and Poisoning	M	10	-	-	1	3	2	2	-	1	-	1
	F	3	-	-	-	-	-	-	-	2	1	-
All Causes	M	167	2	-	3	4	3	5	12	18	43	77
	F	159	2	-	-	1	1	5	8	10	32	100
County Galway												
Tuberculosis, All Forms	M	5	-	-	-	-	-	-	-	2	-	3
	F	2	-	-	-	-	-	-	-	-	1	1
Other Infective and Parasitic Diseases	M	4	-	1	-	-	-	-	-	1	1	1
	F	2	-	-	-	-	-	-	-	-	-	2
Malignant Neoplasms	M	178	-	-	-	1	1	5	12	27	45	87
	F	115	-	-	-	-	3	5	10	25	24	48
Ischaemic and Other Forms of Heart Disease	M	284	-	-	-	-	-	1	7	26	72	178
	F	191	-	-	-	-	2	-	1	7	28	153
Hypertensive Disease	M	5	-	-	-	-	-	-	-	-	3	2
	F	7	-	-	-	-	-	-	-	-	1	6
Cerebrovascular Disease	M	61	-	-	-	-	-	-	2	4	10	45
	F	76	-	-	-	1	1	3	-	1	9	61
Other Diseases of the Circulatory System	M	23	-	-	-	-	1	-	1	2	7	12
	F	15	-	-	-	-	-	-	1	-	3	11
Diseases of the Respiratory System	M	106	-	-	-	1	1	2	1	3	22	76
	F	84	-	1	-	-	-	1	-	4	10	68
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	79	4	1	-	1	-	-	5	7	19	42
	F	74	1	1	-	-	1	-	3	7	10	51
Injury and Poisoning	M	57	-	-	-	16	8	5	7	11	4	6
	F	18	-	-	-	4	4	2	1	1	2	4
All Causes	M	804	4	2	-	19	11	13	35	83	183	454
	F	585	1	2	-	5	11	11	16	45	88	406

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Leitrim												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	44	-	-	-	1	-	-	4	6	15	18
	F	34	-	-	-	-	2	2	1	1	10	18
Ischaemic and Other Forms of Heart Disease	M	58	-	1	-	-	-	-	5	6	12	34
	F	41	-	-	-	-	-	1	-	3	8	29
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	9	-	-	-	-	-	-	-	1	4	4
	F	23	-	-	-	-	-	1	-	1	2	19
Other Diseases of the Circulatory System	M	11	-	-	-	-	-	-	-	-	5	6
	F	4	-	-	-	-	-	-	-	1	-	3
Diseases of the Respiratory System	M	47	-	-	-	-	-	-	-	1	7	39
	F	39	-	-	-	-	-	-	-	-	3	36
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	14	4	-	-	-	-	-	-	1	1	8
	F	22	1	1	-	-	1	-	-	1	3	15
Injury and Poisoning	M	9	-	-	-	-	-	-	2	2	1	4
	F	5	-	-	-	-	-	-	-	1	-	4
All Causes	M	195	4	1	-	1	-	-	11	17	46	115
	F	168	1	1	-	-	3	4	1	8	26	124
County Mayo												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	2	-	1
	F	4	-	-	-	-	-	-	-	1	-	3
Malignant Neoplasms	M	171	-	-	-	-	2	1	12	23	50	83
	F	139	-	-	-	-	-	6	6	14	34	79
Ischaemic and Other Forms of Heart Disease	M	233	-	-	-	-	-	4	11	32	61	125
	F	197	-	-	-	-	-	1	7	7	23	166
Hypertensive Disease	M	5	-	-	-	-	-	-	-	-	2	3
	F	11	-	-	-	-	-	-	-	-	-	11
Cerebrovascular Disease	M	48	-	-	-	-	-	-	3	5	11	29
	F	66	-	-	-	1	-	-	-	-	9	56
Other Diseases of the Circulatory System	M	26	-	-	-	-	-	-	-	4	4	18
	F	27	-	-	-	-	-	1	-	-	3	23
Diseases of the Respiratory System	M	132	-	-	-	-	-	-	3	5	28	96
	F	108	1	-	-	-	-	-	-	4	9	94
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	105	1	-	1	-	1	1	1	9	26	65
	F	82	1	1	-	-	-	2	2	4	12	60
Injury and Poisoning	M	33	-	-	-	9	6	5	4	4	1	4
	F	13	-	-	2	3	-	-	1	-	2	5
All Causes	M	757	1	-	1	9	9	11	34	84	183	425
	F	649	2	1	2	4	-	9	10	30	93	498

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Roscommon												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	1	-	1	-	-
	F	4	-	1	-	1	-	-	-	-	1	1
Malignant Neoplasms	M	71	-	-	-	1	-	1	1	14	27	27
	F	62	-	1	-	-	-	-	3	6	16	36
Ischaemic and Other Forms of Heart Disease	M	127	-	-	1	-	-	1	3	14	24	84
	F	94	-	-	-	-	-	-	1	4	11	78
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular Disease	M	22	-	-	-	-	-	-	-	1	5	16
	F	34	-	-	-	-	-	-	1	1	4	28
Other Diseases of the Circulatory System	M	8	-	-	-	-	-	-	-	-	2	6
	F	10	-	-	-	1	-	-	-	-	4	5
Diseases of the Respiratory System	M	66	-	-	1	-	-	1	-	2	15	47
	F	48	-	-	-	-	-	-	1	1	6	40
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	29	2	-	-	1	-	2	1	2	8	13
	F	31	-	-	-	-	1	1	-	2	5	22
Injury and Poisoning	M	14	-	-	-	2	-	2	2	-	4	4
	F	4	-	-	-	-	1	-	-	-	1	2
All Causes	M	339	2	-	2	4	-	8	7	34	85	197
	F	289	-	2	-	2	2	1	6	14	49	213
County Sligo												
Tuberculosis, All Forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	1	-	1	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	70	-	-	1	-	-	1	5	16	21	26
	F	55	-	-	-	-	-	3	2	3	13	34
Ischaemic and Other Forms of Heart Disease	M	97	-	-	-	-	-	4	3	15	20	55
	F	93	-	-	-	-	-	-	-	5	15	73
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	1	-	-	2
Cerebrovascular Disease	M	28	-	-	-	-	-	-	-	2	5	21
	F	45	-	-	-	-	-	-	-	2	7	36
Other Diseases of the Circulatory System	M	5	-	-	-	-	-	1	-	1	-	3
	F	5	-	-	-	-	-	-	-	1	-	4
Diseases of the Respiratory System	M	34	-	-	-	1	-	-	1	3	5	24
	F	46	-	-	-	-	-	-	-	1	7	38
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	40	1	1	1	1	-	1	2	7	10	16
	F	37	1	2	-	-	1	1	-	1	5	26
Injury and Poisoning	M	14	-	-	-	1	1	4	2	-	2	4
	F	6	-	-	-	-	-	2	-	1	1	2
All Causes	M	292	1	1	2	3	1	11	13	44	63	153
	F	293	1	2	-	-	1	6	4	14	49	216

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Cavan												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	81	-	-	-	1	1	1	4	5	26	43
	F	60	-	-	-	-	1	2	5	7	14	31
Ischaemic and Other Forms of Heart Disease	M	100	-	-	-	-	-	-	4	16	19	61
	F	65	-	-	-	-	-	-	-	-	10	55
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular Disease	M	15	-	-	-	-	-	1	1	1	7	5
	F	24	-	-	-	-	1	-	1	-	5	17
Other Diseases of the Circulatory System	M	8	-	-	-	-	-	-	1	-	3	4
	F	8	-	-	-	-	-	-	-	1	2	5
Diseases of the Respiratory System	M	43	-	-	-	-	-	-	-	1	10	32
	F	24	-	-	1	-	1	-	-	1	2	19
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	34	2	1	-	-	-	2	2	2	4	21
	F	37	2	-	-	-	-	-	-	1	5	29
Injury and Poisoning	M	22	-	-	3	4	4	1	3	-	2	5
	F	2	-	-	1	-	-	-	-	-	-	1
All Causes	M	304	2	1	3	5	5	5	15	25	71	172
	F	225	2	-	2	-	3	2	6	10	38	162
County Donegal												
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	1	1
Malignant Neoplasms	M	193	-	-	1	-	1	2	3	23	65	98
	F	116	-	-	-	2	1	4	6	15	31	57
Ischaemic and Other Forms of Heart Disease	M	209	-	-	-	-	-	5	11	24	57	112
	F	165	-	-	-	-	1	1	-	8	23	132
Hypertensive Disease	M	6	-	-	-	-	-	1	-	1	-	4
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	55	-	-	-	-	1	2	1	2	13	36
	F	67	-	-	-	-	1	-	2	2	11	51
Other Diseases of the Circulatory System	M	17	-	-	-	-	-	-	-	-	4	13
	F	16	-	-	-	-	1	-	1	1	1	12
Diseases of the Respiratory System	M	104	-	-	1	-	-	1	1	6	17	78
	F	98	-	-	-	-	-	-	-	2	14	82
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	88	3	-	2	-	1	-	4	4	25	49
	F	98	7	-	1	2	-	-	3	5	15	65
Injury and Poisoning	M	31	-	-	1	8	8	1	5	1	1	6
	F	21	-	-	1	1	4	1	2	1	1	10
All Causes	M	704	4	-	5	8	11	12	25	61	182	396
	F	585	7	-	2	5	8	6	15	34	97	411

Table 23 (contd) - Deaths in 1996 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
County Monaghan													
Tuberculosis, All Forms	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	63	-	-	-	-	-	2	3	6	25	27	
	F	51	-	-	-	1	-	2	6	6	16	20	
Ischaemic and Other Forms of Heart Disease	M	94	-	-	-	-	-	-	2	5	28	59	
	F	89	-	-	-	-	-	-	-	3	12	74	
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-
Cerebrovascular Disease	M	15	-	-	-	-	-	-	1	2	2	10	
	F	25	-	-	-	-	-	-	-	1	-	24	
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	-	3	1	
	F	5	-	-	-	-	-	-	-	-	-	5	
Diseases of the Respiratory System	M	39	-	-	-	-	-	-	-	3	9	27	
	F	28	-	-	-	-	-	-	2	1	5	20	
Senility	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	40	3	-	-	1	1	1	2	2	7	23	
	F	30	1	-	-	-	-	1	2	3	6	17	
Injury and Poisoning	M	23	-	-	-	5	3	5	2	2	-	6	
	F	5	-	-	-	1	1	1	-	-	1	1	
All Causes	M	278	3	-	-	6	4	8	10	20	74	153	
	F	236	1	-	-	2	1	4	10	14	42	162	

Table 24 Deaths, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	90	68	158	62	53	115	56	48	104
2nd	64	69	133	53	53	106	48	40	88
3rd	54	67	121	58	49	107	52	44	96
4th	52	57	109	55	55	110	52	43	95
5th	63	66	129	51	51	102	66	46	112
6th	76	44	120	39	54	93	58	41	99
7th	73	48	121	55	31	86	47	45	92
8th	64	49	113	47	47	94	58	38	96
9th	61	55	116	56	61	117	47	58	105
10th	45	61	106	62	50	112	47	38	85
11th	49	56	105	55	41	96	59	53	112
12th	43	48	91	55	44	99	36	37	73
13th	50	51	101	42	43	85	48	39	87
14th	50	52	102	34	53	87	47	48	95
15th	56	46	102	52	40	92	45	40	85
16th	47	37	84	50	52	102	53	42	95
17th	69	56	125	41	51	92	47	46	93
18th	58	45	103	49	46	95	45	42	87
19th	54	48	102	47	47	94	53	46	99
20th	47	40	87	52	46	98	42	40	82
21st	48	41	89	46	48	94	44	49	93
22nd	46	41	87	59	43	102	46	41	87
23rd	59	48	107	43	52	95	46	35	81
24th	50	51	101	44	45	89	45	45	90
25th	60	45	105	51	41	92	46	44	90
26th	56	49	105	57	50	107	50	47	97
27th	47	45	92	53	41	94	37	32	69
28th	55	42	97	35	41	76	64	38	102
29th	52	38	90	40	33	73	54	38	92
30th	56	29	85	-	-	-	37	40	77
31st	45	46	91	-	-	-	37	37	74
TOTAL	1,739	1,538	3,277	1,443	1,361	2,804	1,512	1,320	2,832

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	32	46	78	38	31	69	31	40	71
2nd	36	37	73	56	41	97	46	42	88
3rd	38	42	80	45	35	80	39	39	78
4th	41	45	86	49	42	91	37	38	75
5th	46	31	77	45	34	79	36	35	71
6th	34	50	84	33	36	69	51	33	84
7th	42	40	82	36	44	80	48	37	85
8th	38	31	69	43	27	70	36	49	85
9th	43	37	80	39	31	70	46	39	85
10th	41	44	85	29	33	62	47	42	89
11th	43	33	76	48	34	82	40	48	88
12th	44	26	70	35	32	67	32	34	66
13th	35	49	84	44	38	82	57	25	82
14th	40	26	66	42	45	87	42	34	76
15th	46	33	79	48	35	83	49	39	88
16th	51	25	76	34	31	65	37	38	75
17th	40	37	77	46	44	90	45	39	84
18th	33	29	62	53	26	79	36	46	82
19th	43	32	75	50	42	92	35	33	68
20th	41	41	82	41	49	90	37	42	79
21st	43	30	73	31	34	65	49	48	97
22nd	46	47	93	45	35	80	48	30	78
23rd	42	20	62	33	44	77	48	40	88
24th	35	37	72	34	42	76	28	40	68
25th	36	30	66	41	33	74	38	36	74
26th	50	33	83	52	31	83	41	44	85
27th	41	37	78	45	31	76	51	38	89
28th	30	22	52	34	36	70	37	42	79
29th	34	31	65	31	37	68	48	33	81
30th	45	48	93	35	30	65	48	47	95
31st	38	32	70	49	31	80	-	-	-
TOTAL	1,247	1,101	2,348	1,284	1,114	2,398	1,263	1,170	2,433

in each month during 1996

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	45	43	88	55	40	95	45	36	81
2nd	41	46	87	40	29	69	51	41	92
3rd	49	48	97	62	37	99	49	37	86
4th	50	30	80	37	43	80	42	43	85
5th	50	38	88	45	38	83	46	47	93
6th	54	44	98	50	38	88	38	36	74
7th	41	38	79	55	40	95	51	38	89
8th	46	48	94	34	50	84	39	39	78
9th	57	39	96	46	42	88	37	46	83
10th	41	41	82	49	51	100	39	38	77
11th	55	41	96	59	45	104	40	32	72
12th	50	46	96	26	24	50	35	45	80
13th	49	34	83	46	41	87	49	47	96
14th	47	43	90	48	39	87	46	44	90
15th	44	30	74	34	43	77	55	33	88
16th	32	44	76	33	50	83	35	41	76
17th	38	41	79	37	52	89	48	34	82
18th	50	41	91	42	35	77	44	29	73
19th	52	40	92	37	39	76	44	44	88
20th	48	52	100	52	53	105	41	37	78
21st	47	43	90	43	37	80	37	27	64
22nd	45	45	90	42	39	81	31	30	61
23rd	37	36	73	46	38	84	41	28	69
24th	43	42	85	43	42	85	41	43	84
25th	55	37	92	46	46	92	42	37	79
26th	48	48	96	37	44	81	40	48	88
27th	41	47	88	62	48	110	40	37	77
28th	39	42	81	35	50	85	46	55	101
29th	44	38	82	39	43	82	47	32	79
30th	46	48	94	36	43	79	37	25	62
31st	-	-	-	40	43	83	-	-	-
TOTAL	1,384	1,253	2,637	1,356	1,302	2,658	1,276	1,149	2,425

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	40	45	85	43	38	81	43	48	91
2nd	40	36	76	45	41	86	51	35	86
3rd	54	40	94	41	34	75	48	35	83
4th	40	43	83	52	47	99	46	45	91
5th	41	44	85	42	40	82	48	39	87
6th	46	37	83	43	40	83	49	34	83
7th	48	40	88	46	36	82	41	39	80
8th	41	27	68	47	32	79	56	35	91
9th	48	39	87	44	42	86	49	42	91
10th	43	38	81	37	37	74	51	34	85
11th	42	35	77	53	45	98	35	31	66
12th	44	32	76	27	32	59	47	49	96
13th	43	44	87	36	36	72	36	49	85
14th	44	36	80	43	27	70	51	52	103
15th	42	38	80	32	49	81	55	44	99
16th	51	30	81	49	47	96	44	38	82
17th	36	41	77	36	34	70	45	50	95
18th	49	37	86	52	45	97	46	44	90
19th	47	37	84	42	34	76	49	45	94
20th	32	51	83	55	45	100	46	50	96
21st	46	30	76	45	44	89	31	43	74
22nd	33	35	68	45	34	79	46	43	89
23rd	47	36	83	48	49	97	57	52	109
24th	29	51	80	42	38	80	56	49	105
25th	41	36	77	44	35	79	40	63	103
26th	40	33	73	44	50	94	61	51	112
27th	41	41	82	47	42	89	54	45	99
28th	48	24	72	37	46	83	55	56	111
29th	47	32	79	41	35	76	54	61	115
30th	45	32	77	52	38	90	63	52	115
31st	49	28	77	-	-	-	68	50	118
TOTAL	1,337	1,148	2,485	1,310	1,192	2,502	1,521	1,403	2,924

Table 25 Infant mortality - deaths under one year,
(International

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
ALL CAUSES											
M		169	21	46	67	11	6	5	4	3	3
F		134	13	32	45	12	2	7	4	3	3
Enteritis and other diarrhoeal diseases											
M	008,009	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms											
M	010-018,137	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	2	-	-	-	-	-	1	-	-	-
F	034-136,138-139	4	-	1	1	-	-	-	-	-	-
Meningitis											
M	320-322	2	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system											
M	323-326	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	1	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system											
M	460-479,494-519	2	-	-	-	-	-	-	-	-	-
F		2	-	1	1	-	-	-	-	-	-
Diseases of digestive system											
M	520-579	2	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Congenital anomalies:											
Anencephalus and similar anomalies											
M	740	9	1	6	7	1	-	-	1	-	-
F		2	1	-	1	-	-	-	-	-	-
Spina Bifida											
M	741	1	-	-	-	-	-	-	-	-	-
F		3	-	1	1	-	-	-	-	-	-
Other congenital anomalies of nervous system											
M	742	3	2	-	2	-	-	-	-	-	-
F		3	-	2	2	-	-	-	-	-	-
Congenital anomalies of the heart											
M	745,746	18	-	-	-	2	2	1	2	-	2
F		10	-	2	2	1	-	1	2	1	-
Other congenital anomalies											
M	743,744,747-759	29	8	14	22	4	-	1	-	-	-
F		29	4	7	11	3	-	2	1	-	1

**in 1996, classified by sex, age and cause
Detailed List)**

	Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 mths	Months										
		7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
	99	11	4	4	118	14	8	7	5	2	4	2	2	2	3	3	2
	76	7	7	1	91	12	4	3	8	1	4	2	-	3	3	3	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-
	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	9	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	9	3	-	-	12	1	2	-	2	-	-	1	-	-	-	-	-
	7	1	-	-	8	1	-	-	1	-	-	-	-	-	-	-	-
	27	-	1	1	29	-	-	-	-	-	-	-	-	-	-	-	-
	18	-	4	-	22	3	1	-	1	-	-	-	-	2	-	-	-

**Table 25 Infant mortality - deaths under one year,
(International**

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
Certain conditions originating in the Perinatal period:											
Foetus or newborn affected by complications of placenta, cord and membranes											
M	762	4	-	3	3	-	-	1	-	-	-
F		4	1	1	2	2	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight											
M	765	37	7	13	20	2	1	1	1	1	1
F		28	5	9	14	2	2	2	1	1	-
Birth injury and difficult labour											
M	763,767	1	-	-	-	-	-	-	-	-	-
F		1	-	-	-	1	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified											
M	768-770	12	1	5	6	-	1	-	-	-	-
F		13	1	3	4	1	-	1	-	1	2
Haemolytic disease of newborn											
M	773,774	1	-	1	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*											
M	760,761,764,766	12	2	4	6	1	2	-	-	1	-
F	771-772,775-779	9	1	3	4	2	-	-	-	-	-
All other causes											
M		33	-	-	-	1	-	-	-	1	-
F		23	-	2	2	-	-	1	-	-	-

* Stillbirths not included

**in 1996, classified by sex, age and cause
Detailed List)**

	Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 mths	Months										
		7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	27	5	-	1	33	1	-	-	2	-	1	-	-	-	-	-	-
	22	2	1	1	26	2	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	7	1	-	-	8	1	-	1	-	-	-	-	-	-	-	2	-
	9	1	1	-	11	1	-	-	-	-	-	1	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	1	-	-	11	1	-	-	-	-	-	-	-	-	-	-	-
	6	1	-	-	7	1	-	-	-	-	1	-	-	-	-	-	-
	2	1	1	1	5	8	6	4	1	2	2	1	-	2	1	1	1
	3	1	-	-	4	4	2	2	4	1	2	1	-	1	1	1	1

Table 26 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each province.

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES											
M		118	51	84	30	23	9	7	7	4	5
F		91	43	49	21	33	14	3	4	6	4
Enteritis and other diarrhoeal diseases											
M	008,009	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms											
M	010-018,137	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	1	1	1	-	-	-	-	-	-	1
F	034-136,138-139	1	3	1	3	-	-	-	-	-	-
Meningitis											
M	320-322	1	1	-	1	-	-	1	-	-	-
F		-	1	-	1	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system											
M	323-326	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	-	1	-	-	-	1	-	-	-	-
F		-	1	-	1	-	-	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system											
M	460-479,494-519	-	2	-	2	-	-	-	-	-	-
F		1	1	-	-	1	-	-	1	-	-
Diseases of digestive system											
M	520-579	1	1	1	1	-	-	-	-	-	-
F		-	1	-	1	-	-	-	-	-	-
Congenital anomalies:											
Anencephalus and similar anomalies											
M	740	9	-	6	-	3	-	-	-	-	-
F		2	-	2	-	-	-	-	-	-	-
Spina Bifida											
M	741	1	-	-	-	1	-	-	-	-	-
F		1	2	-	2	1	-	-	-	-	-
Other congenital anomalies of nervous system											
M	742	2	1	2	-	-	-	-	1	-	-
F		3	-	2	-	1	-	-	-	-	-

Table 26 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each province. — Continued

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart											
M	745,746	12	6	7	2	3	3	1	1	1	-
F		8	2	3	1	3	1	1	-	1	-
Other congenital anomalies											
M	743,744,747-759	29	-	23	-	4	-	2	-	-	-
F		22	7	7	1	13	4	-	1	2	1
Certain conditions originating in the Perinatal period:											
Foetus or newborn affected by complications of placenta, cord and membranes											
M	762	4	-	4	-	-	-	-	-	-	-
F		4	-	3	-	-	-	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight											
M	765	33	4	22	2	10	2	-	-	1	-
F		26	2	18	-	6	2	-	-	2	-
Birth injury and difficult labour											
M	763,767	-	1	-	1	-	-	-	-	-	-
F		1	-	1	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified											
M	768-770	8	4	3	4	2	-	1	-	2	-
F		11	2	4	1	6	1	-	-	1	-
Haemolytic disease of newborn											
M	773,774	1	-	1	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*											
M	760,761,764,766	11	1	10	1	-	-	1	-	-	-
F	771-779	7	2	6	1	-	-	1	-	-	1
All other causes											
M		5	28	4	16	-	3	1	5	-	4
F		4	19	2	9	2	6	-	2	-	2

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Carlow		Dublin County Borough		South Dublin		Fingal		Dun Laoghaire Rathdown		Kildare		Kilkenny	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	2	1	1	1	2	-	1	-	1	-	-	-
F	-	-	-	-	-	-	2	1	-	-	-	-	1	-
Other congenital anomalies														
M	1	-	4	-	4	-	2	-	5	-	2	-	1	-
F	-	-	1	-	1	-	2	-	2	-	-	1	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	1	-	-	-	1	-	-	-	-	-	-	-
F	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	2	-	3	-	3	1	1	-	1	-	6	-	-	1
F	-	-	5	-	2	-	3	-	-	-	3	-	-	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	1	-	-	-	-	1	1	2	1	-	-	-
F	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	3	-	2	-	-	-	1	-	-	-	-	-
F	-	-	1	-	-	1	1	-	3	-	-	-	-	-
All other causes														
M	-	-	2	6	-	3	-	2	1	1	-	1	-	-
F	-	1	1	3	-	1	-	-	-	1	1	-	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Laois		Longford		Louth		Meath		Offaly		Westmeath		Wexford	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies														
M	-	-	-	-	1	-	2	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	1	-	1	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	-	-	-	-	1	-	1	-	-	-	1	-	2	-
F	-	-	-	-	3	-	-	-	-	-	1	-	1	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	1	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	-	-	-	1	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	1	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	-	-	1	-	1	-	-	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other causes														
M	-	-	-	-	1	1	-	-	-	1	-	1	-	-
F	-	-	-	-	-	1	-	1	-	-	-	1	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Wicklow		Clare		Cork County Borough		Cork County		Kerry		Limerick County Borough		Limerick County	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES														
M	4	1	3	1	8	1	7	1	1	1	1	1	1	1
F	1	-	3	-	6	5	4	5	4	-	3	-	6	1
Enteritis and other diarrhoeal diseases														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia														
M	-	-	-	-	-	-	-	1	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of digestive system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies:														
Anencephalus and similar anomalies														
M	-	-	-	-	2	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida														
M	-	-	-	-	-	-	-	-	1	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of nervous system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Wicklow		Clare		Cork County Borough		Cork County		Kerry		Limerick County Borough		Limerick County	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	2	-	-	-	1	-	-	-	-	1	-	-
F	-	-	-	-	1	1	-	-	-	-	-	-	1	-
Other congenital anomalies														
M	1	-	1	-	1	-	1	-	-	-	-	-	1	-
F	-	-	2	-	3	1	1	3	1	-	-	-	3	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	1	-	-	-	5	-	3	-	-	-	1	-	-	1
F	-	-	-	-	1	-	2	-	1	-	-	-	1	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	-	-	-	-	2	-	-	-	-	-	-	-
F	1	-	-	-	1	-	-	-	1	-	2	-	-	1
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	2	1	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes														
M	-	-	-	1	-	1	-	-	-	1	-	-	-	-
F	-	-	-	-	-	3	1	2	-	-	1	-	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Tipperary N.R.		Tipperary S.R.		Waterford County Borough		Waterford County		Galway County Borough		Galway County		Leitrim	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	-	1	-	-	-	1	-	-	-	-	-	1
F	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other congenital anomalies														
M	-	-	-	-	-	-	-	-	-	-	-	-	1	-
F	1	-	1	-	1	-	-	-	-	1	-	-	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	-	-	1	1	-	-	-	-	-	-	-	-	-	-
F	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	-	-	-	-	-	-	-	-	-	-	1	-
F	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	-	-	-	-	-	-	-	-	1	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-	-	-
All other causes														
M	-	-	-	-	-	-	-	-	1	1	-	1	-	1
F	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1996, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Mayo		Roscommon		Sligo		Cavan		Donegal		Monaghan	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart												
M	-	-	1	-	-	-	1	-	-	-	-	-
F	1	-	-	-	-	-	1	-	-	-	-	-
Other congenital anomalies												
M	-	-	-	-	1	-	-	-	-	2	1	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the Perinatal period:												
Foetus or newborn affected by complications of placenta, cord and membranes												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight												
M	-	-	-	-	-	-	-	-	-	-	1	-
F	-	-	-	-	-	-	-	-	2	-	-	-
Birth injury and difficult labour												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified												
M	-	-	-	-	-	-	-	-	2	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-
Haemolytic disease of newborn												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	1	-	-	-	-
All other causes												
M	-	1	-	1	-	-	-	1	-	1	-	2
F	-	-	-	-	-	1	-	-	-	1	-	1

* Stillbirths not included

Table 28 Stillbirths in 1996, classified by cause and sex

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
	Anencephalus and similar anomalies	2	5	7
740.0	Anencephalus	2	5	7
	Spina Bifida	-	1	1
741.9	without mention of Hydrocephalus	-	1	1
	Other congenital anomalies of nervous system	1	2	3
742.1	Microcephalus	-	1	1
742.3	Congenital Hydrocephalus	1	1	2
	Congenital anomalies of ear, face and neck	1	-	1
744.9	Unspecified anomalies of face and neck	1	-	1
	Other congenital anomalies of circulatory system	1	-	1
747.1	Coarctation of aorta	1	-	1
	Other congenital anomalies of digestive system	-	1	1
751.2	Atresia and stenosis of large intestine, rectum and anal canal	-	1	1
	Congenital anomalies of urinary system	-	2	2
753.0	Renal agenesis and dysgenesis	-	2	2
	Other congenital musculoskeletal anomalies	1	1	2
756.4	Chondrodystrophy	1	-	1
756.7	Anomalies of abdominal wall	-	1	1
	Chromosomal anomalies	4	5	9
758.0	Down's syndrome	1	1	2
758.1	Patau's syndrome	1	1	2
758.2	Edwards's syndrome	2	2	4
758.8	Other conditions due to sex Chromosome anomalies	-	1	1
	Other and unspecified congenital anomalies	4	2	6
759.7	Multiple congenital anomalies, so described	3	2	5
759.9	Congenital anomaly, unspecified	1	-	1

Table 28 Stillbirths in 1996, classified by cause and sex — Continued

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
	Fetus or newborn affected by maternal conds. which may be unrelated to present pregnancy	5	6	11
760.0	Maternal hypertensive disorders	3	6	9
760.2	Maternal infections	1	-	1
760.5	Maternal injury	1	-	1
	Fetus or newborn affected by maternal complications of pregnancy	5	2	7
761.1	Premature rupture of membranes	3	2	5
761.3	Polyhydramnios	1	-	1
761.5	Multiple pregnancy	1	-	1
	Fetus or newborn affected by complications of placenta, cord and membranes	68	61	129
762.0	Placenta praevia	1	-	1
762.1	Other forms of placental separation and haemorrhage	27	23	50
762.2	Other and unspecified morphological and functional abnormalities of placenta	22	15	37
762.3	Placental transfusion syndromes	4	8	12
762.4	Prolapsed cord	-	1	1
762.5	Other compression of umbilical cord	10	10	20
762.6	Other and unspecified conditions of umbilical cord	3	4	7
762.7	Chorioamnionitis	1	-	1
	Fetus or newborn affected by other complications of labour and delivery	-	1	1
763.8	Other complications of labour and delivery	-	1	1
	Slow fetal growth and fetal malnutrition	7	1	8
764.0	"Light-for-dates" without mention of fetal malnutrition	-	1	1
764.9	Fetal growth retardation, unspecified	7	-	7
	Disorders relating to short gestation and unspecified low birthweight	1	2	3
765.0	Extreme immaturity	-	1	1
765.1	Other preterm infants	1	1	2

Table 28 Stillbirths in 1996, classified by cause and sex — Continued

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
	Disorders relating to long gestation and high birthweight	-	2	2
	Other "heavy-for-dates" infants	-	1	1
	Post-term infant, not "heavy-for-dates"	-	1	1
	Intrauterine hypoxia and birth asphyxia	9	14	23
768.0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	8	12	20
768.1	Fetal death from asphyxia or anoxia during labour	1	2	3
	Other respiratory conditions of fetus and newborn	-	2	2
770.1	Massive aspiration syndrome	-	2	2
	Infections specific to the perinatal period	-	1	1
771.8	Other infection specific to the perinatal period	-	1	1
	Fetal and neonatal haemorrhage	1	2	3
772.0	Fetal blood loss	1	2	3
	Endocrine and metabolic disturbances specific to the fetus and newborn	2	1	3
775.0	Syndrome of "infant of a diabetic mother"	2	1	3
	Haematological disorders of fetus and newborn	1	-	1
776.9	Unspecified	1	-	1
	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	2
778.0	Hydrops fetalis not due to isoimmunization	1	1	2
	Other and ill-defined conditions originating in the perinatal period	55	50	105
779.9	Unspecified	55	50	105
TOTAL		169	165	334

Table 28A Stillbirths in 1996, classified by age of mother, sex of child and period of gestation

Age of mother and sex of child		Period of gestation					Total
		Under 24 weeks	24-27 weeks	28-36 weeks	37 weeks and over	Not stated	
Under 20	Males	1	1	4	3	-	9
	Females	-	1	6	2	-	9
20-24	Males	-	3	10	4	-	17
	Females	1	5	9	6	-	21
25-29	Males	5	7	16	17	-	45
	Females	-	6	11	18	-	35
30-34	Males	4	7	24	16	-	51
	Females	1	8	14	33	-	56
35-39	Males	1	4	15	11	-	31
	Females	1	8	8	10	-	27
40-44	Males	-	2	4	2	-	8
	Females	-	4	3	2	-	9
45 and over	Males	-	-	1	-	-	1
	Females	-	-	1	3	-	4
Not stated	Males	-	1	6	-	-	7
	Females	-	1	-	3	-	4
TOTAL	Males	11	25	80	53	-	169
	Females	3	33	52	77	-	165

Table 28B Stillbirths in 1996, classified by age of mother and number of previous live and stillborn children

Previous children	Age at Maternity								Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
Number of previous children									
0	15	28	40	37	12	1	-	1	134
1	1	6	20	17	15	3	1	-	63
2	2	2	14	37	13	2	-	-	70
3	-	-	4	10	11	6	3	1	35
4 or 5	-	-	2	3	7	2	-	1	15
6 or more	-	-	-	2	-	3	1	-	6
Not stated	-	2	-	1	-	-	-	8	11
Total	18	38	80	107	58	17	5	11	334

Table 29 Stillbirths in 1996, classified by cause and period of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740	Anencephalus and similar anomalies	-	3	1	3	-	-	7
741	Spina Bifida	-	-	1	-	-	-	1
742	Other congenital anomalies of nervous system	-	1	-	2	-	-	3
744	Congenital anomalies of ear,face and neck	-	-	-	1	-	-	1
747	Other congenital anomalies of circulatory system	-	-	-	1	-	-	1
751	Other congenital anomalies of digestive system	1	-	-	-	-	-	1
753	Congenital anomalies of urinary system	1	-	1	-	-	-	2
756	Other congenital musculoskeletal anomalies	1	1	-	-	-	-	2
758	Chromosomal anomalies	1	2	2	4	-	-	9
759	Other and unspecified congenital anomalies	1	3	2	-	-	-	6
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	6	-	1	4	-	-	11
761	Fetus or newborn affected by maternal complications of pregnancy	5	1	1	-	-	-	7
762	Fetus or newborn affected by complications of placenta cord and membranes	30	24	35	39	1	-	129
763	Fetus or newborn affected by other complications of labour and delivery	1	-	-	-	-	-	1
764	Slow fetal growth and fetal malnutrition	-	3	3	2	-	-	8
765	Disorders relating to short gestation and unspecified low birthweight	2	-	1	-	-	-	3
766	Disorders relating to long gestation and high birthweight	-	-	-	2	-	-	2
768	Intrauterine hypoxia and birth asphyxia	2	2	4	13	2	-	23
770	Other respiratory conditions of fetus and newborn	-	-	-	2	-	-	2
771	Infections specific to the perinatal period	1	-	-	-	-	-	1
772	Fetal and neonatal haemorrhage	1	-	-	2	-	-	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	1	1	1	-	-	3
776	Haematological disorders of fetus and newborn	-	-	-	1	-	-	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	-	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	18	15	22	49	1	-	105
	TOTAL	72	57	75	126	4	-	334

Table 30 Stillbirths in 1996, classified by cause and number of previous children

ICD-9 Codes	Cause of death	Number of previous children							Total
		0	1	2	3	4 or 5	6 or more	Not stated	
740	Anencephalus and similar anomalies	3	2	1	1	-	-	-	7
741	Spina Bifida	-	-	1	-	-	-	-	1
742	Other congenital anomalies of nervous system	2	-	1	-	-	-	-	3
744	Congenital anomalies of ear, face and neck	1	-	-	-	-	-	-	1
747	Other congenital anomalies of circulatory system	-	-	-	1	-	-	-	1
751	Other congenital anomalies of digestive system	1	-	-	-	-	-	-	1
753	Congenital anomalies of urinary system	-	2	-	-	-	-	-	2
756	Other congenital musculoskeletal anomalies	1	-	-	-	1	-	-	2
758	Chromosomal anomalies	4	1	4	-	-	-	-	9
759	Other and unspecified congenital anomalies	2	1	3	-	-	-	-	6
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	5	1	3	2	-	-	-	11
761	Fetus or newborn affected by maternal complications of pregnancy	4	-	2	1	-	-	-	7
762	Fetus or newborn affected by complications of placenta cord and membranes	42	27	27	22	6	3	2	129
763	Fetus or newborn affected by other complications of labour and delivery	-	1	-	-	-	-	-	1
764	Slow fetal growth and fetal malnutrition	5	-	2	1	-	-	-	8
765	Disorders relating to short gestation and unspecified low birthweight	1	1	1	-	-	-	-	3
766	Disorders relating to long gestation and high birthweight	-	1	-	-	1	-	-	2
768	Intrauterine hypoxia and birth asphyxia	10	6	4	2	-	-	1	23
770	Other respiratory conditions of fetus and newborn	1	1	-	-	-	-	-	2
771	Infections specific to the perinatal period	-	-	1	-	-	-	-	1
772	Fetal and neonatal haemorrhage	3	-	-	-	-	-	-	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	2	-	-	-	-	-	3
776	Haematological disorders of fetus and newborn	1	-	-	-	-	-	-	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	-	1	-	1	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	47	16	20	4	7	3	8	105
	TOTAL	134	63	70	35	15	6	11	334

Table 31 Stillbirths in 1996, classified by cause and age group of mother

ICD-9 Codes	Cause of death	Age of mother							Total	
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over		
740	Anencephalus and similar anomalies	1	-	3	2	-	-	1	-	7
741	Spina Bifida	-	-	-	-	1	-	-	-	1
742	Other congenital anomalies of nervous system	-	-	1	-	2	-	-	-	3
744	Congenital anomalies of ear, face and neck	1	-	-	-	-	-	-	-	1
747	Other congenital anomalies of circulatory system	-	-	-	-	1	-	-	-	1
751	Other congenital anomalies of digestive system	-	-	-	1	-	-	-	-	1
753	Congenital anomalies of urinary system	1	-	-	1	-	-	-	-	2
756	Other congenital musculoskeletal anomalies	-	-	-	1	1	-	-	-	2
758	Chromosomal anomalies	-	2	-	2	3	2	-	-	9
759	Other and unspecified congenital anomalies	-	-	1	3	2	-	-	-	6
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	1	2	1	3	3	1	-	-	11
761	Fetus or newborn affected by maternal complications of pregnancy	-	1	3	-	2	1	-	-	7
762	Fetus or newborn affected by complications of placenta cord and membranes	4	13	32	52	16	7	2	3	129
763	Fetus or newborn affected by other complications of labour and delivery	-	-	-	-	1	-	-	-	1
764	Slow fetal growth and fetal malnutrition	-	1	4	2	1	-	-	-	8
765	Disorders relating to short gestation and unspecified low birthweight	-	1	-	1	-	1	-	-	3
766	Disorders relating to long gestation and high birthweight	-	-	1	1	-	-	-	-	2
768	Intrauterine hypoxia and birth asphyxia	2	4	5	8	3	-	1	-	23
770	Other respiratory conditions of fetus and newborn	-	-	-	-	2	-	-	-	2
771	Infections specific to the perinatal period	-	-	-	-	1	-	-	-	1
772	Fetal and neonatal haemorrhage	1	-	1	1	-	-	-	-	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	1	1	1	-	-	-	-	3
776	Haematological disorders of fetus and newborn	-	-	1	-	-	-	-	-	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	-	-	1	-	1	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	7	13	25	28	18	5	1	8	105
	TOTAL	18	38	80	107	58	17	5	11	334

Table 32 Stillbirths in 1996, classified by cause and weight

ICD-9 Codes	Cause of death	weight					Total
		Under 1000g	1000 - 1499g	1500 - 2499g	2500g & over	Not stated	
740	Anencephalus and similar anomalies	3	-	3	1	-	7
741	Spina Bifida	-	-	-	1	-	1
742	Other congenital anomalies of nervous system	-	1	-	2	-	3
744	Congenital anomalies of ear,face and neck	1	-	-	-	-	1
747	Other congenital anomalies of circulatory system	-	-	-	1	-	1
751	Other congenital anomalies of digestive system	-	1	-	-	-	1
753	Congenital anomalies of urinary system	1	-	1	-	-	2
756	Other congenital musculoskeletal anomalies	1	1	-	-	-	2
758	Chromosomal anomalies	3	3	2	1	-	9
759	Other and unspecified congenital anomalies	4	-	2	-	-	6
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	5	1	2	3	-	11
761	Fetus or newborn affected by maternal complications of pregnancy	5	-	1	1	-	7
762	Fetus or newborn affected by complications of placenta cord and membranes	37	26	25	40	1	129
763	Fetus or newborn affected by other complications of labour and delivery	1	-	-	-	-	1
764	Slow fetal growth and fetal malnutrition	3	2	2	1	-	8
765	Disorders relating to short gestation and unspecified low birthweight	2	1	-	-	-	3
766	Disorders relating to long gestation and high birthweight	-	-	-	2	-	2
768	Intrauterine hypoxia and birth asphyxia	3	-	5	15	-	23
770	Other respiratory conditions of fetus and newborn	-	-	-	2	-	2
771	Infections specific to the perinatal period	-	1	-	-	-	1
772	Fetal and neonatal haemorrhage	1	-	-	2	-	3
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	1	1	1	-	3
776	Haematological disorders of fetus and newborn	-	-	-	1	-	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	-	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	30	12	22	41	-	105
	TOTAL	102	50	66	115	1	334

Table 29A Stillbirths in 1996, classified by cause and age of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740-759	Congenital anomalies	5	10	7	11	-	-	33
760-779	Certain conditions originating	67	47	68	115	4	-	301
	in the perinatal period							
	Total	72	57	75	126	4	-	334

Table 30A Stillbirths in 1996, classified by cause and previous number of children

ICD-9 Codes	Cause of death	Number of previous children							Total
		0	1	2	3	4 or 5	6 or more	Not stated	
740-759	Congenital anomalies	14	6	10	2	1	-	-	33
760-779	Certain conditions originating	120	57	60	33	14	6	11	301
	in the perinatal period								
	Total	134	63	70	35	15	6	11	334

Table 31A Stillbirths in 1996, classified by cause and age of mother

ICD-9 Codes	Cause of death	Age of mother							Total	
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over		Not stated
740-759	Congenital anomalies	3	2	5	10	10	2	1	-	33
760-779	Certain conditions originating	15	36	75	97	48	15	4	11	301
	in the perinatal period									
	Total	18	38	80	107	58	17	5	11	334

Table 32A Stillbirths in 1996, classified by cause and weight

ICD-9 Codes	Cause of death	weight					Total	
		Under 1000g	1000 - 1499g	1500 - 2499g	2500g & over	Not stated		
740-759	Congenital anomalies		13	6	8	6	-	33
760-779	Certain conditions originating		89	44	58	109	1	301
	in the perinatal period							
	Total		102	50	66	115	1	334

Table 29B Stillbirth rate in 1996, classified by cause and age of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740-759	Congenital anomalies	32.1	34.2	3.2	0.3	-	-	0.7
760-779	Certain conditions originating in the perinatal period	307.3	142.9	30.4	2.6	1.1	-	5.9
Total		322.9	168.1	33.4	2.9	1.1	-	6.6

Table 30B Stillbirth rate in 1996, classified by cause and previous number of children

ICD-9 Codes	Cause of death	Number of previous children						Total	
		0	1	2	3	4 or 5	6 or more		Not stated
740-759	Congenital anomalies	0.7	0.4	1.1	0.5	0.4	-	-	0.7
760-779	Certain conditions originating in the perinatal period	6.2	3.8	6.6	8.0	5.6	8.0	94.0	5.9
Total		7.0	4.2	7.6	8.5	5.9	8.0	94.0	6.6

Table 31B Stillbirth rate in 1996, classified by cause and age of mother

ICD-9 Codes	Cause of death	Age of mother							Total	
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over		Not stated
740-759	Congenital anomalies	1.1	0.3	0.4	0.6	1.2	1.4	15.2	-	0.7
760-779	Certain conditions originating in the perinatal period	5.4	4.8	5.5	5.7	5.8	10.4	58.0	131.0	5.9
Total		6.5	5.0	5.8	6.3	7.0	11.8	71.4	131.0	6.6

Table 32B Stillbirth rate in 1996, classified by cause and weight

ICD-9 Codes	Cause of death	Weight				Total		
		Under 1000g	Under 1499g	1500-2499g	2500g & over		Not stated	
740-759	Congenital anomalies		79.3	26.4	4.0	0.1	-	0.7
760-779	Certain conditions originating in the perinatal period		370.8	166.0	28.0	2.3	3.6	5.9
Total			403.2	184.5	31.7	2.4	3.6	6.6

Table 33 Births showing the numbers in each quarter in 1996, assigned to the counties and county boroughs

Province, County or County Borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	6,322	5,737	6,502	5,935	6,931	6,353	6,595	6,280	26,350	24,305
LEINSTER	3,471	3,105	3,555	3,234	3,920	3,473	3,637	3,535	14,583	13,347
Carlow	84	73	75	82	81	59	80	76	320	290
Dublin Co. Borough	763	685	830	691	885	753	868	800	3,346 ✓	2,929
South Dublin	457	384	504	440	514	501	496	502	1,971 ✓	1,827
Fingal	345	299	344	281	400	348	351	332	1,440 ✓	1,260
Dun Laoghaire Rathdown	333	263	318	340	405	342	341	338	1,397 ✓	1,283
Kildare	272	230	263	273	326	278	289	282	1,150	1,063
Kilkenny	111	115	128	120	123	119	109	110	471	464
Laois	100	79	73	92	109	84	80	84	362	339
Longford	52	55	48	55	45	54	47	46	192	210
Louth	177	154	147	143	186	160	158	167	668	624
Meath	187	175	170	172	225	177	213	191	795	715
Offaly	102	120	104	93	108	96	90	115	404	424
Westmeath	119	113	128	104	119	114	128	124	494	455
Wexford	189	162	211	163	199	201	201	191	800	717
Wicklow	180	198	212	185	195	187	186	177	773	747
MUNSTER	1,776	1,648	1,848	1,675	1,824	1,799	1,891	1,715	7,339	6,837
Clare	152	128	187	141	165	149	155	145	659	563
Cork Co. Borough	208	193	225	197	229	224	259	219	921	833
Cork County	522	472	529	483	521	505	511	487	2,083	1,947
Kerry	190	169	195	198	197	194	211	179	793	740
Limerick Co. Borough	119	112	112	112	125	118	128	116	484	458
Limerick County	196	199	209	181	185	186	187	169	777	735
Tipperary N.R.	99	102	95	99	95	107	112	105	401	413
Tipperary S.R.	133	122	119	105	133	112	148	135	533	474
Waterford Co. Borough	73	71	93	69	83	96	81	64	330	300
Waterford County	84	80	84	90	91	108	99	96	358	374
CONNACHT	690	624	710	654	761	704	671	643	2,832	2,625
Galway Co. Borough	87	93	89	78	98	98	92	85	366	354
Galway County	244	197	235	220	251	228	219	206	949	851
Leitrim	40	34	34	30	35	36	36	34	145	134
Mayo	166	157	180	173	201	186	158	175	705	691
Roscommon	75	62	73	64	72	72	65	52	285	250
Sligo	78	81	99	89	104	84	101	91	382	345
ULSTER (PART OF)	385	360	389	372	426	377	396	387	1,596	1,496
Cavan	79	75	101	91	73	97	77	102	330	365
Donegal	235	207	200	196	261	199	237	211	933	813
Monaghan	71	78	88	85	92	81	82	74	333	318

Table 34 Births in 1996, classified by period of gestation and age of mother at maternity

Age of mother at maternity	Period of gestation in weeks			
	Total	under 37	37 & over	Not stated
All ages	50,655	2,603	47,364	688
15 and under	49	6	41	2
16-19	2,714	188	2,479	47
20-24	7,513	440	6,918	155
25-29	13,641	639	12,838	164
30-34	16,908	806	15,913	189
35-39	8,268	448	7,738	82
40-44	1,424	69	1,333	22
45-49	65	3	61	1
50 years and over	-	-	-	-
Age not stated	73	4	43	26

Table 34A Births in 1996, classified by age of mother at maternity and by birthweight

Age of mother at maternity	Weight			
	Total	under 2500g	2500g & over	Not stated
All ages	50,655	2,389	47,986	280
15 and under	49	3	45	1
16-19	2,714	176	2,523	15
20-24	7,513	411	7,050	52
25-29	13,641	601	12,965	75
30-34	16,908	739	16,090	79
35-39	8,268	376	7,867	25
40-44	1,424	79	1,336	9
45-49	65	1	64	-
50 years and over	-	-	-	-
Age not stated	73	3	46	24

Table 34B Births in 1996, classified by period of gestation and birthweight

Gestation in weeks	Weight			
	Total	under 2500g	2500g & over	Not stated
Period of gestation in weeks				
Total	50,655	2,389	47,986	280
under 37	2,603	1,501	1,061	41
37 & over	47,364	865	46,428	71
Not stated	688	23	497	168

Table 35 Total Births in 1996, classified by age of mother at maternity and number of previous liveborn children

Age of mother at maternity	Number of previous liveborn children												
	Total	0	1	2	3	4	5	6	7	8	9	10 or more	Not stated
ALL AGES	50,655	19,216	15,121	9,082	4,034	1,701	717	341	128	97	46	73	99
15 and under	49	49	-	-	-	-	-	-	-	-	-	-	-
16	220	212	7	-	-	-	-	-	-	-	-	-	1
17	499	476	23	-	-	-	-	-	-	-	-	-	-
18	866	803	55	6	-	-	-	-	-	-	-	-	2
19	1,129	981	133	14	1	-	-	-	-	-	-	-	-
under 20	2,763	2,521	218	20	1	-	-	-	-	-	-	-	3
20	1,274	1,002	227	37	4	-	-	-	-	-	-	-	4
21	1,397	980	322	83	8	2	-	-	-	-	-	-	2
22	1,434	866	452	88	25	1	1	-	-	-	-	-	1
23	1,598	849	515	172	36	19	4	-	-	-	-	-	3
24	1,810	886	598	223	67	23	6	1	-	-	-	-	6
20-24	7,513	4,583	2,114	603	140	45	11	1	-	-	-	-	16
25	2,042	982	679	261	87	25	7	-	-	-	-	-	1
26	2,331	1,067	777	316	117	38	10	1	-	1	-	-	4
27	2,771	1,253	889	431	131	40	18	5	-	-	-	-	4
28	3,124	1,378	1,021	450	159	65	29	12	4	3	-	-	3
29	3,373	1,368	1,149	549	186	73	27	12	4	2	-	-	3
25-29	13,641	6,048	4,515	2,007	680	241	91	30	8	6	-	-	15
30	3,585	1,250	1,270	654	262	78	37	15	7	3	2	1	6
31	3,702	1,168	1,327	777	280	89	39	12	1	3	2	2	2
32	3,585	934	1,282	805	339	135	43	16	12	4	2	3	10
33	3,271	739	1,141	799	355	136	57	23	8	5	2	2	4
34	2,765	549	860	780	347	135	50	17	11	9	2	1	4
30-34	16,908	4,640	5,880	3,815	1,583	573	226	83	39	24	10	9	26
35	2,530	435	718	742	366	151	58	33	7	7	3	6	4
36	2,053	296	539	615	342	142	51	37	11	8	4	7	1
37	1,583	232	399	451	251	133	58	26	8	8	6	8	3
38	1,196	151	279	334	226	94	51	24	12	8	4	9	4
39	906	119	194	212	180	95	55	28	12	2	2	5	2
35-39	8,268	1,233	2,129	2,354	1,365	615	273	148	50	33	19	35	14
40	569	82	110	111	98	70	40	21	9	15	3	10	-
41	385	46	69	72	65	58	32	21	9	3	3	5	2
42	252	25	32	51	42	46	20	17	5	5	4	4	1
43	141	16	16	23	30	22	9	10	3	4	3	5	-
44	77	2	15	8	13	15	10	2	2	4	3	3	-
40-44	1,424	171	242	265	248	211	111	71	28	31	16	27	3
45	42	3	6	10	7	4	3	6	-	1	1	1	-
46	15	1	-	1	2	4	1	2	1	2	-	1	-
47	5	1	1	-	-	3	-	-	-	-	-	-	-
48	2	-	-	1	-	-	-	-	1	-	-	-	-
49	1	-	-	-	-	-	-	-	1	-	-	-	-
45-49	65	5	7	12	9	11	4	8	3	3	1	2	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	73	15	16	6	8	5	1	-	-	-	-	-	22

Table 36 First births within marriage in 1996, classified by age of mother at maternity and year of marriage

Age of mother at maternity	TOTAL	First births within marriage : the year of marriage being													
		1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1982-1986	1977-1981	1976 and earlier	Not stated
ALL AGES	11,227	442	2,455	2,622	1,990	1,280	757	515	270	208	133	201	33	4	317
15 and under	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
17	13	2	9	1	-	-	-	-	-	-	-	-	-	-	1
18	30	11	16	3	-	-	-	-	-	-	-	-	-	-	-
19	58	16	35	4	-	1	-	-	-	-	-	-	-	-	2
Under 20	105	32	61	8	-	1	-	-	-	-	-	-	-	-	3
20	70	13	43	5	4	-	-	-	-	-	-	-	-	-	5
21	115	31	51	25	1	1	-	-	-	-	-	-	-	-	6
22	158	39	70	31	10	3	-	-	-	-	-	-	-	-	5
23	246	29	119	65	15	3	4	2	-	-	-	-	-	-	9
24	409	33	170	121	56	16	2	2	-	-	-	-	-	-	9
20-24	998	145	453	247	86	23	6	4	-	-	-	-	-	-	34
25	603	30	193	205	113	35	7	4	2	2	-	-	-	-	12
26	792	40	218	249	150	63	38	9	3	2	-	-	-	-	20
27	996	36	223	275	218	127	65	17	8	3	1	2	-	-	21
28	1,158	29	207	293	268	153	89	47	17	9	7	1	-	-	38
29	1,216	22	203	279	283	193	110	55	19	6	7	3	-	-	36
25-29	4,765	157	1,044	1,301	1,032	571	309	132	49	22	15	6	-	-	127
30-34	4,141	72	662	854	726	582	376	297	164	126	82	80	5	-	115
35-39	1,077	29	204	183	132	93	63	73	53	54	36	101	20	1	35
40-44	132	7	29	28	12	10	3	9	3	6	-	14	7	2	2
45-49	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	6	-	1	1	2	-	-	-	1	-	-	-	-	1	-

Table 37 Births within marriage in 1996,classified

Age of mother at maternity	Births within marriage -										
	Total	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987
ALL AGES	37,858	636	3,329	3,813	3,891	3,787	3,442	3,352	2,845	2,514	1,979
15 and under	-	-	-	-	-	-	-	-	-	-	-
16	4	3	1	-	-	-	-	-	-	-	-
17	16	2	11	2	-	-	-	-	-	-	-
18	38	11	21	5	-	-	-	-	-	-	-
19	81	23	36	13	4	2	-	-	-	-	-
under 20	139	39	69	20	4	2	-	-	-	-	-
20	121	16	57	25	13	1	1	-	-	-	-
21	241	44	81	58	30	15	3	1	-	-	-
22	406	49	133	96	57	37	16	7	-	-	-
23	610	38	191	135	94	63	35	24	5	1	-
24	955	50	248	223	168	101	67	46	23	5	-
20-24	2,333	197	710	537	362	217	122	78	28	6	-
25	1,305	47	278	316	232	160	116	61	47	23	3
26	1,720	57	295	347	310	239	187	122	59	33	23
27	2,232	52	313	398	379	307	290	194	107	71	45
28	2,644	32	268	379	437	381	323	281	184	130	65
29	2,975	34	255	368	436	428	371	330	269	167	118
25-29	10,876	222	1,409	1,808	1,794	1,515	1,287	988	666	424	254
30	3,236	31	227	322	355	424	410	396	334	246	168
31	3,334	24	219	272	337	380	377	429	368	296	210
32	3,306	18	158	188	251	347	345	375	345	374	258
33	3,019	32	131	182	215	261	244	298	308	304	263
34	2,547	17	100	143	152	197	164	226	233	254	228
30-34	15,442	122	835	1,107	1,310	1,609	1,540	1,724	1,588	1,474	1,127
35	2,374	11	84	105	115	154	168	197	192	187	193
36	1,925	10	61	64	97	84	109	138	147	152	153
37	1,474	11	59	66	82	67	73	84	81	107	88
38	1,090	10	27	41	45	42	48	57	49	71	68
39	827	3	31	24	35	36	47	37	40	44	47
35-39	7,690	45	262	300	374	383	445	513	509	561	549
40	506	7	20	16	19	28	23	18	20	13	21
41	351	2	10	10	12	20	9	14	13	15	9
42	222	1	2	12	9	5	6	10	6	10	9
43	127	1	7	2	2	5	5	4	4	5	3
44	69	-	-	-	1	1	2	-	3	2	3
40-44	1,275	11	39	40	43	59	45	46	46	45	45
45	38	-	1	-	-	1	1	-	3	1	-
46	13	-	-	-	-	-	-	1	-	-	-
47	4	-	-	-	-	-	-	-	-	-	-
48	2	-	-	-	-	-	-	-	-	-	-
49	1	-	-	-	-	-	-	-	-	-	-
45-49	58	-	1	-	-	1	1	1	3	1	-
50 and over	-	-	-	-	-	-	-	-	-	-	-
Age not stated	45	-	4	1	4	1	2	2	5	3	4

by age of mother at maternity and year of marriage

the year of marriage being:											Age of mother at maternity
1986	1985	1984	1983	1982	1981	1980	1979	1974-1978	1973 and earlier	Not stated	
1,641	1,285	959	778	628	488	409	333	671	90	988	ALL AGES
-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	1	17
-	-	-	-	-	-	-	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	3	19
-	-	-	-	-	-	-	-	-	-	5	under 20
-	-	-	-	-	-	-	-	-	-	8	20
-	-	-	-	-	-	-	-	-	-	9	21
-	-	-	-	-	-	-	-	-	-	11	22
-	-	-	-	-	-	-	-	-	-	24	23
-	-	-	-	-	-	-	-	-	-	24	24
-	-	-	-	-	-	-	-	-	-	76	20-24
-	-	-	-	-	-	-	-	-	-	22	25
4	2	-	-	-	-	-	-	-	-	42	26
16	3	2	-	-	-	-	-	-	-	55	27
53	25	5	1	-	-	-	-	-	-	80	28
70	29	11	3	-	1	-	-	-	-	85	29
143	59	18	4	-	1	-	-	-	-	284	25-29
107	72	39	12	5	3	-	-	-	-	85	30
129	100	61	34	23	5	1	1	-	-	68	31
210	140	89	55	35	11	9	3	-	-	95	32
236	164	91	84	56	29	31	11	1	-	78	33
203	169	144	94	63	41	28	18	6	-	67	34
885	645	424	279	182	89	69	33	7	-	393	30-34
187	186	138	126	90	79	48	39	16	-	59	35
156	149	136	112	97	69	54	37	48	-	52	36
111	95	86	97	87	63	58	59	69	-	31	37
67	73	63	70	64	72	62	39	94	3	25	38
44	38	41	43	40	45	52	43	114	5	18	39
565	541	464	448	378	328	274	217	341	8	185	35-39
16	17	22	16	26	32	32	37	105	6	12	40
16	13	15	16	17	21	13	21	79	13	13	41
5	7	9	9	10	10	9	7	60	16	10	42
7	-	3	3	5	3	5	9	37	17	-	43
2	1	2	1	6	2	4	7	19	11	2	44
46	38	51	45	64	68	63	81	300	63	37	40-44
1	-	-	1	-	2	2	-	15	10	-	45
-	-	-	-	1	-	-	1	5	4	1	46
-	1	-	-	-	-	-	1	1	1	-	47
-	-	-	-	-	-	-	-	-	2	-	48
-	-	-	-	-	-	-	-	-	1	-	49
1	1	-	1	1	2	2	2	21	18	1	45-49
-	-	-	-	-	-	-	-	-	-	-	50 and over
1	1	2	1	3	-	1	-	2	1	7	Age not stated

Table 38 Births in 1996 in each county and county borough showing place of occurrence and areas of normal residence

Area	Number		Transferred		Transferred		Net	
	Registered		from area of occurrence		to area of normal residence		Number	
	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary	Hospital*	Domi- ciliary
TOTAL	50,443	212	29,161	27	29,161	27	50,443	212
Carlow	-	1	-	-	609	-	609	1
Dublin County Borough	19,546	42	13,434	14	134	1	6,246	29
South Dublin	8	2	1	-	3,781	8	3,788	10
Dublin Fingal	1	5	-	-	2,686	8	2,687	13
Dun Laoghaire Rathdown	933	19	645	5	2,377	1	2,665	15
Kildare	-	9	-	1	2,204	1	2,204	9
Kilkenny	1,185	2	483	-	231	-	933	2
Laois	981	2	406	1	125	-	700	1
Longford	-	-	-	-	402	-	402	-
Louth	2,239	4	1,002	-	51	-	1,288	4
Meath	1	9	-	-	1,500	-	1,501	9
Offaly	-	-	-	-	828	-	828	-
Westmeath	1,088	-	582	-	443	-	949	-
Wexford	1,307	6	33	-	235	2	1,509	8
Wicklow	3	8	1	1	1,510	1	1,512	8
Clare	2	9	-	-	1,211	-	1,213	9
Cork County Borough	6,382	13	4,647	2	8	-	1,743	11
Cork County	7	24	-	-	3,997	2	4,004	26
Kerry	1,078	14	69	-	510	-	1,519	14
Limerick County Borough	3,715	2	2,783	-	7	1	939	3
Limerick County	1	2	-	1	1,510	-	1,511	1
Tipperary N.R.	1	4	-	-	808	1	809	5
Tipperary S.R.	991	1	227	1	243	-	1,007	-
Waterford County Borough	1,562	-	940	-	8	-	630	-
Waterford County	-	-	-	-	732	-	732	-
Galway County Borough	2,537	6	1,829	1	7	-	715	5
Galway County	1,698	10	1,264	-	1,355	1	1,789	11
Leitrim	-	2	-	-	277	-	277	2
Mayo	1,247	3	57	-	203	-	1,393	3
Roscommon	3	1	1	-	532	-	534	1
Sligo	1,215	3	518	-	27	-	724	3
Cavan	807	2	229	-	115	-	693	2
Donegal	1,544	6	6	-	202	-	1,740	6
Monaghan	361	1	4	-	293	-	650	1

* Including registered private maternity homes.

Table 39 Births in 1996, classified by sex and age of mother at maternity and showing the number of births outside marriage

Age of mother at maternity	Total Births (including Births outside marriage)			Births outside marriage		
	Total	Males	Females	Total	Males	Females
ALL AGES	50,655	26,350	24,305	12,797	6,671	6,126
15 and under	49	24	25	49	24	25
16	220	117	103	216	117	99
17	499	270	229	483	263	220
18	866	435	431	828	409	419
19	1,129	598	531	1,048	550	498
under 20	2,763	1,444	1,319	2,624	1,363	1,261
20	1,274	647	627	1,153	584	569
21	1,397	770	627	1,156	644	512
22	1,434	705	729	1,028	498	530
23	1,598	840	758	988	517	471
24	1,810	935	875	855	441	414
20-24	7,513	3,897	3,616	5,180	2,684	2,496
25	2,042	1,078	964	737	397	340
26	2,331	1,222	1,109	611	327	284
27	2,771	1,466	1,305	539	281	258
28	3,124	1,654	1,470	480	248	232
29	3,373	1,729	1,644	398	204	194
25-29	13,641	7,149	6,492	2,765	1,457	1,308
30	3,585	1,887	1,698	349	179	170
31	3,702	1,936	1,766	368	198	170
32	3,585	1,822	1,763	279	141	138
33	3,271	1,677	1,594	252	129	123
34	2,765	1,436	1,329	218	109	109
30-34	16,908	8,758	8,150	1,466	756	710
35	2,530	1,315	1,215	156	86	70
36	2,053	1,087	966	128	67	61
37	1,583	846	737	109	63	46
38	1,196	589	607	106	57	49
39	906	464	442	79	40	39
35-39	8,268	4,301	3,967	578	313	265
40	569	294	275	63	38	25
41	385	198	187	34	21	13
42	252	137	115	30	16	14
43	141	64	77	14	5	9
44	77	39	38	8	4	4
40-44	1,424	732	692	149	84	65
45	42	19	23	4	-	4
46	15	7	8	2	1	1
47	5	4	1	1	1	-
48	2	1	1	-	-	-
49	1	1	-	-	-	-
45-49	65	32	33	7	2	5
50 and over	-	-	-	-	-	-
Age not stated	73	37	36	28	12	16

Table 40 Total Births (including outside marriage), in 1996, classified by age of mother at maternity and county of normal residence

Province, County or County Borough	Under 20		20-24		25-29		30-34		35-39		40-44		45 & over		Age not stated		ALL AGES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL	1,444	1,319	3,897	3,616	7,149	6,492	8,758	8,150	4,301	3,967	732	692	32	33	37	36	26350	24305
LEINSTER	889	808	2,225	2,052	3,941	3,508	4,859	4,482	2,284	2,130	357	337	12	18	16	12	14583	13347
Carlow	31	18	60	46	93	82	70	92	53	41	9	10	2	1	2	-	320	290
Dublin Co. Borough	250	237	671	602	874	749	978	868	489	401	81	66	1	5	2	1	3,346	2,929
South Dublin	136	146	336	321	533	488	650	588	278	239	36	41	1	4	1	-	1,971	1,827
Fingal	72	44	152	134	414	343	527	495	235	217	38	25	1	2	1	-	1,440	1,260
Dun Laoghaire																		
Rathdown	62	39	105	120	311	273	586	526	297	279	35	45	-	1	1	-	1,397	1,283
Kildare	58	48	166	142	375	280	379	378	151	190	20	25	-	-	1	-	1,150	1,063
Kilkenny	12	22	62	62	126	117	161	170	87	79	21	13	-	1	2	-	471	464
Laois	20	16	52	47	107	90	125	116	48	57	8	13	1	-	1	-	362	339
Longford	9	13	23	32	56	54	66	65	33	38	5	6	-	1	-	1	192	210
Louth	43	50	127	95	189	200	193	179	98	83	15	15	2	1	1	1	668	624
Meath	35	36	90	84	197	181	289	239	156	147	28	26	-	1	-	1	795	715
Offaly	23	17	64	72	116	118	134	140	56	62	10	13	-	-	1	2	404	424
Westmeath	39	27	78	73	137	123	167	153	59	68	13	10	-	-	1	1	494	455
Wexford	59	48	127	112	220	192	255	240	114	103	20	17	3	1	2	4	800	717
Wicklow	40	47	112	110	193	218	279	233	130	126	18	12	1	-	-	1	773	747
MUNSTER	367	338	1,048	979	2,014	1,851	2,476	2,337	1,195	1,106	212	206	13	6	14	14	7,339	6,837
Clare	24	14	99	82	185	151	216	194	114	101	19	19	2	-	-	2	659	563
Cork Co. Borough	74	45	172	148	246	234	284	257	123	129	18	20	2	-	2	-	921	833
Cork County	75	75	206	178	587	546	782	738	357	343	69	60	4	3	3	4	2,083	1,947
Kerry	38	30	101	121	219	170	256	250	147	136	29	30	1	2	2	1	793	740
Limerick Co. Borough	33	45	115	99	148	123	123	136	51	42	11	11	-	-	3	2	484	458
Limerick County	32	36	74	91	185	185	305	260	151	132	27	27	1	1	2	3	777	735
Tipperary N.R.	20	26	54	60	101	118	125	124	77	74	20	11	3	-	1	-	401	413
Tipperary S.R.	31	31	99	103	151	134	162	136	81	61	9	9	-	-	-	-	533	474
Waterford Co. Borough	26	17	73	49	95	91	100	102	34	34	2	6	-	-	-	1	330	300
Waterford County	14	19	55	48	97	99	123	140	60	54	8	13	-	-	1	1	358	374
CONNACHT	101	98	366	353	737	678	932	884	575	507	108	94	6	5	7	6	2,832	2,625
Galway Co. Borough	16	22	63	70	101	89	114	118	57	46	15	7	-	-	-	2	366	354
Galway County	19	22	116	107	251	228	329	277	197	185	29	27	4	1	4	4	949	851
Leitrim	6	6	19	13	39	37	43	48	28	26	10	4	-	-	-	-	145	134
Mayo	38	24	86	81	188	185	223	243	135	123	32	33	2	2	1	-	705	691
Roscommon	10	6	30	38	62	61	105	76	62	58	14	11	-	-	2	-	285	250
Sligo	12	18	52	44	96	78	118	122	96	69	8	12	-	2	-	-	382	345
ULSTER (part of)	87	75	258	232	457	455	491	447	247	224	55	55	1	4	-	4	1,596	1,496
Cavan	11	17	40	40	95	106	113	121	59	64	12	14	-	1	-	2	330	365
Donegal	61	38	170	132	257	256	279	240	130	115	35	29	1	1	-	2	933	813
Monaghan	15	20	48	60	105	93	99	86	58	45	8	12	-	2	-	-	333	318

Table 41 Births outside marriage, in 1996, classified by age of mother at maternity and county of normal residence

Province, County or County Borough	Under 20		20-24		25-29		30-34		35-39		40-44		45 & over		Age not stated		ALL AGES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL	1,363	1,261	2,684	2,496	1,457	1,308	756	710	313	265	84	65	2	5	12	16	6,671	6,126
LEINSTER	845	782	1,633	1,519	944	834	492	465	197	169	51	41	2	2	5	6	4,169	3,818
Carlow	31	18	37	24	19	12	7	5	3	6	-	1	-	-	-	-	97	66
Dublin Co. Borough	238	232	586	507	354	293	206	181	69	61	25	13	-	-	-	1	1,478	1,288
South Dublin	134	142	252	248	133	123	65	64	31	22	6	6	1	-	-	-	622	605
Fingal	66	41	110	99	70	59	41	48	14	16	4	3	-	1	-	-	305	267
Dun Laoghaire																		
Rathdown	60	37	77	104	70	60	40	34	16	16	1	6	-	-	-	-	264	257
Kildare	57	47	115	100	72	49	20	42	6	7	4	2	-	-	1	-	275	247
Kilkenny	11	21	34	35	18	14	6	9	5	3	1	-	-	-	1	-	76	82
Laois	18	16	32	26	10	10	8	6	4	3	-	1	-	-	1	-	73	62
Longford	7	11	12	18	6	10	2	3	2	4	-	-	-	-	-	-	29	46
Louth	40	48	80	68	40	59	15	18	12	4	2	1	-	1	1	1	190	200
Meath	31	35	57	60	31	19	16	15	10	10	-	4	-	-	-	1	145	144
Offaly	22	17	42	37	17	19	6	1	2	2	1	-	-	-	-	-	90	76
Westmeath	36	25	44	36	16	18	11	8	-	2	1	1	-	-	1	1	109	91
Wexford	56	47	80	75	51	32	18	14	10	5	1	-	1	-	-	2	217	175
Wicklow	38	45	75	82	37	57	31	17	13	8	5	3	-	-	-	-	199	212
MUNSTER	349	325	698	643	372	329	189	169	90	65	25	16	-	2	7	10	1,730	1,559
Clare	18	14	53	54	33	19	17	19	9	7	3	1	-	-	-	1	133	115
Cork Co. Borough	74	44	132	111	73	67	26	29	22	17	5	3	-	-	2	-	334	271
Cork County	72	73	133	118	77	76	45	33	22	15	7	3	-	1	2	3	358	322
Kerry	35	28	56	75	33	24	14	15	8	6	2	1	-	1	2	1	150	151
Limerick Co. Borough	33	42	93	71	51	38	20	15	7	6	3	3	-	-	1	2	208	177
Limerick County	30	33	42	48	18	17	14	16	9	4	3	3	-	-	-	2	116	123
Tipperary N.R.	19	24	37	34	12	18	9	7	3	1	-	-	-	-	-	-	80	84
Tipperary S.R.	30	31	63	65	30	26	14	7	3	5	1	-	-	-	-	-	141	134
Waterford Co. Borough	26	17	53	31	26	27	18	14	3	3	1	1	-	-	-	1	127	94
Waterford County	12	19	36	36	19	17	12	14	4	1	-	1	-	-	-	-	83	88
CONNACHT	86	83	222	213	91	91	49	47	13	25	7	5	-	-	-	-	468	464
Galway																		
Co. Borough	11	19	48	51	21	16	12	9	2	4	2	1	-	-	-	-	96	100
Galway County	18	17	67	53	27	26	15	11	4	8	1	-	-	-	-	-	132	115
Leitrim	5	4	8	9	7	5	1	1	2	3	-	-	-	-	-	-	23	22
Mayo	31	23	51	50	22	28	13	16	2	3	2	3	-	-	-	-	121	123
Roscommon	9	5	14	27	1	4	4	4	-	2	1	1	-	-	-	-	29	43
Sligo	12	15	34	23	13	12	4	6	3	5	1	-	-	-	-	-	67	61
ULSTER (part of)	83	71	131	121	50	54	26	29	13	6	1	3	-	1	-	-	304	285
Cavan	10	15	21	19	9	12	6	4	2	-	-	-	-	-	-	-	48	50
Donegal	59	37	90	67	33	33	16	21	8	6	1	3	-	-	-	-	207	167
Monaghan	14	19	20	35	8	9	4	4	3	-	-	-	-	1	-	-	49	68

Table 42 Births, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	58	48	106	75	82	157	81	64	145
2nd	84	53	137	68	61	129	70	43	113
3rd	75	69	144	53	49	102	54	48	102
4th	56	83	139	44	53	97	78	61	139
5th	99	69	168	70	63	133	74	79	153
6th	61	46	107	85	63	148	79	64	143
7th	52	37	89	85	71	156	75	78	153
8th	73	52	125	74	70	144	74	85	159
9th	84	78	162	69	70	139	48	34	82
10th	87	80	167	56	41	97	58	47	105
11th	76	73	149	46	52	98	69	74	143
12th	84	73	157	66	81	147	88	83	171
13th	50	52	102	67	66	133	86	68	154
14th	66	57	123	82	74	156	94	84	178
15th	68	71	139	86	75	161	74	71	145
16th	77	65	142	75	62	137	56	41	97
17th	76	70	146	54	51	105	38	47	85
18th	86	71	157	42	50	92	54	55	109
19th	70	57	127	69	70	139	78	61	139
20th	57	51	108	67	65	132	83	58	141
21st	55	56	111	72	76	148	82	72	154
22nd	67	64	131	85	67	152	72	77	149
23rd	68	76	144	66	71	137	56	53	109
24th	66	62	128	55	47	102	46	46	92
25th	83	69	152	59	40	99	57	64	121
26th	68	65	133	60	72	132	61	57	118
27th	42	58	100	88	72	160	86	66	152
28th	50	41	91	74	75	149	89	66	155
29th	81	53	134	92	70	162	73	76	149
30th	86	80	166	-	-	-	57	41	98
31st	69	79	148	-	-	-	74	57	131
TOTAL	2,174	1,958	4,132	1,984	1,859	3,843	2,164	1,920	4,084

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	72	74	146	90	73	163	50	51	101
2nd	85	76	161	84	82	166	85	55	140
3rd	86	80	166	60	54	114	73	61	134
4th	91	101	192	63	42	105	78	86	164
5th	78	74	152	64	56	120	90	95	185
6th	63	44	107	83	87	170	85	67	152
7th	39	41	80	91	91	182	68	61	129
8th	84	66	150	81	82	163	59	41	100
9th	83	61	144	78	74	152	74	58	132
10th	91	83	174	59	53	112	99	73	172
11th	94	72	166	57	56	113	96	92	188
12th	72	76	148	85	52	137	75	71	146
13th	65	60	125	84	76	160	82	66	148
14th	52	50	102	82	65	147	59	57	116
15th	81	67	148	84	71	155	59	51	110
16th	84	66	150	80	75	155	86	82	168
17th	75	86	161	59	63	122	94	86	180
18th	84	79	163	56	55	111	99	75	174
19th	75	89	164	81	54	135	97	66	163
20th	59	55	114	69	68	137	70	77	147
21st	51	55	106	76	56	132	58	70	128
22nd	82	73	155	82	85	167	68	58	126
23rd	76	78	154	74	70	144	88	81	169
24th	98	77	175	56	55	111	73	88	161
25th	81	79	160	57	57	114	78	71	149
26th	71	75	146	78	76	154	92	78	170
27th	54	65	119	68	87	155	102	84	186
28th	57	58	115	74	71	145	60	52	112
29th	74	56	130	73	71	144	63	55	118
30th	80	78	158	94	68	162	79	90	169
31st	71	89	160	62	47	109	-	-	-
TOTAL	2,308	2,183	4,491	2,284	2,072	4,356	2,339	2,098	4,437

in each month during 1996

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	76	72	148	77	67	144	56	56	112
2nd	90	84	174	74	79	153	55	36	91
3rd	85	94	179	69	70	139	54	42	96
4th	69	70	139	54	53	107	86	71	157
5th	82	69	151	55	64	119	69	74	143
6th	58	52	110	42	58	100	72	78	150
7th	44	53	97	66	73	139	83	85	168
8th	43	64	107	90	80	170	54	69	123
9th	89	59	148	84	73	157	48	54	102
10th	77	76	153	58	75	133	80	81	161
11th	99	77	176	58	45	103	84	54	138
12th	83	70	153	51	44	95	77	71	148
13th	46	59	105	74	53	127	83	68	151
14th	55	45	100	59	62	121	77	61	138
15th	93	73	166	78	74	152	67	53	120
16th	78	67	145	88	59	147	65	60	125
17th	79	71	150	74	57	131	79	69	148
18th	84	91	175	77	54	131	96	62	158
19th	80	64	144	49	54	103	79	75	154
20th	60	49	109	61	78	139	68	68	136
21st	48	51	99	84	57	141	75	66	141
22nd	68	80	148	89	68	157	61	60	121
23rd	83	74	157	83	79	162	56	47	103
24th	73	82	155	69	86	155	69	59	128
25th	83	75	158	65	54	119	94	65	159
26th	71	55	126	42	64	106	98	56	154
27th	70	47	117	73	72	145	69	78	147
28th	59	56	115	77	69	146	85	75	160
29th	68	81	149	96	64	160	70	55	125
30th	71	60	131	92	67	159	58	49	107
31st	-	-	-	63	66	129	-	-	-
TOTAL	2,164	2,020	4,184	2,171	2,018	4,189	2,167	1,897	4,064

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	103	101	204	101	54	155	50	53	103
2nd	75	78	153	57	58	115	85	61	146
3rd	98	102	200	62	42	104	85	68	153
4th	96	71	167	79	70	149	81	71	152
5th	62	55	117	75	65	140	82	82	164
6th	69	50	119	70	67	137	82	71	153
7th	81	68	149	104	64	168	54	49	103
8th	80	74	154	81	68	149	54	56	110
9th	73	73	146	68	47	115	82	74	156
10th	78	75	153	48	61	109	65	92	157
11th	70	80	150	69	63	132	83	72	155
12th	46	62	108	88	96	184	85	85	170
13th	47	49	96	74	73	147	65	76	141
14th	75	76	151	96	78	174	63	59	122
15th	59	88	147	76	94	170	60	53	113
16th	60	72	132	61	56	117	74	78	152
17th	75	70	145	55	49	104	77	89	166
18th	82	81	163	84	77	161	88	91	179
19th	54	71	125	91	68	159	91	86	177
20th	46	37	83	81	74	155	81	67	148
21st	75	69	144	76	76	152	63	57	120
22nd	83	77	160	67	60	127	54	39	93
23rd	84	73	157	55	66	121	65	68	133
24th	74	70	144	63	53	116	70	57	127
25th	71	72	143	80	81	161	46	46	92
26th	54	56	110	81	62	143	52	42	94
27th	48	54	102	76	73	149	75	89	164
28th	51	49	100	94	86	180	61	52	113
29th	62	69	131	69	82	151	57	56	113
30th	75	57	132	51	48	99	76	63	139
31st	72	95	167	-	-	-	79	93	172
TOTAL	2,178	2,174	4,352	2,232	2,011	4,243	2,185	2,095	4,280

Table 43 Births in 1996 by day of occurrence and mothers usual residence

Province, County or County Borough	Day of occurrence						
	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
TOTAL	7,386	8,052	7,954	8,248	7,745	5,827	5,443
LEINSTER	4,014	4,474	4,275	4,422	4,348	3,277	3,120
Carlow	79	109	106	98	81	66	71
Dublin County Borough	911	1,022	978	992	910	741	721
South Dublin	566	587	623	583	623	406	410
Fingal	383	438	425	427	417	312	298
Dun Laoghaire Rathdown	404	430	397	408	426	326	289
Kildare	296	358	314	345	354	284	262
Kilkenny	130	147	140	152	159	106	101
Laois	95	108	115	103	116	84	80
Longford	60	56	66	70	55	39	56
Louth	194	225	182	207	212	148	124
Meath	229	230	224	244	264	180	139
Offaly	110	125	125	140	134	103	91
Westmeath	127	163	142	145	140	115	117
Wexford	215	239	235	257	227	185	159
Wicklow	215	237	203	251	230	182	202
MUNSTER	2,081	2,263	2,312	2,429	2,128	1,566	1,397
Clare	183	217	237	211	178	100	96
Cork County Borough	276	259	276	331	247	198	167
Cork County	641	623	581	695	685	408	397
Kerry	235	259	215	241	250	176	157
Limerick County Borough	125	161	177	156	134	105	84
Limerick County	213	242	272	301	187	159	138
Tipperary N.R.	92	119	143	136	132	113	79
Tipperary S.R.	139	167	168	162	136	122	113
Waterford County Borough	74	87	123	95	77	87	87
Waterford County	103	129	120	101	102	98	79
CONNACHT	810	868	884	875	843	590	587
Galway County Borough	108	117	126	116	111	75	67
Galway County	267	286	295	308	286	173	185
Leitrim	46	50	41	47	40	33	22
Mayo	217	218	198	217	219	167	160
Roscommon	70	80	93	91	82	61	58
Sligo	102	117	131	96	105	81	95
ULSTER (part of)	481	447	483	522	426	394	339
Cavan	107	125	98	109	98	89	69
Donegal	256	243	256	278	257	246	210
Monaghan	118	79	129	135	71	59	60

Table 44 Marriages in 1996 by day of occurrence and county of occurrence

Area of occurrence	Day of occurrence						
	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Total	793	395	734	1605	4714	7563	370
Leinster	373	215	459	996	2383	3400	59
Carlow	6	3	8	25	45	81	1
Dublin County Borough	13	8	12	42	110	191	1
South Dublin	101	88	161	315	683	824	10
Fingal	27	13	39	105	170	233	2
Dun Laoghaire Rathdown	42	23	40	140	300	410	7
Kildare	24	13	32	50	135	219	4
Kilkenny	15	5	12	26	83	102	2
Laois	6	6	20	31	76	106	2
Longford	12	1	9	11	35	66	-
Louth	19	7	17	28	114	193	6
Meath	22	8	20	60	151	226	3
Offally	16	6	12	19	98	113	2
Westmeath	15	9	14	18	99	156	1
Wexford	20	15	32	54	134	230	10
Wicklow	35	10	31	72	150	250	8
Munster	216	101	179	450	1462	2384	69
Clare	14	4	8	31	101	256	26
Cork County Borough	36	21	41	128	268	393	1
Cork County	34	22	37	93	363	547	2
Kerry	33	11	21	42	179	351	5
Limerick County Borough	10	5	3	15	69	103	1
Limerick County	33	18	37	66	149	204	11
Tipperary North Riding	17	6	8	17	116	141	11
Tipperary South Riding	18	5	12	24	91	176	5
Waterford County Borough	8	6	7	17	44	54	1
Waterford	13	3	5	17	82	159	6
Connacht	128	47	54	104	536	1014	205
Galway County Borough	16	11	10	24	105	147	30
Galway County	30	12	14	31	149	292	69
Leitrim	7	6	4	4	32	70	2
Mayo	36	11	24	23	136	269	64
Roscommon	17	4	-	13	45	97	17
Sligo	22	3	2	9	69	139	23
Ulster (part of)	76	32	42	55	333	765	37
Cavan	16	5	6	8	58	187	33
Donegal	38	24	29	34	216	418	4
Monaghan	22	3	7	13	59	160	-

Table 45 Marriages registered in each

Province, county or county borough	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
TOTAL	16,174	14,607	1,567	483	91	38	2	25	928
LEINSTER	7,885	6,843	1,042	318	23	13	2	10	676
Carlow	169	158	11	4	-	-	-	-	7
Dublin County Borough	2,182	1,602	580	44	6	3	2	4	521
South Dublin	377	365	12	6	5	-	-	-	1
Fingal	589	569	20	19	1	-	-	-	-
Dun Laoghaire Rathdown	962	899	63	57	1	1	-	1	3
Kildare	477	418	59	25	3	-	-	1	30
Kilkenny	245	221	24	11	-	-	-	-	13
Laois	247	228	19	14	-	-	-	-	5
Longford	134	124	10	2	1	1	-	-	6
Louth	384	362	22	7	-	-	-	1	14
Meath	490	467	23	12	1	-	-	-	10
Offaly	266	244	22	18	-	1	-	-	3
Westmeath	312	290	22	12	-	-	-	-	10
Wexford	495	465	30	15	-	2	-	-	13
Wicklow	556	431	125	72	5	5	-	3	40
MUNSTER	4,861	4,560	301	92	2	18	-	10	179
Clare	440	437	3	1	-	-	-	2	-
Cork County Borough	888	816	72	11	-	2	-	3	56
Cork County	1,098	1,031	67	41	1	5	-	2	18
Kerry	642	615	27	10	-	-	-	1	16
Limerick County Borough	206	177	29	9	-	-	-	-	20
Limerick County	518	487	31	5	-	5	-	1	20
Tipperary, N.R.	316	297	19	6	1	6	-	-	6
Tipperary, S.R.	331	319	12	2	-	-	-	-	10
Waterford County Borough	137	108	29	2	-	-	-	1	26
Waterford County	285	273	12	5	-	-	-	-	7
CONNACHT	2,088	2,018	70	13	1	4	-	1	51
Galway County Borough	343	314	29	-	1	2	-	-	26
Galway County	597	594	3	2	-	-	-	-	1
Leitrim	125	112	13	3	-	-	-	-	10
Mayo	563	551	12	2	-	1	-	1	8
Roscommon	193	193	-	-	-	-	-	-	-
Sligo	267	254	13	6	-	1	-	-	6
ULSTER (part of)	1,340	1,186	154	60	65	3	-	4	22
Cavan	313	281	32	21	3	-	-	2	6
Donegal	763	670	93	34	43	3	-	-	13
Monaghan	264	235	29	5	19	-	-	2	3

county and county borough during 1996

Total marriages registered in the quarter ended the last day of				Marriages contracted between				Province, county or county borough
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
1,974	3,653	6,868	3,679	16,002	56	67	49	TOTAL
1,072	1,771	3,215	1,827	7,785	25	49	26	LEINSTER
20	49	88	12	167	2	-	-	Carlow
448	543	902	289	2,153	7	14	8	Dublin County Borough
77	103	121	76	372	2	2	1	South Dublin
70	75	189	255	581	-	6	2	Fingal
91	218	262	391	944	1	12	5	Dun Laoghaire Rathdown
47	96	256	78	471	2	1	3	Kildare
11	48	116	70	242	1	1	1	Kilkenny
32	53	118	44	244	1	2	-	Laois
11	32	56	35	132	1	1	-	Longford
34	96	176	78	380	2	-	2	Louth
56	96	233	105	483	1	2	4	Meath
39	53	105	69	265	-	1	-	Offaly
35	76	125	76	308	2	2	-	Westmeath
29	93	214	159	493	-	2	-	Wexford
72	140	254	90	550	3	3	-	Wicklow
552	1,035	2,201	1,073	4,820	21	9	11	MUNSTER
53	81	216	90	436	2	-	2	Clare
100	239	365	184	881	4	2	1	Cork County Borough
130	223	488	257	1,086	5	5	2	Cork County
87	138	271	146	637	3	1	1	Kerry
25	26	109	46	205	-	1	-	Limerick County Borough
60	96	207	155	516	1	-	1	Limerick County
28	85	139	64	313	2	-	1	Tipperary, N.R.
27	59	193	52	329	2	-	-	Tipperary, S.R.
13	33	69	22	137	-	-	-	Waterford County Borough
29	55	144	57	280	2	-	3	Waterford County
223	495	839	531	2,068	6	7	7	CONNACHT
55	73	132	83	340	-	3	-	Galway County Borough
53	145	235	164	592	2	1	2	Galway County
17	40	41	27	124	-	-	1	Leitrim
47	135	230	151	553	3	3	4	Mayo
22	44	84	43	193	-	-	-	Roscommon
29	58	117	63	266	1	-	-	Sligo
127	352	613	248	1,329	4	2	5	ULSTER (part of)
24	81	144	64	311	2	-	-	Cavan
72	205	352	134	756	1	1	5	Donegal
31	66	117	50	262	1	1	-	Monaghan

Table 46 Marriages registered in 1996 classified by age of

Age of groom	Age of bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	13	29	59	91	182	352	624	933	1,401	1,624	1,766	1,769	1,543	1,287	999	792	597	478	344
16 & under	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
18	1	5	9	4	4	4	-	-	-	-	-	-	-	2	-	-	-	-	-
19	3	7	7	6	5	3	4	3	1	-	1	-	1	-	-	-	-	-	-
20	-	3	4	6	11	10	7	5	3	4	1	2	1	1	1	-	-	1	-
21	1	1	12	4	22	22	32	21	11	4	5	2	5	-	1	-	-	1	-
22	1	-	5	11	31	30	54	44	37	20	15	9	5	1	1	1	2	-	1
23	-	2	1	12	28	53	68	108	65	42	34	26	10	10	8	3	2	-	1
24	1	1	5	11	16	38	85	134	188	108	81	36	35	18	21	5	-	3	2
25	2	-	3	10	17	38	79	138	239	242	180	98	71	39	19	24	13	7	4
26	-	1	2	5	9	35	79	119	198	270	248	203	116	58	52	14	16	12	8
27	-	-	2	5	14	27	63	101	161	238	292	308	192	103	64	48	34	18	13
28	-	1	2	2	5	25	41	63	126	185	254	285	232	159	83	67	31	21	19
29	-	-	2	1	7	29	32	51	106	146	190	195	209	182	111	62	43	31	20
30	-	2	2	4	2	9	22	48	63	116	139	174	184	174	138	100	52	44	25
31	2	-	-	2	3	9	18	25	70	87	96	128	135	162	134	80	80	37	25
32	-	-	-	4	1	6	13	24	41	49	56	88	109	113	92	88	72	61	25
33	-	-	1	-	2	5	9	16	23	26	53	69	69	80	79	75	50	53	36
34	-	-	-	-	2	3	5	9	22	35	38	44	54	62	50	47	62	53	28
35	-	-	-	-	1	1	5	5	13	12	22	36	30	38	33	52	32	41	31
36	-	-	-	-	1	-	2	9	9	9	19	20	24	19	34	36	18	20	23
37	-	-	-	2	1	2	1	3	2	6	12	18	23	11	17	22	30	23	13
38	-	-	-	-	-	1	-	3	6	4	6	4	8	14	14	15	16	12	10
39	-	-	1	-	-	-	2	1	6	-	6	4	6	13	13	19	11	8	10
40	-	-	-	-	-	1	1	-	2	6	2	6	6	9	12	7	6	3	11
41	-	-	-	-	-	-	-	1	-	2	2	4	4	3	8	8	5	9	6
42	-	-	1	-	-	-	-	-	-	3	2	2	3	2	7	6	5	2	7
43	-	-	-	-	-	1	1	-	4	1	2	1	2	3	1	-	4	7	5
44	-	-	-	-	-	-	-	-	2	3	2	2	6	4	-	-	3	1	5
45	-	-	-	-	-	-	-	1	-	1	2	-	1	3	3	3	2	1	4
46	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	2	1	1	3
47	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	3
48	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	2
49	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	1
50-54	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	2	4	3	2
55-59	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
70-74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	3	1	1	2	1	-	-	1	1	1	-

groom and bride in single years. All marriages

Age of Bride																					ALL AGES	Age of groom		
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over			Not stated	
282	206	147	96	82	67	60	33	23	31	26	18	12	15	16	52	25	33	13	12	3	39	16,174	ALL AGES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144	21
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	269	22
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	475	23
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791	24
2	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,234	25
4	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,456	26
8	6	2	2	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	2	1,708	27
9	5	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1,624	28
11	11	11	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1,457	29
12	8	8	2	3	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1,339	30
20	11	9	4	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,143	31
22	14	9	3	5	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	899	32
30	17	9	4	1	2	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	718	33
22	15	11	4	2	5	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	580	34
23	17	9	7	2	1	6	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	419	35
21	15	7	5	6	6	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	310	36
13	12	12	7	10	5	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	255	37
19	17	8	9	5	4	4	-	3	2	1	2	-	-	1	-	-	-	-	-	-	-	1	189	38
8	8	10	8	3	3	3	2	1	1	-	3	-	-	-	2	-	-	-	-	-	-	-	152	39
7	11	9	6	3	2	2	2	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-	120	40
7	13	5	4	8	5	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	102	41
12	5	2	3	4	5	2	1	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	80	42
5	1	4	5	2	-	4	3	3	3	3	-	-	1	2	-	-	-	-	-	-	-	-	65	43
7	3	2	5	-	4	3	2	2	2	2	4	-	1	-	1	-	-	-	-	-	-	-	64	44
2	4	2	2	3	3	1	2	1	1	1	-	1	2	1	2	-	-	-	-	-	-	-	49	45
2	4	1	3	2	1	1	2	2	1	3	-	2	-	1	1	-	-	-	-	-	-	-	38	46
1	1	-	-	3	2	3	1	2	5	1	2	1	-	1	-	-	-	-	-	-	-	-	30	47
4	-	1	-	4	3	-	1	2	-	2	2	-	-	1	2	-	1	-	-	-	-	-	31	48
-	4	-	2	2	3	3	1	-	-	1	3	2	1	-	2	-	-	-	-	-	-	-	30	49
5	2	3	3	3	3	4	2	-	5	2	1	2	3	4	11	5	1	-	-	-	-	-	74	50-54
2	-	1	-	1	-	2	-	-	1	3	-	-	4	2	14	4	6	2	-	-	-	-	49	55-59
1	-	1	-	-	-	1	1	-	1	2	-	1	2	1	3	9	7	2	1	-	-	-	33	60-64
-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	6	3	14	1	2	1	-	-	33	65-69
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	1	4	8	5	2	-	-	26	70-74
-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	9	75 & over
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	-	38	Not stated

Table 47 Marriages registered in 1996 classified by age of

Age of groom	Age of bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	13	29	59	90	182	352	622	932	1,396	1,624	1,764	1,764	1,540	1,285	994	790	595	470	342
16 & under	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
18	1	5	9	4	4	4	-	-	-	-	-	-	-	2	-	-	-	-	-
19	3	7	7	6	5	3	4	3	1	-	1	-	1	-	-	-	-	-	-
20	-	3	4	6	11	10	7	5	3	4	1	2	1	1	1	-	-	1	-
21	1	1	12	4	22	22	32	21	11	4	5	2	5	-	1	-	-	1	-
22	1	-	5	11	31	30	54	44	37	20	15	9	5	1	1	1	2	-	1
23	-	2	1	11	28	53	68	108	65	42	34	26	10	10	8	3	2	-	1
24	1	1	5	11	16	38	85	133	187	108	81	36	35	18	21	5	-	3	2
25	2	-	3	10	17	38	79	138	238	242	180	97	71	39	19	24	13	7	4
26	-	1	2	5	9	35	79	119	198	270	248	203	116	57	51	14	16	12	8
27	-	-	2	5	14	27	63	101	158	238	292	307	192	103	64	48	33	18	13
28	-	1	2	2	5	25	40	63	126	185	253	284	231	159	82	67	31	21	19
29	-	-	2	1	7	29	32	51	106	146	190	195	208	182	110	62	43	30	20
30	-	2	2	4	2	9	22	48	63	116	139	174	184	173	138	99	52	44	25
31	2	-	-	2	3	9	18	25	70	87	96	128	135	162	134	80	80	36	25
32	-	-	-	4	1	6	13	24	41	49	56	88	109	113	92	88	72	61	25
33	-	-	1	-	2	5	9	16	23	26	53	69	69	80	79	75	50	53	36
34	-	-	-	-	2	3	5	9	22	35	38	44	54	62	50	47	61	52	28
35	-	-	-	-	1	1	5	5	13	12	22	36	30	38	32	52	32	40	31
36	-	-	-	-	1	-	2	9	9	9	19	20	24	19	34	36	18	20	23
37	-	-	-	2	1	2	1	3	2	6	12	18	23	11	17	22	30	23	13
38	-	-	-	-	-	1	-	3	6	4	5	4	8	14	14	15	16	12	10
39	-	-	1	-	-	-	2	1	6	-	6	4	6	13	13	19	11	8	10
40	-	-	-	-	-	1	1	-	2	6	2	5	6	9	12	7	6	2	10
41	-	-	-	-	-	-	-	1	-	2	2	4	4	3	8	8	5	8	6
42	-	-	1	-	-	-	-	-	-	3	2	2	3	2	6	6	5	2	7
43	-	-	-	-	-	1	1	-	4	1	2	1	2	3	1	-	4	7	4
44	-	-	-	-	-	-	-	-	2	3	2	1	6	4	-	-	3	1	5
45	-	-	-	-	-	-	-	1	-	1	2	-	1	3	3	3	2	1	4
46	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	2	1	1	3
47	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3
48	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	2
49	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	1
50-54	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	4	2	2
55-59	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	3	1	1	2	1	-	-	1	1	1	-

groom and bride in single years. First marriages only

Age of Bride																				ALL AGES	Age of groom			
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74			75 & over	Not stated	
276	202	145	95	77	62	56	28	19	28	20	15	12	8	11	35	14	13	1	3	-	39	16,002	ALL AGES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144	21
1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	269	22
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	474	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	789	24
2	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,232	25
4	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,453	26
8	6	2	2	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	1,702	27
9	5	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1,619	28
11	11	11	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1,454	29
12	8	8	2	3	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1,337	30
20	11	9	4	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,142	31
22	14	9	3	5	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	899	32
30	17	9	4	1	2	4	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	717	33
22	15	11	4	2	5	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	578	34
23	17	9	7	2	1	6	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	417	35
21	15	7	5	6	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309	36
12	12	12	7	10	5	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	254	37
19	17	8	9	5	4	4	-	3	2	-	2	-	-	1	-	-	-	-	-	-	-	1	187	38
8	8	10	8	3	2	3	2	1	1	-	3	-	-	-	2	-	-	-	-	-	-	-	151	39
7	10	8	6	3	2	2	1	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-	114	40
7	11	5	4	6	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	96	41
12	5	2	3	4	5	2	1	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	79	42
5	1	4	5	2	-	3	3	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-	62	43
7	3	2	5	-	4	3	2	-	2	4	-	1	-	-	1	-	-	-	-	-	-	-	61	44
2	4	2	2	3	2	1	2	1	1	1	-	1	2	1	2	-	-	-	-	-	-	-	48	45
2	3	1	3	2	-	1	2	2	1	3	-	2	-	1	-	-	-	-	-	-	-	-	34	46
-	1	-	-	2	2	2	1	1	5	1	2	1	-	1	-	-	-	-	-	-	-	-	25	47
4	-	1	-	3	3	-	1	2	-	2	-	-	-	-	2	-	1	-	-	-	-	-	27	48
-	4	-	2	2	2	3	1	-	-	1	2	2	1	-	2	-	-	-	-	-	-	-	28	49
2	2	3	3	3	3	4	2	-	4	1	1	2	3	2	8	3	1	-	-	-	-	-	60	50-54
2	-	-	-	1	-	2	-	-	1	1	-	-	1	1	6	4	3	1	-	-	-	-	30	55-59
-	-	1	-	-	-	1	-	-	1	-	-	1	-	1	2	5	2	-	1	-	-	-	15	60-64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	9	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	-	-	-	7	70-74
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	75 & over
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	38	Not stated	

Table 48 Marriages registered in 1996 classified according to form of ceremony and age of groom

Form of ceremony	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	70	1,567	6,929	4,229	1,149	341	138	51	35	82	16	14,607	30.0
Church of Ireland	-	57	183	162	35	13	5	1	1	5	21	483	30.7
Presbyterian	-	14	36	26	8	3	1	1	1	-	1	91	30.3
Other Religious denominations	3	13	29	11	3	3	1	2	-	-	-	65	29.2
Civil marriages	8	88	302	251	130	71	33	19	12	14	-	928	33.1
TOTAL	81	1,739	7,479	4,679	1,325	431	178	74	49	101	38	16,174	30.2

Table 49 Marriages registered in 1996 classified according to form of ceremony and age of bride

Form of ceremony	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	166	3,188	7,356	2,862	674	173	68	33	20	50	17	14,607	28.2
Church of Ireland	4	93	228	93	33	5	3	1	-	2	21	483	28.7
Presbyterian	1	26	37	19	5	-	-	2	-	-	1	91	28.3
Other Religious denominations	1	18	27	9	6	3	-	-	1	-	-	65	28.5
Civil marriages	20	167	341	227	95	33	16	16	4	9	-	928	30.4
TOTAL	192	3,492	7,989	3,210	813	214	87	52	25	61	39	16,174	28.4

Table 50 Marriages registered in 1996 classified by socio-economic group and age of groom

Socio-economic group of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	3	102	484	379	142	51	28	15	5	13	4	1,226	31.7
Other agricultural occupations and fishermen	2	35	97	50	19	5	4	1	2	-	1	216	29.7
Higher professional	-	36	540	467	119	40	12	5	3	4	4	1,230	31.3
Lower professional	1	80	511	388	111	43	13	4	5	8	1	1,165	31.0
Employers and managers	5	131	844	635	179	64	34	14	8	15	11	1,940	31.2
Salaried employees	-	65	344	226	53	15	7	4	-	3	-	717	30.2
Intermediate non-manual workers	1	210	902	475	136	37	11	7	1	9	4	1,793	29.7
Other non-manual workers	2	187	764	426	105	34	10	8	5	5	3	1,549	29.7
Skilled manual workers	11	497	2,078	1,221	326	89	32	7	9	10	7	4,287	29.7
Other manual workers	11	277	750	339	104	41	16	4	1	5	2	1,550	29.1
Not stated	45	119	165	73	31	12	11	5	10	29	1	501	30.8
TOTAL	81	1,739	7,479	4,679	1,325	431	178	74	49	101	38	16,174	30.2

Table 51 Marriages registered in 1996 classified by socio-economic group and age of bride

Socio-economic group of bride	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	2	22	40	24	10	4	3	2	-	4	-	111	31.4
Other agricultural occupations and fishermen	-	13	21	13	3	-	-	-	-	-	-	50	28.1
Higher professional	4	63	563	264	56	14	4	2	1	2	4	977	29.5
Lower professional	3	340	1,398	708	175	45	13	14	2	6	7	2,711	29.4
Employers and managers	1	165	686	315	64	12	4	6	1	3	9	1,266	29.0
Salaried employees	-	58	203	94	17	5	1	-	-	-	1	379	28.7
Intermediate non- manual workers	27	1,165	2,695	982	258	55	21	6	5	9	8	5,231	28.1
Other non- manual workers	17	459	783	286	68	25	15	1	3	3	6	1,666	27.8
Skilled manual workers	4	235	475	146	39	8	2	3	1	1	3	917	27.8
Other manual workers	22	448	677	187	51	17	6	1	2	-	-	1,411	27.1
Not stated	112	524	448	191	72	29	18	17	10	33	1	1,455	28.1
TOTAL	192	3,492	7,989	3,210	813	214	87	52	25	61	39	16,174	28.4

Table 52 Marriages registered in 1996 classified by socio-economic group of bride and groom

Socio-economic group of groom	Socio-economic group of bride											TOTAL
	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non- manual workers	Other non- manual workers	Skilled manual workers	Other manual workers	Not stated	
Farmers, relatives assisting and farm managers	45	10	49	223	76	16	444	110	61	112	80	1,226
Other agricultural occupations and fishermen	3	11	6	29	12	2	56	28	12	30	27	216
Higher professional	2	-	334	298	113	42	303	55	27	15	41	1,230
Lower professional	6	-	93	472	91	33	271	67	51	35	46	1,165
Employers and managers	4	4	126	329	324	74	650	183	68	74	104	1,940
Salaried employees	2	3	48	125	63	49	267	66	28	35	31	717
Intermediate non- manual workers	12	4	68	246	114	40	784	185	117	124	99	1,793
Other non- manual workers	4	2	37	155	109	26	518	281	106	151	160	1,549
Skilled manual workers	23	11	186	678	284	85	1,420	493	323	442	342	4,287
Other manual workers	7	4	20	127	61	8	474	167	110	364	208	1,550
Not stated	3	1	10	29	19	4	44	31	14	29	317	501
TOTAL	111	50	977	2,711	1,266	379	5,231	1,666	917	1,411	1,455	16,174

Table 53 Marriages registered in 1996 classified by age and area of residence of groom before marriage

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
TOTAL	81	1,739	7,479	4,679	1,325	431	178	74	49	101	38	16,174	30.2
LEINSTER	39	791	3,390	2,055	611	193	86	32	25	55	15	7,292	30.3
Carlow	1	28	72	38	13	2	-	-	1	2	1	158	29.5
Dublin County Borough	9	168	897	654	183	63	31	12	11	16	4	2,048	31.0
South Dublin	4	65	315	143	52	7	2	2	2	3	1	596	29.6
Fingal	2	59	302	197	55	16	6	1	2	4	-	644	30.3
Dun Laoghaire Rathdown	1	49	373	243	76	27	9	5	3	7	6	799	31.0
Kildare	1	55	205	125	32	15	6	1	-	5	1	446	30.2
Kilkenny	1	28	101	47	16	3	5	-	-	1	-	202	29.7
Laois	3	24	106	45	13	4	2	1	1	1	-	200	29.4
Longford	3	21	52	32	8	10	3	-	-	-	-	129	30.0
Louth	3	49	177	80	23	9	3	2	1	1	-	348	29.5
Meath	1	49	197	99	28	7	4	1	-	3	-	389	29.7
Offaly	1	35	99	70	19	2	1	1	-	1	1	230	29.4
Westmeath	4	38	118	62	21	3	6	1	2	2	1	258	29.9
Wexford	3	64	192	96	38	9	6	4	1	1	-	414	29.8
Wicklow	2	59	184	124	34	16	2	1	1	8	-	431	30.4
MUNSTER	20	464	1,944	1,042	318	105	52	23	12	20	7	4,007	30.0
Clare	1	45	164	88	39	6	6	2	-	2	1	354	30.1
Cork County Borough	6	64	313	158	46	5	5	3	-	2	-	602	29.5
Cork County	2	126	509	312	77	33	19	9	1	6	5	1,099	30.3
Kerry	4	45	205	133	48	16	7	1	3	2	-	464	30.4
Limerick County Borough	1	26	113	59	15	4	2	-	-	2	-	222	29.8
Limerick County	4	46	214	104	30	17	2	3	3	3	-	426	30.1
Tipperary, N.R.	-	25	118	55	18	7	2	-	-	-	1	226	29.6
Tipperary, S.R.	1	43	124	49	24	8	4	3	4	1	-	261	30.1
Waterford County Borough	-	14	67	26	7	4	-	1	-	-	-	119	29.2
Waterford County	1	30	117	58	14	5	5	1	1	2	-	234	30.1
CONNACHT	14	187	705	409	127	37	15	10	6	9	2	1,521	30.1
Galway County Borough	1	20	93	44	15	5	2	1	2	2	1	186	30.3
Galway County	6	56	251	153	40	18	4	3	-	2	-	533	30.0
Leitrim	-	7	38	27	7	-	1	2	1	2	-	85	31.8
Mayo	3	66	166	94	34	9	6	3	1	1	-	383	29.8
Roscommon	1	10	58	41	13	2	1	-	1	-	1	128	30.2
Sligo	3	28	99	50	18	3	1	1	1	2	-	206	29.8
ULSTER (part of)	5	162	437	237	50	29	5	4	3	4	1	937	29.3
Cavan	1	30	111	58	18	9	1	1	-	1	-	230	29.7
Donegal	3	104	228	127	24	12	3	1	2	2	1	507	29.0
Monaghan	1	28	98	52	8	8	1	2	1	1	-	200	29.7
IRELAND*	78	1,604	6,476	3,743	1,106	364	158	69	46	88	25	13,757	30.1
Northern Ireland	1	30	124	87	30	5	4	1	1	2	4	289	30.5
England and Wales	1	63	542	506	95	25	7	3	2	5	5	1,254	30.7
Scotland	-	5	28	28	5	2	-	-	-	-	-	68	30.2
Elsewhere	-	36	307	314	89	35	9	1	-	6	4	801	31.6
Not stated	1	1	2	1	-	-	-	-	-	-	-	5	25.1

* Exclusive of Northern Ireland

Table 54 Marriages registered in 1996 classified by age and area of residence of bride before marriage

Area of residence of bride	Age of Bride											Average age	
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		All ages
TOTAL	192	3,492	7,989	3,210	813	214	87	52	25	61	39	16,174	28.4
LEINSTER	99	1,568	3,651	1,460	377	102	47	24	10	34	16	7,388	28.5
Carlow	3	41	71	32	6	4	-	1	-	1	-	159	28.1
Dublin County Borough	23	321	1,022	489	128	37	18	5	3	8	1	2,055	29.1
South Dublin	6	121	309	117	23	8	4	1	1	2	-	592	28.2
Fingal	9	144	348	118	27	7	4	2	1	2	-	662	28.2
Dun Laoghaire Rathdown	3	106	430	190	42	8	3	3	-	12	8	805	29.5
Kildare	5	114	186	84	23	3	3	3	-	2	1	424	28.2
Kilkenny	4	53	99	29	12	5	2	-	-	-	-	204	28.0
Laois	3	61	117	19	11	1	1	2	-	-	-	215	27.3
Longford	8	26	53	24	8	3	1	-	-	-	-	123	28.1
Louth	8	88	174	58	13	6	2	1	-	-	2	352	27.8
Meath	4	119	192	75	13	5	3	1	1	1	1	415	27.8
Offaly	2	75	118	21	11	5	1	1	1	-	2	237	27.3
Westmeath	8	77	129	55	16	3	2	1	-	1	-	292	27.9
Wexford	8	116	205	74	19	5	2	1	1	1	-	432	27.7
Wicklow	5	106	198	75	25	2	1	2	2	4	1	421	28.4
MUNSTER	37	1,001	2,027	745	208	59	18	11	9	15	11	4,141	28.1
Clare	5	85	160	75	15	8	1	1	-	1	1	352	28.2
Cork County Borough	7	134	353	118	31	9	3	1	-	1	2	659	28.1
Cork County	9	231	560	198	60	18	3	4	-	6	7	1,096	28.3
Kerry	4	116	205	90	30	6	3	2	2	-	-	458	28.3
Limerick County Borough	2	68	86	39	11	2	3	-	1	-	-	212	27.9
Limerick County	5	106	215	69	17	5	-	-	2	4	-	423	28.0
Tipperary, N.R.	2	62	131	52	15	1	3	1	2	-	-	269	28.4
Tipperary, S.R.	1	94	130	51	15	5	1	1	2	1	1	302	28.0
Waterford County Borough	-	38	67	14	5	1	1	-	-	-	-	126	27.3
Waterford County	2	67	120	39	9	4	-	1	-	2	-	244	28.0
CONNACHT	32	363	797	306	93	23	7	5	3	3	1	1,633	28.3
Galway County Borough	5	47	96	44	15	5	1	2	-	1	-	216	28.8
Galway County	6	117	288	88	34	6	4	2	-	-	-	545	28.2
Leitrim	1	21	41	19	5	1	1	-	-	1	-	90	28.7
Mayo	14	96	179	81	23	6	-	1	-	1	-	401	28.1
Roscommon	1	32	69	32	7	3	-	-	1	-	1	146	28.4
Sligo	5	50	124	42	9	2	1	-	2	-	-	235	28.0
ULSTER (part of)	17	321	482	166	32	14	8	4	1	4	4	1,053	27.5
Cavan	6	56	112	39	11	6	2	1	-	1	1	235	28.2
Donegal	10	190	249	96	15	4	4	2	1	2	2	575	27.3
Monaghan	1	75	121	31	6	4	2	1	-	1	1	243	27.4
IRELAND*	185	3,253	6,957	2,677	710	198	80	44	23	56	32	14,215	28.3
Northern Ireland	2	31	71	37	9	2	1	2	-	-	1	156	29.0
England and Wales	2	141	594	279	52	10	3	4	2	2	4	1,093	28.9
Scotland	-	5	26	13	2	-	1	-	-	-	-	47	29.0
Elsewhere	3	61	340	204	40	4	2	2	-	3	2	661	29.5
Not stated	-	1	1	-	-	-	-	-	-	-	-	2	25.5

* Exclusive of Northern Ireland

Table 55 Marriages registered in each county in 1996 classified by

Area of residence of groom	Area of residence of Bride																			
	TOTAL	Car-low	Dubl-in C.B.	Sou-th Dub.	Fin-gal	Dun Laog. Rdo-wn	Kild-are	Kilk-enney	Lao-is	Lon-gford	Lou-th	Mea-th	Offa-ly	Wes-tmea-th	Wex-ford	Wic-klow	Clare	Cork C. B.	Cork Co.	Ker-ry
TOTAL	16,174	159	2,055	592	662	805	424	204	215	123	352	415	237	292	432	421	352	659	1,096	458
Carlow	158	106	3	1	-	2	5	6	3	-	1	2	1	2	5	12	1	-	1	-
Dublin County																				
Borough	2,048	2	1,509	69	103	103	20	6	1	6	13	22	6	10	11	14	4	5	19	7
South Dublin	596	2	81	398	20	36	8	1	1	1	3	7	1	4	3	4	2	-	4	1
Fingal	644	1	96	14	432	23	1	2	3	2	4	9	-	6	4	-	3	3	9	-
Dun Laoghaire																				
Rathdown	799	-	107	42	25	510	7	1	5	2	3	7	1	2	2	24	2	8	9	3
Kildare	446	5	23	10	4	13	310	2	7	2	-	6	3	1	8	7	1	6	7	-
Kilkenny	202	4	7	2	-	4	3	132	7	1	-	1	1	-	7	2	2	-	4	1
Laois	200	5	4	1	2	3	6	2	137	-	-	2	13	3	-	1	1	1	4	-
Longford	129	-	3	-	2	1	1	-	1	81	-	2	1	7	1	1	-	-	2	-
Louth	348	-	11	7	6	1	-	-	1	282	14	-	1	1	1	-	1	-	2	-
Meath	389	-	27	5	9	7	7	2	1	-	10	275	-	9	-	2	1	1	-	-
Offaly	230	-	6	-	2	3	4	-	9	-	-	3	160	11	1	3	-	1	1	2
Westmeath	258	-	6	-	1	2	1	-	1	5	1	7	13	194	-	-	2	2	1	-
Wexford	414	8	3	1	4	4	2	6	4	-	-	2	-	1	346	11	1	1	2	1
Wicklow	431	5	19	6	5	30	10	3	1	-	-	1	-	-	3	319	-	2	4	2
Clare	354	1	6	-	-	2	1	1	-	-	-	1	2	-	-	1	273	1	4	3
Cork County																				
Borough	602	-	6	-	1	1	-	1	1	-	-	1	1	2	1	-	1	462	99	4
Cork County	1,099	2	10	4	3	5	1	3	3	1	-	3	1	1	3	-	6	123	823	20
Kerry	464	-	6	-	3	-	1	1	2	-	1	1	1	-	3	-	1	6	21	383
Limerick County																				
Borough	222	1	1	-	-	1	-	-	1	1	1	-	-	-	1	-	11	2	3	1
Limerick County	426	3	5	2	1	4	4	-	1	-	-	4	3	2	2	2	14	4	22	14
Tipperary N.R.	226	2	4	1	-	1	1	3	7	1	-	1	7	2	1	-	3	1	4	2
Tipperary S.R.	261	2	1	1	1	1	1	6	-	-	-	-	1	-	-	1	2	1	7	1
Waterford																				
County																				
Borough	119	-	1	2	-	-	-	-	2	-	-	1	-	-	1	-	1	-	-	1
Waterford	234	-	1	-	1	-	3	6	-	-	-	1	-	-	4	1	-	1	5	-
Galway County																				
Borough	186	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	4	1	-	-
Galway County	533	2	3	1	-	1	1	3	3	1	1	4	9	2	1	-	4	2	-	-
Leitrim	85	-	3	-	-	2	-	-	-	1	-	1	1	1	-	-	-	-	1	-
Mayo	383	-	5	3	1	1	2	-	-	-	1	3	1	4	-	2	3	1	2	2
Roscommon	128	-	1	-	-	3	-	1	1	4	1	-	2	6	-	-	1	1	-	-
Sligo	206	-	5	1	-	1	1	1	1	-	2	-	-	-	2	-	-	-	2	2
Cavan	230	-	7	1	2	1	3	1	2	5	-	10	1	7	-	-	-	-	-	-
Donegal	507	-	7	1	-	3	2	1	-	-	2	2	3	1	2	-	1	1	-	-
Monaghan	200	-	5	-	1	1	1	-	-	2	4	6	-	-	-	1	-	-	1	-
IRELAND*	13,757	151	1,982	573	629	772	407	193	205	117	330	399	233	279	413	408	346	637	1,063	450
Northern Ireland	289	-	9	2	5	1	4	1	-	2	14	4	-	2	1	-	2	3	4	2
England and Wales	1,254	3	33	7	16	13	5	5	5	2	4	5	2	7	10	4	2	11	17	5
Scotland	68	-	7	-	3	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-
Elsewhere	801	4	24	10	9	18	7	4	3	2	3	7	2	3	8	9	2	8	12	1
Not stated	5	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

* Exclusive of Northern Ireland

area of residence of bride and groom before marriage

	Area of residence of Bride																				
	Li- me- rick C. B.	Li- me- rick Co.	Ti- pp N. R.	Ti- pp S. R.	Wa- ter- ford C. B.	Wa- ter- ford Co.	Ga- lw- ay C. B.	Ga- lw- ay Co.	Lei- trim	Ma- yo	Ros- com- mon	Sli- go	Ca- van	Do- ne- gal	M- on- ag- han	IRELA- ND*	Nth Irl	Eng & Wales	Scot	Else- where	Not stated
	212	423	269	302	126	244	216	545	90	401	146	235	235	575	243	14,215	156	1,093	47	661	2
	-	1	1	-	-	-	-	2	-	-	-	1	-	-	-	156	-	2	-	-	-
	1	9	7	7	1	2	8	12	1	16	3	7	5	14	4	2,027	5	13	1	2	-
	-	1	2	2	-	-	1	3	-	1	1	-	2	-	1	591	2	-	-	3	-
	-	4	3	3	1	-	2	1	-	1	1	2	4	-	2	636	1	4	-	3	-
	-	2	3	3	-	1	-	3	1	2	2	3	3	3	1	787	1	7	-	4	-
	1	1	3	1	-	1	2	1	2	6	-	-	2	5	1	441	-	2	1	2	-
	1	1	5	6	3	4	-	-	-	-	-	-	1	-	1	200	-	2	-	-	-
	1	-	5	-	-	-	1	1	-	1	3	-	-	1	-	198	-	1	-	1	-
	-	1	-	-	-	-	1	1	4	2	7	1	6	1	-	127	1	1	-	-	-
	-	-	1	-	-	-	1	1	-	1	1	1	2	1	8	344	2	-	-	2	-
	1	-	1	1	-	-	-	2	-	2	-	2	8	1	8	382	3	1	-	3	-
	-	1	11	2	1	-	-	3	2	-	3	-	1	-	-	230	-	-	-	-	-
	-	2	-	1	1	-	2	4	-	3	4	1	1	-	1	256	-	-	-	-	2
	-	1	1	2	2	1	-	1	-	-	1	1	-	2	-	409	-	3	-	-	2
	-	3	3	1	-	-	1	1	-	1	1	-	1	4	-	426	3	2	-	-	-
	11	12	6	3	-	1	4	14	-	1	2	2	-	1	-	353	-	1	-	-	-
	2	1	3	3	1	1	-	2	-	1	-	-	-	1	1	597	-	4	-	1	-
	2	17	7	12	2	21	2	3	1	4	-	-	4	2	2	1,091	1	2	1	4	-
	-	15	1	2	1	2	1	3	2	1	-	2	1	2	-	463	-	-	-	1	-
	151	33	2	3	-	1	1	1	-	2	1	1	-	-	-	220	-	1	-	1	-
	29	278	12	4	1	4	1	1	1	1	1	1	-	-	1	422	1	1	-	2	-
	1	10	155	10	-	1	1	4	-	-	-	-	-	-	1	224	-	2	-	-	-
	-	8	10	207	1	2	1	1	-	-	1	1	-	-	1	259	-	2	-	-	-
	-	-	1	2	95	8	-	-	-	-	-	-	-	-	1	116	1	-	1	1	-
	1	1	1	6	15	184	1	-	1	-	-	-	-	-	-	233	-	-	-	1	-
	-	-	2	-	-	-	134	31	1	4	1	1	1	1	-	185	-	-	-	1	-
	3	3	6	3	-	1	35	403	1	19	7	3	-	5	2	529	-	1	-	3	-
	-	-	-	-	-	-	1	1	51	1	4	9	3	3	-	83	-	2	-	-	-
	2	1	1	1	-	-	6	16	-	288	8	16	3	5	1	379	-	3	-	1	-
	-	2	-	1	-	-	2	6	2	8	77	7	-	1	-	127	1	-	-	-	-
	-	1	2	1	-	-	-	2	6	10	6	149	2	5	-	202	-	3	-	1	-
	-	-	1	1	-	-	-	-	5	-	1	2	160	3	13	226	2	2	-	-	-
	-	1	-	1	-	2	1	3	4	4	3	5	3	443	1	497	7	1	-	2	-
	-	-	1	2	-	-	-	2	-	-	1	-	10	2	155	195	4	-	-	1	-
	207	410	257	291	125	237	210	529	85	380	140	218	223	506	206	13,611	35	63	4	44	-
	-	-	-	2	-	1	1	4	3	6	2	7	6	51	28	167	117	2	1	2	-
	2	5	4	6	-	3	1	8	1	8	3	6	5	11	5	224	3	1,023	-	4	-
	2	2	1	-	-	-	-	-	-	1	-	1	1	2	1	26	-	1	41	-	-
	1	5	7	3	1	3	4	4	1	6	1	3	-	5	3	183	1	4	1	611	1
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1

* Exclusive of Northern Ireland

Table 56 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by age of groom

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	2	29	118	83	22	5	4	2	1	1	4	271	30.2
England and Wales	3	67	549	526	98	26	10	4	2	4	6	1,295	30.7
Scotland	-	5	30	22	5	2	-	-	-	-	-	64	29.8
Europe (remainder)	-	11	84	85	25	9	3	2	-	-	3	222	31.3
U.S.A	-	33	235	221	50	19	6	1	1	3	1	570	31.1
Canada	-	1	12	6	4	-	-	-	-	2	-	25	33.7
Australia and New Zealand	-	6	26	42	8	4	-	-	-	-	-	86	31.2
Elsewhere	-	2	31	17	11	6	-	1	-	1	2	71	32.4
TOTAL	5	154	1,085	1,002	223	71	23	10	4	11	16	2,604	30.9

Table 57 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by age of bride

Country of future permanent residence	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	5	65	126	55	12	2	3	1	-	-	2	271	28.2
England and Wales	2	164	724	309	65	13	3	4	3	2	6	1,295	28.9
Scotland	-	9	40	12	3	-	-	-	-	-	-	64	28.0
Europe (remainder)	2	16	125	59	14	2	1	-	-	-	3	222	29.1
U.S.A	2	71	289	168	30	3	2	2	-	2	1	570	29.3
Canada	-	1	15	5	2	-	-	1	-	1	-	25	31.7
Australia and New Zealand	1	9	41	28	7	-	-	-	-	-	-	86	29.3
Elsewhere	-	7	32	23	5	1	-	-	-	1	2	71	30.1
TOTAL	12	342	1,392	659	138	21	9	8	3	6	14	2,604	29.0

Table 58 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom

Country of future permanent residence	Farmer-s, relatives assisting and Farm managers	Other agricultural occupations & fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	TOTAL
Northern Ireland	15	3	21	28	29	9	34	35	71	21	5	271
England and Wales	9	7	242	140	199	53	97	98	372	66	12	1,295
Scotland	-	1	11	11	9	1	4	6	16	5	-	64
Europe (remainder)	-	1	38	24	47	9	25	19	52	3	4	222
U.S.A	2	3	70	58	67	35	48	46	199	29	13	570
Canada	-	1	4	2	4	-	1	2	8	2	1	25
Australia and New Zealand	5	-	12	7	11	6	4	6	34	1	-	86
Elsewhere	2	2	9	13	23	4	1	4	13	-	-	71
TOTAL	33	18	407	283	389	117	214	216	765	127	35	2,604

Table 59 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride

Country of future permanent residence	Socio-economic group of bride												TOTAL
	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated		
Northern Ireland	1	3	24	62	20	4	78	31	15	18	15	271	
England and Wales	2	2	155	334	184	31	364	84	51	32	56	1,295	
Scotland	-	-	10	13	7	4	14	6	4	4	2	64	
Europe (remainder)	-	1	16	58	38	6	54	15	17	3	14	222	
U.S.A.	2	-	52	134	72	19	143	74	26	23	25	570	
Canada	-	-	5	5	1	-	8	3	1	1	1	25	
Australia and New Zealand	-	1	8	26	3	4	22	12	5	4	1	86	
Elsewhere	-	-	8	25	4	3	13	10	3	-	5	71	
TOTAL	5	7	278	657	329	71	696	235	122	85	119	2,604	

Table 60 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified by form of ceremony

Country of future permanent residence	Total Marriages	Form of Ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Northern Ireland	271	210	25	18	2	-	4	12
England and Wales	1,295	1,178	72	9	4	1	1	30
Scotland	64	52	7	-	-	-	-	5
Europe (remainder)	222	183	17	2	2	-	-	18
U.S.A.	570	540	9	-	6	-	-	15
Canada	25	20	3	-	-	-	-	2
Australia and New Zealand	86	79	4	-	-	-	-	3
Elsewhere	71	52	11	1	-	-	-	7
TOTAL	2,604	2,314	148	30	14	1	5	92

Table 61 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of groom before marriage

Country of future permanent residence	Total	Area of residence of groom						Not stated
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	
Northern Ireland	271	10	7	4	3	22	225	-
England and Wales	1,295	42	40	38	24	11	1,140	-
Scotland	64	3	1	1	3	1	55	-
Europe (remainder)	222	18	11	11	8	3	171	-
U.S.A	570	27	17	39	28	11	448	-
Canada	25	2	2	2	2	-	17	-
Australia and New Zealand	86	8	7	4	-	-	67	-
Elsewhere	71	8	4	6	1	-	52	-
TOTAL	2,604	118	89	105	69	48	2,175	-

Table 62 Marriages registered in 1996 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of bride before marriage

Country of future permanent residence	Total	Area of residence of bride						Not stated
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (Part of)	Other countries	
Northern Ireland	271	11	24	9	19	77	131	-
England and Wales	1,295	90	69	68	37	26	1,005	-
Scotland	64	11	3	6	1	3	40	-
Europe (remainder)	222	40	19	22	14	4	123	-
U.S.A	570	46	35	50	26	7	406	-
Canada	25	4	4	2	1	1	13	-
Australia and New Zealand	86	16	17	6	1	-	46	-
Elsewhere	71	13	4	9	5	1	39	-
TOTAL	2,604	231	175	172	104	119	1,803	-

APPENDIX

Table A' Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by principal groups of causes, sex and age

Cause of Death	Age at death																					All ages
	Under one year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 & over	
ALL CAUSES																						
M	4	3	3	2	4	2	4	5	2	4	3	2	5	9	18	18	36	29	14	12	3	182
F	7	2	1	-	1	4	1	1	1	1	2	8	5	8	21	17	21	30	25	14	6	176
Infective and parasitic diseases																						
M	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms																						
M	-	-	1	-	-	-	-	-	-	-	-	-	-	3	2	3	7	2	4	1	-	23
F	-	-	1	-	-	-	-	-	1	-	2	6	2	6	7	3	5	6	1	1	3	44
Ischaemic and other forms of heart disease																						
M	-	-	-	-	1	-	-	-	-	1	2	1	3	3	12	9	16	13	5	6	2	74
F	-	-	-	-	-	-	-	-	-	-	-	2	2	-	9	5	9	12	7	3	2	51
Hypertensive disease																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Cerebrovascular disease																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	6
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	4	-	16
Other diseases of the circulatory system																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	4
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
Diseases of the respiratory system																						
M	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	7	4	1	2	1	22
F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	3	4	6	4	1	22
Other diseases																						
M	3	-	-	1	-	-	1	1	-	1	1	-	1	2	1	1	1	6	2	1	-	23
F	6	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	2	5	4	1	-	23
Injury and poisoning																						
M	1	3	2	1	3	2	3	3	2	2	-	-	-	1	1	1	3	-	-	-	-	28
F	-	2	-	-	-	4	1	1	-	-	-	-	1	1	1	3	-	-	2	-	-	16

* See definition on page 9 - "issue of authority for registration"

Table B' Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by principal groups of causes, sex and year of occurrence

Cause of Death	Year of occurrence											
	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984 and earlier
ALL CAUSES												
M	19	40	22	12	9	6	12	3	4	4	1	50
F	20	44	22	17	9	12	7	2	2	5	4	32
Infective and parasitic diseases												
M	-	-	-	-	-	1	-	-	-	-	-	1
F	-	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms												
M	1	5	5	1	3	1	1	1	1	-	-	4
F	6	11	4	4	3	4	2	1	-	2	2	5
Ischaemic and other forms of heart disease												
M	7	6	5	6	2	2	10	1	2	3	1	29
F	5	11	7	6	1	5	2	-	1	1	1	11
Hypertensive disease												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	1	-	-	-	-	-
Cerebrovascular disease												
M	1	1	-	2	1	1	-	-	-	-	-	-
F	1	4	3	-	2	-	-	1	-	1	-	4
Other diseases of the circulatory system												
M	-	-	1	-	-	-	-	-	1	-	-	2
F	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of the respiratory system												
M	4	5	3	1	1	-	1	-	-	1	-	6
F	2	3	4	2	1	2	1	-	1	-	-	6
Other diseases												
M	3	7	3	1	-	1	-	1	-	-	-	7
F	4	5	2	4	1	-	1	-	-	-	1	5
Injury and poisoning												
M	3	16	5	1	2	-	-	-	-	-	-	1
F	2	8	2	1	1	1	-	-	-	1	-	-

* See definition on page 9 - "issue of authority for registration"

Table C' Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by sex and age

Cause of Death	ICD-9 Code	Age at death										All ages
		0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 & over	
TOTAL												
M		6	4	5	6	2	-	2	4	-	-	29
F		2	-	5	1	-	1	2	3	2	-	16
Railway accidents												
M	E800-807	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents												
M	E810-829	3	2	2	1	-	-	-	3	-	-	11
F		-	-	2	1	-	1	-	1	-	-	5
Accidental poisoning												
M	E850-869	-	-	-	1	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	1	-	-	1
Accidental falls												
M	E880-888	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	1	-	2	-	3
Accidents caused by fire, explosion and burns												
M	E890-899,	1	-	-	1	-	-	-	-	-	-	2
F	E921,923,924	1	-	1	-	-	-	-	-	-	-	2
Accidental drowning and submersion												
M	E910	-	-	-	1	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-
Suicide and self-inflicted injury												
M	E950-959	-	1	3	-	1	-	1	1	-	-	7
F		-	-	-	-	-	-	-	1	-	-	1
Injury undetermined whether accidentally or purposely inflicted												
M	E980-989	-	1	-	-	-	-	1	-	-	-	2
F		-	-	-	-	-	-	-	-	-	-	-
Other accidents and external causes												
M	R(E800-999)	2	-	-	2	1	-	-	-	-	-	5
F		1	-	2	-	-	-	1	-	-	-	4

* See definition on page 9 - "issue of authority for registration"

Table D Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1996, classified by sex and year of occurrence

Cause of Death	ICD-9 Code	Year of occurrence											
		1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984- and earlier
TOTAL													
M		4	16	5	1	2	-	-	-	-	-	-	1
F		2	8	2	1	1	1	-	-	-	1	-	-
Railway accidents													
M	E800-807	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents													
M	E810-829	-	8	2	1	-	-	-	-	-	-	-	-
F		1	4	-	-	-	-	-	-	-	-	-	-
Accidental poisoning													
M	E850-869	1	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	-	-
Accidental falls													
M	E880-888	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	1	1	-	-	-	-	1	-	-
Accidents caused by fire, explosion and burns													
M	E890-899,	-	-	2	-	-	-	-	-	-	-	-	-
F	E921,923,924	-	-	2	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion													
M	E910	-	1	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Suicide and self-inflicted injury													
M	E950-959	3	3	-	-	-	-	-	-	-	-	-	1
F		-	1	-	-	-	-	-	-	-	-	-	-
Injury undetermined whether accidentally or purposely inflicted													
M	E980-989	-	-	1	-	1	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other accidents and external causes													
M	R(E800-999)	-	4	-	-	1	-	-	-	-	-	-	-
F		-	3	-	-	-	1	-	-	-	-	-	-

* See definition on page 9 - "issue of authority for registration"

Appendix E Crude and standardised death rates in each province, county and county borough in 1991

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
Total	8.88	8.88
Leinster	7.79	8.72
Carlow	8.99	9.78
Dublin County Borough	10.41	9.32
Dublin Belgard	3.11	6.43
Dublin Fingal	4.12	7.51
Dun Laoghaire Rathdown	7.38	7.51
Kildare	6.35	9.80
Kilkenny	8.75	8.62
Laois	8.75	8.60
Longford	11.52	10.16
Louth	8.59	9.56
Meath	7.10	8.43
Offaly	8.50	8.73
Westmeath	9.68	9.88
Wexford	9.35	9.15
Wicklow	7.22	7.85
Munster	9.74	9.32
Clare	9.51	8.74
Cork County Borough	8.56	8.62
Cork County	10.05	9.90
Kerry	11.25	9.05
Limerick County Borough	10.16	10.49
Limerick County	8.63	9.18
Tipperary North Riding	10.49	9.35
Tipperary South Riding	10.05	9.32
Waterford County Borough	7.51	8.55
Waterford County	10.10	9.45
Connacht	10.67	8.45
Galway County Borough	5.23	6.63
Galway County	10.23	8.41
Leitrim	15.26	9.95
Mayo	12.09	8.57
Roscommon	11.27	8.04
Sligo	11.18	8.94
Ulster (part of)	10.59	8.93
Cavan	11.10	9.10
Donegal	10.64	8.81
Monaghan	9.92	9.05

Appendix E Crude and standardised death rates in each province, county and county borough in 1992

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
Total	8.70	8.70
Leinster	7.75	8.67
Carlow	9.91	10.78
Dublin County Borough	9.91	8.88
Dublin Belgard	3.54	7.64
Dublin Fingal	3.96	7.33
Dun Laoghaire Rathdown	7.06	7.15
Kildare	6.47	9.88
Kilkenny	8.49	8.39
Laois	9.86	9.67
Longford	10.02	8.88
Louth	8.54	9.50
Meath	7.26	8.65
Offaly	9.90	10.29
Westmeath	8.74	8.93
Wexford	9.57	9.34
Wicklow	7.60	8.23
Munster	9.40	8.99
Clare	9.08	8.32
Cork County Borough	8.78	8.80
Cork County	9.15	9.02
Kerry	11.87	9.51
Limerick County Borough	9.39	9.66
Limerick County	8.22	8.75
Tipperary North Riding	9.55	8.49
Tipperary South Riding	10.17	9.42
Waterford County Borough	7.23	8.10
Waterford County	9.92	9.32
Connacht	10.56	8.33
Galway County Borough	5.09	6.40
Galway County	10.52	8.61
Leitrim	15.29	9.74
Mayo	11.61	8.30
Roscommon	10.89	7.68
Sligo	11.09	8.76
Ulster (part of)	9.97	8.44
Cavan	11.07	9.06
Donegal	9.68	8.09
Monaghan	9.55	8.74

Appendix E Crude and standardised death rates in each province, county and county borough in 1993

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
Total	8.99	8.99
Leinster	8.04	9.01
Carlow	9.25	10.04
Dublin County Borough	10.28	9.19
Dublin Belgard	3.69	8.15
Dublin Fingal	4.54	8.48
Dun Laoghaire Rathdown	7.49	7.58
Kildare	6.43	9.92
Kilkenny	9.34	9.29
Laois	8.90	8.76
Longford	10.94	9.77
Louth	8.94	9.94
Meath	7.38	8.79
Offaly	9.46	9.84
Westmeath	9.76	9.98
Wexford	9.95	9.70
Wicklow	8.00	8.65
Munster	9.64	9.22
Clare	9.09	8.34
Cork County Borough	9.01	9.06
Cork County	9.51	9.34
Kerry	11.33	9.11
Limerick County Borough	9.98	10.30
Limerick County	8.63	9.19
Tipperary North Riding	11.17	9.92
Tipperary South Riding	10.32	9.58
Waterford County Borough	7.36	8.32
Waterford County	9.81	9.22
Connacht	11.06	8.72
Galway County Borough	5.14	6.49
Galway County	11.20	9.10
Leitrim	15.28	9.95
Mayo	12.19	8.69
Roscommon	11.69	8.25
Sligo	11.37	9.01
Ulster (part of)	10.09	8.53
Cavan	10.35	8.47
Donegal	10.11	8.43
Monaghan	9.75	8.90

Appendix E Crude and standardised death rates in each province, county and county borough in 1994

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
Total	8.63	8.63
Leinster	7.71	8.63
Carlow	8.41	9.23
Dublin County Borough	9.80	8.78
Dublin Belgard	4.00	8.96
Dublin Fingal	4.65	8.68
Dun Laoghaire Rathdown	7.65	7.76
Kildare	6.28	9.54
Kilkenny	7.86	7.76
Laois	8.14	8.06
Longford	9.61	8.61
Louth	8.19	9.19
Meath	6.84	8.16
Offaly	8.37	8.76
Westmeath	9.50	9.72
Wexford	9.33	9.09
Wicklow	8.20	8.86
Munster	9.34	8.95
Clare	8.79	8.06
Cork County Borough	9.66	9.69
Cork County	8.93	8.80
Kerry	10.95	8.80
Limerick County Borough	9.61	9.98
Limerick County	8.21	8.78
Tipperary North Riding	10.83	9.61
Tipperary South Riding	9.25	8.59
Waterford County Borough	7.39	8.38
Waterford County	10.16	9.59
Connacht	10.43	8.24
Galway County Borough	5.26	6.65
Galway County	10.10	8.28
Leitrim	13.41	8.68
Mayo	12.26	8.74
Roscommon	11.29	8.07
Sligo	10.11	8.00
Ulster (part of)	9.59	8.09
Cavan	9.93	8.14
Donegal	9.64	7.99
Monaghan	9.12	8.38

Appendix E Crude and standardised death rates in each province, county and county borough in 1995

Area of residence of deceased	Rates per 1,000 population	
	Crude	Standardised
Total	8.96	8.96
Leinster	8.03	8.99
Carlow	9.49	10.40
Dublin County Borough	10.28	9.19
Dublin Belgard	4.05	8.89
Dublin Fingal	4.48	8.35
Dun Laoghaire Rathdown	8.03	8.14
Kildare	6.45	9.90
Kilkenny	8.48	8.37
Laois	8.98	8.88
Longford	10.95	9.54
Louth	8.60	9.70
Meath	6.95	8.33
Offaly	9.46	9.95
Westmeath	9.14	9.36
Wexford	9.53	9.31
Wicklow	8.19	8.88
Munster	9.40	9.00
Clare	9.55	8.76
Cork County Borough	9.94	9.95
Cork County	8.63	8.51
Kerry	11.07	8.99
Limerick County Borough	10.04	10.45
Limerick County	7.73	8.25
Tipperary North Riding	10.10	9.03
Tipperary South Riding	10.10	9.39
Waterford County Borough	8.67	9.87
Waterford County	9.73	9.13
Connacht	11.31	8.95
Galway County Borough	6.62	8.25
Galway County	11.13	9.18
Leitrim	14.82	9.54
Mayo	12.94	9.21
Roscommon	11.41	8.19
Sligo	11.07	8.73
Ulster (part of)	10.19	8.62
Cavan	10.57	8.71
Donegal	10.58	8.75
Monaghan	8.82	8.07