


Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



Central Statistics Office
An Phríomh-Oifig Staidrimh

Report on Vital Statistics

Tuarascáil ar Staidreamh Beatha

1995

Published by the Stationery Office, Dublin, Ireland.

To be purchased from the:

Central Statistics Office, Information Section, Skehard Road, Cork,

Government Publications Sales Office, Sun Alliance House,
Molesworth Street, Dublin 2,

or through any bookseller.

Compiled by the Central Statistics Office on behalf of the Department of
Health and Children.

Pn 6447. Price £10.00. €12.70 February 1999.

© Government of Ireland 1999

Material compiled and presented by the
Central Statistics Office.

Reproduction is authorised, except for commercial
purposes, provided the source is acknowledged.

ISBN 0-7076-1887-8
ISSN 0075-062X

Contents
Part 1 – Text

	Page
General Summary	9
Marriages	
Number and rate	11
Age at marriage	11
Mode of celebration	12
Socio-economic group	13
Area of residence	13
Births	
Number and rate	18
Age at maternity, parity and duration of marriage	18
Multiple births	21
Deaths	
Number and rate	22
Comparison between counties	22
Causes of death	24
Tuberculosis	28
Cancer	29
Diseases of the circulatory system	34
Respiratory diseases	36
Pregnancy, childbirth and the puerperium	36
Live births, stillbirths and infant mortality	38
Accidents, poisoning and violence	45
Uncertified deaths	48
Inquests and post-mortems	48
Diagram 1	
– Birth, death and marriage rates (per 1,000 population) 1941–1995	25
" 2 – Percentage distribution of principal causes of death for males and females	25
" 3 – Infant and neo-natal mortality rates (per 1,000 live births), 1941–1995	25

Contents

Part 11 – Tables

Table No.		Page
1	Estimated population in thousands in each year 1851–1995	50
2	Estimated population by age, 1990–1995 in thousands	51
3	Population by sex of each county and county borough according to the Census of Population, 1991	52
4	Marriages, births and deaths and natural increase (excess of births over deaths) 1864–1995	53
5	Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1995	54
6A	Marriages and the rates from the years 1971–1995 per 1,000 population	55
6B	Births and deaths and the rates from the years 1971–1995 per 1,000 population	56
6C	Marriages, births and deaths during each year 1987–1995, classified by month and quarter of occurrence	57
7	Deaths from principal causes in Ireland and Northern Ireland, 1995 with rates per 100,000 population	58
8	Average annual number of deaths during the period 1864–1990 and the number of deaths in the years 1986–1995 classified by sex and age	60
9	Average annual death rates for the period 1864–1990 and the death rates for the years 1986–1995 per 1,000 corresponding population classified by sex and age	62
10	Births and deaths in each county and county borough in 1995 and the numbers relating to the resident population of each area, with corresponding particulars for births outside marriage and deaths of infants under one year of age	64
11	Marriages registered in, and births and deaths assigned to each county and county borough, during 1995, showing separately births outside marriage and deaths from certain causes	66
12	Marriage, birth and death rates and the proportions of births outside marriage in each county and county borough and the death rates for some diseases in 1995	67
13	Deaths in 1995, classified by marital status and sex in certain age groups	68
14	Births and deaths assigned to each urban district, in 1995, classified by sex	68
15	Births and deaths classified by sex, in 1995, assigned to the principal towns and aggregate urban and rural districts, showing separately births outside marriage and deaths from tuberculosis and malignant neoplasms	69
16	Birth and death rates in 1995 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of births outside marriage and the death rates from tuberculosis and malignant neoplasms	70
17	Deaths occurring in 1995, classified by age of residents in the aggregate urban districts and in the aggregate rural districts	71
18	Deaths occurring in 1995, classified by sex and age of residents in each province, county and county borough	74
19	Deaths in 1995 classified by cause (International Detailed List, 9th revision, 1975) and by sex and age	78
19A	Deaths from external causes in 1995 classified by the nature of the injury or poisoning and by sex	124
20	Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths	132

Tables (contd.)

Table No.		Page
21	Deaths occurring in 1995, classified by cause (International Abbreviated List) sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts	154
22	Deaths of residents of each province, county and county borough in 1995, classified by place of occurrence	166
23	Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough	168
24	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to the principal towns, other urban districts and rural districts	188
25	Infant mortality – deaths under one year, in 1995 classified by sex, age and cause (International Detailed List)	190
26	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause, assigned to each province	194
27	Infant mortality – deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause, assigned to each county and county borough	196
28	Stillbirths in 1995, classified by cause and sex	206
28A	Stillbirths in 1995, classified by age of mother, sex of child and period of gestation	209
28B	Stillbirths in 1995, classified by age of mother, and number of previous live and stillborn children	209
29	Stillbirths in 1995, classified by cause and period of gestation	210
30	Stillbirths in 1995, classified by cause and number of previous children	211
31	Stillbirths in 1995, classified by cause and age group of mother	212
32	Stillbirths in 1995, classified by cause and weight	213
29A	Stillbirths in 1995, classified by cause and age of gestation	214
30A	Stillbirths in 1995, classified by cause and number of previous children	214
31A	Stillbirths in 1995, classified by cause and age of mother	214
32A	Stillbirths in 1995, classified by cause and weight	214
29B	Stillbirth rate in 1995, classified by cause and age of gestation	215
30B	Stillbirth rate in 1995, classified by cause and number of previous children	215
31B	Stillbirth rate in 1995, classified by cause and age of mother	215
32B	Stillbirth rate in 1995, classified by cause and weight	215
33	Deaths showing the numbers occurring in each quarter in 1995 assigned to the counties and county boroughs	216
34	Deaths, by date of occurrence, in each month during 1995	218
35	Births showing the numbers in each quarter in 1995, assigned to the counties and county boroughs	220
35A	Births in 1995, classified by age of gestation and age of mother at maternity	221
35B	Births in 1995, classified by weight and age of mother at maternity	221
35C	Births in 1995, classified by gestation and weight	221

Tables (contd.)

Table No.		Page
36	Births in 1995 by day of occurrence and mothers usual residence	222
37	Births, by date of occurrence, in each month during 1995	224
38	Births in 1995 in each county and county borough showing place of occurrence and areas of normal residence	226
39	Births in 1995, classified by sex and age of mother at maternity and showing the number of births outside marriage	227
40	Total births (including outside marriage), in 1995, classified by age of mother at maternity and county of normal residence	228
41	Births outside marriage, in 1995, classified by age of mother at maternity and county of normal residence	229
42	Total births in 1995, classified by age of mother at maternity and number of previous liveborn children	230
43	First births within marriage in 1995, classified by age of mother at maternity and year of marriage	231
44	Births within marriage in 1995, classified by age of mother at maternity and year of marriage	232
45	Marriages registered in each county and county borough during 1995	234
46	Marriages registered in 1995 classified by age of groom and bride in single years. All marriages	236
47	Marriages registered in 1995 classified by age of groom and bride in single years. First marriages only	238
48	Marriages registered in 1995 classified according to form of ceremony and age of groom	240
49	Marriages registered in 1995 classified according to form of ceremony and age of bride	240
50	Marriages registered in 1995 classified by socio-economic group and age of groom	240
51	Marriages registered in 1995 classified by socio-economic group and age of bride	241
52	Marriages registered in 1995 classified by socio-economic group of bride and groom	241
53	Marriages registered in 1995 classified by age and area of residence of groom before marriage	242
54	Marriages registered in 1995 classified by age and area of residence of bride before marriage	243
55	Marriages registered in each county in 1995 classified by area of residence of bride and groom before marriage	244
56	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by age of groom	246
57	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by age of bride	246
58	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom	246
59	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride	247
60	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by form of ceremony	247

Tables (contd.)

Table No.		Page
61	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage	248
62	Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage	248

NOTE: The following pages are blank – Nos. 8, 10, 77, 167, 217, 223

Appendix

Table No.		Page
A	Deaths which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1995, classified by principal groups of causes, sex and age	250
B	Deaths which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1995, classified by principal groups of causes, sex and year of occurrence	251
C	Deaths from accidents, poisoning and violence which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1995, classified by sex and age	252
D	Deaths from accidents, poisoning and violence which were registered on the authority of an t–Ard Chlaraitheoir (Registrar General) in 1995, classified by sex and year of occurrence	253

Report on Vital Statistics for the year 1995

This Report has been prepared by the Central Statistics Office for the Minister for Health and Children in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The main statistics contained in this Report have already been published, classified by year of registration, in the CSO Quarterly Vital Statistics reports. This annual report gives a further breakdown in respect of births and deaths which occurred in 1995. The year of occurrence data have been compiled from registration data for 1995 and 1996. The report also gives further information on marriages registered in 1995.

This report includes statistics on stillbirths which have become available following the introduction of a registration system under the Stillbirths Registration Act, 1994. This new series of statistics on stillbirths will replace the series on late foetal deaths compiled up to 1994.

More up to date information on Vital Statistics is published in the Quarterly Report on Births, Deaths and Marriages published about five months after the end of the quarter to which the data relate. In the Quarterly Report, births and deaths are classified according to quarter of registration.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased. Births and deaths for each year since 1943 exclude late registrations; while deaths for each of the years 1940 to 1967 exclude non-residents. From 1968 however, the number of deaths includes non-residents.

General Summary

Marriages: There were 15,604 marriages registered during the year 1995 compared with 16,621 in 1994. The marriage rate per 1,000 population was 4.3 compared with 4.6 in 1994.

Births: The number of births which occurred during 1995 was 48,787: 25,153 males and 23,634 females. The birth rate was 13.5 per 1,000 population the same as 1994. The number of births outside marriage which occurred in 1995 was 10,862 or 22% of all births.

Deaths: The number of deaths occurring during 1995 was 32,259: 17,075 males and 15,184 females. The death rate was 9.0 per 1,000 population. In 1994 deaths numbered 30,948 and the rate was 8.6.

Of the deaths occurring in 1995, 32% were due to ischaemic and other forms of heart disease; 23.3% to cancer; 12.7% to other diseases of the circulatory system and 15% to diseases of the respiratory system.

There were 7,519 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues. Of these, 24 were caused by Hodgkin's disease and 180 by leukaemia and aleukaemia. The death rate for cancer (ICD-9 nos. 140-208) in 1995 was 2.09 per 1,000 population, 0.02 more than in 1994.

During 1995 the number of deaths of infants under one year was 311 compared with 277 in 1994. The corresponding rate rose from 5.7 to 6.4 per 1,000 live births.

The total number of deaths from accidents and other external causes in 1995 was 1,454 of which motor vehicle accidents accounted for 420 deaths. The corresponding figures for 1994 were 1,447 and 399 respectively.

Stillbirths: The number of stillbirths occurring during 1995 was 330. The stillbirth rate was 6.7 per 1,000 live and stillborn children.

Population: The estimated population in April 1995 was 3,601,300: 1,788,400 males and 1,812,900 females.

Issue of Authority for Registration: Births and deaths (where no inquest has been held) which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir (Registrar General). The tables in the main body of this Report exclude such births and deaths. The Appendix to the Report contains an analysis of late death registrations in 1995 and of some deaths where an inquest has been held. The number of such deaths registered in 1995 was 431.

MARRIAGES

The number of marriages registered in 1995 was 15,604 a decrease of 1,017 on the previous year; the rate was 4.3 per 1,000 population, 0.3 below that for 1994. Tables 4 and 5 of this report show the average numbers of marriages registered and marriage rates for 10 year periods since 1864 and for each year since 1986. The following table compares the marriage rate in Ireland in the years 1941 to 1995 with those in Northern Ireland, England and Wales and Scotland.

Table I Number of marriages per 1,000 population in Ireland* and neighbouring countries, 1941–1995

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941–1950 ¹	5.6	7.6	8.6	8.5
1951–1960 ¹	5.4	6.8	7.8	8.1
1961–1970 ¹	6.0	7.3	7.9	7.9
1971–1980 ¹	6.8	6.9	7.7	7.6
1981–1990 ¹	5.4	6.4	6.9	6.9
1986	5.2	6.5	6.9	7.0
1987	5.2	6.6	7.0	7.0
1988	5.2	6.3	6.9	7.0
1989	5.2	6.3	6.9	6.9
1990	5.1	6.0	6.5	6.8
1991	4.9	5.8	6.0	6.6
1992	4.7	5.8	6.1	6.9
1993	4.7	5.5	5.8	6.5
1994	4.6	5.3	5.6	6.1
1995	4.3	5.2	5.5	6.0

* Exclusive of Northern Ireland

¹ Average annual number of marriages per 1,000 population for decennial periods from 1941–1990.

Age at Marriage

The statistics recorded on registration of marriage include the ages of the bride and groom. This information has been collected on an ongoing basis since 1957. Similar details were recorded in the 1946 Census of Population in respect of persons married in 1945/46. The following table summarises the main trends in age at marriage.

Table II Percentage distribution of marriages according to age of groom and age of bride and average age at marriage in 1945–1946 and in each year 1992–1995

Age Group	Distribution according to age of groom					Distribution according to age of bride				
	1945–46	1992	1993	1994	1995	1945–46	1992	1993	1994	1995
Under 20 years	1.0	0.8	0.7	0.7	0.5	6.6	2.5	2.1	1.6	1.6
20–24 "	14.3	19.7	17.3	14.9	12.8	29.5	32.4	29.9	27.3	23.7
25–29 "	25.7	47.8	47.9	47.4	46.5	31.1	46.2	46.8	47.5	49.1
30–34 "	24.2	21.6	23.0	24.3	27.3	19.9	13.5	14.8	16.7	18.8
35–44 "	25.8	7.8	8.9	9.9	10.4	11.1	4.4	5.1	5.5	5.5
45 years and over	9.0	2.3	2.2	2.8	2.5	1.9	1.0	1.3	1.4	1.3
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Age	33.1	29.0	29.3	29.8	30.0	28.0	27.1	27.4	27.8	28.1

In 1995, the proportion of grooms and brides at ages under 25 years continued to fall. The average age at marriage has been increasing since 1984; the average age for males being 30.0 years and for females, 28.1 years in 1995. In Table 46 all marriages registered in 1995 are cross-classified by age of groom and age of bride in single years. Table 47 gives similar details for first marriages. The average ages at first marriage of males and females were 29.7 and 27.8 respectively in 1995.

Table III compares first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1995. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

Table III First marriage rates per 1,000 single population* in each age group in Ireland and England and Wales, 1995

Age groups	Males		Females	
	Ireland ¹	England and Wales	Ireland ¹	England and Wales
15-19 years ²	0.5	1.6	1.6	7.0
20-24 "	13.9	27.2	28.0	50.6
25-29 "	85.6	64.0	117.5	80.6
30-34 "	102.2	54.9	98.9	56.2
35-39 "	52.9	36.5	40.2	34.5
40-44 "	22.5	19.9	12.8	18.0
45-49 "	9.8	10.8	6.6	10.9
50-54 "	3.5	6.3	2.1	6.4
55 and over	0.7	2.3	0.3	1.2
TOTAL, 15 years and over	26.8	29.7	31.3	28.1

* 1995 Labour Force Survey population estimates used

¹ Exclusive of Northern Ireland

² 16-19 years for England and Wales

For each sex the marriage rates in Ireland were considerable below those in England and Wales in the two youngest age groups. In the 25-39 year age groups the rates for both males and females in Ireland were higher than the rates in England and Wales in 1995. In the age groups 45 years and over the rates for England and Wales were higher than the Irish rates.

Mode of Celebration

A total of 14,158 marriages (i.e. 90.7% of all marriages) were celebrated in accordance with the rites and ceremonies of the Catholic Church in 1995. There were 1,446 marriages according to other rites and ceremonies; 425 Church of Ireland, 76 Presbyterian, 25 Methodist, 1 Jewish, 28 other religious denominations and 891 civil marriages in a Registrar's Office.

The rate for Catholic Marriages in 1995 was 4.2 per 1,000 of the Catholic population. The rate for all other marriages was 6.7 per 1,000 of the population other than Catholic.

Table IV Marriages registered in the years 1951–1995 according to the mode of celebration, and the rates per 1,000 corresponding population for Catholic and all other marriages

Year	Marriages registered other than Catholic							Catholic	Total	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other Religious denominations	Civil Marriages	Total			Catholic	All other	Total
1951–60 ¹	507	112	37	18	5	65	744	14,998	15,742	5.5	4.5	5.4
1961–70 ¹	456	107	31	10	6	78	688	16,742	17,430	6.1	4.8	6.1
1971–80 ¹	433	89	27	7	8	259	823	20,739	21,562	6.9	5.1	6.8
1981–90 ¹	396	73	30	6	20	634	1,159	17,730	18,888	5.3	6.6	5.4
1986	387	64	32	1	14	598	1,096	17,477	18,573	5.2	5.5	5.2
1987	455	54	33	16	17	655	1,230	17,079	18,309	5.1	6.1	5.2
1988	430	74	34	11	16	670	1,235	17,147	18,382	5.2	6.0	5.2
1989	352	59	21	3	27	675	1,137	17,037	18,174	5.2	5.4	5.2
1990	423	73	27	6	27	656	1,212	16,626	17,838	5.0	5.7	5.1
1991	392	52	30	0	25	649	1,148	16,293	17,441	4.9	5.3	4.9
1992	521	98	35	0	32	695	1,381	15,255	16,636	4.6	6.5	4.7
1993	444	58	43	1	41	837	1,424	15,400	16,824	4.6	6.6	4.7
1994	434	51	33	3	50	850	1,421	15,200	16,621	4.5	6.6	4.6
1995	425	76	25	1	28	891	1,446	14,158	15,604	4.2	6.7	4.3

¹ Average annual number of marriages and rates for decennial periods 1951–1990

Marriages are classified according to form of ceremony, age of groom and age of bride in Tables 48 and 49. For Catholic marriages the average age of the groom was 29.8 years compared with 32.1 years for other marriages (including Civil marriages). The average age of the bride for Catholic marriages was 27.9 years and for other marriages, 29.5 years.

Socio-Economic Group (SEG)

This classification is widely used in Census of Population statistics and is determined by a person's occupation or, in some cases, by a combination of occupation and employment status. The socio-economic group (SEG) of a person not gainfully occupied is considered to be that of the gainfully occupied person on whom he or she is deemed to be dependent. The men and women married in 1995 were classified by SEG on the basis of the information on occupation given in the marriage register. The results obtained are given in Tables 50 to 52.

In Tables 50 and 51 grooms and brides are classified by SEG and age at marriage. For both grooms and brides the average marriage age in 1995 was higher in the SEG "Farmers, farmers' relatives assisting and farm managers" than in any other group and the lowest average age was in the "Other manual workers" group.

Table 52 shows marriages registered in 1995 classified by the SEG of groom and bride. The highest number of marriages among males occurred in the "Skilled manual workers" group which accounted for 26% of the grooms excluding the "not stated" cases. The highest among females was in the "Intermediate non-manual workers" group which accounted for 33% of the brides. The table also gives information on the respective SEGs of grooms and brides. Over half of the women in the SEGs "Farmers, farmers' relatives assisting and farm managers" married men in the same groups. The majority of women in the "Intermediate and other non-manual workers" group married men in another SEG.

Area of residence

Four classifications of district are available: that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In Table 45, figures for marriages according to where the marriage took place are given for 1995.

A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in Table V. In Tables 53 and 54 marriages are classified by area of residence prior to marriage and by age group of groom and bride. Looking solely at marriages for which the area of residence was within the State, the average age at marriage for grooms was lowest in Waterford County Borough, (28.4) and highest in Dun Laoghaire Rathdown, (31.6). The average age for brides was lowest in Donegal, (26.9) and highest in Dun Laoghaire Rathdown, (29.5).

In Table 55 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of one or both of them was outside the State. Of the men married in the State in 1995, 1,357 were returned as residing in England, Wales or Scotland, 254 in Northern Ireland and 708 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 1,153, the number from Northern Ireland was 125 and the number from other countries was 566. In 1,718 cases both the groom and bride were living outside the State.

Table V Comparisons of area in which marriage took place with area of residence of bride, 1995

Area in which registered	Total Marriages (1)	Marriages in the case of which bride was resident in		Col. (2) as percentage of Col (1)
		Same area (2)	Other areas* (3)	
Carlow	207	165	42	79.7
Dublin County Borough	2,414	1,604	810	66.5
Dublin Belgard	637	411	226	64.5
Dublin Fingal	348	207	141	59.5
Dun Laoghaire Rathdown	623	421	202	67.6
Kildare	429	308	121	71.8
Kilkenny	356	264	92	74.2
Laois	241	181	60	75.1
Longford	116	93	23	80.2
Louth	380	326	54	85.8
Meath	462	337	125	72.9
Offaly	299	218	81	72.9
Westmeath	294	226	68	76.9
Wexford	454	378	76	83.3
Wicklow	432	294	138	68.1
Clare	423	286	137	67.6
Cork County Borough	841	604	237	71.8
Cork County	1,075	808	267	75.2
Kerry	642	464	178	72.3
Limerick County Borough	217	152	65	70.1
Limerick County	543	369	174	68.0
Tipperary N.R.	299	213	86	71.2
Tipperary S.R.	364	256	108	70.3
Waterford County Borough	181	141	40	77.9
Waterford County	258	170	88	65.9
Galway County Borough	335	172	163	51.3
Galway County	546	391	155	71.6
Leitrim	92	69	23	75.0
Mayo	629	396	233	63.0
Roscommon	221	152	69	68.8
Sligo	132	92	40	69.7
Cavan	251	190	61	75.7
Donegal	663	480	183	72.4
Monaghan	200	159	41	79.5
TOTAL	15,604	10,997	4,607	70.5

* Includes 11 cases in which residence was not stated and 1,844 cases in which the residence was outside the country.

Table VI compares marriage rates based on County of Registration (the simplest way of calculating marriage rates) with an alternative obtained by relating marriages classified by area of residence of groom before marriage to total resident population. Rates (a) and (b) differ as marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). Rate (b) includes marriages of men from the county who married outside the county.

Table VI Marriage Rates per 1,000 Population in each county and county borough calculated using (a) Total marriages registered in each area and (b) Marriages of men from that area, in 1995

Province, County or County Borough	Rate (a)	Rate (b)
TOTAL	4.3	3.7
LEINSTER	4.0	3.7
Carlow	4.9	4.0
Dublin County Borough	4.9	4.2
Dublin Belgard	3.0	3.2
Dublin Fingal	2.2	3.0
Dun Laoghaire Rathdown	3.3	3.9
Kildare	3.4	3.5
Kilkenny	4.7	3.5
Laois	4.5	4.1
Longford	3.7	3.9
Louth	4.1	3.7
Meath	4.3	3.5
Offaly	5.0	4.0
Westmeath	4.7	4.3
Wexford	4.4	4.0
Wicklow	4.3	3.2
MUNSTER	4.7	3.8
Clare	4.6	3.5
Cork County Borough	6.5	5.3
Cork County	3.7	3.3
Kerry	5.2	3.7
Limerick County Borough	4.1	4.4
Limerick County	4.8	3.4
Tipperary, N.R.	5.1	4.4
Tipperary, S.R.	4.8	3.6
Waterford County Borough	4.4	4.2
Waterford County	4.9	3.6
CONNAUGHT	4.5	3.3
Galway County Borough	6.4	3.8
Galway County	4.1	3.6
Leitrim	3.6	2.9
Mayo	5.6	3.5
Roscommon	4.2	2.9
Sligo	2.4	2.1
ULSTER (part of)	4.7	3.3
Cavan	4.7	3.4
Donegal	5.1	3.5
Monaghan	3.8	2.9

Information on intended future residence tends not to be as accurate as other details recorded in relation to marriages. There were 323 marriages registered in which no information on future residence was provided.

Table VII Percentage of marriages with future intended residence outside the State 1979 to 1995

Year	Total marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1979	20,806	1,169	5.6
1980	21,792	1,203	5.5
1981	20,612	1,100	5.3
1982	20,224	1,075	5.3
1983	19,467	1,013	5.2
1984	18,513	1,149	6.2
1985	18,791	1,345	7.2
1986	18,573	1,523	8.2
1987	18,309	1,843	10.1
1988	18,382	2,443	13.3
1989	18,174	2,914	16.0
1990	17,838	3,123	17.5
1991	17,441	2,887	16.6
1992	16,636	2,656	16.0
1993	16,824	2,740	16.3
1994	16,621	2,661	16.0
1995	15,604	2,502	16.0

Since 1990, about one sixth of marriages each year have had intended future residence outside the State (see Table VII). In the case of 1,338 marriages the future residence was in England and Wales, 216 in Northern Ireland, 66 in Scotland, 203 in other parts of Europe, 490 in the United States of America, 34 in Canada, 93 in Australia and New Zealand and 62 elsewhere.

The age distributions and average ages of the grooms and brides going to the various countries are shown in Tables 56 and 57 respectively. The marriages of persons going abroad are classified by socio-economic groups of groom and bride in Tables 58 and 59 respectively. By comparing Tables 50 and 58 it is possible to examine the proportions of men marrying in each socio-economic group who intended to reside outside the country; this proportion varied considerably between the different groups, as can be seen in Table VIII.

Table VIII Percentage of men marrying in each socio-economic group whose intended future residence was outside the State in 1994 and 1995

Socio-economic group of groom	Percentage with intended future residence outside the State	
	1994	1995
	Per Cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	6	8
Higher professionals	32	32
Lower professionals	26	23
Employers and managers	24	22
Salaried employees	15	18
Intermediate non-manual workers	10	12
Other non-manual workers	12	12
Skilled manual workers	19	18
Other manual workers	6	7
TOTAL	16	16

A classification of marriages of persons going abroad by form of marriage ceremony is made in Table 60. In the case of Catholic marriages the percentage with intended future residence outside the State was 16%, the same as 1994. The corresponding figure for all other marriages was 18% in 1994 and 16% in 1995.

Finally, in Tables 61 and 62, the marriages of persons going abroad are classified by area of residence before marriage of the groom and bride respectively. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

Table IX Grooms from each area whose intended future residence was outside the State, shown as a percentage of the total grooms from that area, 1994 and 1995

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1994	1995
	Per Cent	
Dublin	3	3
Leinster	3	3
Munster	3	3
Connacht	3	4
Ulster (part of)	5	5
Outside the State	92	90

Births

The number of births which occurred in 1995 was 48,787 comprising 25,153 males and 23,634 females. The corresponding total for 1994 was 48,255, 24,957 males and 23,298 females. The birth rate in 1995 was 13.5 per 1,000 population, the same as 1994.

Table X Number of births in Ireland* and birth rates per 1,000 population in Ireland and neighbouring countries, 1941 to 1995

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950 ¹	65.0	21.9	22.4	16.9	18.8
1951-1960 ¹	61.7	21.2	21.3	15.8	18.5
1961-1970 ¹	62.4	21.7	22.4	17.5	18.8
1971-1980 ¹	69.4	21.8	18.1	13.2	13.6
1981-1990 ¹	61.6	17.6	17.4	13.2	12.9
1986	61.6	17.4	18.0	13.2	12.9
1987	58.4	16.5	17.7	13.6	13.0
1988	54.6	15.5	17.6	13.8	13.0
1989	52.0	14.8	16.5	13.6	12.5
1990	53.0	15.1	16.7	13.9	12.9
1991	52.7	15.0	16.4	13.7	13.1
1992	51.1	14.4	15.8	13.4	12.9
1993	49.3	13.8	15.3	13.1	12.4
1994	48.3	13.5	14.8	12.9	12.0
1995	48.8	13.5	14.5	12.5	11.7

* Exclusive of Northern Ireland

¹ Average annual number of births and birth rates for decennial periods 1941-1990.

Classification by age at maternity, parity and duration of marriage

Table 42 shows the total number of births which occurred in 1995 classified by age of mother at maternity and number of previous liveborn children (i.e. parity). The mother's age was not stated in respect of 89 births (or 0.2% of the total). In 1994 the corresponding number was 356 (0.7%). The results contained in Table 42 are summarised in Table XI. In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins, the children would be classified as a fifth and sixth child in parity order.

Table XI Births occurring in 1995 classified by age of mother at maternity and number of previous children

Age at maternity	Number of previous children								
	Total	0	1	2	3	4	5-9	10 and over	Not stated
Under 20 years	2,467	2,239	203	18	-	-	-	-	7
20-24 years	7,161	4,202	2,148	601	150	38	4	-	18
25-29 "	13,470	5,818	4,548	1,995	695	255	135	2	22
30-34 "	16,352	4,210	5,582	3,892	1,671	565	392	8	32
35-39 "	7,613	1,100	1,904	2,027	1,329	632	567	33	21
40-44 "	1,552	183	236	289	309	192	306	31	6
45 years and over	83	4	10	6	14	11	34	3	1
Not stated	89	4	18	27	10	3	5	-	22
TOTAL	48,787	17,760	14,649	8,855	4,178	1,696	1,443	77	129

Between the mid 1960's and the mid 1970's the percentage of mothers in the younger age groups increased, so that by 1975 mothers under 30 years accounted for 61.7% of births. Subsequently the proportion declined fairly steadily to reach 48.8% in 1994 and 47.4% in 1995. In England and Wales and in Scotland in 1995, 60.2% and 60.9% respectively of young mothers were aged under 30.

Table XII Percentage distribution of births according to age of mother at maternity in Ireland* in 1994 and 1995 and in England and Wales and Scotland in 1995

Age at maternity	Ireland*		England and Wales	Scotland
	1994	1995	1995	1995
Under 20 years	5.0	5.0	6.5	7.1
20-24 years	14.8	14.7	20.2	19.8
25-29 "	29.0	27.7	33.5	34.0
30-34 "	32.8	33.6	27.9	28.0
35-39 "	15.1	15.6	10.1	9.7
40-44 "	3.1	3.2	1.7	1.4
45 years and over	0.2	0.2	0.1	0.0
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	29.9	30.0	28.5	27.0

* Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the fact that women in Ireland marry at a later age and have on average more children, as may be seen from Table XV. Table XIII shows the percentage distribution of first births within marriage by age of mother.

Table XIII Percentage distribution of first births within marriage according to age of mother in Ireland* in 1994 and 1995 in England and Wales and Scotland in 1995

Age at maternity	Ireland		England and Wales	Scotland ¹
	1994	1995	1995	1995
Under 20 years	1.0	0.9	2.6	1.7
20-24 years	12.1	10.5	19.2	18.2
25-29 "	45.0	43.9	42.2	46.0
30-34 "	32.9	34.4	27.7	27.2
35-39 "	7.9	8.9	7.2	6.2
40-44 "	1.0	1.4	1.0	0.6
45 years and over	0.1	0.0	0.1	0.0
TOTAL	100.0	100.0	100.0	100.0
Average age at maternity	29.4	29.7	28.5	27.0

* Exclusive of Northern Ireland.

¹ First Births of First Marriage in Scotland

Table XIV compares fertility rates in Ireland and England and Wales in 1995. In most age groups the number of births within marriage per 1,000 married women was considerably higher in Ireland than in England and Wales. The number of births outside marriage per 1,000 single, widowed, divorced and separated women was lower in Ireland than in England and Wales.

The total number of births outside marriage was 10,862 in 1995, i.e. 813 more than in 1994. This was equivalent to an annual rate of 23.2 per 1,000 unmarried females aged 15–49 years and was 22.3% of all births. The number of births outside marriage has shown an increase every year since 1959 when the lowest ever number was recorded.

Table XIV Births per 1,000 women in each age group, Ireland*, England and Wales, 1995

Age of Mother	Total Births per 1,000 women		Births (within marriage) per 1,000 married women		Births (outside marriage) per 1,000 single, widowed, divorced or separated women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15–19 years	15.1	28.5	325.0 ¹	401.6	14.3	25.0
20–24 "	50.3	76.8	264.1	231.2	33.9	48.4
25–29 "	106.7	108.6	195.6	162.3	31.4	57.9
30–34 "	123.5	87.3	157.2	107.6	33.2	50.4
35–39 "	60.3	36.2	69.8	38.6	22.3	29.5
40–44 "	13.1	6.5	14.8	6.3	5.8	7.0
45–49 "	0.8	0.3	0.9	0.3	0.2	0.4
Total 15–49 years	53.0	60.4	83.9	82.7	23.2	39.6

* Exclusive of Northern Ireland; rates use 1995 Labour Force Survey estimates as the denominator.

¹ Since the number of births within marriage in the under 20 age group is small, caution should be exercised in the interpretation of trends in this rate.

The percentage distribution of births within marriage according to the number of previous children in 1994 and 1995 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1995.

The difference between the years 1994 and 1995 in respect of the percentage distribution according to number of previous children was slight. The percentage of mothers with two or more previous children was higher in Ireland than in either England and Wales or Scotland. In Ireland in 1995, 3.5% of mothers had 5 or more previous children compared to 1.3% in England and Wales and 0.8% in Scotland.

Table XV Percentage distribution of births within marriage according to number of previous children in Ireland* in 1994 and 1995 and in England and Wales and Scotland in 1995

Number of previous children	Ireland*		England and Wales	Scotland ¹
	1994	1995	1995	1995
0	28.5	29.2	39.3	41.1
1	32.6	32.5	36.9	38.2
2	20.9	21.0	15.6	14.5
3	9.8	9.9	5.2	4.1
4	4.3	3.9	1.7	1.3
5 to 9	3.7	3.3	1.3	0.8
10 and over	0.2	0.2	0.0	0.0
TOTAL	100.0	100.0	100.0	100.0

* Exclusive of Northern Ireland.

¹ Includes stillbirths.

Multiple Births

The number of maternities in 1995 which resulted in multiple live births was 662 consisting of 646 sets of twins and 16 sets of triplets. This is equivalent to a "twinning rate" of 13.4 (i.e. the number of live twins per 1,000 maternities which resulted in live births). Table XVI summarises the number of multiple births and the "twinning rate" for the years 1981 to 1995.

Table XVI Number of multiple births and the number of twins per 1,000 maternities 1981–1995

Year	Live births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Quintuplets	Twinning rate
1981	72,158	71,425	719	7	—	—	10.1
1982	70,843	70,055	770	9	—	—	11.0
1983	67,117	66,352	741	12	—	—	11.2
1984	64,062	63,368	690	2	—	—	10.9
1985	62,388	61,730	644	7	—	—	10.4
1986	61,620	60,974	628	7	—	—	10.3
1987	58,433	57,801	608	12	—	—	10.5
1988	54,600	53,966	624	5	—	—	11.6
1989	52,018	51,388	616	7	—	—	12.0
1990	53,044	52,400	624	8	—	1	11.9
1991	52,718	52,116	584	6	2	—	11.2
1992	51,089	50,484	581	8	3	—	11.5
1993	49,304	48,726	552	13	—	—	11.3
1994	48,255	47,647	579	14	1	—	12.2
1995	48,787	48,110	646	16	—	—	13.4

Deaths

The number of deaths which occurred during the year 1995 was 32,259 of which 17,075 were males and 15,184 were females. This is equivalent to a rate of 9.0 deaths per 1,000 total population compared to 8.6 in 1994 and 9.0 in 1993.

Table 9 shows the annual average death rates, by age group, for decennial periods from 1864 to 1990 and the death rates for each year 1986 to 1995.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941-1995 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1995 was lower than in Northern Ireland, England and Wales and Scotland. Over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

These comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the population.

Table XVII Death rates per 1,000 population in Ireland* and neighbouring countries, 1941-1995

Period	Number of deaths (000's) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950 ¹	41.5	14.0	12.6	12.3	13.2
1951-1960 ¹	35.4	12.2	11.0	11.6	12.0
1961-1970 ¹	33.5	11.7	10.7	11.8	12.1
1971-1980 ¹	33.7	10.6	10.9	11.9	12.3
1981-1990 ¹	32.4	9.2	10.1	11.5	12.3
1986	33.6	9.5	10.3	11.6	12.4
1987	31.4	8.9	9.7	11.3	12.1
1988	31.6	8.9	10.0	11.3	12.2
1989	32.1	9.1	10.0	11.4	12.8
1990	31.4	8.9	9.7	11.1	12.1
1991	31.3	8.9	9.5	11.2	12.2
1992	30.9	8.7	9.3	10.9	11.9
1993	32.1	9.0	9.6	11.3	12.5
1994	30.9	8.6	9.2	10.7	11.6
1995	32.3	9.0	9.3	11.0	11.8

* Exclusive of Northern Ireland

¹ Average annual number of deaths and death rates for decennial periods from 1941 - 1990

Comparison between counties

Variations in the age distribution of the population from one county to another have an effect on the comparability of death rates between counties. If a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this, standardised rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to give the standardised rate for the county. See Table XVIII. Throughout the remainder of the report, only crude death rates will be reported.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being Dublin Belgard which had a crude death rate of 4.05 and a standardised rate of 8.79 (reflecting the very young age structure in Dublin Belgard) and Leitrim where standardisation had the effect of lowering the death rate from 14.82 to 9.59 because of the comparatively old age structure in that county. The standardised rates in 1995 were lowest in Monaghan, 8.02 and highest in Limerick County Borough, 10.36.

Table XVIII Crude and standardised death rates in each province, county and county borough in 1995*

Province, County or County Borough	Rates per 1,000 population	
	Crude	Standardised
TOTAL	8.96	8.96
LEINSTER	8.03	9.02
Carlow	9.49	10.32
Dublin County Borough	10.28	9.28
Dublin Belgard	4.05	8.79
Dublin Fingal	4.48	8.36
Dun Laoghaire Rathdown	8.03	8.29
Kildare	6.45	9.78
Kilkenny	8.48	8.33
Laois	8.98	8.82
Longford	10.95	9.37
Louth	8.60	9.53
Meath	6.95	8.28
Offaly	9.46	9.86
Westmeath	9.14	9.31
Wexford	9.53	9.34
Wicklow	8.19	9.08
MUNSTER	9.40	8.97
Clare	9.55	8.75
Cork County Borough	9.94	10.02
Cork County	8.63	8.44
Kerry	11.07	8.78
Limerick County Borough	10.04	10.36
Limerick County	7.73	8.14
Tipperary N.R.	10.10	9.07
Tipperary S.R.	10.10	9.42
Waterford County Borough	8.67	9.91
Waterford County	9.73	9.11
CONNAUGHT	11.31	8.91
Galway County Borough	6.62	8.29
Galway County	11.13	9.08
Leitrim	14.82	9.59
Mayo	12.94	9.16
Roscommon	11.41	8.11
Sligo	11.07	8.77
ULSTER (part of)	10.19	8.61
Cavan	10.57	8.71
Donegal	10.58	8.78
Monaghan	8.82	8.02

*1991 Census of Population figures used for counties and provinces. Rates adjusted using the total 1995 population estimate.

Causes of Death

The Ninth Revision of the International Classification of Diseases, Injuries and Causes of Death (ICD-9), as recommended by the World Health Organisation, has been used to classify deaths in Ireland by cause since 1979. It replaced the Eighth Revision (ICD-8) which was used from 1968 to 1978. To facilitate linkage with previous years all deaths in 1979 were, in addition, coded according to ICD-8. A cross-classification of deaths occurring in 1979 by the ICD-8 and ICD-9 classifications is contained in Tables 60-63 of the 1979 Report. As ICD-9 imposed certain changes in interpretation of recorded medical opinion regarding the underlying cause of death when more than one disease is mentioned on the medical certificate of cause of death, care should be taken in comparing deaths coded according to ICD-9 with those prior to 1979.

Injury and Poisoning:- This category forms part of the main body of classification in ICD-9 and deaths coded accordingly are shown in Table 19.


External Causes of Death:- In the Sixth, Seventh and Eighth Revisions the E-code was considered as part of the main classification. In ICD-9 the E-code is treated as a supplementary classification to be used where relevant in conjunction with codes from any part of the main classification.

Table XIX Average annual number of deaths and death rates from some of the principal causes in each period 1970-72, 1975-77, 1980-82, 1985-87, 1990-1992 and 1995


ICD-9 Code	Cause of death	1970-72	1975-77	1980-82	1985-87	1990-92	1995
		Average annual number					
010-018, 137	Tuberculosis	196	169	130	100	63	44
Rem. 001-139	Other infectious and parasitic diseases	147	127	141	127	119	127
140-208	Malignant Neoplasms	5,637	6,167	6,280	6,848	7,307	7,519
393-398, 410-429	Ischaemic and other forms of heart disease	10,581	11,319	11,357	11,193	9,870	10,181
Rem. 390-459	Other diseases of the circulatory system	6,428	5,974	5,285	4,883	4,295	4,086
487	Influenza	531	219	68	47	33	18
Rem. 460-519	Other diseases of the respiratory system	4,065	3,920	4,258	4,257	4,282	4,884
797	Senility	500	297	80	56	34	67
Rem. 001-799	Other diseases	3,889	3,772	3,674	3,664	3,790	3,915
800-999	Injury and Poisoning	1,525	1,652	1,680	1,543	1,410	1,418
	All Causes	33,319	33,616	32,953	32,526	31,203	32,259
		Average annual rates per 100,000 population					
010-018, 137	Tuberculosis	6.6	5.2	3.8	2.8	1.8	1.2
Rem. 001-139	Other infectious and parasitic diseases	4.9	3.9	4.1	3.6	3.4	3.5
140-208	Malignant Neoplasms	188.9	191.2	182.4	193.4	207.1	208.8
393-398, 410-429	Ischaemic and other forms of heart disease	354.6	350.9	330.0	316.1	279.8	282.7
Rem. 390-459	Other diseases of the circulatory system	215.4	185.2	153.6	137.9	121.8	113.5
487	Influenza	11.8	6.8	2.0	1.3	0.9	0.5
Rem. 460-519	Other diseases of the respiratory system	136.2	121.5	123.7	120.2	121.4	135.6
797	Senility	16.8	9.2	2.3	1.6	1.0	1.9
Rem. 001-799	Other diseases	130.3	116.9	106.8	103.5	107.4	108.7
800-999	Injury and Poisoning	51.1	51.2	48.8	43.6	40.0	39.4
	All Causes	1,116.6	1,042.1	957.5	918.5	884.5	895.8

In Table XIX the number of deaths in the various disease groups in the years prior to 1979 have been adjusted on an approximate basis to conform to the structure of the groups under the 9th Revision of the International Classification of Diseases.


Birth, Death and Marriage Rates from 1941



Deaths from principal causes



Infant and neo-natal mortality rates



**Table XX Age-sex specific death rates for the
Death rates per 100,000**

Mortality List Number	Cause of death	All Ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	954.8	837.6	156.7	134.8	21.9	13.5	95.2	33.0	117.7	53.2
01-07	Infectious and Parasitic Diseases	4.8	4.7	3.8	5.6	0.3	1.3	1.9	1.0	1.2	1.9
01	Intestinal Infectious Diseases	0.3	0.6	-	1.6	-	-	-	-	-	0.4
02	Tuberculosis	1.1	0.9	-	-	-	-	0.3	-	0.4	-
034	Whooping Cough	0.1	-	0.8	-	-	-	-	-	-	-
036	Meningococcal Infection	0.3	0.8	2.3	4.0	0.3	1.3	0.6	1.0	-	-
037	Tetanus	-	-	-	-	-	-	-	-	-	-
038	Septicaemia	1.6	1.0	0.8	-	-	-	-	-	-	-
041	Smallpox	-	-	-	-	-	-	-	-	-	-
042	Measles	0.1	-	-	-	-	-	0.3	-	-	-
052	Malaria	-	-	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	1.3	1.3	-	-	-	-	0.6	-	0.8	1.5
08-14	Malignant Neoplasms:-	229.1	188.8	2.3	3.2	1.9	1.7	5.9	3.3	9.5	12.3
091	of Stomach	14.5	8.3	-	-	-	-	-	-	-	0.4
093	Colon	22.2	18.3	-	-	-	-	-	-	0.4	-
094	Rectum, Rectosigmoid Junction and Anus	8.6	5.1	-	-	-	-	-	-	0.4	0.8
101	Trachea, Bronchus and Lung	57.9	29.7	-	-	0.3	-	-	-	-	-
113	Female Breast	-	36.1	-	-	-	-	-	-	-	1.5
120	Cervix Uteri	-	4.0	-	-	-	-	-	0.3	-	1.2
141	Leukaemia	5.6	4.4	0.8	0.8	0.6	0.3	1.3	1.0	0.4	1.5
	Other Malignant Neoplasms	120.3	82.9	1.5	2.4	0.9	1.3	4.7	2.0	8.3	6.9
181	Diabetes Mellitus	11.9	9.6	0.8	-	0.3	-	-	-	0.4	0.4
191	Nutritional Marasmus	-	-	-	-	-	-	-	-	-	-
192	Other Protein-Calorie Malnutrition	0.1	-	-	-	-	-	-	-	-	-
200	Anaemias	1.8	2.6	-	0.8	-	0.3	-	-	-	-
220	Meningitis	0.2	0.1	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	415.7	376.9	3.0	5.6	1.3	1.3	4.4	2.0	8.7	9.6
250	Acute Rheumatic Fever	0.3	0.2	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	0.8	2.0	-	-	-	-	-	-	-	-
26	Hypertensive Disease	4.7	7.0	-	-	-	-	-	-	-	-
27	Ischaemic Heart Disease	259.2	181.5	-	-	-	0.3	0.3	-	2.0	1.9
270	(Acute Myocardial Infarction)	181.6	123.4	-	-	-	-	-	-	1.6	0.8
29	Cerebrovascular Disease	67.8	92.6	-	-	-	0.7	0.6	1.0	1.6	2.3
300	Atherosclerosis	6.7	9.4	-	-	-	-	-	-	-	-
	Other Diseases of the Circulatory System	76.2	84.3	3.0	5.6	1.3	0.3	3.4	1.0	5.1	5.4
321	Pneumonia	57.9	72.1	3.8	2.4	0.9	0.7	1.9	1.6	0.8	0.8
322	Influenza	0.3	0.7	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	12.5	9.2	0.8	-	0.6	-	0.3	0.7	0.4	0.4
341	Ulcer of Stomach and Duodenum	5.5	4.4	-	-	-	-	0.3	-	0.4	-
342	Appendicitis	0.3	0.2	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	2.7	2.9	-	-	-	-	-	-	0.4	0.4
350	Nephritis, Nephrotic Syndrome and Nephrosis	10.7	11.6	-	-	-	-	0.3	0.3	0.4	0.8
360	Hyperplasia of Prostate	1.1	-	-	-	-	-	-	-	-	-
38	Abortion	-	-	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	-	-	-	-	-	-	-	-	-	-
44	Congenital Anomalies	5.0	5.0	43.3	47.6	2.2	1.7	0.3	1.6	2.0	1.5
45	Certain Conditions originating in the perinatal Period ¹	4.8	2.6	64.6	37.9	-	-	-	-	-	-
453	(Birth Trauma)	0.2	0.1	3.0	0.8	-	-	-	-	-	-
46	Signs, Symptoms and ill-defined conditions	5.1	6.9	14.4	10.5	-	-	0.6	-	0.4	0.8
47-56	Injury and Poisoning	55.6	23.4	6.8	8.1	11.9	3.3	69.8	15.3	69.1	14.3
47	Fractures	9.3	7.9	-	1.6	4.1	0.3	9.4	3.6	5.9	0.8
49	Intracranial and Internal Injuries inc. nerves	15.7	5.6	3.0	1.6	3.8	1.0	23.5	5.9	18.2	4.2
52	Burns	1.1	1.2	-	0.8	0.3	-	-	0.3	1.2	-
53	Poisoning and Toxic Effects	6.5	3.1	2.3	0.8	0.3	0.7	5.3	2.3	10.7	3.1
	Other Injuries and Poisoning	22.9	5.6	1.5	3.2	3.4	1.3	31.6	3.3	33.2	6.2
	All Other Diseases	129.7	115.9	12.9	12.9	2.5	3.3	9.4	7.2	24.1	10.0
	External Causes (included in the foregoing)										
E47-E53	Accidents and Adverse effects	37.7	18.7	6.1	8.1	10.6	2.6	47.9	11.8	44.6	6.2
E471	Motor Vehicle Traffic Accidents	17.4	6.0	1.5	2.4	6.9	1.3	30.7	8.2	21.7	3.1
E50	Accidental Falls	6.2	7.7	1.5	0.8	0.3	-	1.3	1.6	3.2	0.4
E54	Suicide	17.9	4.6	-	-	1.3	0.7	23.8	3.6	26.5	7.7
E55	Homicide	1.3	0.2	-	-	-	-	1.9	0.3	3.2	0.8
	All Other External Causes	0.3	0.2	0.8	-	-	-	-	-	-	-

¹ Stillbirths not included

principal causes of death (I.C.D. 9th Revision) in 1995
corresponding population

35-44		45-54		55-64		65-74		75-84		85 and Over		Mortality List Number
M	F	M	F	M	F	M	F	M	F	M	F	
173.8	100.8	428.0	286.4	1,392.8	761.1	4,188.9	2,292.8	10,523.2	6,705.1	23,990.0	18,744.6	
2.5	0.8	1.0	1.5	6.2	7.6	13.6	14.6	58.9	20.6	60.0	60.6	01-07
-	-	-	-	-	0.7	-	0.8	3.6	3.6	30.0	13.0	01
-	-	0.5	-	-	2.8	6.4	3.1	16.1	6.1	10.0	13.0	02
-	-	-	-	-	-	-	-	-	-	-	-	034
-	-	-	0.5	-	1.4	-	-	-	-	-	-	036
-	-	-	-	-	-	-	-	-	-	-	-	037
-	-	-	-	3.5	1.4	3.6	5.4	30.4	7.3	20.0	17.3	038
-	-	-	-	-	-	-	-	-	-	-	-	041
-	-	-	-	-	-	-	-	-	-	-	-	042
-	-	-	-	-	-	-	-	-	-	-	-	052
2.5	0.8	0.5	1.0	2.8	1.4	3.6	5.4	8.9	3.6	-	17.3	
31.8	47.8	151.9	160.2	459.4	351.4	1,208.0	771.2	2,371.4	1,245.1	3,410.0	1,757.6	08-14
1.7	1.2	7.9	4.1	39.6	12.5	73.6	30.0	137.5	60.7	240.0	138.5	091
2.5	3.3	18.3	9.7	40.9	29.9	121.7	69.3	244.6	148.1	230.0	212.1	093
0.4	0.4	5.9	4.6	22.2	5.6	47.2	19.3	71.4	40.0	150.0	64.9	094
4.1	4.1	35.1	18.3	136.0	52.8	356.9	160.2	571.4	195.4	440.0	207.8	101
-	16.7	-	54.9	-	98.6	-	120.2	-	176.0	-	251.1	113
-	7.3	-	6.6	-	10.4	-	9.2	-	8.5	-	13.0	120
2.1	1.2	3.5	4.1	8.3	4.9	29.1	15.4	50.0	29.1	90.0	34.6	141
21.0	13.5	81.1	58.0	212.4	136.8	579.5	347.5	1,296.4	587.4	2,260.0	835.5	
1.2	0.4	3.0	2.0	21.5	8.3	62.7	26.2	141.1	93.4	220.0	194.8	181
-	-	-	-	-	-	-	-	-	-	-	-	191
-	-	-	-	-	-	-	-	-	-	10.0	-	192
-	-	-	-	2.8	-	5.4	7.7	23.2	20.6	100.0	77.9	200
-	-	-	-	1.4	-	0.9	-	-	1.2	-	-	220
38.4	13.5	162.8	59.5	650.2	225.0	1,978.2	939.1	4,848.2	3,383.5	11,380.0	10,000.0	25-30
-	-	-	-	1.4	-	0.9	0.8	3.6	1.2	-	4.3	250
0.4	-	2.0	1.0	2.1	3.5	2.7	10.8	-	12.1	30.0	21.6	251
0.4	-	1.0	1.0	3.5	4.2	25.4	15.4	64.3	74.0	120.0	160.2	26
24.3	6.5	117.8	23.9	484.4	129.9	1,365.1	553.9	2,782.1	1,663.8	5,730.0	4,090.9	27
16.1	3.3	82.6	14.2	338.7	90.3	1,006.4	402.9	1,953.6	1,161.4	3,480.0	2,554.1	270
5.8	5.3	16.3	18.3	70.1	47.9	277.0	181.0	935.7	862.9	2,300.0	2,614.7	29
0.4	-	0.5	-	4.2	2.8	15.4	11.6	114.3	60.7	310.0	437.2	300
7.0	1.6	25.2	15.3	84.7	36.8	291.6	165.6	948.2	708.7	2,890.0	2,671.0	
5.0	3.3	7.9	3.6	25.0	17.4	162.6	87.1	766.1	589.8	3,470.0	2,844.2	321
-	0.4	0.5	-	-	1.4	-	-	5.4	2.4	20.0	30.3	322
1.2	0.8	3.0	2.5	11.8	15.3	58.1	38.5	160.7	59.5	390.0	155.8	323
0.8	0.8	0.5	1.5	8.3	1.4	26.3	13.9	71.4	40.0	130.0	95.2	341
-	-	-	-	0.7	-	0.9	0.8	5.4	2.4	-	-	342
1.2	3.7	3.0	2.0	9.0	8.3	16.3	12.3	8.9	10.9	20.0	8.7	347
-	1.2	1.0	0.5	9.7	7.6	35.4	30.8	155.4	93.4	470.0	324.7	350
-	-	-	-	-	-	4.5	-	12.5	-	80.0	-	360
-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	39
0.4	1.6	1.5	0.5	0.7	1.4	5.4	1.5	8.9	6.1	40.0	17.3	44
-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	453
-	0.8	0.5	0.5	2.1	0.7	4.5	5.4	39.3	23.1	390.0	346.3	46
66.0	16.7	52.4	25.9	61.1	23.6	77.2	34.7	137.5	91.0	330.0	320.3	47-56
7.8	1.2	6.4	2.0	7.6	5.6	16.3	7.7	51.8	55.8	190.0	246.8	47
18.6	4.1	13.9	7.1	18.0	2.8	24.5	11.6	26.8	21.8	30.0	26.0	49
1.2	1.6	0.5	1.0	2.1	1.4	0.9	3.1	8.9	3.6	30.0	17.3	52
12.8	4.5	7.9	8.6	5.6	0.7	8.2	6.2	5.4	2.4	10.0	-	53
25.6	5.3	23.8	7.1	27.8	13.2	27.2	6.2	44.6	7.3	70.0	30.3	
25.2	9.0	39.1	25.9	122.8	91.7	528.6	308.9	1,708.9	1,021.8	3,470.0	2,510.8	
36.3	9.0	30.7	18.8	43.7	16.0	54.5	31.6	116.1	87.4	290.0	320.3	E47-E53
17.3	4.5	13.9	8.1	14.6	5.6	20.9	11.6	33.9	20.6	20.0	4.3	E471
4.5	0.4	3.0	2.0	9.7	4.2	16.3	8.5	51.8	58.3	170.0	268.4	E50
29.7	7.3	19.8	8.1	16.0	6.9	22.7	2.3	19.6	3.6	30.0	-	E54
1.2	-	2.0	-	0.7	-	-	0.8	-	-	10.0	-	E55
0.8	0.4	0.5	1.0	0.7	0.7	-	-	1.8	-	-	-	

Table XIX shows that heart diseases remained the single biggest cause of death. The number of deaths from heart disease has fluctuated somewhat since 1970 - 72, the rate per 100,000 population declined steadily with a slight rise in 1995. The number of deaths from cancer continues to rise steadily. Deaths from influenza in the 1990's are significantly below the level twenty years earlier.

Of the deaths occurring in 1995, 79% were due to the four main causes, i.e. Ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Most of these deaths occurred at ages over 65. Diseases of the heart were responsible for the highest rates, 315 per 100,000 population for males and 251 per 100,000 females. Malignant neoplasms were the next major cause, the rates for which were 229 and 189 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 68 and 93 respectively for males and females per 100,000 population. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Table XX contains more information on deaths classified by causes and age groups.

Some of the principal causes of deaths are considered in greater detail in the following sections.

Tuberculosis

In 1995 there were 44 deaths from tuberculosis, of which 33 were caused by the respiratory form and 11 by other forms of the disease. Deaths from the tuberculosis are now only at a fraction of their level 50 years ago. All of the 44 deaths in 1995 were in the age group 15 and over.

The mortality from tuberculosis in the counties and county boroughs in 1995 is compared in Table 12 of this Report.

Table XXI Number of deaths and death rates per 1,000 population from tuberculosis of the respiratory system and from all other forms of tuberculosis, 1941 - 1995

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 Population	Number	Rate per 1,000 Population	Tuberculosis respiratory system	Other forms of Tuberculosis
1941-1950 ¹	2,739	0.92	779	0.26	1.05	1.07
1951-1960 ¹	787	0.27	190	0.06	1.62	1.28
1961-1970 ¹	304	0.11	34	0.01	2.27	1.35
1971-1980 ¹	120	0.04	55	0.02	2.49	1.60
1981-1990 ¹	64	0.02	33	0.01	2.09	1.49
1986	62	0.02	28	0.01	1.82	1.55
1987	67	0.02	29	0.01	2.19	1.90
1988	44	0.01	28	0.01	1.75	1.55
1989	49	0.01	30	0.01	1.04	1.14
1990	45	0.01	23	0.01	1.81	0.64
1991	43	0.01	21	0.01	1.87	2.50
1992	36	0.01	20	0.01	3.50	1.00
1993	46	0.01	28	0.01	1.42	1.15
1994	34	0.01	18	0.01	1.83	1.00
1995	33	0.01	11	0.00	1.20	1.75

¹Average annual number of deaths and death rates for decennial periods from 1941-1990.

Cancer

Table XXII shows the death rate from cancer in certain age groups in the years 1980 to 1995.

Table XXII Age-sex specific death rates from cancer (Nos. 140–208) per 100,000 corresponding population, 1980–1995.

Year	Age Group (years)							Total
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	
Males								
1980	6	15	43	173	498	1,115	1,997	200
1981	7	13	44	169	491	1,123	2,008	199
1982	6	17	36	161	501	1,138	1,973	196
1983	6	12	39	178	526	1,125	2,049	200
1984	7	12	37	169	528	1,139	2,142	203
1985	5	14	38	164	553	1,187	2,143	210
1986	8	15	38	162	531	1,205	2,230	214
1987	4	13	35	158	506	1,173	2,397	214
1988	5	14	40	151	509	1,266	2,270	220
1989	5	14	40	144	502	1,203	2,328	221
1990	5	10	40	140	499	1,182	2,360	221
1991	4	11	33	146	514	1,201	2,335	223
1992	4	14	41	152	468	1,282	2,445	231
1993	5	15	35	143	491	1,238	2,585	234
1994	5	12	30	131	513	1,212	2,329	223
1995	4	9	32	152	459	1,208	2,529	229
Females								
1980	5	15	64	185	414	701	1,198	169
1981	4	12	51	189	385	675	1,184	162
1982	6	18	59	209	393	682	1,194	167
1983	5	14	51	187	417	684	1,281	169
1984	5	19	63	192	399	722	1,331	175
1985	4	13	58	174	414	688	1,204	168
1986	4	14	50	194	421	704	1,292	175
1987	5	13	56	170	403	712	1,372	179
1988	5	13	62	176	425	726	1,360	185
1989	4	12	57	180	418	780	1,479	197
1990	4	14	49	176	396	713	1,358	185
1991	4	15	61	176	396	724	1,366	189
1992	2	13	60	173	382	764	1,424	194
1993	3	12	56	165	362	697	1,488	191
1994	3	12	51	166	386	758	1,368	191
1995	3	12	48	160	351	771	1,357	189

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 34 years but between the ages 35 and 54 years the female rates were generally greater than those for males. In 1995 the male death rate for all ages was 21% above that for females.

Comparability with data compiled pre-1950:

Prior to 1950 under the Fifth Revision of the International List of Causes of Death, cancer deaths were those classified under codes 045–055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140–205 (Nos. 140–208 in the Ninth Revision) of the International Statistical classification which now includes Hodgkin's disease and leukaemia. Thus, for comparability with the years prior to 1950 the total cancer figure less Hodgkin's disease and leukaemia should also be shown. In 1995 there were 7,519 deaths from cancer (Nos. 140 to 208). Of this number 24 deaths were caused by Hodgkin's disease and 180 by leukaemia and aleukaemia.

Table XXIII Deaths from cancer (nos. 140–208) per 1,000 population in Ireland* and neighbouring countries, 1980–1995.

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1980	1.85	1.94	2.62	2.66
1981	1.81	1.86	2.62	2.71
1982	1.82	1.99	2.63	2.72
1983	1.85	2.03	2.68	2.76
1984	1.89	2.12	2.78	2.78
1985	1.89	2.07	2.80	2.81
1986	1.95	2.06	2.78	2.84
1987	1.96	2.14	2.80	2.87
1988	2.03	2.12	2.85	2.89
1989	2.09	2.21	2.84	2.93
1990	2.03	2.20	2.80	2.93
1991	2.06	2.18	2.81	2.98
1992	2.12	2.20	2.80	3.00
1993	2.12	2.22	2.70	3.00
1994	2.07	2.19	2.70	3.00
1995	2.09	2.12	2.70	3.00

*Exclusive of Northern Ireland

In the period under review the crude rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland.

The death rates from cancer in 1995 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown. The crude death rate from cancer in 1995 varied from 3.02 per 1,000 population in Leitrim to 1.14 in Dublin Belgard. When comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west, standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.68 per 1,000 population in Carlow to 1.50 in Kilkenny and Roscommon. Again, throughout the remainder of this report, only crude death rates will be reported.

Full details of deaths due to cancer occurring in 1995, classified by site of the disease and age group are contained in Table 19. The number of deaths and death rates from cancer per 100,000 in each group for the main groups of sites are shown in Table XXV, which shows that there is, in general, a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly one third of the total cancer deaths for both males and females, the death rate for males being 32% higher than that for females. The death rate from malignant neoplasms of the respiratory system for males was nearly double that for females.

Table XXIV Crude and standardised death rates from cancer (ICD-9 nos. 140-208) in each province, county and county borough in 1995*

Province, County or County Borough	Rates per 1,000 population	
	Crude	Standardised
TOTAL	2.09	2.09
LEINSTER	2.01	2.23
Carlow	2.51	2.68
Dublin County Borough	2.69	2.40
Dublin Belgard	1.14	2.30
Dublin Fingal	1.19	2.09
Dun Laoghaire Rathdown	2.13	2.17
Kildare	1.57	2.34
Kilkenny	1.56	1.50
Laois	2.23	2.20
Longford	2.68	2.28
Louth	1.92	2.08
Meath	1.82	2.14
Offaly	2.23	2.27
Westmeath	2.34	2.34
Wexford	2.20	2.16
Wicklow	1.79	1.97
MUNSTER	2.12	2.02
Clare	1.83	1.69
Cork County Borough	2.56	2.56
Cork County	1.90	1.88
Kerry	2.40	1.96
Limerick County Borough	2.59	2.63
Limerick County	1.71	1.80
Tipperary N.R.	2.17	1.95
Tipperary S.R.	2.22	2.06
Waterford County Borough	1.99	2.25
Waterford County	2.29	2.14
CONNAUGHT	2.36	1.91
Galway County Borough	1.31	1.69
Galway County	2.42	2.00
Leitrim	3.02	2.02
Mayo	2.80	2.08
Roscommon	2.08	1.50
Sligo	2.29	1.88
ULSTER (part of)	2.06	1.77
Cavan	2.23	1.87
Donegal	2.03	1.73
Monaghan	1.95	1.77

*1991 Census of Population figures used for areas. Rates adjusted using the total 1995 population estimate.

Table XXV Mortality in 1995 from Malignant Neoplasms, classified by site, sex, and age, with corresponding rates per 100,000 population

Site	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	-	-	2	19	25	27	32	105	-	-	3	3	3	14	16	39
Digestive organs and peritoneum	150-159	2	5	27	106	239	435	551	1,365	-	7	19	64	118	300	543	1,051
Respiratory system	160-165	1	-	10	79	204	406	380	1,080	-	-	10	38	79	215	223	565
Bone, connective tissue, skin and breast	170-175	4	2	2	11	15	20	33	87	2	7	43	119	145	171	230	717
Genito-urinary organs	179-189	-	1	2	18	54	203	435	713	4	7	25	47	80	124	155	442
Other and unspecified sites	190-199	9	11	22	41	77	140	140	440	8	4	12	24	52	109	158	367
Lymphatic and haematopoietic tissues	200-208	12	5	12	33	48	99	98	307	5	7	5	20	29	68	107	241
TOTAL		28	24	77	307	662	1,330	1,669	4,097	19	32	117	315	506	1,001	1,432	3,422

Rates per 100,000 corresponding population

Malignant neoplasms of:																	
Lip, oral cavity and pharynx	140-149	0.0	0.0	0.8	9.4	17.3	24.5	48.5	5.9	0.0	0.0	1.2	1.5	2.1	10.8	15.2	2.2
Digestive organs and peritoneum	150-159	0.3	2.0	11.1	52.4	165.9	395.1	834.8	76.3	0.0	2.7	7.8	32.6	81.9	231.1	514.7	58.0
Respiratory system	160-165	0.1	0.0	4.1	39.1	141.6	368.8	575.8	60.4	0.0	0.0	4.1	19.3	54.9	165.6	211.4	31.2
Bone, connective tissue, skin and breast	170-175	0.5	0.8	0.8	5.4	10.4	18.2	50.0	4.9	0.3	2.7	17.6	60.5	100.7	131.7	218.0	39.5
Genito-urinary organs	179-189	0.0	0.4	0.8	8.9	37.5	184.4	659.1	39.9	0.5	2.7	10.2	23.9	55.6	95.5	146.9	24.4
Other and unspecified sites	190-199	1.2	4.3	9.1	20.3	53.4	127.2	212.1	24.6	1.1	1.5	4.9	12.2	36.1	84.0	149.8	20.2
Lymphatic and haematopoietic tissues	200-208	1.6	2.0	5.0	16.3	33.3	89.9	148.5	17.2	0.7	2.7	2.0	10.2	20.1	52.4	101.4	13.3
TOTAL		3.6	9.5	31.8	151.9	459.4	1,208.0	2,528.8	229.1	2.6	12.3	47.8	160.2	351.4	771.2	1,357.3	188.8

Cancer of the bronchus, trachea and lung

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1980 to 1995, classified by sex and age group, are shown in Table XXVI.

Table XXVI Deaths and death rates per 100,000 corresponding population in each year 1980 to 1995 from cancer of the bronchus, trachea and lung, classified by sex and age group

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
Number of deaths												
1980	4	11	67	249	604	935	-	11	35	92	195	333
1981	1	15	76	263	691	1,046	2	10	26	100	240	378
1982	1	13	76	240	624	954	4	6	36	104	228	378
1983	3	14	91	275	663	1,046	-	5	34	104	295	438
1984	3	15	89	266	723	1,096	1	8	37	105	294	445
1985	2	9	78	262	761	1,112	4	3	26	105	292	430
1986	1	5	77	254	778	1,115	1	6	29	104	303	443
1987	1	10	72	218	714	1,015	3	2	30	91	293	419
1988	1	12	75	243	729	1,060	1	4	29	120	332	486
1989	3	18	48	219	766	1,054	1	6	25	102	406	540
1990	1	15	63	212	753	1,044	1	6	35	106	337	485
1991	-	14	62	198	738	1,012	-	6	27	88	339	460
1992	-	12	61	195	780	1,048	2	7	28	77	397	511
1993	3	9	62	215	808	1,097	2	6	35	78	390	511
1994	1	15	66	240	709	1,031	1	7	34	91	386	519
1995	1	10	71	196	757	1,035	-	10	36	76	417	539
Death rates per 100,000 corresponding population												
1980	0.4	6.2	43.8	174.8	368.6	54.7	-	6.5	23.4	62.4	97.1	19.7
1981	0.1	8.1	49.6	186.2	418.3	60.5	0.2	5.7	17.5	67.7	117.8	22.1
1982	0.1	6.8	49.1	170.1	374.3	54.6	0.4	3.3	24.0	70.4	110.1	21.8
1983	0.3	7.1	58.3	195.6	395.6	59.6	-	2.6	22.6	70.6	140.7	25.1
1984	0.3	7.4	56.6	189.7	429.6	62.0	0.1	4.1	24.4	71.5	138.4	25.3
1985	0.2	4.3	49.4	188.2	451.4	62.8	0.4	1.5	17.2	72.0	136.3	24.3
1986	0.1	2.3	48.8	184.4	461.1	63.0	0.1	2.9	19.2	72.0	140.5	25.0
1987	0.1	4.5	45.1	159.8	420.7	57.3	0.3	0.9	19.6	63.7	134.1	23.6
1988	0.1	5.3	46.3	178.4	425.1	60.3	0.1	1.8	18.6	84.6	149.7	27.4
1989	0.3	7.9	29.2	161.1	443.5	60.4	0.1	2.7	15.7	72.4	180.5	30.6
1990	0.1	6.5	37.3	155.9	434.5	59.9	0.1	2.6	21.4	75.8	148.7	27.5
1991	-	6.0	35.4	144.2	424.6	57.7	-	2.6	16.0	62.9	148.0	26.0
1992	-	5.1	33.5	140.3	446.8	59.3	0.2	3.0	16.0	54.8	171.7	28.6
1993	0.3	3.8	32.7	153.0	461.5	61.7	0.2	2.5	19.1	55.3	167.5	28.5
1994	0.1	6.2	33.6	168.7	404.7	57.8	0.1	2.9	17.9	63.9	165.3	28.8
1995	0.1	4.1	35.1	136.0	429.9	57.9	-	4.1	18.3	52.8	177.2	29.7

About twice as many men as women die from cancer of the bronchus, trachea and lung. While death rates from these cancers have generally fallen in the under-65 age groups for both men and women since 1980, the death rates for males and females over 65 have increased. While the overall mortality trend for males has remained relatively stable, it is increasing for females for this particular cause of death.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1980 to 1995.

Table XXVII Deaths and death rates in Ireland* and neighbouring countries from cancer of the bronchus, trachea and lung in each year 1980 to 1995

Year	Ireland*	Northern Ireland	England and Wales	Scotland
Number of Deaths				
1980	1,268	676	35,168	3,951
1981	1,424	691	34,727	4,114
1982	1,332	690	34,832	4,116
1983	1,484	691	35,572	4,178
1984	1,541	788	35,739	4,225
1985	1,542	757	35,792	4,307
1986	1,558	733	35,257	4,054
1987	1,434	759	35,138	4,290
1988	1,546	777	35,302	4,144
1989	1,594	827	33,184	4,234
1990	1,529	768	33,159	4,123
1991	1,472	788	34,190	4,209
1992	1,559	771	33,662	4,308
1993	1,608	812	32,614	4,299
1994	1,550	768	32,143	4,237
1995	1,574	752	31,627	4,221
Rates per 100,000 population				
1980	37	44	71	77
1981	41	44	70	80
1982	38	44	70	80
1983	42	44	72	81
1984	44	51	72	82
1985	44	49	72	81
1986	44	47	70	81
1987	40	48	70	84
1988	44	49	70	81
1989	45	52	66	83
1990	44	48	65	81
1991	42	49	67	84
1992	44	48	66	84
1993	45	50	63	84
1994	43	47	62	83
1995	44	46	61	82

*Exclusive of Northern Ireland.

Diseases of the circulatory system

There were 14,267 deaths ascribed to diseases of the circulatory system (Nos. 390–459) in 1995, of which 7,434 were deaths of males and 6,833 of females. Details of these deaths, classified by cause and age may be obtained from Table 19 of this report while the numbers assigned to each county and county borough are shown in Table 20. Deaths and death rates from certain groups of causes are given in Table XXVIII.

The excess of male over female deaths is largely reflected in the number of deaths from ischaemic heart disease (4,635 males compared with 3,291 females), the majority of which were due to acute myocardial infarction (3,248 males compared with 2,238 females). The converse is true for cerebrovascular disease (1,679 females compared with 1,213 males). In respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

Table XXVIII Deaths from Diseases of the Circulatory System in 1995 classified by sex, and age, with corresponding death rates per 100,000 population

Cause of Death	ICD-9 Code	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
Acute rheumatic fever	390-392	-	-	-	-	2	1	2	5	-	-	-	-	-	1	2	3
Chronic rheumatic heart disease	393-398	-	-	1	4	3	3	3	14	-	-	-	2	5	14	15	36
Hypertensive disease	401-405	-	-	1	2	5	28	48	84	-	-	-	2	6	20	98	126
Ischaemic heart disease	410-414	1	5	59	238	698	1,503	2,131	4,635	1	5	16	47	187	719	2,316	3,291
Diseases of pulmonary circulation	415-417	1	-	1	3	5	10	18	38	1	4	-	5	2	18	24	54
Other forms of heart disease	420-429	17	11	15	37	77	199	583	939	8	8	1	18	34	128	977	1,174
Cerebrovascular disease	430-438	2	4	14	33	101	305	754	1,213	5	6	13	36	69	235	1,315	1,679
Diseases of arteries, arterioles and capillaries	440-448	1	2	2	9	39	103	276	432	-	2	3	3	14	65	289	376
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	-	-	-	3	7	26	38	74	2	-	-	4	7	19	62	94
Total diseases of circulatory system		22	22	93	329	937	2,178	3,853	7,434	17	25	33	117	324	1,219	5,098	6,833

Rates per 100,000 population

Acute rheumatic fever	390-392	0.0	0.0	0.0	0.0	1.4	0.9	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.9	0.2
Chronic rheumatic heart disease	393-398	0.0	0.0	0.4	2.0	2.1	2.7	4.5	0.8	0.0	0.0	0.0	1.0	3.5	10.8	14.2	2.0
Hypertensive disease	401-405	0.0	0.0	0.4	1.0	3.5	25.4	72.7	4.7	0.0	0.0	0.0	1.0	4.2	15.4	92.9	7.0
Ischaemic heart disease	410-414	0.1	2.0	24.3	117.8	484.4	1,365.1	3,228.8	259.2	0.1	1.9	6.5	23.9	129.9	553.9	2,195.3	181.5
Diseases of pulmonary circulation	415-417	0.1	0.0	0.4	1.5	3.5	9.1	27.3	2.1	0.1	1.5	0.0	2.5	1.4	13.9	22.7	3.0
Other forms of heart disease	420-429	2.2	4.3	6.2	18.3	53.4	180.7	883.3	52.5	1.1	3.1	0.4	9.2	23.6	98.6	926.1	64.8
Cerebrovascular disease	430-438	0.3	1.6	5.8	16.3	70.1	277.0	1,142.4	67.8	0.7	2.3	5.3	18.3	47.9	181.0	1,246.4	92.6
Diseases of arteries, arterioles and capillaries	440-448	0.1	0.8	0.8	4.5	27.1	93.6	418.2	24.2	0.0	0.8	1.2	1.5	9.7	50.1	273.9	20.7
Diseases of veins and lymphatics and other diseases of circulatory system	451-459	0.0	0.0	0.0	1.5	4.9	23.6	57.6	4.1	0.3	0.0	0.0	2.0	4.9	14.6	58.8	5.2
Total diseases of circulatory system		2.9	8.7	38.4	162.8	650.2	1,978.2	5,837.9	415.7	2.3	9.6	13.5	59.5	225.0	939.1	4,832.2	376.9

Respiratory Diseases

Deaths from respiratory diseases (Nos. 460–519 in the International List) in 1995 numbered 4,902. These included 2,343 deaths from pneumonia, 189 from bronchitis, 18 from influenza and 2,352 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

There was no maternal death in 1995 compared with one in 1994.

Table XXIX shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1980–1995.

Table XXIX Maternal deaths per 100,000 total live and still births in Ireland¹ and neighbouring countries; 1980 – 1995

Year	Numbers of deaths	Death per 100,000 live and still births			
		Ireland ¹	Northern Ireland	England and Wales	Scotland
1980	5	7	7	11	14
1981	3	4	4	9	19
1982	4	6	7	7	9
1983	8	12	15	9	12
1984	4	6	11	8	12
1985	4	6	-	7	13
1986	3	5	-	7	11
1987	2	3	4	7	3
1988	1	2	7	6	12
1989	2	4	-	8	6
1990	2	4	-	1	6
1991	3	6	1	1	9
1992	2	4	-	6	11
1993	-	-	-	4	11
1994	1	2	-	7	15
1995	-	-	-	7	10

¹ Exclusive of Northern Ireland.

* One maternal death which occurred in 1993 was registered in 1995

Stillbirths and Infant Mortality

The terms used in relation to stillbirths and infant mortality are defined as follows:

Stillbirth: Stillbirth weighing 500 grams or more or at gestational age of 24 weeks or more. This definition applies to stillbirth figures from 1995 onwards.

Late foetal death: Foetal death at or over 28 weeks gestation. This definition was applied up to 1994 inclusive.

Early neonatal death: Death at ages under 1 week of live born infant.

Perinatal deaths: Stillbirths or late foetal deaths plus early neonatal deaths.

Late neonatal death: Death between the ages of 1 week and 4 weeks of live born infant.

Neonatal death: Death at ages under 4 weeks of live born infant.

Post neonatal death: Death between the ages of 4 weeks and 1 year of live born infant.

Infant death: Death at ages under 1 year of live born infant.

Stillbirth rate: Stillbirths divided by total live births plus stillbirths, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Early neonatal mortality rate: Early neonatal deaths divided by total live births, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus stillbirths, multiplied by 1,000.

Late neonatal mortality rate: Late neonatal deaths divided by total live births, multiplied by 1,000.

Neonatal mortality rate: Neonatal deaths divided by total live births, multiplied by 1,000.

Post neonatal mortality rate: Post neonatal deaths divided by total live births, multiplied by 1,000.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since 1863, particulars of late foetal mortality have been obtained through a scheme of notification to the Directors of Community Care. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently, the number of late foetal deaths in the early years of the scheme is believed to be understated.

In 1995 stillbirths were registered in Ireland for the first time under the Stillbirths Registration Act, 1994. The definition of a stillbirth under the Act is broader than the definition used for late foetal deaths in previous Vital Statistics Reports (see above). This report contains tables in relation to 330 stillbirths which occurred in 1995. This figure includes five stillbirths for which a statistical return was received but which had not been registered. This compares with a total of 297 late foetals notified in 1994. Care should be taken in interpreting the two figures in consideration of the changes between the notification and registration systems.

Table XXXII shows that the highest county rate for infant mortality was in Carlow and the lowest in Roscommon. The rate for perinatal mortality was highest in Laois and lowest in Leitrim while for stillbirths the highest rate was in Laois and lowest in Cavan.

Table XXX Live births, stillbirths and infant mortality, 1957 to 1995

Year	Live births	Population	Stillbirths ⁴	Perinatal deaths	Neonatal deaths			Post	Infant deaths
					Early	Late	Total		
Both sexes									
1957-60 ¹	60419	2854	1321	2316	995	321	1316	644	1960
1961-70 ²	62417	2881	1060	1890	830	206	1036	514	1550
1971-80 ²	69439	3196	780	1398	618	113	731	369	1100
1981-90 ²	61628	3513	475	758	283	58	341	228	569
1986	61620	3541	479	732	253	55	308	239	547
1987	58433	3546	416	610	194	58	252	212	464
1988	54600	3531	386	624	238	53	291	193	484
1989	52018	3510	330	542	212	37	249	174	423
1990	53044	3506	327	543	216	39	255	179	434
1991	52718	3525	301	502	201	63	264	137	401
1992	51089	3554	285	476	191	28	219	112	331
1993	49304	3574	291	450	159	39	198	104	302
1994	48255	3586	297	451	154	39	193	84	277
1995	48787	3601	330 (257)	520 (447)	190	42	232	79	311
Males									
1957-60 ¹	30915	1439	-	-	579	188	767	372	1139
1961-70 ²	32053	1448	475 ³	891 ³	470	118	588	291	879
1971-80 ²	35715	1606	380	740	360	63	423	205	629
1981-90 ²	31747	1756	246	407	161	32	193	129	322
1986	31875	1770	235	381	146	28	174	129	303
1987	29931	1770	231	342	111	29	140	131	271
1988	28083	1759	212	342	130	29	159	111	270
1989	26754	1744	187	308	121	25	146	103	249
1990	27559	1743	180	302	122	23	145	104	249
1991	27122	1753	158	270	112	34	146	87	233
1992	26307	1768	161	270	109	16	125	71	196
1993	25359	1778	146	230	84	21	105	64	169
1994	24957	1783	153	244	91	19	110	51	161
1995	25153	1788	168 (131)	282 (245)	114	16	130	44	174
Females									
1957-60 ¹	29504	1415	-	-	416	133	549	272	821
1961-70 ²	30364	1433	471 ³	800 ³	360	88	448	223	671
1971-80 ²	33724	1590	400	658	258	50	308	164	472
1981-90 ²	29882	1758	229	351	122	26	148	99	247
1986	29745	1771	244	351	107	27	134	110	244
1987	28502	1776	185	268	83	29	112	81	193
1988	26517	1772	174	282	108	24	132	82	214
1989	25264	1766	143	234	91	12	103	71	174
1990	25485	1763	147	241	94	16	110	75	185
1991	25596	1772	143	232	89	29	118	50	168
1992	24782	1786	124	206	82	12	94	41	135
1993	23945	1796	145	220	75	18	93	40	133
1994	23298	1803	144	207	63	20	83	33	116
1995	23634	1813	162 (126)	238 (202)	76	26	102	35	137

¹ 4 year average² Decennial average³ 5 year average, 1966 - 1970⁴ Figures on stillbirths up to 1994 inclusive refer to the definition of late foetal deaths at or over 28 weeks gestation. The 1995 figures relate to the new broader definition of stillbirths at or over 500g or at a gestation age of 24 weeks or more. For comparison purposes, figures according to the old definition are given in brackets for 1995.

Table XXXI Live birth, stillbirth and infant mortality rates, 1957 to 1995

Year	Live births	Stillbirths ⁴	Perinatal deaths	Neonatal deaths			Post	Infant deaths
				Early	Late	Total		
Both sexes								
1957-60 ¹ ₂	21.2	21.4	37.5	16.5	5.3	21.8	10.7	32.4
1961-70 ² ₂	21.7	16.7	29.8	13.3	3.3	16.6	8.2	24.8
1971-80 ² ₂	21.7	11.1	19.9	8.9	1.6	10.5	5.3	15.8
1981-90 ² ₂	17.5	7.6	12.2	4.6	0.9	5.5	3.7	9.2
1986	17.4	7.7	11.8	4.1	0.9	5.0	3.9	8.9
1987	16.5	7.1	10.4	3.3	1.0	4.3	3.6	7.9
1988	15.5	7.0	11.3	4.4	1.0	5.3	3.5	8.9
1989	14.8	6.3	10.4	4.1	0.7	4.8	3.3	8.1
1990	15.1	6.1	10.2	4.1	0.7	4.8	3.4	8.2
1991	15.0	5.7	9.5	3.8	1.2	5.0	2.6	7.6
1992	14.4	5.5	9.3	3.7	0.5	4.3	2.2	6.5
1993	13.8	5.9	9.1	3.2	0.8	4.0	2.1	6.1
1994	13.5	6.1	9.3	3.2	0.8	4.0	1.7	5.7
1995	13.5	6.7 (5.2)	10.6 (9.1)	3.9	0.9	4.8	1.6	6.4
Males								
1957-60 ¹ ₂	21.5	- ³	- ³	18.7	6.1	24.8	12.0	36.8
1961-70 ² ₂	22.1	14.6 ³	27.4 ³	14.7	3.6	18.3	9.1	27.4
1971-80 ² ₂	22.2	10.5	20.5	10.1	1.8	11.9	5.7	17.6
1981-90 ² ₂	18.1	7.7	12.7	5.1	1.0	6.1	4.1	10.1
1986	18.0	7.3	11.9	4.6	0.9	5.5	4.0	9.5
1987	16.9	7.7	11.3	3.7	1.0	4.7	4.4	9.1
1988	16.0	7.5	12.1	4.6	1.0	5.7	4.0	9.6
1989	15.3	6.9	11.4	4.5	0.9	5.5	3.8	9.3
1990	15.8	6.5	10.9	4.4	0.8	5.3	3.8	9.0
1991	15.5	5.8	9.9	4.1	1.3	5.4	3.2	8.6
1992	14.9	6.1	10.2	4.1	0.6	4.8	2.7	7.5
1993	14.3	5.7	9.0	3.3	0.8	4.1	2.5	6.7
1994	14.0	6.1	9.7	3.6	0.8	4.4	2.0	6.5
1995	14.1	6.6 (5.2)	11.1 (9.7)	4.5	0.6	5.2	1.7	6.9
Females								
1957-60 ¹ ₂	20.9	- ³	- ³	14.1	4.5	18.6	9.2	27.8
1961-70 ² ₂	21.2	15.3 ³	26.0 ³	11.9	2.9	14.8	7.3	22.1
1971-80 ² ₂	21.2	11.7	19.3	7.7	1.4	9.1	4.9	14.0
1981-90 ² ₂	17.0	7.6	11.6	4.1	0.9	5.0	3.3	8.3
1986	16.8	8.1	11.7	3.6	0.9	4.5	3.7	8.2
1987	16.0	6.4	9.3	2.9	1.0	3.9	2.8	6.8
1988	15.0	6.5	10.6	4.1	0.9	5.0	3.1	8.1
1989	14.3	5.6	9.2	3.6	0.5	4.1	2.8	6.9
1990	14.5	5.7	9.4	3.7	0.6	4.3	2.9	7.3
1991	14.4	5.6	9.0	3.5	1.1	4.6	2.0	6.6
1992	13.9	5.0	8.3	3.3	0.5	3.8	1.7	5.4
1993	13.3	6.0	9.1	3.1	0.8	3.9	1.7	5.6
1994	12.9	6.1	8.8	2.7	0.9	3.6	1.4	5.0
1995	13.0	6.8 (5.3)	10.0 (8.5)	3.2	1.1	4.3	1.5	5.8









¹ 4 year average² Decennial average³ 5 year average, 1966 - 1970⁴ Figures on stillbirths up to 1994 inclusive refer to the definition of late foetal deaths at or over 28 weeks gestation. The 1995 figures relate to the new broader definition of stillbirths at or over 500g or at a gestation age of 24 weeks or more. For comparison purposes, figures according to the old definition are given in brackets for 1995.

Table XXXII Stillbirths and Infant mortality* 1995

Area	Infant Mortality		Neonatal Mortality		Stillbirths		Perinatal Mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	311	6.4	232	4.8	330	6.7	520	10.6
LEINSTER	168	6.2	126	4.7	181	6.7	288	10.6
Carlow	6	10.9	5	9.1	5	9.0	8	14.5
Dublin County Borough	50	8.1	35	5.7	47	7.5	75	12.0
Dublin Belgard	21	6.3	13	3.9	14	4.2	26	7.8
Dublin Fingal	13	4.7	9	3.2	11	3.9	19	6.8
Dun Laoghaire Rathdown	15	5.8	12	4.6	17	6.5	28	10.7
Kildare	17	8.2	11	5.3	11	5.3	22	10.6
Kilkenny	2	2.1	2	2.1	5	5.3	6	6.3
Laois	7	10.1	7	10.1	11	15.6	16	22.8
Longford	1	2.6	1	2.6	2	5.2	3	7.8
Louth	9	7.4	8	6.6	10	8.1	17	13.9
Meath	8	5.6	6	4.2	14	9.7	20	13.8
Offaly	4	5.0	4	5.0	4	4.9	7	8.6
Westmeath	3	3.1	3	3.1	9	9.2	11	11.3
Wexford	7	4.7	6	4.1	14	9.4	20	13.4
Wicklow	5	3.4	4	2.7	7	4.7	10	6.7
MUNSTER	98	7.3	68	5.0	109	8.0	158	11.6
Clare	7	6.0	5	4.3	11	9.3	15	12.7
Cork County Borough	12	7.6	10	6.4	21	13.2	28	17.6
Cork County	33	8.1	22	5.4	22	5.4	39	9.5
Kerry	6	4.2	5	3.5	16	11.1	20	13.9
Limerick County Borough	7	9.8	4	5.6	5	7.0	9	12.6
Limerick County	13	8.6	11	7.3	8	5.3	14	9.2
Tipperary N.R.	3	3.9	1	1.3	6	7.7	7	9.0
Tipperary S.R.	6	6.1	5	5.0	6	6.0	9	9.0
Waterford County Borough	6	10.3	2	3.4	4	6.8	6	10.2
Waterford County	5	7.2	3	4.3	10	14.2	11	15.7
CONNACHT	24	4.5	19	3.6	27	5.1	43	8.1
Galway County Borough	6	7.9	5	6.6	3	4.0	8	10.5
Galway County	8	4.7	7	4.1	8	4.7	13	7.6
Leitrim	-	-	-	-	1	3.3	1	3.3
Mayo	6	4.6	4	3.0	8	6.1	11	8.3
Roscommon	1	1.9	-	-	3	5.6	3	5.6
Sligo	3	4.5	3	4.5	4	5.9	7	10.3
ULSTER (part of)	21	6.8	19	6.2	13	4.2	31	10.0
Cavan	5	6.9	5	6.9	1	1.4	6	8.3
Donegal	10	5.8	9	5.3	8	4.6	17	9.9
Monaghan	6	9.3	5	7.7	4	6.2	8	12.3

* For definition see page 37

The stillbirth and infant mortality rates in some areas based on small numbers are subject to considerable fluctuation and caution should be exercised in their interpretation.



Infant mortality

During the year 1995 there were 311 deaths of infants under one year, compared to 277 in 1994. The infant mortality rate, which had fallen to 5.7 per 1,000 births in 1994, increased to 6.4 in 1995.

Table XXXIII Infant mortality by age, 1941 to 1995

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50 ¹	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60 ¹	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1961-70 ¹	7.1	6.2	1.4	1.1	0.8	16.6	2.1	1.5	2.7	2.0	8.2	24.9
1971-80 ¹	5.1	3.8	0.9	0.4	0.4	10.6	1.2	1.0	1.8	1.4	5.3	15.9
1981-90 ¹	2.8	1.8	0.5	0.2	0.3	5.5	0.7	0.7	1.3	0.9	3.7	9.1
1986	2.5	1.6	0.5	0.1	0.3	5.0	0.6	0.9	1.4	0.9	3.9	8.9
1987	1.9	1.5	0.5	0.3	0.2	4.3	0.8	0.8	1.5	0.7	3.6	7.9
1988	2.6	1.7	0.5	0.3	0.2	5.3	0.7	0.6	1.2	1.0	3.5	8.9
1989	2.4	1.6	0.3	0.2	0.2	4.8	0.4	0.8	1.2	0.9	3.3	8.1
1990	2.6	1.5	0.4	0.1	0.3	4.8	0.7	0.5	1.3	0.8	3.4	8.2
1991	2.4	1.4	0.7	0.2	0.3	5.0	0.6	0.3	1.1	0.6	2.6	7.6
1992	2.2	1.5	0.3	0.1	0.2	4.3	0.4	0.3	0.8	0.7	2.2	6.5
1993	2.3	1.0	0.4	0.2	0.2	4.0	0.6	0.3	0.6	0.6	2.1	6.1
1994	2.0	1.2	0.3	0.3	0.2	4.0	0.5	0.3	0.6	0.4	1.7	5.7
1995	2.1	1.8	0.5	0.2	0.1	4.8	0.5	0.2	0.6	0.4	1.6	6.4

¹Decennial average.

Table XXXIV Infant mortality rates in Ireland* and neighbouring countries, 1941 to 1995

Year	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50 ¹	66	60	43	57
1951-60 ¹	37	32	25	30
1961-70 ¹	25	25	19	23
1971-80 ¹	16	19	15	16
1981-90 ¹	9	10	9	9
1986	9	10	10	9
1987	8	9	9	8
1988	9	9	9	8
1989	8	7	8	7
1990	8	8	8	8
1991	8	7	7	7
1992	6	6	7	7
1993	6	7	6	6
1994	6	6	6	6
1995	6	7	6	6

¹Decennial average

* Exclusive of Northern Ireland

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in Table 19. In Table 25 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

The relative importance of the various groups of causes differs appreciably between deaths of infants aged under one week and deaths at ages 4 weeks to 1 year. Of all deaths at ages under one week, 34% were due to congenital anomalies; 23% to immaturity and birth injuries and 8% to anoxic and hypoxic conditions not elsewhere classified.

On the other hand, the most common cause of death for infants aged 4 weeks to 1 year was congenital anomalies (34%) followed by sudden death (33%).

Table XXXV Stillbirths and deaths of infants under 1 year occurring in 1995 classified by cause and age

ICD-9 Codes	Cause of Death	Stillbirths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	-	-	1	1
Rem (001-139)	Other infective and parasitic diseases	-	-	-	-	2	2
320-322	Meningitis	-	-	-	-	-	-
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	1	1	2	3	7
520-579	Diseases of the digestive system	-	1	-	-	-	1
740-759	Congenital anomalies	30	32	32	16	27	107
736,767	Birth injuries	1	-	5	-	-	5
765.1	Immaturity unqualified	6	21	17	5	1	44
768-769, 770.1, 770.7	Anoxic and hypoxic conditions N.E.C.	50	7	8	2	-	17
773, 774	Haemolytic disease of newborn	4	2	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	88	-	-	-	-	-
798	Sudden death, cause unknown	-	1	1	2	26	30
Rem (001-999)	Other causes	151	37	24	15	19	95
	TOTAL	330	102	88	42	79	311

Deaths classified as being due to placental and cord injuries to foetus accounted for 31% of the total stillbirths. Deaths classified as being due to ill-defined conditions originating in the perinatal period accounted for 27% of the stillbirths. Deaths due to intrauterine hypoxia and birth asphyxia were next at 15% and deaths due to congenital anomalies at 9%.

As can be seen from Table XXXVI 311 stillbirths in 1995 occurred in hospitals; this is equivalent to 94% of the total number of stillbirths.

Table XXXVI Stillbirths in the year 1995 classified by period of gestation and place in which confinement occurred

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
Under 24 weeks	11	-	-	11
24-27 weeks	58	3	-	61
28-36 Weeks	115	6	2	123
37 Weeks and over	126	5	3	134
Not stated	1	-	-	1
TOTAL	311	14	5	330

The perinatal mortality and stillbirth rates in Ireland and neighbouring countries from 1980 to 1995 are compared in Table XXXVII. This table is based only on stillbirths at or over 28 weeks gestation.

Table XXXVII Comparable⁽²⁾ stillbirth and perinatal mortality rates in Ireland¹ and neighbouring countries, 1980-1995

Year	Stillbirth rate				Perinatal mortality rate			
	Ireland	Northern Ireland	England and Wales	Scotland	Ireland	Northern Ireland	England and Wales	Scotland
1980	9.1	9.2	7.2	6.7	14.8	15.6	13.3	13.1
1981	8.2	8.7	6.6	6.3	13.4	15.3	11.8	11.6
1982	8.0	6.9	6.3	5.8	13.5	13.3	11.3	11.5
1983	8.6	7.4	5.7	5.8	13.7	13.1	10.4	10.6
1984	8.4	5.9	5.7	5.8	13.7	10.8	10.1	11.0
1985	8.2	6.4	5.5	5.5	12.3	11.1	9.8	9.8
1986	7.8	4.4	5.3	5.8	11.9	9.5	9.6	10.2
1987	7.1	6.1	5.0	5.1	10.4	9.8	8.9	8.9
1988	7.0	5.0	4.9	5.4	11.3	9.3	8.7	8.9
1989	6.3	5.1	4.7	5.0	10.3	8.2	8.3	8.7
1990	6.1	4.4	4.6	5.3	10.2	7.6	8.1	8.7
1991	5.7	4.7	4.6	5.5	9.5	8.4	8.0	8.6
1992	5.5	4.7	4.3	4.9	9.3	8.0	7.6	8.5
1993	5.9	4.1	4.4	4.8	9.1	7.7	7.6	8.0
1994	6.1	5.2	4.4	4.5	9.3	8.6	7.6	7.4
1995 ²	5.2 (6.5)	4.6 (6.1)	4.2 (5.5)	4.9 (6.6)	9.1 (10.3)	8.9 (10.4)	7.4 (8.7)	7.9 (9.6)

¹ Exclusive of Northern Ireland.

² For comparison purposes, the rates in the table are based on foetal deaths at or over 28 weeks gestation. The rates in brackets for 1995 refer to foetal deaths at or over 24 weeks gestation.

Accidents, poisoning and violence

The number of deaths from external causes (numbers E800–E999) occurring in 1995 was 1,454 of which 1,025 were males and 429 were females. The corresponding figures for 1994 were 1,447 deaths – 1,019 male and 428 female. As has been mentioned on page 9 deaths which have not been registered within one year of their occurrence have been excluded from the main body of this report. The exclusion of these cases may have a relatively more significant effect on the number of deaths classified to some external causes.

Table XXXVIII Deaths from accidents, poisoning and violence, 1986 – 1995

ICD – 9 code	Cause of Death	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
E800–E807	Railway accidents	3	5	4	3	5	3	4	-	4	1
E810–E829	Road vehicle accidents	422	461	474	475	465	446	393	422	407	431
E850–E869	Accidental poisoning	35	37	33	16	22	44	29	56	69	92
E980–E982	Poisoning undetermined whether accidentally or purposely inflicted	15	7	17	19	9	9	4	5	4	3
E890–E899 E921, E923 E924	Accidents caused by fire explosion and burns	104	70	81	88	64	65	68	67	79	56
E910	Accidental drowning and submersion	65	62	61	80	72	69	58	67	82	79
E984	Drowning (submersion) undetermined whether accidentally or purposely inflicted	59	51	41	45	25	21	12	11	9	4
E880–E888	Accidental falls	312	292	250	302	285	269	242	261	247	249
Rem.(E800– E999)	Other accidents and external causes	241	259	200	218	221	183	190	161	151	135
E950–E959	Suicide and self inflicted injury	283	245	266	278	334	346	363	327	395	404
	TOTAL	1,539	1,489	1,427	1,524	1,502	1,455	1,363	1,377	1,447	1,454

As can be seen from Table XXXIX there is an excess of male mortality from accidents which may be largely attributed to the category suicide and self-inflicted injury followed by road vehicle accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls.

Table XXXIX Deaths from accidents, poisonings and violence in 1995 classified by age and sex

Cause of Death	ICD-9 Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Railway accidents												
M	E800-807	1	-	-	-	-	-	-	-	-	1	-
F		-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents												
M	E810-829	320	-	2	23	100	55	43	28	22	25	22
F		111	-	4	4	25	8	11	16	9	15	19
Accidental poisoning												
M	E850-869	63	-	1	1	21	21	11	4	2	2	-
F		29	-	-	-	4	4	2	11	2	5	1
Accidental falls												
M	E880-888	110	-	2	1	4	8	11	6	14	18	46
F		139	1	-	-	5	1	1	4	6	11	110
Accidents caused by fire, explosion and burns												
M	E890-899,921	31	-	2	1	1	3	2	2	4	4	12
F	E923,924	25	-	2	-	1	1	5	-	2	5	9
Accidental drowning and submersion												
M	E910	67	-	-	5	20	15	3	11	6	3	4
F		12	-	-	2	-	2	1	3	3	1	-
Suicide and self-inflicted injury												
M	E950-959	321	-	-	4	76	67	72	40	23	25	14
F		83	-	-	2	11	20	18	16	10	3	3
Injury undetermined whether accidentally or purposely inflicted												
M	E980-989	6	1	-	-	-	-	2	1	1	-	1
F		4	-	-	-	-	-	1	2	1	-	-
Other accidents and external causes												
M	Rem.	106	-	1	3	13	19	21	15	16	7	11
F	E800-999	26	2	1	2	2	2	2	2	1	5	7
TOTAL												
M		1,025	1	8	38	235	188	165	107	88	85	110
F		429	3	7	10	48	38	41	54	34	45	149

As can be seen from Table XXXX below, 287 deaths resulted from accidents in the home. This compares with 283 in 1994. Of the 287 deaths in 1995, 133 were accidental falls, and almost two-thirds of these were in the 75 years and over age category. Accidents caused by fire and flames accounted for 51 deaths, 4 of which were in the under 5 age group. There were 60 deaths from accidental poisoning.

Table XXXX Deaths due to accidents in the home in 1995 classified by cause and age group

Cause of Death	ICD-9 Code	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
Accidental poisoning by drugs, medicaments, biologicals, other solids and liquid substances												
M	E850-866	33	-	1	-	11	11	7	2	-	1	-
F		20	-	-	-	1	4	1	6	2	5	1
Accidental poisoning by gases and vapours												
M	E867-869	7	-	-	1	1	3	1	-	1	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Accidental falls												
M	E880-888	57	-	2	-	2	3	3	2	12	9	24
F		76	1	-	-	1	-	1	3	3	6	61
Accident caused by fires and flames												
M	E890-899	29	-	2	1	1	3	2	1	4	4	11
F		22	-	2	-	1	1	5	-	2	5	6
Hunger, thirst, exposure, neglect												
M	E904	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation												
M	E911	4	-	-	-	1	1	-	-	1	-	1
F		4	-	-	-	-	-	1	1	1	-	1
Accidental mechanical suffocation												
M	E913	2	-	-	1	-	1	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Accident caused by hot substance or object, caustic or corrosive material and steam												
M	E924	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Accidents caused by electric current												
M	E925	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other and unspecified accidents												
M		23	-	-	-	1	2	1	2	6	3	8
F		10	1	1	1	-	-	1	-	1	3	2
TOTAL												
M		155	-	5	3	17	24	14	7	24	17	44
F		132	2	3	1	3	5	9	10	9	19	71

Uncertified deaths

The number of cases in 1995 in which the cause of death was not certified by a medical practitioner was 81 which represents 0.25% of the total deaths. This is much lower than the 8.5% in the period 1951-1960 and the 3.1% in the period 1961-70.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1995 was 3,821 compared with 3,410 in 1994.

Tables

Table 1 Estimated population in thousands in each year 1851* - 1995

Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1926	2,971	1,507	1,464
1852	4,927	2,413	2,514	1927	2,957	1,502	1,455
1853	4,807	2,358	2,449	1928	2,944	1,498	1,446
1854	4,704	2,311	2,393	1929	2,937	1,496	1,441
1855	4,638	2,281	2,357	1930	2,927	1,493	1,434
1856	4,594	2,261	2,333	1931	2,933	1,497	1,436
1857	4,540	2,234	2,306	1932	2,949	1,505	1,444
1858	4,506	2,217	2,289	1933	2,962	1,512	1,450
1859	4,471	2,199	2,272	1934	2,971	1,518	1,453
1860	4,428	2,179	2,249	1935	2,971	1,520	1,451
1861	4,393	2,164	2,229	1936	2,967	1,520	1,447
1862	4,377	2,158	2,219	1937	2,948	1,510	1,438
1863	4,328	2,134	2,194	1938	2,937	1,505	1,432
1864	4,263	2,103	2,160	1939	2,934	1,503	1,431
1865	4,223	2,084	2,139	1940	2,958	1,515	1,443
1866	4,163	2,051	2,112	1941	2,993	1,533	1,460
1867	4,130	2,033	2,097	1942	2,963	1,499	1,464
1868	4,109	2,022	2,087	1943	2,946	1,490	1,456
1869	4,090	2,012	2,078	1944	2,944	1,487	1,457
1870	4,062	1,996	2,066	1945	2,952	1,490	1,462
1871	4,042	1,986	2,056	1946	2,957	1,496	1,461
1872	4,023	1,975	2,048	1947	2,974	1,505	1,469
1873	3,989	1,955	2,034	1948	2,985	1,512	1,473
1874	3,966	1,944	2,022	1949	2,981	1,513	1,468
1875	3,951	1,940	2,011	1950	2,969	1,510	1,459
1876	3,949	1,942	2,007	1951	2,961	1,507	1,454
1877	3,956	1,947	2,009	1952	2,953	1,501	1,452
1878	3,952	1,948	2,004	1953	2,949	1,498	1,451
1879	3,939	1,944	1,995	1954	2,941	1,493	1,448
1880	3,891	1,920	1,971	1955	2,921	1,479	1,442
1881	3,847	1,901	1,946	1956	2,898	1,463	1,435
1882	3,808	1,882	1,926	1957	2,885	1,456	1,429
1883	3,745	1,853	1,892	1958	2,853	1,439	1,414
1884	3,703	1,834	1,869	1959	2,846	1,435	1,411
1885	3,671	1,820	1,851	1960	2,832	1,427	1,405
1886	3,642	1,808	1,834	1961	2,818	1,417	1,402
1887	3,600	1,788	1,812	1962	2,830	1,423	1,407
1888	3,554	1,766	1,788	1963	2,850	1,433	1,417
1889	3,516	1,748	1,768	1964	2,864	1,440	1,424
1890	3,482	1,733	1,749	1965	2,876	1,446	1,430
1891	3,449	1,718	1,731	1966	2,884	1,449	1,435
1892	3,408	1,697	1,711	1967	2,900	1,457	1,443
1893	3,382	1,684	1,698	1968	2,913	1,464	1,449
1894	3,362	1,675	1,687	1969	2,926	1,470	1,455
1895	3,333	1,662	1,671	1970	2,950	1,482	1,468
1896	3,314	1,653	1,661	1971	2,978	1,496	1,482
1897	3,298	1,646	1,652	1972	3,024	1,519	1,505
1898	3,283	1,640	1,643	1973	3,073	1,544	1,529
1899	3,265	1,631	1,634	1974	3,124	1,570	1,554
1900	3,234	1,616	1,618	1975	3,177	1,597	1,580
1901	3,213	1,607	1,606	1976	3,228	1,623	1,605
1902	3,200	1,603	1,597	1977	3,272	1,645	1,627
1903	3,185	1,599	1,586	1978	3,314	1,666	1,648
1904	3,175	1,597	1,578	1979	3,368	1,693	1,675
1905	3,165	1,594	1,571	1980	3,401	1,709	1,692
1906	3,160	1,593	1,567	1981	3,443	1,729	1,714
1907	3,151	1,589	1,562	1982	3,480	1,746	1,734
1908	3,145	1,588	1,557	1983	3,504	1,756	1,748
1909	3,142	1,589	1,553	1984	3,529	1,767	1,762
1910	3,139	1,588	1,551	1985	3,540	1,771	1,769
1911	3,132	1,586	1,546	1986	3,541	1,770	1,771
1912	3,120	1,581	1,539	1987	3,547	1,770	1,776
1913	3,103	1,572	1,531	1988	3,531	1,759	1,772
1914	3,092	1,568	1,524	1989	3,510	1,744	1,766
1915	3,068	1,546	1,522	1990	3,506	1,743	1,763
1916	3,068	1,549	1,519	1991	3,526	1,753	1,772
1917	3,065	1,551	1,514	1992	3,555	1,768	1,786
1918	3,066	1,553	1,513	1993	3,574	1,778	1,796
1919	3,102	1,598	1,504	1994	3,586	1,783	1,803
1920	3,103	1,598	1,505	1995	3,601	1,788	1,813
1921	3,096	1,599	1,497				
1922	3,022	1,529	1,493				
1923	3,014	1,526	1,488				
1924	3,005	1,521	1,484				
1925	2,985	1,512	1,473				

* For 1951 and subsequent years the figures relate to mid - April

Table 2 Estimated population by age 1990 to 1995 in thousands

Age Group	Persons						Males						Females					
	1990	1991	1992	1993	1994	1995	1990	1991	1992	1993	1994	1995	1990	1991	1992	1993	1994	1995
Under 1	51.7	53.0	52.4	50.2	48.8	48.2	26.6	27.4	26.9	25.9	25.2	24.9	25.1	25.7	25.5	24.3	23.6	23.3
1-4	230.5	220.7	217.0	214.3	211.4	207.3	117.7	113.2	111.2	110.0	108.9	106.7	112.8	107.5	105.8	104.3	102.6	100.6
5-9	328.7	318.5	310.7	302.6	293.4	287.3	169.0	163.3	159.6	155.2	150.5	147.3	159.7	155.2	151.1	147.3	143.0	139.9
10-14	343.7	348.3	350.7	349.9	344.9	335.2	176.4	178.9	180.3	179.8	177.8	172.4	167.2	169.4	170.4	170.1	167.2	162.7
15-19	328.3	335.0	333.2	330.5	331.0	335.2	167.3	171.4	170.7	169.4	169.2	171.4	161.0	163.6	162.5	161.0	161.8	163.8
20-24	265.8	266.6	276.9	285.4	290.1	290.4	135.8	136.5	142.3	146.8	148.9	148.0	130.0	130.1	134.7	138.6	141.2	142.5
25-29	246.1	246.3	247.1	246.5	247.3	252.5	120.4	120.7	121.1	121.5	123.1	126.0	125.7	125.7	126.0	125.0	124.2	126.5
30-34	243.2	249.1	253.5	256.1	257.8	259.8	119.7	123.2	125.6	126.1	125.9	127.1	123.5	125.9	127.9	130.0	131.9	132.7
35-39	237.9	237.9	241.5	244.1	247.4	249.7	119.7	118.7	120.0	121.0	122.6	123.2	118.2	119.2	121.6	123.1	124.8	126.4
40-44	221.9	225.7	228.6	232.3	234.0	237.7	112.0	113.9	114.9	116.8	117.5	119.1	109.9	111.8	113.6	115.5	116.5	118.6
45-49	177.8	187.8	199.0	207.7	215.8	222.3	90.6	95.4	101.3	105.8	109.5	112.3	87.1	92.3	97.7	101.9	106.3	110.0
50-54	154.4	156.8	158.6	165.1	170.6	176.4	78.2	79.9	81.0	84.1	86.9	89.8	76.2	76.9	77.6	81.0	83.7	86.6
55-59	141.5	142.5	144.8	145.3	147.9	151.7	71.1	71.7	72.8	73.2	74.4	76.2	70.4	70.9	72.1	72.1	73.6	75.5
60-64	134.4	134.6	134.6	136.2	136.7	136.4	64.9	65.6	66.2	67.3	67.9	67.9	69.5	69.0	68.4	69.0	68.9	68.6
65-69	132.3	130.8	130.2	128.2	126.9	126.6	61.9	61.0	60.6	59.9	59.5	59.7	70.4	69.8	69.7	68.3	67.4	66.9
70-74	107.8	109.3	110.3	113.3	113.9	113.3	48.9	49.2	49.6	50.8	51.0	50.4	59.0	60.1	60.7	62.6	62.9	62.9
75-79	84.5	84.1	83.6	81.8	81.7	82.4	35.9	35.7	35.3	34.3	34.3	34.7	48.5	48.4	48.3	47.4	47.5	47.8
80-84	47.1	49.3	51.6	53.6	54.6	55.9	18.0	19.0	20.1	20.9	21.1	21.3	29.1	30.3	31.5	32.7	33.5	34.6
85 and over	28.3	29.4	30.1	31.1	31.5	33.1	8.6	8.9	9.0	9.2	9.3	10.0	19.6	20.5	21.1	21.8	22.2	23.1
All ages	3,505.8	3,525.7	3,554.5	3,574.1	3,585.9	3,601.3	1,742.8	1,753.4	1,768.4	1,778.0	1,783.3	1,788.4	1,763.1	1,772.3	1,786.1	1,796.1	1,802.6	1,812.9

Table 3 Population by sex of each county and county borough according to the Census of Population, 1991

Province, County or County Borough	Persons	Males	Females
TOTAL	3,525,719	1,753,418	1,772,301
LEINSTER	1,860,949	913,849	947,100
Carlow	40,942	20,785	20,157
Dublin*	1,025,304	492,432	532,872
of which			
Dublin Co. Borough	478,389	225,818	252,571
Dublin-Belgard	208,739	102,804	105,935
Dublin-Fingal	152,766	75,306	77,460
Dun Laoghaire-Rathdown	185,410	88,504	96,906
Kildare	122,656	62,207	60,449
Kilkenny	73,635	37,447	36,188
Laoighis	52,314	26,904	25,410
Longford	30,296	15,542	14,754
Louth	90,724	44,823	45,901
Meath	105,370	53,291	52,079
Offaly	58,494	29,892	28,602
Westmeath	61,880	31,006	30,874
Wexford	102,069	51,444	50,625
Wicklow	97,265	48,076	49,189
MUNSTER	1,009,533	507,095	502,438
Clare	90,918	46,367	44,551
Cork*	410,369	204,542	205,827
of which			
Cork County	283,116	143,196	139,920
Cork Co. Borough	127,253	61,346	65,907
Kerry	121,894	61,932	59,962
Limerick*	161,956	81,094	80,862
of which			
Limerick County	109,873	55,776	54,097
Limerick County Borough	52,083	25,318	26,765
Tipperary, N.R.	57,854	29,355	28,499
Tipperary, S.R.	74,918	38,067	36,851
Waterford*	91,624	45,738	45,866
of which			
Waterford County	51,296	26,021	25,275
Waterford County Borough	40,328	19,717	20,611
CONNACHT	423,031	214,131	208,900
Galway*	180,364	91,005	89,359
of which			
Galway County	129,511	66,724	62,787
Galway Co. Borough	50,853	24,281	26,572
Leitrim	25,301	13,203	12,098
Mayo	110,713	55,981	54,732
Roscommon	51,897	26,694	25,203
Sligo	54,756	27,248	27,508
ULSTER (part of)	232,206	118,343	113,863
Cavan	52,796	27,314	25,482
Donegal	128,117	64,817	63,300
Monaghan	51,293	26,212	25,081

* County and County Borough

Table 4 Marriages, births and deaths and natural increase (excess of births over deaths) 1864-1995

Period	Marriages	Births							Deaths			Natural increase
		Total			within marriage	outside marriage			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
1864-1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871-1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	33,387	32,768
1881-1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901-1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911-1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921-1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931-1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941-1950	15,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951-1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961-1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	28,843
1971-1980	21,562	69,439	35,715	33,724	66,806	2,633	1,356	1,277	33,727	18,390	15,337	35,712
1981-1990	18,888	61,628	31,747	29,882	55,985	5,644	2,894	2,749	32,376	17,572	14,804	29,253
1986	18,573	61,620	31,875	29,745	55,674	5,946	3,045	2,901	33,630	18,313	15,317	27,990
1987	18,309	58,433	29,931	28,502	52,086	6,347	3,236	3,111	31,413	17,002	14,411	27,020
1988	18,382	54,600	28,083	26,517	48,117	6,483	3,380	3,103	31,580	16,980	14,600	23,020
1989	18,174	52,018	26,754	25,264	45,347	6,671	3,372	3,299	32,111	17,058	15,053	19,907
1990	17,838	53,044	27,559	25,485	45,277	7,767	4,002	3,765	31,370	16,828	14,542	21,674
1991	17,441	52,718	27,122	25,596	43,806	8,912	4,579	4,333	31,305	16,603	14,702	21,413
1992	16,636	51,089	26,307	24,782	41,878	9,211	4,697	4,514	30,931	16,516	14,415	20,158
1993	16,824	49,304	25,359	23,945	39,478	9,826	5,036	4,790	32,148	17,035	15,113	17,156
1994	16,621	48,255	24,957	23,298	38,206	10,049	5,183	4,866	30,948	16,338	14,610	17,307
1995	15,604	48,787	25,153	23,634	37,925	10,862	5,649	5,213	32,259	17,075	15,184	16,528

Note: The figures for the period 1864-1990 are annual averages.

Table 5 Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1995

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Within marriage per 1,000 population	Births outside marriage		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,056	16.64	84.86	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971-1980	6.77	21.75	20.93	0.82	3.77	1,059	10.57	15.91	11.18
1981-1990	5.38	17.54	15.94	1.61	9.16	1,062	9.22	9.23	8.33
1986	5.25	17.40	15.72	1.68	9.65	1,072	9.50	8.88	7.91
1987	5.16	16.48	14.70	1.79	10.86	1,050	8.86	7.94	7.62
1988	5.21	15.46	13.63	1.82	11.87	1,059	8.94	8.86	6.52
1989	5.18	14.82	12.92	1.90	12.82	1,059	9.15	8.13	5.67
1990	5.09	15.13	12.93	2.22	14.64	1,081	8.95	8.18	6.18
1991	4.95	14.95	12.42	2.53	16.91	1,060	8.88	7.61	6.05
1992	4.68	14.37	11.78	2.59	18.03	1,062	8.70	6.48	5.67
1993	4.71	13.79	11.05	2.75	19.93	1,059	8.99	6.13	4.80
1994	4.64	13.46	10.65	2.80	20.82	1,071	8.63	5.74	4.83
1995	4.33	13.55	10.53	3.02	22.26	1,064	8.96	6.37	4.59

Note: The figures for the period 1864-1990 are annual averages.

Table 6A Marriages* and the rates from the years 1971-1995 per 1,000 population

Year	Marriages*														
	Catholic					All Others					Total				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average															
1971-1980	4,416	4,446	7,300	4,577	20,739	162	208	284	171	824	4,577	4,653	7,584	4,748	21,562
1981-1990	2,581	4,267	7,385	3,476	17,730	234	306	389	229	1,159	2,848	4,451	7,686	3,902	18,888
1986	1,949	4,099	7,606	3,823	17,477	209	307	396	184	1,096	2,158	4,406	8,002	4,007	18,573
1987	1,941	3,895	7,574	3,669	17,079	193	327	428	282	1,230	2,134	4,222	8,002	3,951	18,309
1988	1,929	3,968	7,574	3,676	17,147	235	319	460	221	1,235	2,164	4,287	8,034	3,897	18,382
1989	1,870	4,479	8,097	2,591	17,037	179	330	412	216	1,137	2,049	4,809	8,509	2,807	18,174
1990	1,468	4,700	7,762	2,480	16,626	197	368	455	192	1,212	2,172	4,278	7,758	3,630	17,838
1991	1,486	4,472	7,798	2,537	16,293	216	287	420	225	1,148	1,702	4,759	8,218	2,762	17,441
1992	1,308	3,112	7,384	3,451	15,255	286	315	529	251	1,381	1,594	3,427	7,913	3,702	16,636
1993	1,609	3,583	7,066	3,142	15,400	276	353	542	253	1,424	1,885	3,936	7,608	3,395	16,824
1994	1,509	3,725	6,793	3,173	15,200	216	331	568	306	1,421	1,725	4,056	7,361	3,479	16,621
1995	1,560	3,309	5,894	3,395	14,158	191	402	557	296	1,446	1,751	3,711	6,451	3,691	15,604

Equivalent Annual Rate per 1,000 corresponding population

Average															
1971-1980	5.8	5.9	9.6	6.0	6.8	4.1	5.2	7.1	4.3	5.2	5.7	5.8	9.5	5.9	6.7
1981-1990	3.1	5.1	8.9	4.2	5.3	5.3	7.0	8.9	5.2	6.6	3.2	5.1	8.8	4.4	5.4
1986	2.3	4.9	9.1	4.6	5.2	4.2	6.2	8.0	3.7	5.5	2.4	5.0	9.0	4.5	5.2
1987	2.3	4.7	9.1	4.4	5.1	3.8	6.4	8.4	5.6	6.1	2.4	4.8	9.0	4.5	5.2
1988	2.3	4.8	9.1	4.4	5.2	4.6	6.2	8.9	4.3	6.0	2.5	4.9	9.1	4.4	5.2
1989	2.3	5.4	9.8	3.1	5.2	3.4	6.3	7.9	4.1	5.4	2.3	5.5	9.7	3.2	5.2
1990	1.8	5.7	9.4	3.0	5.0	3.7	6.9	8.5	3.6	5.7	2.5	4.9	8.9	4.1	5.1
1991	1.8	5.4	9.4	3.1	4.9	4.0	5.3	7.7	4.1	5.3	1.9	5.4	9.3	3.1	4.9
1992	1.6	3.7	8.8	4.1	4.6	5.4	5.9	9.9	4.7	6.5	1.8	3.9	8.9	4.2	4.7
1993	1.9	4.3	8.4	3.7	4.6	5.1	6.6	10.1	4.7	6.6	2.1	4.4	8.5	3.8	4.7
1994	1.8	4.4	8.1	3.8	4.5	4.0	6.2	10.6	5.7	6.6	1.9	4.5	8.2	3.9	4.6
1995	1.8	3.9	7.0	4.0	4.2	3.5	7.4	10.3	5.5	6.7	1.9	4.1	7.2	4.1	4.3

* Marriages by Quarter of Registration.

Table 6B Births and deaths and the rates from the years 1971-1995 per 1,000 population

Year	Births					Deaths				
	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average										
1971-1980	17,335	18,050	17,398	16,656	69,439	9,682	8,306	7,366	8,373	33,727
1981-1990	15,506	15,898	15,503	14,621	61,628	9,303	7,783	7,115	8,174	32,376
1986	15,452	16,187	14,414	14,567	61,620	10,531	7,964	7,287	7,848	33,630
1987	14,533	15,345	14,819	13,736	58,433	8,780	7,592	7,061	7,980	31,413
1988	13,795	14,307	13,863	12,635	54,600	8,985	7,580	7,165	7,850	31,580
1989	12,878	13,672	13,096	12,372	52,018	8,325	7,834	7,007	8,945	32,111
1990	12,806	13,908	13,430	12,900	53,044	8,957	7,374	7,031	8,008	31,370
1991	13,001	13,416	13,643	12,658	52,718	8,968	7,581	6,784	7,972	31,305
1992	12,869	13,397	13,053	11,770	51,089	8,725	7,290	7,119	7,797	30,931
1993	12,054	12,803	12,768	11,679	49,304	8,245	7,738	7,264	8,901	32,148
1994	11,722	12,323	12,264	11,946	48,255	8,589	7,474	7,154	7,731	30,948
1995	11,952	12,568	12,569	11,698	48,787	9,056	7,740	7,023	8,440	32,259
Equivalent Annual Rate per 1,000 corresponding population										
Average										
1971-1980	21.7	22.6	21.8	20.8	21.7	12.1	10.4	9.2	10.5	10.6
1981-1990	17.7	18.1	17.7	16.6	17.5	10.6	8.9	8.1	9.3	9.2
1986	17.5	18.3	17.4	16.5	17.4	11.9	9.0	8.2	8.9	9.5
1987	16.4	17.3	16.7	15.5	16.5	9.9	8.6	8.0	9.0	8.9
1988	15.6	16.2	15.7	14.3	15.5	10.2	8.6	8.1	8.9	8.9
1989	14.7	15.6	14.9	14.1	14.8	9.5	8.9	8.0	10.2	9.1
1990	14.6	15.9	15.3	14.7	15.1	10.2	8.4	8.0	9.1	8.9
1991	14.7	15.2	15.5	14.4	15.0	10.2	8.6	7.7	9.0	8.9
1992	14.5	15.1	14.7	13.2	14.4	9.8	8.2	8.0	8.8	8.7
1993	13.5	14.3	14.3	13.1	13.8	9.2	8.7	8.1	10.0	9.0
1994	13.1	13.7	13.7	13.3	13.5	9.6	8.3	8.0	8.6	8.6
1995	13.3	14.0	14.0	13.0	13.5	10.1	8.6	7.8	9.4	9.0

Table 6C Marriages, births and deaths during each year 1987-1995, classified by month and quarter of occurrence

Year	Month of Occurrence												Quarter ending the last day of				
	Jan.	Feb.	Mar.	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Mar.	June	Sept.	Dec.	Total
Marriages																	
1987	588	686	893	1,257	1,584	2,067	2,526	3,118	2,681	1,698	642	569	2,167	4,908	8,325	2,909	18,309
1988	556	633	956	1,440	1,316	2,109	2,783	2,982	2,766	1,589	633	619	2,145	4,865	8,531	2,841	13,382
1989	465	498	1,086	1,262	1,352	2,195	2,556	2,939	3,014	1,550	610	647	2,049	4,809	8,509	2,807	18,174
1990	470	478	933	1,265	1,461	2,342	2,308	3,164	2,745	1,391	563	718	1,881	5,068	8,217	2,672	17,838
1991	423	485	794	1,231	1,379	2,149	2,232	3,384	2,602	1,565	589	608	1,702	4,759	8,218	2,762	17,441
1992	320	439	588	1,000	1,564	1,868	2,487	3,200	2,657	1,504	504	505	1,347	4,432	8,344	2,513	16,636
1993	405	468	653	1,143	1,517	1,965	2,618	2,814	2,616	1,545	498	582	1,526	4,625	8,048	2,625	16,824
1994	401	427	726	1,239	1,373	1,872	2,409	2,810	2,686	1,577	464	637	1,554	4,484	7,905	2,678	16,621
1995	317	421	672	1,164	1,330	1,919	2,028	2,621	2,653	1,338	481	660	1,410	4,413	7,302	2,479	15,604
Births																	
1987	4,897	4,581	5,055	5,069	5,210	5,066	5,142	4,790	4,887	4,705	4,352	4,679	14,533	15,345	14,819	13,736	58,433
1988	4,621	4,287	4,887	4,704	4,864	4,739	4,736	4,538	4,589	4,206	4,241	4,188	13,795	14,307	13,863	12,635	54,600
1989	4,248	3,948	4,682	4,408	4,829	4,435	4,485	4,302	4,309	4,107	3,956	4,309	12,878	13,672	13,096	12,372	52,018
1990	4,152	4,072	4,582	4,424	4,851	4,633	4,556	4,392	4,482	4,522	4,196	4,182	12,806	13,908	13,430	12,900	53,044
1991	4,395	4,116	4,490	4,460	4,687	4,269	4,612	4,534	4,497	4,438	4,066	4,154	13,001	13,416	13,643	12,658	52,718
1992	4,315	4,076	4,478	4,513	4,601	4,283	4,515	4,240	4,298	3,997	3,815	3,958	12,869	13,397	13,053	11,770	51,089
1993	4,083	3,806	4,165	4,144	4,410	4,249	4,325	4,158	4,285	4,192	3,790	3,697	12,054	12,803	12,768	11,679	49,304
1994	3,826	3,582	4,314	3,944	4,271	4,108	4,141	4,051	4,072	3,987	3,967	3,992	11,722	12,323	12,264	11,946	48,255
1995	4,108	3,657	4,187	4,100	4,336	4,132	4,318	4,121	4,130	4,117	3,727	3,854	11,952	12,568	12,569	11,698	48,787
Deaths																	
1987	3,202	2,779	2,799	2,664	2,554	2,374	2,314	2,382	2,365	2,540	2,479	2,961	8,780	7,592	7,061	7,980	31,413
1988	2,921	2,943	3,121	2,650	2,612	2,318	2,407	2,412	2,346	2,531	2,478	2,841	8,985	7,580	7,165	7,850	31,580
1989	2,765	2,530	3,030	2,763	2,616	2,455	2,360	2,381	2,266	2,496	2,518	3,931	8,325	7,834	7,007	8,945	32,111
1990	3,627	2,630	2,700	2,505	2,439	2,430	2,460	2,256	2,315	2,495	2,532	2,981	8,957	7,374	7,031	8,008	31,370
1991	3,114	2,940	2,914	2,640	2,551	2,390	2,296	2,291	2,197	2,574	2,599	2,799	8,968	7,581	6,784	7,972	31,305
1992	2,988	3,033	2,704	2,546	2,438	2,306	2,383	2,305	2,431	2,463	2,498	2,836	8,725	7,290	7,119	7,797	30,931
1993	2,961	2,398	2,886	2,733	2,583	2,422	2,431	2,400	2,433	2,672	3,166	3,063	8,245	7,738	7,264	8,901	32,148
1994	3,155	2,630	2,804	2,592	2,471	2,411	2,433	2,337	2,384	2,447	2,436	2,848	8,589	7,474	7,154	7,731	30,948
1995	3,096	2,710	3,250	2,685	2,626	2,429	2,434	2,286	2,303	2,504	2,605	3,331	9,056	7,740	7,023	8,440	32,259

Table 7 Deaths from principal causes in Ireland and Northern Ireland, 1995 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	32,259	895.8	15,310	928.4
001,002	Typhoid and Paratyphoid fevers	-	-	-	-
004, 006	Shigellosis and amoebiasis	2	0.1	-	-
008, 009	Intestinal infectious diseases	14	0.4	-	-
010-012	Tuberculosis of respiratory system	33	0.9	13	0.8
013-018, 137	Other tuberculosis, including late effects	11	0.3	1	0.1
032	Diphtheria	-	-	-	-
033	Whooping cough	1	0.0	-	-
034	Streptococcal sore throat and scarlatina	-	-	-	-
036	Meningococcal infection	21	0.6	4	0.2
038	Septicaemia	48	1.3	11	0.7
045	Acute Poliomyelitis	-	-	-	-
055	Measles	1	0.0	-	-
070	Viral hepatitis	5	0.1	3	0.2
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	-	-	-	-
Rem (001-139)	All other infective and parasitic diseases	35	1.0	12	0.7
140-208	Malignant neoplasms including neoplasms of lymphatic and haemopoietic tissues:-	7,519	208.8	3,491	211.7
140-208 (except 201 and 204-208)	(a) Cancer	7,315	203.1	3,400	206.2
201, 204-208	(b) Hodgkins disease and leukaemia	204	5.7	91	5.5
230-234	Carcinoma in situ	1	0.0	-	-
210-229, 239	Benign neoplasms and neoplasms of unspecified nature	11	0.3	51	3.1
235-238	Neoplasm of uncertain behaviour	22	0.6	43	2.6
250	Diabetes mellitus	387	10.7	43	2.6
260-269	Nutritional deficiencies	4	0.1	2	0.1
280-285	Anaemias	80	2.2	10	0.6
320-322	Meningitis	4	0.1	3	0.2
390-392	Acute rheumatic fever	8	0.2	6	0.4
393-398	Chronic rheumatic heart disease	50	1.4	47	2.8
401-405	Hypertensive disease	210	5.8	94	5.7
410-414	Ischaemic heart disease	7,926	220.1	4,086	247.8
420-429	Other forms of heart disease	2,113	58.7	554	33.6
430-438	Cerebrovascular disease	2,892	80.3	1,690	102.5

* Exclusive of Northern Ireland

Note - The classification of cause of death in this table is based on the Abbreviated List, 1975

Table 7 (contd.) Deaths from principal causes in Ireland and Northern Ireland, 1995 with rates per 100,000 population

ICD - 9 Code	Causes of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
487	Influenza	18	0.5	9	0.5
480-486	Pneumonia	2,343	65.1	1,781	108.0
490-493	Bronchitis	391	10.9	146	8.9
531-533	Peptic ulcer	179	5.0	87	5.3
540-543	Appendicitis	8	0.2	6	0.4
550-553, 560	Intestinal obstruction and hernia	116	3.2	39	2.4
571	Chronic liver disease and cirrhosis	101	2.8	71	4.3
580-589	Nephritis, nephrotic syndrome and nephrosis	401	11.1	162	9.8
600	Hyperplasia of prostate	20	0.6	7	0.4
630-639	Pregnancy with abortive outcome	-	-	-	-
640-676	Other complications of pregnancy, childbirth and the puerperium	-	-	-	-
740-759	Congenital anomalies	181	5.0	91	5.5
760-763 767,768	Birth injury, difficult labour and other anoxic and hypoxic conditions	28	0.8	15	0.9
764-766 769-779	Certain conditions originating in the perinatal period ¹	104	2.9	78	4.7
780-799	Senility without mention of psychosis ill-defined and unknown causes	217	6.0	55	3.3
800-999	Injury and poisoning	1,418	39.4	663	40.2
	All other diseases	5,336	148.2	1,936	117.4
	EXTERNAL CAUSES (included in the foregoing)				
E810-E825	Motor vehicle accidents	424	11.8	140	8.5
E800-E807 E826-E949	All other accidents	589	16.4	252	15.3
E950-E959	Suicide and self-inflicted injuries	404	11.2	122	7.4
E960-E999	All other external causes	37	1.0	149	9.0

* Exclusive of Northern Ireland
¹ Stillbirths not included

Table 8 Average annual number of deaths during the period 1864-1990 and the number of deaths in the years 1986-1995 classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224 ¹	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971-1980	18,390	742	74	61	127	154	242	397	1,158	2,902	5,224	5,196	1,992	126
1981-1990	17,572	395	51	49	135	160	260	387	908	2,488	5,226	5,457	1,932	123
1986	18,313	367	55	58	139	147	244	384	891	2,539	5,524	5,781	2,048	136
1987	17,002	321	39	45	125	150	241	375	877	2,387	4,994	5,452	1,879	120
1988	16,980	346	44	42	142	131	265	327	830	2,324	5,115	5,389	1,908	117
1989	17,058	318	49	43	115	173	247	423	852	2,175	4,954	5,678	1,910	121
1990	16,828	305	35	35	109	145	254	404	798	2,204	4,710	5,691	2,020	118
1991	16,603	276	34	47	130	158	288	394	814	2,148	4,670	5,551	1,953	140
1992	16,516	233	34	35	126	159	298	383	846	1,936	4,653	5,700	1,987	126
1993	17,035	206	36	49	120	149	288	387	850	2,084	4,757	5,825	2,153	131
1994	16,338	205	32	37	99	182	284	390	833	2,005	4,476	5,591	2,093	111
1995	17,075	206	31	39	125	179	298	421	865	2,007	4,612	5,893	2,243	156
Females														
Average-														
1864-1870	33,445	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987 ¹	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971-1980	15,337	557	43	33	51	55	119	246	728	1,691	3,529	5,233	2,767	285
1981-1990	14,804	299	30	29	50	50	113	225	537	1,444	3,332	5,190	3,171	335
1986	15,317	282	29	33	42	38	105	214	530	1,518	3,408	5,329	3,422	367
1987	14,411	242	29	27	42	41	103	225	495	1,354	3,269	5,039	3,228	317
1988	14,600	252	22	31	53	49	110	240	492	1,363	3,220	5,132	3,272	364
1989	15,053	214	22	30	46	51	98	221	511	1,316	3,336	5,400	3,419	389
1990	14,542	217	22	26	58	47	128	235	517	1,223	3,033	5,280	3,380	376
1991	14,702	201	24	25	49	44	118	254	492	1,174	3,096	5,270	3,509	446
1992	14,415	168	17	22	38	36	104	244	541	1,159	3,016	5,280	3,385	405
1993	15,113	162	17	25	33	41	112	252	512	1,141	3,066	5,566	3,747	439
1994	14,610	138	9	17	38	49	105	241	550	1,091	2,943	5,230	3,769	430
1995	15,184	167	12	29	42	59	138	247	563	1,096	2,976	5,525	3,843	487

Table 8 (contd.) Average annual number of deaths for the period 1864-1990 and the number of deaths in the years 1986-1995 classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Persons														
Average-														
1864-1870	67,323	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971-1980	33,727	1,299	117	94	179	209	361	642	1,880	4,593	8,653	10,429	4,760	411
1981-1990	32,376	694	81	79	185	210	374	611	1,445	3,932	8,555	10,647	5,103	458
1986	33,630	649	84	91	181	185	349	598	1,421	4,057	8,932	11,110	5,470	503
1987	31,413	563	68	72	167	191	344	600	1,372	3,738	8,238	10,491	5,107	437
1988	31,580	598	66	73	195	180	375	567	1,322	3,687	8,335	10,521	5,180	481
1989	32,111	532	71	73	161	224	345	644	1,363	3,491	8,290	11,078	5,329	510
1990	31,370	522	57	61	167	192	382	639	1,315	3,427	7,743	10,971	5,400	494
1991	31,305	477	58	72	179	202	406	648	1,306	3,322	7,766	10,821	5,462	586
1992	30,931	401	51	57	164	195	402	627	1,387	3,095	7,669	10,980	5,372	531
1993	32,148	368	53	74	153	190	400	639	1,362	3,225	7,823	11,391	5,900	570
1994	30,948	343	41	54	137	231	389	631	1,383	3,096	7,419	10,821	5,862	541
1995	32,259	373	43	68	167	238	436	668	1,428	3,103	7,588	11,418	6,086	643

* For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

1 For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

Table 9 Average annual death rates for the period 1864-1990 and death rates for the years 1986-1995 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
Average-													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971-1980	11.51	4.38	0.43	0.37	0.84	1.24	1.25	2.43	7.35	19.98	49.49	118.50	261.64
1981-1990	10.01	2.38	0.29	0.28	0.80	1.13	1.06	1.84	5.70	17.97	46.63	111.41	251.22
1986	10.35	2.21	0.31	0.32	0.82	1.02	0.97	1.79	5.64	18.43	49.34	118.56	272.69
1987	9.60	1.98	0.22	0.25	0.74	1.04	0.96	1.70	5.49	17.48	44.91	108.39	243.78
1988	9.65	2.22	0.25	0.24	0.85	0.93	1.08	1.45	5.12	17.06	46.04	103.83	238.24
1989	9.78	2.12	0.28	0.25	0.70	1.26	1.03	1.85	5.19	16.00	45.59	107.13	236.16
1990	9.66	2.11	0.20	0.20	0.65	1.07	1.06	1.74	4.73	16.21	42.51	105.58	248.60
1991	9.47	1.96	0.29	0.26	0.75	1.16	1.18	1.69	5.21	15.64	42.38	101.48	221.70
1992	9.34	1.69	0.21	0.19	0.74	1.12	1.21	1.63	4.64	13.93	42.23	102.86	234.78
1993	9.58	1.52	0.23	0.27	0.71	1.01	1.16	1.63	4.48	14.83	42.97	105.53	248.26
1994	9.16	1.53	0.21	0.21	0.59	1.22	1.14	1.62	4.24	14.09	40.51	100.92	236.9
1995	9.55	1.57	0.21	0.23	0.73	1.21	1.18	1.74	4.28	13.93	41.89	105.23	239.90
Females													
Average-													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971-1980	9.67	3.45	0.26	0.21	0.36	0.45	0.61	1.54	4.69	11.60	30.16	88.70	223.93
1981-1990	8.42	1.90	0.18	0.17	0.31	0.36	0.46	1.11	3.50	9.99	26.05	73.96	201.84
1986	8.65	1.79	0.17	0.19	0.26	0.27	0.42	1.03	3.50	10.51	26.51	76.52	217.15
1987	8.11	1.58	0.17	0.16	0.26	0.29	0.41	1.05	3.24	9.48	25.34	70.57	195.86
1988	8.24	1.71	0.13	0.19	0.33	0.36	0.44	1.09	3.16	9.61	24.86	69.73	194.44
1989	8.53	1.50	0.13	0.18	0.28	0.38	0.39	0.99	3.22	9.35	25.70	71.33	196.29
1990	8.25	1.57	0.14	0.16	0.36	0.36	0.51	1.03	3.17	8.74	23.44	68.04	191.63
1991	8.30	1.51	0.15	0.15	0.30	0.34	0.47	1.10	2.91	8.39	23.83	69.96	192.92
1992	8.07	1.28	0.11	0.13	0.23	0.27	0.41	1.04	3.09	8.25	23.14	66.15	180.00
1993	8.41	1.26	0.12	0.15	0.20	0.30	0.44	1.06	2.80	8.09	23.42	69.49	192.02
1994	8.10	1.09	0.06	0.10	0.23	0.35	0.41	1.00	2.89	7.66	22.59	64.57	189.14
1995	8.38	1.35	0.09	0.18	0.26	0.41	0.53	1.01	2.86	7.61	22.93	67.05	187.45

Table 9 (contd.) Average annual death rates for the period 1864-1990 and death rates for the years 1986-1995 per 1,000 corresponding population classified by sex and age

Period	All ages	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Persons													
Average-													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	35.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971-1980	10.57	3.93	0.35	0.30	0.61	0.86	0.91	2.00	6.03	15.80	39.32	101.43	237.94
1981-1990	9.22	2.15	0.23	0.23	0.56	0.75	0.76	1.47	4.62	13.89	35.65	89.35	217.65
1986	9.50	2.00	0.24	0.26	0.55	0.65	0.70	1.42	4.59	14.38	37.14	93.83	234.62
1987	8.86	1.79	0.19	0.21	0.51	0.67	0.69	1.38	4.39	13.38	34.30	86.20	210.80
1988	8.94	1.97	0.19	0.21	0.59	0.65	0.76	1.28	4.16	13.26	34.64	83.83	208.89
1989	9.15	1.82	0.21	0.21	0.49	0.83	0.71	1.42	4.22	12.62	34.43	86.14	208.54
1990	8.95	1.85	0.17	0.18	0.51	0.72	0.78	1.39	3.96	12.42	32.25	83.37	208.27
1991	8.88	1.74	0.18	0.21	0.53	0.76	0.82	1.40	3.79	11.99	32.34	81.12	205.71
1992	8.70	1.49	0.16	0.16	0.49	0.70	0.80	1.33	3.88	11.08	31.89	81.19	196.40
1993	8.99	1.39	0.18	0.21	0.46	0.67	0.80	1.34	3.65	11.46	32.39	84.13	208.04
1994	8.63	1.32	0.14	0.16	0.41	0.80	0.77	1.31	3.58	10.88	30.81	79.39	203.27
1995	8.96	1.46	0.15	0.20	0.50	0.82	0.85	1.37	3.58	10.77	31.63	82.56	203.29

Table 10 Births and deaths in each county and county borough in 1995 and the numbers relating to the marriage and deaths of infants

Area	Births (including births outside marriage)				Births outside marriage			
	Total number registered	Number transferred from area	Number transferred to area	Net Number	Total number registered	Number transferred from area	Number transferred to area	Net Number
TOTAL	48,787	28,165	28,165	48,787	10,862	5,113	5,113	10,862
Carlow	-	-	548	548	-	-	117	117
Dublin County Borough	18,605	12,598	178	6,185	5,267	2,745	23	2,545
Dublin Belgard	6	2	3,325	3,329	4	-	970	974
Dublin Fingal	13	2	2,764	2,775	4	1	525	528
Dun Laoghaire Rathdown	1,044	660	2,208	2,592	55	40	425	440
Kildare	29	7	2,052	2,074	2	1	403	404
Kilkenny	1,145	442	240	943	202	88	40	154
Laois	1,028	467	131	692	206	122	22	106
Longford	1	-	380	381	1	-	64	65
Louth	2,180	1,013	50	1,217	517	187	6	336
Meath	7	-	1,429	1,436	2	-	229	231
Offaly	1	-	807	808	1	-	150	151
Westmeath	1,140	587	411	964	239	135	77	181
Wexford	1,296	44	226	1,478	327	15	37	349
Wicklow	6	-	1,482	1,488	1	-	338	339
Clare	17	-	1,154	1,171	4	-	218	222
Cork County Borough	6,349	4,784	6	1,571	1,133	622	3	514
Cork County	25	4	4,066	4,087	14	3	553	564
Kerry	978	80	524	1,422	213	15	50	248
Limerick County Borough	3,343	2,637	6	712	764	461	-	303
Limerick County	2	1	1,514	1,515	1	-	201	202
Tipperary N.R.	5	2	767	770	1	-	144	145
Tipperary S.R.	982	230	239	991	225	50	33	208
Waterford County Borough	1,441	868	11	584	354	174	3	183
Waterford County	2	-	690	692	2	-	134	136
Galway County Borough	2,492	1,740	4	756	371	190	1	182
Galway County	1,664	1,220	1,263	1,707	214	162	147	199
Leitrim	1	-	298	299	-	-	35	35
Mayo	1,149	33	196	1,312	137	3	14	148
Roscommon	1	-	534	535	-	-	52	52
Sligo	1,171	522	25	674	189	79	3	113
Cavan	828	215	107	720	105	20	9	94
Donegal	1,516	3	200	1,713	261	-	34	295
Monaghan	320	4	330	646	46	-	53	99

resident population of each area, with corresponding particulars for births outside under one year of age.

Deaths				Deaths of infants (under one year)				Area
Total number registered	Number transferred from area	Number transferred to area	Net Number	Total number registered	Number transferred from area	Number transferred to area	Net Number	
32,259	7,734	7,734	32,259	311	182	182	311	TOTAL
263	29	163	397	-	-	6	6	Carlow
7,687	2,991	329	5,025	164	114	-	50	Dublin County Borough
263	152	752	863	-	-	21	21	Dublin Belgard
175	50	574	699	-	-	13	13	Dublin Fingal
1,172	413	762	1,521	1	-	14	15	Dun Laoghaire Rathdown
639	61	230	808	6	-	11	17	Kildare
637	120	121	638	2	1	1	2	Kilkenny
456	62	86	480	2	-	5	7	Laois
252	29	116	339	-	-	1	1	Longford
857	141	81	797	12	6	3	9	Louth
591	87	244	748	-	-	8	8	Meath
546	69	88	565	-	-	4	4	Offaly
595	138	121	578	3	-	-	3	Westmeath
940	38	92	994	5	1	3	7	Wexford
487	78	405	814	-	-	5	5	Wicklow
743	38	182	887	1	-	6	7	Clare
2,084	889	97	1,292	40	28	-	12	Cork County Borough
1,818	120	798	2,496	4	-	29	33	Cork County
1,330	46	94	1,378	4	-	2	6	Kerry
366	127	295	534	14	10	3	7	Limerick County Borough
1,105	428	190	867	4	2	11	13	Limerick County
474	44	167	597	1	-	2	3	Tipperary N.R.
733	99	139	773	-	-	6	6	Tipperary S.R.
668	336	25	357	11	7	2	6	Waterford County Borough
267	25	268	510	1	-	4	5	Waterford County
972	654	26	344	11	6	1	6	Galway County Borough
1,040	138	570	1,472	4	3	7	8	Galway County
265	17	135	383	-	-	-	-	Leitrim
1,349	32	146	1,463	2	-	4	6	Mayo
542	54	117	605	1	-	-	1	Roscommon
744	173	48	619	4	2	1	3	Sligo
500	31	101	570	6	2	1	5	Cavan
1,303	11	92	1,384	8	-	2	10	Donegal
396	14	80	462	-	-	6	6	Monaghan

Table 11 Marriages registered in, and births and deaths assigned to each county and county borough, during 1995, showing separately births outside marriage and deaths from certain causes

Province, County or County Borough	Marr- riages	BIRTHS						DEATHS					
		Total (including outside marriage)			Outside marriage			Total			Under 1 Year	Tubercu- los- is	Malign- nant neop- lasms
		Males	Femal- es	Total	Males	Femal- es	Total	Males	Femal- es	Total			
TOTAL	15,604	25,153	23,634	48,787	5,649	5,213	10862	17075	15184	32259	311	44	7,519
LEINSTER	7,692	13,869	13,041	26,910	3,627	3,293	6,920	7,821	7,445	15266	168	17	3,828
Carlow	207	287	261	548	56	61	117	196	201	397	6	-	105
Dublin Co. Borough	2,414	3,177	3,008	6,185	1,319	1,226	2,545	2,459	2,566	5,025	50	10	1,315
Dublin Belgard	637	1,762	1,567	3,329	534	440	974	446	417	863	21	2	242
Dublin Fingal	348	1,438	1,337	2,775	271	257	528	348	351	699	13	-	185
Dun Laoghaire Rathdown	623	1,346	1,246	2,592	239	201	440	735	786	1,521	15	-	403
Kildare	429	1,063	1,011	2,074	219	185	404	406	402	808	17	-	197
Kilkenny	356	485	458	943	82	72	154	348	290	638	2	-	117
Laois	241	331	361	692	51	55	106	285	195	480	7	1	119
Longford	116	199	182	381	39	26	65	186	153	339	1	-	83
Louth	380	616	601	1,217	176	160	336	394	403	797	9	-	178
Meath	462	738	698	1,436	117	114	231	410	338	748	8	-	196
Offaly	299	413	395	808	74	77	151	324	241	565	4	1	133
Westmeath	294	498	466	964	103	78	181	314	264	578	3	2	148
Wexford	454	762	716	1,478	181	168	349	549	445	994	7	-	229
Wicklow	432	754	734	1,488	166	173	339	421	393	814	5	1	178
MUNSTER	4,843	6,947	6,568	13,515	1,382	1,343	2,725	5,166	4,525	9,691	98	14	2,182
Clare	423	621	550	1,171	114	108	222	506	381	887	7	-	170
Cork Co. Borough	841	849	722	1,571	277	237	514	611	681	1,292	12	3	333
Cork County	1,075	2,069	2,018	4,087	277	287	564	1,367	1,129	2,496	33	4	550
Kerry	642	725	697	1,422	114	134	248	778	600	1,378	6	1	299
Limerick Co. Borough	217	334	378	712	145	158	303	260	274	534	7	1	138
Limerick County	543	772	743	1,515	100	102	202	440	427	867	13	3	192
Tipperary N.R.	299	409	361	770	77	68	145	329	268	597	3	-	128
Tipperary S.R.	364	497	494	991	109	99	208	433	340	773	6	-	170
Waterford Co. Borough	181	307	277	584	98	85	183	168	189	357	6	-	82
Waterford County	258	364	328	692	71	65	136	274	236	510	5	2	120
CONNACHT	1,955	2,754	2,529	5,283	402	327	729	2,745	2,141	4,886	24	8	1,021
Galway Co. Borough	335	400	356	756	97	85	182	175	169	344	6	1	68
Galway County	546	866	841	1,707	104	95	199	873	599	1,472	8	2	320
Leitrim	92	157	142	299	20	15	35	219	164	383	-	2	78
Mayo	629	699	613	1,312	83	65	148	807	656	1,463	6	1	317
Roscommon	221	268	267	535	28	24	52	353	252	605	1	1	110
Sligo	132	364	310	674	70	43	113	318	301	619	3	1	128
ULSTER (PART OF)	1,114	1,583	1,496	3,079	238	250	488	1,343	1,073	2,416	21	5	488
Cavan	251	356	364	720	46	48	94	326	244	570	5	1	120
Donegal	663	885	828	1,713	138	157	295	739	645	1,384	10	4	266
Monaghan	200	342	304	646	54	45	99	278	184	462	6	-	102

* Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths.

Table 12 Marriage, birth and death* rates and the proportions of births outside marriage in each county and county borough and the death rates for some diseases in 1995

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			
		Total births per 1,000 population	Outside marriage % of total births	All causes	Tuberculosis	Malignant neoplasms	Deaths under one year per 1,000 births
TOTAL	4.33	13.55	22.26	8.96	0.01	2.09	6.37
LEINSTER	4.05	14.16	25.72	8.03	0.01	2.01	6.24
Carlow	4.97	13.10	21.35	9.49	-	2.51	10.95
Dublin County Borough	4.94	12.66	41.15	10.28	0.02	2.69	8.08
Dublin Belgard	2.99	15.61	29.26	4.05	0.01	1.13	6.31
Dublin Fingal	2.23	17.78	19.03	4.48	-	1.19	4.68
Dun Laoghaire Rathdown	3.29	13.69	16.98	8.03	-	2.13	5.79
Kildare	3.42	16.55	19.48	6.45	-	1.57	8.20
Kilkenny	4.73	12.54	16.33	8.48	-	1.56	2.12
Laois	4.51	12.95	15.32	8.98	0.02	2.23	10.12
Longford	3.75	12.31	17.06	10.95	-	2.68	2.62
Louth	4.10	13.13	27.61	8.60	-	1.92	7.40
Meath	4.29	13.34	16.09	6.95	-	1.82	5.57
Offaly	5.00	13.52	18.69	9.46	0.02	2.23	4.95
Westmeath	4.65	15.25	18.78	9.14	0.03	2.34	3.11
Wexford	4.35	14.18	23.61	9.53	-	2.20	4.74
Wicklow	4.35	14.98	22.78	8.19	0.01	1.79	3.36
MUNSTER	4.70	13.11	20.16	9.40	0.01	2.12	7.25
Clare	4.55	12.61	18.96	9.55	-	1.83	5.98
Cork County Borough	6.47	12.09	32.72	9.94	0.02	2.56	7.64
Cork County	3.72	14.13	13.80	8.63	0.01	1.90	8.07
Kerry	5.16	11.42	17.44	11.07	0.01	2.40	4.22
Limerick County Borough	4.08	13.38	42.56	10.04	0.02	2.59	9.83
Limerick County	4.84	13.50	13.33	7.73	0.03	1.71	8.58
Tipperary N.R.	5.06	13.03	18.83	10.10	-	2.17	3.90
Tipperary S.R.	4.76	12.95	20.99	10.10	-	2.22	6.05
Waterford County Borough	4.39	14.18	31.34	8.67	-	1.99	10.27
Waterford County	4.92	13.21	19.65	9.73	0.04	2.29	7.23
CONNACHT	4.53	12.23	13.80	11.31	0.02	2.36	4.54
Galway County Borough	6.45	14.55	24.07	6.62	0.02	1.31	7.94
Galway County	4.13	12.90	11.66	11.13	0.02	2.42	4.69
Leitrim	3.56	11.57	11.71	14.82	0.08	3.02	-
Mayo	5.57	11.60	11.28	12.94	0.01	2.80	4.57
Roscommon	4.17	10.09	9.72	11.41	0.02	2.08	1.87
Sligo	2.36	12.05	16.77	11.07	0.02	2.29	4.45
ULSTER (part of)	4.70	12.98	15.85	10.19	0.02	2.06	6.82
Cavan	4.65	13.35	13.06	10.57	0.02	2.23	6.94
Donegal	5.07	13.09	17.22	10.58	0.03	2.03	5.84
Monaghan	3.82	12.33	15.33	8.82	-	1.95	9.29

* Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths.

Table 13 Deaths in 1995, classified by marital status and sex in certain age groups

Age group	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
ALL AGES	17,075	5,622	8,326	3,127	15,184	3,655	3,643	7,886
Under 15 years	276	276	-	-	208	208	-	-
15-19	125	125	-	-	42	42	-	-
20-24	179	174	5	-	59	55	4	-
25-29	134	109	25	-	56	39	16	1
30-34	164	103	61	-	82	51	31	-
35-39	184	92	92	-	92	22	69	1
40-44	237	84	152	1	155	39	114	2
45-49	340	105	230	5	242	30	199	13
50-54	525	163	353	9	321	56	246	19
55-59	780	243	496	41	427	65	296	66
60-64	1,227	396	768	63	669	120	405	144
65-69	1,851	633	1,041	177	1,170	237	515	418
70-74	2,761	851	1,493	417	1,806	366	588	852
75-79	3,028	872	1,546	610	2,483	552	575	1,356
80-84	2,865	802	1,279	784	3,042	683	377	1,982
85 and over	2,399	594	785	1,020	4,330	1,090	208	3,032

Table 14 Births and deaths* assigned to each urban district, in 1995, classified by sex

urban district	BIRTHS			DEATHS		
	Males	Females	Total	Males	Females	Total
TOTAL	1,894	1,724	3,618	2,466	2,177	4,643
Carlow	74	76	150	60	65	125
Athy	32	47	79	39	59	98
Naas	158	181	339	47	54	101
Longford	46	34	80	27	29	56
Ceannannus Mor	22	17	39	58	45	103
An Uaimh	74	67	141	103	69	172
Trim	32	25	57	24	22	46
Birr	25	25	50	71	38	109
Tullamore	73	50	123	69	70	139
Athlone	54	48	102	79	82	161
Enniscorthy	41	35	76	108	83	191
New Ross	36	38	74	52	48	100
Arklow	63	60	123	51	51	102
Wicklow	95	101	196	16	26	42
Ennis	130	95	225	61	70	131
Kilrush	11	14	25	37	30	67
Clonakilty	14	18	32	40	29	69
Cobh	43	39	82	38	34	72
Fermoy	12	12	24	38	34	72
Kinsale	10	11	21	17	21	38
Macroom	8	10	18	42	34	76
Mallow	39	38	77	99	108	207
Midleton	26	13	39	43	34	77
Skibbereen	12	8	20	48	37	85
Youghal	29	35	64	33	34	67
Killarney	46	33	79	108	96	204
Listowel	14	21	35	60	50	110
Nenagh	42	20	62	82	77	159
Templemore	6	6	12	25	17	42
Thurles	46	43	89	104	79	183
Carrick-on-Suir	29	29	58	43	37	80
Cashel	6	3	9	35	27	62
Tipperary	39	32	71	42	41	83
Dungarvan	60	37	97	49	51	100
Ballinasloe	35	27	62	157	113	270
Ballina	63	66	129	129	118	247
Castlebar	56	58	114	85	73	158
Westport	37	20	57	80	59	139
Cavan	46	50	96	11	11	22
Buncrana	37	18	55	12	15	27
Bundoran	20	23	43	22	18	40
Letterkenny	68	62	130	34	25	59
Carrickmacross	23	21	44	41	26	67
Castleblaney	17	18	35	19	11	30
Clones	12	13	25	8	10	18
Monaghan	33	27	60	20	17	37

* Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths.

Table 15 Births and deaths* classified by sex, in 1995, assigned to principal towns and aggregate urban and rural districts*, showing separately births outside marriage and deaths from tuberculosis and malignant neoplasms

Area	BIRTHS						DEATHS				
	Total (including outside marriage)			Outside marriage			Total			Tuberculosis	Malignant neoplasms
	Total	Males	Females	Total	Males	Females	Males	Females	Total		
TOTAL	48,787	25,153	23,634	10,862	5,649	5,213	17,075	15,184	32,259	44	7,519
Dublin County Borough	6,185	3,177	3,008	2,545	1,319	1,226	2,459	2,566	5,025	10	1,315
Cork County Borough	1,571	849	722	514	277	237	611	681	1,292	3	333
Limerick County Borough	712	334	378	303	145	158	260	274	534	1	138
Waterford County Borough	584	307	277	183	98	85	168	189	357	-	82
Galway County Borough	756	400	356	182	97	85	175	169	344	1	68
Dun Laoghaire Rathdown	2,592	1,346	1,246	440	239	201	735	786	1,521	-	403
Municipal Boroughs:											
Drogheda	355	185	170	122	64	58	109	110	219	-	59
Sligo	210	112	98	55	32	23	85	100	185	-	46
Wexford	122	66	56	58	31	27	87	74	161	-	38
Clonmel	147	79	68	43	22	21	105	78	183	-	43
Kilkenny	181	94	87	42	19	23	96	88	184	-	32
Urban Districts:											
Dundalk	335	164	171	103	50	53	177	198	375	-	81
Bray	342	177	165	101	56	45	106	112	218	-	41
Tralee	238	116	122	62	24	38	131	99	230	-	60
Total above principal towns	14,330	7,406	6,924	4,753	2,473	2,280	5,304	5,524	10,828	15	2,739
Total other Urban Districts	3,618	1,894	1,724	940	499	441	2,466	2,177	4,643	3	1,057
All Boroughs and Urban Districts:											
Leinster	11,741	6,034	5,707	3,806	1,992	1,814	4,573	4,675	9,248	10	2,351
Munster	4,391	2,307	2,084	1,441	740	701	2,319	2,261	4,580	6	1,106
Connacht	1,328	703	625	309	166	143	711	632	1,343	1	278
Ulster (part of)	488	256	232	137	74	63	167	133	300	1	61
Total Boroughs and Urban Districts	17,948	9,300	8,648	5,693	2,972	2,721	7,770	7,701	15,471	18	3,796
All Rural Districts:Leinster	15,169	7,835	7,334	3,114	1,635	1,479	3,248	2,770	6,018	7	1,477
Munster	9,124	4,640	4,484	1,284	642	642	2,847	2,264	5,111	8	1,076
Connacht	3,955	2,051	1,904	420	236	184	2,034	1,509	3,543	7	743
Ulster (part of)	2,591	1,327	1,264	351	164	187	1,176	940	2,116	4	427
Total - Rural Districts	30,839	15,853	14,986	5,169	2,677	2,492	9,305	7,483	16,788	26	3,723

* Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths.

* Dublin Belgard and Fingal are included in rural districts.

Table 16 Birth and death¹ rates* in 1995 in the principal towns and in aggregate urban and aggregate rural districts², the proportions of births outside marriage and the death rates from tuberculosis and malignant neoplasms

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Births outside marriage as a % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	13.55	22.26	8.96	0.01	2.09
Dublin County Borough	12.66	41.15	10.28	0.02	2.69
Cork County Borough	12.09	32.72	9.94	0.02	2.56
Limerick County Borough	13.38	42.56	10.04	0.02	2.59
Waterford County Borough	14.18	31.34	8.67	-	1.99
Galway County Borough	14.55	24.07	6.62	0.02	1.31
Dun Laoghaire Rathdown	13.69	16.98	8.03	-	2.13
Municipal Boroughs:					
Drogheda	14.57	34.37	8.99	-	2.42
Sligo	11.88	26.19	10.47	-	2.60
Wexford	12.51	47.54	16.51	-	3.90
Clonmel	13.40	29.25	16.68	-	3.92
Kilkenny	20.81	23.20	21.16	-	3.68
Urban Districts:					
Dundalk	12.69	30.75	14.21	-	3.07
Bray	13.34	29.53	8.50	-	1.60
Tralee	13.53	26.05	13.07	-	3.41
Total above Principal Towns	13.08	33.17	9.88	0.01	2.50
All other Urban Districts	16.14	25.98	20.72	0.01	4.72
All Boroughs and Urban Districts					
Leinster	13.68	32.42	10.77	0.01	2.74
Munster	12.94	32.82	13.50	0.02	3.26
Connacht	14.40	23.27	14.56	0.01	3.01
Ulster (part of)	16.43	28.07	10.10	0.03	2.05
Total - Boroughs and Urban Districts	13.60	31.72	11.72	0.01	2.88
All Rural Districts:					
Leinster	14.55	20.53	5.77	0.01	1.42
Munster	13.19	14.07	7.39	0.01	1.56
Connacht	11.64	10.62	10.42	0.02	2.19
Ulster (part of)	12.49	13.55	10.20	0.02	2.06
Total - Rural Districts	13.52	16.76	7.36	0.01	1.63

* 1991 Census of Population used for areas, scaled using the 1995 population estimate.

¹ Classified by area of residence of mother in the case of births and by area of residence of deceased in the case of deaths.

² Dublin Belgard and Fingal are included in rural districts.

Table 17 Deaths occurring in 1995, classified by age of residents in the aggregate urban districts¹ and in the aggregate rural districts²

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
TOTAL	15,471	7,770	7,701	16,788	9,305	7,483	32,259	17,075	15,184
Under 1 year	164	96	68	147	78	69	311	174	137
1 Year	8	3	5	5	5	-	13	8	5
2 Years	8	5	3	7	4	3	15	9	6
3 "	9	3	6	12	6	6	21	9	12
4 "	5	3	2	8	3	5	13	6	7
1-4 "	30	14	16	32	18	14	62	32	30
5 "	4	4	-	7	5	2	11	9	2
6 "	3	2	1	5	4	1	8	6	2
7 "	2	1	1	5	3	2	7	4	3
8 "	2	2	-	5	3	2	7	5	2
9 "	5	4	1	5	3	2	10	7	3
5-9 "	16	13	3	27	18	9	43	31	12
10 "	4	2	2	4	2	2	8	4	4
11 "	7	2	5	3	2	1	10	4	6
12 "	8	4	4	5	3	2	13	7	6
13 "	5	3	2	9	7	2	14	10	4
14 "	5	4	1	18	10	8	23	14	9
10-14 "	29	15	14	39	24	15	68	39	29
15 "	7	5	2	10	8	2	17	13	4
16 "	17	12	5	13	9	4	30	21	9
17 "	18	12	6	22	16	6	40	28	12
18 "	17	16	1	21	14	7	38	30	8
19 "	19	15	4	23	18	5	42	33	9
15-19 "	78	60	18	89	65	24	167	125	42
20 "	12	7	5	25	18	7	37	25	12
21 "	18	13	5	28	24	4	46	37	9
22 "	21	14	7	23	15	8	44	29	15
23 "	24	19	5	31	27	4	55	46	9
24 "	28	23	5	28	19	9	56	42	14
20-24 "	103	76	27	135	103	32	238	179	59
25 "	18	11	7	17	12	5	35	23	12
26 "	13	8	5	26	22	4	39	30	9
27 "	22	17	5	15	13	2	37	30	7
28 "	15	10	5	10	7	3	25	17	8
29 "	35	22	13	19	12	7	54	34	20
25-29 "	103	68	35	87	66	21	190	134	56
30 Years	22	12	10	26	20	6	48	32	16
31 "	24	15	9	9	8	1	33	23	10
32 "	22	15	7	23	16	7	45	31	14
33 "	32	20	12	31	18	13	63	38	25
34 "	36	27	9	21	13	8	57	40	17
30-34 "	136	89	47	110	75	35	246	164	82
35 "	25	20	5	25	18	7	50	38	12
36 "	27	17	10	24	16	8	51	33	18
37 "	23	12	11	27	18	9	50	30	20
38 "	35	19	16	33	25	8	68	44	24
39 "	32	25	7	25	14	11	57	39	18
35-39 "	142	93	49	134	91	43	276	184	92
40 "	45	27	18	41	25	16	86	52	34
41 "	35	20	15	39	25	14	74	45	29

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown.² Includes Dublin Belgard and Fingal.

Table 17 Deaths occurring in 1995, classified by age of residents in the aggregate urban districts¹ and in the aggregate rural districts² — Continued

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
42 "	42	28	14	27	16	11	69	44	25
43 "	38	20	18	39	28	11	77	48	29
44 "	33	17	16	53	31	22	86	48	38
40-44 "	193	112	81	199	125	74	392	237	155
45 "	56	30	26	49	27	22	105	57	48
46 "	41	23	18	47	36	11	88	59	29
47 "	70	33	37	58	28	30	128	61	67
48 "	56	32	24	79	51	28	135	83	52
49 "	60	36	24	66	44	22	126	80	46
45-49 "	283	154	129	299	186	113	582	340	242
50 "	78	48	30	83	56	27	161	104	57
51 "	74	43	31	71	39	32	145	82	63
52 "	90	52	38	83	65	18	173	117	56
53 "	82	50	32	86	50	36	168	100	68
54 "	101	63	38	98	59	39	199	122	77
50-54 "	425	256	169	421	269	152	846	525	321
55 "	107	69	38	105	70	35	212	139	73
56 "	111	71	40	102	65	37	213	136	77
57 "	119	75	44	118	77	41	237	152	85
58 "	127	75	52	127	90	37	254	165	89
59 "	146	95	51	145	93	52	291	188	103
55-59 "	610	385	225	597	395	202	1,207	780	427
60 Years	179	116	63	135	88	47	314	204	110
61 "	168	106	62	146	99	47	314	205	109
62 "	215	126	89	216	133	83	431	259	172
63 "	190	118	72	215	147	68	405	265	140
64 "	221	142	79	211	152	59	432	294	138
60-64 "	973	608	365	923	619	304	1,896	1,227	669
65 "	259	163	96	251	168	83	510	331	179
66 "	277	164	113	266	170	96	543	334	209
67 "	300	187	113	313	180	133	613	367	246
68 "	311	171	140	315	208	107	626	379	247
69 "	373	211	162	356	229	127	729	440	289
65-69 "	1,520	896	624	1,501	955	546	3,021	1,851	1,170
70 "	402	231	171	376	246	130	778	477	301
71 "	434	267	167	400	262	138	834	529	305
72 "	467	288	179	473	289	184	940	577	363
73 "	489	285	204	457	272	185	946	557	389
74 "	507	270	237	562	351	211	1,069	621	448
70-74 "	2,299	1,341	958	2,268	1,420	848	4,567	2,761	1,806
75 "	572	317	255	582	349	233	1,154	666	488
76 "	519	266	253	576	338	238	1,095	604	491
77 "	473	247	226	564	343	221	1,037	590	447
78 "	483	229	254	608	352	256	1,091	581	510
79 "	521	259	262	613	328	285	1,134	587	547
75-79 "	2,568	1,318	1,250	2,943	1,710	1,233	5,511	3,028	2,483
80 "	566	277	289	624	347	277	1,190	624	566
81 "	486	213	273	631	320	311	1,117	533	584
82 "	555	243	312	682	351	331	1,237	594	643
83 "	506	222	284	673	337	336	1,179	559	620
84 "	540	228	312	644	327	317	1,184	555	629
80-84 "	2,653	1,183	1,470	3,254	1,682	1,572	5,907	2,865	3,042

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown.² Includes Dublin Belgard and Fingal.

Table 17 Deaths occurring in 1995, classified by age of residents in the aggregate urban districts¹ and in the aggregate rural districts² — Continued

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
85 "	419	166	253	525	232	293	944	398	546
86 "	409	139	270	501	243	258	910	382	528
87 "	393	136	257	446	176	270	839	312	527
88 "	326	126	200	353	154	199	679	280	399
89 "	343	107	236	378	155	223	721	262	459
85-89 "	1,890	674	1,216	2,203	960	1,243	4,093	1,634	2,459
90 Years	284	79	205	302	101	201	586	180	406
91 "	209	60	149	236	89	147	445	149	296
92 "	202	52	150	206	68	138	408	120	288
93 "	137	41	96	153	43	110	290	84	206
94 "	120	28	92	144	48	96	264	76	188
90-94 "	952	260	692	1,041	349	692	1,993	609	1,384
95 "	91	22	69	110	30	80	201	52	149
96 "	63	10	53	72	23	49	135	33	102
97 "	52	11	41	59	24	35	111	35	76
98 "	36	6	30	39	9	30	75	15	60
99 "	31	5	26	25	5	20	56	10	46
95-99 "	273	54	219	305	91	214	578	145	433
100 "	10	1	9	10	1	9	20	2	18
101 "	7	-	7	8	1	7	15	1	14
102 "	8	2	6	6	2	4	14	4	10
103 "	3	1	2	6	-	6	9	1	8
104 "	1	-	1	2	1	1	3	1	2
105 "	2	1	1	1	1	-	3	2	1
106 "	-	-	-	1	-	1	1	-	1
107 "	-	-	-	-	-	-	-	-	-
108 "	-	-	-	-	-	-	-	-	-
109 "	-	-	-	-	-	-	-	-	-
100 years and over	31	5	26	34	6	28	65	11	54

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown.² Includes Dublin Belgard and Fingal.

Table 18 Deaths occurring in 1995, classified by sex and age of residents in each province, county and county borough

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
TOTAL																				
Males	17,075	174	206	31	39	125	179	134	164	184	237	340	525	780	1,227	1,851	2,761	3,028	2,865	2,399
Females	15,184	137	167	12	29	42	59	56	82	92	155	242	321	427	669	1,170	1,806	2,483	3,042	4,330
Leinster																				
Males	7,821	101	122	18	17	65	95	77	90	96	123	187	257	399	584	893	1,322	1,321	1,152	1,003
Females	7,445	67	84	4	16	23	32	33	55	48	86	136	172	234	354	608	947	1,141	1,409	2,063
Munster																				
Males	5,166	52	56	9	12	35	48	28	55	51	59	84	156	237	391	568	846	925	872	734
Females	4,525	46	52	5	7	13	15	14	16	24	36	72	104	118	200	332	522	746	930	1,319
Connacht																				
Males	2,745	11	16	3	8	18	21	17	13	23	37	46	72	96	172	267	385	519	599	433
Females	2,141	13	19	3	5	4	10	6	9	12	20	22	31	48	67	163	224	409	481	608
Ulster (part of)																				
Males	1,343	10	12	1	2	7	15	12	6	14	18	23	40	48	80	123	208	263	242	229
Females	1,073	11	12	-	1	2	2	3	2	8	13	12	14	27	48	67	113	187	222	340
LEINSTER																				
Carlow																				
Males	196	4	4	1	1	3	4	3	2	1	-	4	4	10	11	27	35	22	36	28
Females	201	2	2	-	1	-	-	-	2	2	2	6	2	3	10	18	26	34	38	55
Dublin County Borough																				
Males	2,459	27	33	3	2	8	27	27	36	35	47	55	83	140	208	328	418	382	328	299
Females	2,566	23	27	-	4	4	11	17	21	13	26	43	56	81	131	216	328	391	464	733
Dublin Belgard																				
Males	446	12	15	3	-	7	3	6	7	8	16	20	19	27	46	52	75	50	56	36
Females	417	9	12	2	1	1	8	4	6	7	9	17	27	19	22	30	42	60	55	95
Dublin Fingal																				
Males	348	9	13	1	2	6	6	3	5	6	7	13	19	25	27	29	47	51	44	44
Females	351	4	5	-	2	3	-	2	-	3	3	9	14	18	18	33	35	54	66	86
Dun Laoghaire																				
Rathdown																				
Males	735	11	15	-	1	8	4	5	12	7	10	14	20	36	51	81	130	125	110	106
Females	786	4	5	-	1	4	1	1	10	7	7	11	21	18	37	56	77	121	155	254
Kildare																				
Males	406	8	10	2	1	5	11	6	5	3	6	14	15	21	34	43	64	71	48	47
Females	402	9	12	-	2	1	1	4	4	2	10	7	7	14	10	30	59	59	77	103
Kilkenny																				
Males	348	1	1	1	-	2	3	3	1	3	2	7	10	15	24	40	59	75	60	42
Females	290	1	2	-	2	-	1	-	-	2	3	6	2	7	13	25	42	35	71	79
Laois																				
Males	285	2	2	1	1	2	5	1	1	3	2	4	8	12	12	32	45	56	54	44
Females	195	5	5	-	-	1	1	1	-	-	1	5	3	8	9	15	24	31	37	54
Longford																				
Males	186	1	1	1	-	1	1	2	1	5	6	4	3	5	9	21	34	35	36	21
Females	153	-	2	-	-	1	-	1	-	-	1	1	-	2	12	14	33	29	29	28
Louth																				
Males	394	8	9	1	2	6	3	5	5	6	2	9	12	25	25	39	76	59	64	46
Females	403	1	1	1	1	2	4	-	3	3	5	8	9	9	9	33	44	75	79	117
Meath																				
Males	410	5	5	1	2	6	9	3	5	5	2	10	12	13	24	32	67	95	65	54
Females	338	3	3	1	1	-	2	-	2	4	3	2	11	15	16	26	48	56	72	76

Table 18 Deaths occurring in 1995, classified by sex and age of residents in each province, county and county borough — Continued

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
Offaly																				
Males	324	2	3	-	-	2	4	3	-	2	3	6	12	11	20	26	62	66	58	46
Females	241	2	2	-	1	-	1	1	2	1	1	-	4	6	14	19	32	40	54	63
Westmeath																				
Males	314	2	2	2	2	2	6	3	2	2	7	9	9	11	29	32	51	62	41	42
Females	264	1	2	-	-	2	-	1	-	-	3	3	4	10	17	19	46	29	55	73
Wexford																				
Males	549	5	5	1	2	5	7	5	6	4	7	8	16	29	38	60	89	89	84	94
Females	445	2	2	-	-	2	2	1	3	2	6	11	6	12	18	45	58	58	86	133
Wicklow																				
Males	421	4	4	-	1	2	2	2	2	6	6	10	15	19	26	51	70	83	68	54
Females	393	1	2	-	-	2	-	-	2	2	6	7	6	12	18	29	53	69	71	114
MUNSTER																				
Clare																				
Males	506	4	4	-	-	4	3	5	6	4	9	8	18	22	28	70	67	87	96	75
Females	381	3	3	-	1	1	1	1	2	1	5	7	1	9	13	31	35	68	82	120
Cork County Borough																				
Males	611	7	7	1	-	4	8	7	9	10	6	12	31	28	65	65	93	119	74	72
Females	681	5	6	1	2	2	3	3	2	4	6	15	21	14	39	54	91	117	127	174
Cork County																				
Males	1,367	19	20	2	4	5	17	5	10	16	13	20	25	57	101	158	215	242	241	216
Females	1,129	14	15	2	2	2	5	4	5	6	10	21	28	27	46	84	132	191	214	335
Kerry																				
Males	778	4	4	-	-	7	5	6	4	9	9	18	20	29	49	72	114	161	155	116
Females	600	2	3	-	1	2	2	3	2	3	2	5	11	19	20	40	52	86	144	205
Limerick County Borough																				
Males	260	4	5	1	1	2	1	1	7	1	7	6	8	18	28	35	39	40	35	25
Females	274	3	3	-	-	-	-	-	-	2	3	2	8	9	16	20	45	42	49	75
Limerick County																				
Males	440	3	4	1	1	2	3	1	6	1	-	5	19	20	38	41	90	76	72	60
Females	427	10	12	2	-	1	1	1	3	2	4	7	9	11	19	31	36	82	95	111
Tipperary, North Riding																				
Males	329	1	1	2	-	3	5	1	3	3	3	5	6	16	20	25	56	64	62	54
Females	268	2	2	-	-	1	1	1	-	-	1	5	9	5	14	14	33	42	66	74
Tipperary, South Riding																				
Males	433	3	4	1	1	3	3	1	5	4	6	7	18	26	25	54	82	64	67	62
Females	340	3	3	-	1	-	-	1	1	2	3	2	8	13	11	35	41	56	73	90
Waterford County Borough																				
Males	168	5	5	-	2	3	-	-	2	2	3	2	7	6	17	14	40	24	26	15
Females	189	1	1	-	-	1	-	-	1	-	1	3	3	7	9	13	26	30	34	60
Waterford County																				
Males	274	2	2	1	3	2	3	1	3	1	3	1	4	15	20	34	50	48	44	39
Females	236	3	4	-	-	3	2	-	-	4	1	5	6	4	13	10	31	32	46	75
CONNACHT																				
Galway County Borough																				
Males	175	2	3	1	1	5	5	2	1	5	1	3	5	9	6	19	26	25	40	18

Table 18 Deaths occurring in 1995, classified by sex and age of residents in each province, county and county borough — Continued

Province, county or county borough	Age																			
	All ages	Under 1	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
CONNACHT																				
Galway County Borough																				
Females	169	4	4	-	-	-	3	2	1	2	3	4	2	4	3	14	19	31	41	36
Galway County																				
Males	873	5	5	2	2	4	8	4	8	5	9	15	30	37	55	73	122	150	185	159
Females	599	3	6	1	3	1	4	1	4	3	5	8	9	14	19	50	57	99	148	167
Leitrim																				
Males	219	-	1	-	1	1	1	2	-	3	4	3	5	3	12	32	27	41	55	28
Females	164	-	-	-	-	2	-	1	-	-	2	2	-	2	3	9	26	38	26	53
Mayo																				
Males	807	3	6	-	2	5	5	5	2	7	8	13	17	21	57	78	100	164	191	126
Females	656	3	4	-	1	-	-	1	2	4	7	5	15	9	18	52	73	127	144	194
Roscommon																				
Males	353	-	-	-	1	2	-	1	1	2	11	5	6	17	25	32	52	73	75	50
Females	252	1	2	1	1	-	1	-	1	1	3	2	3	8	7	19	16	44	67	76
Sligo																				
Males	318	1	1	-	1	1	2	3	1	1	4	7	9	9	17	33	58	66	53	52
Females	301	2	3	1	-	1	2	1	1	2	-	1	2	11	17	19	33	70	55	82
ULSTER (part of)																				
Cavan																				
Males	326	2	2	-	-	4	3	1	2	4	6	9	10	8	21	32	64	67	38	55
Females	244	3	4	-	-	1	-	-	2	2	4	2	6	9	12	17	29	51	45	60
Donegal																				
Males	739	4	6	1	2	2	7	8	3	9	8	9	22	30	35	62	103	140	159	133
Females	645	6	6	-	1	1	1	3	-	4	5	8	8	12	28	36	64	108	143	217
Monaghan																				
Males	278	4	4	-	-	1	5	3	1	1	4	5	8	10	24	29	41	56	45	41
Females	184	2	2	-	-	-	1	-	-	2	4	2	-	6	8	14	20	28	34	63

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	110-118
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	117
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	130-136
-	-	-	1	-	-	-	1	-	1	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	135
-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	136
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	137-139
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	137
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
10	9	9	16	23	54	103	206	266	398	582	754	734	600	341	140-239
3	7	9	24	36	82	134	184	218	291	457	546	525	502	412	-
10	9	9	15	23	54	101	206	266	396	578	752	732	596	341	140-208
3	7	9	23	36	81	132	183	217	289	455	546	525	501	406	-
-	-	-	-	1	1	6	13	14	11	13	14	11	16	5	140-149
-	-	-	-	1	2	-	3	-	3	8	6	7	4	5	-
-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	140
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	7	1	2	1	5	2	4	1	141
-	-	-	-	-	1	-	1	-	1	2	1	2	1	2	-
-	-	-	-	-	-	-	-	1	2	-	-	1	3	1	142
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	1	-	-	2	2	3	-	-	-	1	-	144
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
-	-	-	-	-	-	2	-	2	-	2	-	4	1	-	145
-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
-	-	-	-	-	-	1	1	2	1	4	1	1	1	1	146
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	2	1	-	2	2	1	-	-	147
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	1	-	2	1	-	1	1	148
-	-	-	-	-	-	-	1	-	-	3	2	1	1	-	-
-	-	-	-	-	-	1	-	3	3	1	4	-	2	-	149
-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-
1	1	1	4	8	19	34	72	91	148	193	242	248	193	110	150-159
-	-	3	4	4	15	23	41	48	70	127	173	179	196	168	-
-	-	-	1	1	-	5	11	17	12	22	29	34	19	12	150
-	-	-	-	-	1	2	4	4	7	20	23	24	25	16	-
-	-	-	-	2	2	6	10	21	36	37	44	38	39	24	151
-	-	-	1	2	1	3	5	8	10	16	23	25	25	32	-
-	-	-	-	-	-	-	2	-	1	-	-	5	1	-	152
-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	-
-	-	-	1	-	6	11	26	16	43	61	73	75	62	23	153
-	-	-	-	1	7	6	13	22	21	35	55	64	58	49	-
-	-	-	1	1	-	4	8	13	19	20	32	21	19	15	154
-	-	1	1	1	-	-	9	4	4	14	11	13	20	15	-
1	1	-	1	1	3	-	3	4	12	9	16	17	4	3	155
-	-	1	-	-	2	2	3	1	4	5	5	7	10	5	-
-	-	-	-	-	1	-	-	1	2	3	5	7	5	2	156
-	-	-	-	-	-	1	-	1	2	4	3	7	2	3	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	2	5	7	7	16	16	32	26	28	20	16	157
-	-	-	1	-	1	4	4	5	15	22	34	28	33	26	
-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	158
-	-	1	-	-	-	1	-	1	-	3	1	1	4	1	
-	-	-	-	1	2	1	5	3	6	9	17	22	23	14	159
-	-	-	1	-	3	4	2	2	5	8	18	10	17	19	
-	-	-	-	3	7	17	62	94	110	183	223	191	141	48	160-165
-	-	-	-	1	9	14	24	34	45	98	117	94	78	51	
-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	160
-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
-	-	-	-	-	-	1	5	4	3	4	3	6	4	1	161
-	-	-	-	-	-	-	1	1	1	2	1	4	2	2	
-	-	-	-	3	7	16	55	89	107	176	217	184	136	44	162
-	-	-	-	1	9	14	22	32	44	94	114	86	75	48	
-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	162.0
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	162.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	2	2	-	1	4	-	-	162.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	162.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	163
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	164
-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	
2	2	1	1	-	2	4	7	7	8	10	10	9	12	12	170-175
1	-	2	5	11	32	55	64	71	74	84	87	95	66	69	
-	-	-	-	-	-	1	2	-	4	2	2	2	-	-	170
-	-	-	-	-	-	1	3	-	-	2	-	3	1	3	
1	1	-	-	-	-	-	-	1	1	1	1	1	-	1	171
1	-	-	2	-	-	-	2	1	1	2	2	2	1	1	
1	1	1	1	-	2	2	4	5	-	4	2	2	5	3	172
-	-	-	-	1	1	3	2	-	1	2	5	5	2	4	
-	-	-	-	-	-	1	-	-	2	2	3	4	6	8	173
-	-	1	-	-	-	-	-	-	-	1	1	1	1	3	
-	-	1	3	10	31	51	57	70	72	77	79	84	61	58	174
-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	175
-	-	1	-	-	2	9	9	10	44	74	129	160	156	119	179-189
-	2	1	6	12	13	18	29	28	52	65	59	59	57	39	
-	-	-	-	-	-	-	1	1	1	3	5	-	4	3	179
-	1	1	2	7	11	7	6	5	10	8	4	6	1	3	180
-	-	-	-	-	-	1	4	2	4	9	10	3	8	3	182
-	-	-	-	-	-	1	4	2	4	9	10	3	8	3	182.0
-	1	-	2	5	1	8	17	15	31	30	27	28	26	11	183
-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	184
-	-	-	-	-	-	3	4	3	29	51	100	117	124	90	185
-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	186
-	-	-	-	-	1	-	1	-	1	1	-	1	1	1	187
-	-	-	-	-	1	2	-	3	4	9	19	36	22	20	188
-	-	-	1	-	-	-	-	2	1	7	7	8	9	11	

Table 19 (contd.) - Deaths in 1995 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
238	Neoplasm of Uncertain Behaviour of Other and Unspecified Sites and Tissues	M	6	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-
239	Neoplasm of Unspecified Nature	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
240-279	3.Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders	M	314	3	1	-	-	1	5	2	2
		F	256	3	-	1	2	1	7	2	4
240-246	Disorders of Thyroid Gland	M	6	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-
241	Nontoxic Nodular Goitre	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
242	Thyrotoxicosis With or Without Goitre	M	2	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
244	Acquired Hypothyroidism	M	3	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
246	Other Disorders of Thyroid	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
250-259	Diseases of Other Endocrine Glands	M	218	1	1	-	-	-	2	1	-
		F	181	-	-	-	-	-	-	-	-
250	Diabetes Mellitus	M	213	-	1	-	-	-	1	1	-
		F	174	-	-	-	-	-	-	-	-
251	Other Disorders of Pancreatic Internal Secretion	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
252	Disorders of Parathyroid Gland	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
253	Disorders of The Pituitary Gland and Its Hypothalamic Control	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
255	Disorders of Adrenal Glands	M	3	1	-	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-
259	Other Endocrine Disorders	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
260-269	Nutritional Deficiencies	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
263	Other and Unspecified Protein-calorie Malnutrition	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
268	Vitamin D Deficiency	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
270-279	Other Metabolic Disorders and Immunity Disorders	M	89	2	-	-	-	1	3	1	2
		F	49	3	-	1	2	1	7	2	4
270	Disorders of Amino-acid Transport and Metabolism	M	2	1	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	1	-	-
272	Disorders of Lipoid Metabolism	M	5	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	1	1	-	-
273	Disorders of Plasma Protein Metabolism	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
274	Gout	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
275	Disorders of Mineral Metabolism	M	10	1	-	-	-	-	1	-	-
		F	2	-	-	-	1	-	1	-	-
276	Disorders of Fluid, Electrolyte and Acid-base Balance	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
277	Other and Unspecified Disorders of Metabolism	M	17	-	-	-	-	1	1	1	2
		F	17	2	-	1	1	-	4	1	4
278	Obesity and Other Hyperalimentation	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
279	Disorders Involving The Immune Mechanism	M	45	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	-
280-289	4.Diseases of Blood and Blood-forming Organs	M	67	1	-	-	-	-	1	-	-
		F	73	1	-	-	-	-	1	1	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	238
-	-	-	-	-	-	2	-	-	1	-	-	-	1	6	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	239
3	4	6	16	14	12	6	6	13	27	31	50	50	39	28	240-279
3	1	2	6	1	1	1	5	5	13	20	34	40	53	58	
-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	240-246
-	-	-	-	-	-	1	-	-	-	3	5	1	8	5	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	241
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	242
-	-	-	-	-	-	1	-	-	-	-	2	-	4	1	
-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	244
-	-	-	-	-	-	-	-	-	-	2	3	1	4	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
-	1	-	1	-	3	2	4	10	21	26	45	43	37	22	250-259
-	-	1	-	-	1	-	4	4	9	14	23	35	44	46	
-	-	-	1	-	3	2	4	10	21	25	44	42	37	22	250
-	-	1	-	-	1	-	4	4	8	12	22	35	42	45	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	251
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	252
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	252
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	255
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	259
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	260-269
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	263
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
3	3	6	15	14	9	4	1	3	6	5	2	6	1	5	270-279
3	1	1	6	1	-	-	1	1	4	3	6	2	-	7	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	270
-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	272
-	-	-	-	-	-	-	1	-	1	3	-	-	-	1	
-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	273
-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	274
-	-	-	-	-	-	-	-	1	2	1	2	2	-	1	275
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	276
-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	
3	1	2	1	-	1	1	-	1	-	2	-	1	-	-	277
3	1	-	-	-	-	-	-	-	-	-	2	1	-	1	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	278
-	2	4	13	13	8	3	1	-	-	-	-	1	-	-	279
-	-	1	6	1	-	-	-	-	1	-	1	-	-	-	
-	-	-	1	-	-	1	4	2	6	6	9	9	16	12	280-289
-	-	-	-	1	-	-	1	3	-	8	11	12	12	23	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	280
-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	281
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	282
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	283
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	284
-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	
-	-	-	-	-	-	-	-	-	4	1	2	2	5	5	285
-	-	-	-	-	-	-	-	-	-	1	4	2	8	8	
-	-	-	-	-	-	-	1	1	1	2	2	1	2	-	286
-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	
-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	287
-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	
-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	288
-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	
-	-	-	-	-	-	1	-	1	-	2	3	-	5	2	289
-	-	-	-	-	-	-	-	1	-	3	2	3	-	4	
4	8	5	12	6	2	4	8	6	7	6	16	26	30	19	290-319
-	1	2	2	1	-	7	3	7	3	2	9	24	37	73	
-	-	-	-	-	-	-	-	1	3	1	7	17	14	14	290-294
-	-	-	-	-	-	-	-	1	-	-	8	14	29	51	
-	-	-	-	-	-	-	-	1	2	1	7	17	14	14	290
-	-	-	-	-	-	-	-	1	-	-	8	14	29	51	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	7	5	13	4	295-299
-	-	-	-	-	-	-	-	-	-	1	-	5	6	22	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	296
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	6	3	13	4	298
-	-	-	-	-	-	-	-	-	-	1	-	4	6	21	
4	8	5	12	6	2	4	8	5	4	4	2	4	3	1	300-316
-	1	2	1	1	-	7	3	6	3	1	1	5	2	-	
-	-	-	1	-	1	4	6	4	1	4	2	3	-	1	303
-	-	-	1	1	-	6	2	3	3	1	-	1	-	-	
4	8	5	8	5	1	-	1	-	-	-	-	-	-	-	304
-	1	2	-	-	-	-	1	2	-	-	-	-	-	-	
-	-	-	3	1	-	-	1	-	3	-	-	-	1	-	305
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	307
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	310
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	311
-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317-319
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	319
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	4	7	9	8	5	6	14	8	17	31	42	64	44	34	320-389
5	5	5	3	5	4	4	9	5	10	22	39	48	67	57	
-	-	-	-	1	-	1	1	-	2	1	2	-	1	-	320-326
1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	

Table 19 (contd.) - Deaths in 1995 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
320	Bacterial Meningitis	M	2	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
322	Meningitis of Unspecified Cause	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
323	Encephalitis, Myelitis and Encephalomyelitis	M	6	1	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-
324	Intracranial and Intraspinial Abscess	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
325	Phlebitis and Thrombophlebitis of Intracranial Venous Sinuses	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
330-337	Hereditary and Degenerative Diseases of The Central Nervous System	M	206	3	-	-	-	-	3	-	-
		F	203	1	-	1	-	-	2	-	1
330	Cerebral Degenerations Usually Manifest in Childhood	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
331	Other Cerebral Degenerations	M	70	2	-	-	-	-	2	-	-
		F	98	1	-	1	-	-	2	-	-
332	Parkinson's Disease	M	80	-	-	-	-	-	-	-	-
		F	67	-	-	-	-	-	-	-	-
333	Other Extrapyrarnidal Disease and Abnormal Movement Disorders	M	3	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
334	Spinocerebellar Disease	M	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
335	Anterior Horn Cell Disease	M	48	1	-	-	-	-	1	-	-
		F	28	-	-	-	-	-	-	-	1
336	Other Diseases of Spinal Cord	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
340-349	Other Disorders of The Central Nervous System	M	79	2	-	1	1	1	5	1	3
		F	78	1	-	-	-	-	1	-	1
340	Multiple Sclerosis	M	16	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-
342	Hemiplegia	M	11	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-
343	Infantile Cerebral Palsy	M	5	-	-	-	-	1	1	1	1
		F	1	-	-	-	-	-	-	-	-
344	Other Paralytic Syndromes	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
345	Epilepsy	M	31	-	-	1	-	-	1	-	2
		F	23	-	-	-	-	-	-	-	1
348	Other Conditions of Brain	M	12	2	-	-	1	-	3	-	-
		F	6	1	-	-	-	-	1	-	-
350-359	Disorders of The Peripheral Nervous System	M	11	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	1
355	Mononeuritis of Lower Limb	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
356	Hereditary and Idiopathic Peripheral Neuropathy	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
357	Inflammatory and Toxic Neuropathy	M	3	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
358	Myoneural Disorders	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
359	Muscular Dystrophies and Other Myopathies	M	6	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	1
360-379	Disorders of The Eye and Adnexa	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
365	Glaucoma	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
390-459	7.Diseases of The Circulatory System	M	7,434	2	1	-	-	1	4	1	3
		F	6,833	5	1	-	1	-	7	-	4

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	320
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	322
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	323
1	1	-	-	1	-	-	1	-	-	-	2	-	1	-	324
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	325
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	330-337
1	-	-	2	1	2	3	9	2	11	24	30	54	37	28	330
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	331
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	332
-	-	-	-	-	-	-	-	1	1	2	12	21	17	13	333
-	-	-	-	-	-	-	-	-	1	6	14	17	33	25	334
-	-	-	-	-	-	-	-	-	1	11	15	22	18	13	335
-	-	-	-	-	-	-	-	2	-	3	7	13	19	23	336
-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	340-349
-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	340
1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	341
-	-	-	1	1	2	2	7	1	9	10	2	9	1	2	342
-	-	-	-	-	1	-	1	1	2	2	5	8	4	3	343
-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	344
-	2	6	7	6	3	2	4	6	3	5	9	8	4	5	345
3	3	5	3	4	2	3	6	2	6	8	9	7	10	5	348
-	-	-	-	-	-	1	2	4	1	3	2	1	-	2	350-359
-	-	1	2	2	2	-	3	-	5	4	3	1	1	-	355
-	-	-	-	-	-	-	-	-	-	-	-	5	4	2	356
-	-	-	-	-	-	-	-	-	-	2	2	3	8	4	357
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	358
-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	359
-	1	-	-	-	-	1	-	-	1	-	-	2	-	-	360-379
-	1	4	3	5	3	1	1	2	1	1	4	2	-	-	365
2	2	4	1	2	-	1	1	2	-	2	3	1	1	-	390-459
-	-	2	4	-	-	-	1	2	-	-	1	1	-	-	395
-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	396
1	2	1	-	-	-	-	-	-	-	1	1	1	2	2	397
-	1	-	-	-	-	1	1	-	1	1	2	1	-	-	398
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	399
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	400
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	401
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	402
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	403
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
1	2	1	-	-	-	-	-	-	1	-	1	-	-	-	405
-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	406
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	407
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	408
7	7	6	16	36	57	118	211	355	582	869	1,309	1,389	1,326	1,138	409
1	5	9	16	16	17	48	69	107	217	440	779	1,189	1,599	2,310	410

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
1	-	1	1	4	-	2	4	4	8	14	22	48	34	31	427
1	1	2	1	-	-	-	3	2	5	9	26	44	47	120	
-	1	-	4	1	2	2	9	5	13	17	57	78	100	135	428
-	-	1	-	-	-	2	2	1	9	12	42	91	132	294	
1	-	-	-	-	2	3	5	3	5	13	17	21	22	43	429
-	-	-	-	-	-	1	1	2	4	2	11	21	49	95	
-	2	1	3	7	7	16	17	27	74	117	188	253	271	230	430-438
-	3	2	4	4	9	17	19	27	42	76	159	282	429	604	
-	2	-	2	5	2	7	4	5	9	7	4	6	1	2	430
-	2	-	3	2	4	7	8	11	5	5	7	6	8	2	
-	-	-	1	2	3	1	4	6	8	16	12	17	16	7	431
-	1	1	-	1	2	1	7	6	15	9	20	22	23	40	
-	-	-	-	-	-	2	-	1	1	1	7	4	3	-	432
-	-	-	-	-	1	-	-	1	2	4	2	3	2	1	
-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	433
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
-	-	-	-	-	1	2	1	2	7	14	28	22	41	28	434
-	-	-	-	-	-	3	1	2	1	4	18	24	49	86	
-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	435
-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	
-	-	1	-	-	1	4	6	13	48	71	126	183	190	173	436
-	-	1	-	-	1	5	3	7	18	50	100	214	321	416	
-	-	-	-	-	-	-	2	-	1	7	7	17	18	16	437
-	-	-	1	1	1	-	-	-	1	3	8	13	23	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	438
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	
1	-	-	2	1	1	3	6	17	22	36	67	93	103	80	440-448
-	-	-	2	1	2	-	3	6	8	19	46	55	89	145	
-	-	-	-	-	1	-	1	2	4	7	10	27	37	31	440
-	-	-	-	-	-	-	-	2	2	3	12	14	36	101	
1	-	-	1	1	-	2	3	10	10	20	38	37	31	20	441
-	-	-	1	-	1	-	-	3	3	8	20	24	27	22	
-	-	-	1	-	-	-	-	-	1	3	1	2	1	-	442
-	-	-	1	-	-	-	1	1	1	2	1	2	-	-	
-	-	-	-	-	-	-	4	4	4	3	11	19	31	26	443
-	-	-	-	1	-	-	-	-	2	8	10	19	19	15	
-	-	-	-	-	-	1	-	-	1	-	1	1	1	2	444
-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	
-	-	-	-	-	-	-	1	1	1	1	2	3	-	-	446
-	-	-	-	-	1	-	2	-	-	-	-	2	-	-	
-	-	-	-	-	-	-	1	-	1	2	4	4	2	1	447
-	-	-	-	-	-	-	-	-	2	2	3	1	5	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
-	1	-	-	-	-	2	1	1	6	7	19	16	13	9	451-459
-	-	-	-	-	-	2	2	2	5	7	12	15	15	32	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	451
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	1	1	5	4	8	9	7	6	453
-	-	-	-	-	-	2	2	2	3	6	9	11	8	15	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	454
-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	456
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	457
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	458
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	513
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
-	-	-	-	-	1	-	-	-	-	1	4	3	8	8	514
-	-	-	-	-	-	-	-	-	-	1	1	4	4	12	
-	-	-	-	1	-	-	1	2	3	3	7	7	2	-	515
-	-	-	-	-	-	1	-	2	1	3	3	1	7	4	
-	-	-	-	-	-	-	-	-	4	4	6	4	3	1	516
-	-	-	-	-	-	-	1	1	-	2	5	5	5	1	
-	-	-	-	-	1	-	-	1	2	2	4	6	2	2	518
-	-	-	-	-	-	-	-	-	2	-	-	1	4	6	
-	-	-	-	-	-	1	-	5	3	6	10	22	47	29	519
1	1	-	-	-	-	1	-	2	5	7	12	24	26	77	
2	3	2	2	5	6	14	5	25	28	49	73	88	84	51	520-579
2	-	1	2	8	9	7	8	12	22	35	48	73	98	129	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	520-529
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	528
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	1	1	-	-	2	2	-	5	8	13	21	22	34	17	530-537
1	-	-	-	1	2	2	2	1	2	7	13	21	23	30	
-	-	-	-	-	-	1	-	-	-	1	1	2	6	2	530
1	-	-	-	-	-	1	-	1	-	1	-	5	-	3	
-	-	1	-	-	-	-	-	1	1	6	4	2	7	3	531
-	-	-	-	-	2	1	1	-	1	2	1	2	9	8	
-	1	-	-	-	1	-	-	2	4	5	6	9	11	8	532
-	-	-	-	-	-	-	1	-	2	3	6	9	7	9	
-	-	-	-	-	1	1	-	2	2	1	7	4	7	2	533
-	-	-	-	-	-	-	-	-	-	1	5	4	3	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	534
-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	535
-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	
-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	536
-	-	-	-	1	-	-	-	-	-	-	-	1	-	4	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	537
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	540-543
-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	540
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	541
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	542
-	-	-	-	-	-	-	1	-	2	-	3	6	3	3	550-553
-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	
-	-	-	-	-	-	-	-	-	-	-	2	5	3	2	550
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	552
-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	
-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	553
-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	
-	-	-	-	1	-	1	-	2	2	5	10	12	4	3	555-558
-	-	-	-	2	-	-	1	2	4	3	5	9	19	21	
-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	555
-	-	-	-	2	-	-	-	1	-	-	1	-	1	-	
-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	556
-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	-	1	-	1	-	4	8	6	3	1	557
-	-	-	-	-	-	-	-	1	4	3	3	8	16	14	
-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	558
-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	
1	1	1	1	2	2	2	1	5	4	12	14	21	23	15	560-569
-	-	-	1	-	1	-	-	2	2	9	13	20	36	36	
1	1	1	1	1	-	-	-	1	2	6	6	10	7	6	560
-	-	-	-	-	-	-	-	1	-	2	5	8	12	12	
-	-	-	-	-	1	-	-	-	1	-	3	5	5	6	562
-	-	-	-	-	-	-	-	-	1	3	1	6	15	17	
-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	564
-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	
-	-	-	-	-	-	1	1	2	1	3	1	3	3	-	567
-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	
-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	568
-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	
-	-	-	-	1	1	-	2	-	3	3	2	5	5	1	569
1	1	-	1	2	2	9	3	12	12	18	25	24	20	13	570-579
1	-	1	1	5	6	5	5	7	14	16	15	20	17	34	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	570
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
-	-	-	1	2	1	5	1	6	7	8	10	5	-	2	571
-	-	1	-	5	4	1	3	3	9	10	6	6	3	2	
-	-	-	-	-	-	1	2	2	1	3	3	2	-	1	572
1	-	-	1	-	-	-	-	-	2	-	1	-	-	4	
1	-	-	-	-	-	-	-	-	2	2	2	-	-	-	573
-	-	-	-	-	1	1	1	-	-	1	-	1	-	1	
-	-	-	-	-	-	-	-	-	-	3	2	4	1	1	574
-	-	-	-	-	-	-	-	-	-	1	1	2	3	6	
-	-	-	-	-	-	1	-	-	-	1	2	3	3	-	575
-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	
-	-	-	-	-	-	-	-	-	1	2	4	3	-	-	576
-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	
-	1	-	-	-	1	2	-	4	1	1	1	-	2	1	577
-	-	-	-	-	-	2	-	1	1	1	3	3	2	-	
-	-	-	-	-	-	-	-	-	1	1	2	7	8	8	578
-	-	-	-	-	-	-	-	1	1	2	2	6	8	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	579
-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	
1	-	-	1	-	2	4	1	6	10	32	34	55	68	73	580-629
1	1	1	1	1	2	2	1	5	14	11	39	62	67	118	
1	-	-	1	-	-	2	-	6	8	22	17	43	44	47	580-589
1	-	1	1	1	2	1	-	2	9	9	31	38	39	75	
-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	581
-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	582
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	
-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	583
1	-	-	-	-	-	-	-	-	1	1	1	1	1	1	
-	-	-	-	-	-	-	3	1	1	3	2	1	1	2	584
-	-	-	1	-	1	-	-	-	2	1	4	2	1	3	
-	-	-	-	-	-	1	-	2	2	7	6	13	15	9	585
-	-	-	-	-	-	-	-	2	2	1	13	12	8	23	
1	-	-	-	-	-	1	-	1	5	10	7	24	26	35	586
-	-	1	-	1	-	1	-	2	3	6	12	22	27	46	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	587
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	589
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	-	2	2	1	-	2	9	13	9	20	18	590-599
-	1	-	-	-	-	-	1	3	5	2	8	22	28	43	
-	-	-	-	-	-	-	1	-	-	2	3	2	3	4	590
-	1	-	-	-	-	-	-	3	1	-	2	2	5	4	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	591
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	592
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	-	-	1	3	1	1	1	-	593
-	-	-	-	-	-	-	-	-	1	-	1	6	1	3	
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	596
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	1	4	6	6	15	14	599
-	-	-	-	-	-	-	-	-	3	2	5	11	22	34	
-	-	-	-	-	-	-	-	-	-	1	4	3	4	8	600-608
-	-	-	-	-	-	-	-	-	-	1	4	3	4	8	600
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	614-616
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	614
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	617-629
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	618
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	620
-	-	-	-	-	-	-	-	2	-	2	8	7	12	5	680-709
-	-	-	1	-	-	-	-	-	-	3	7	7	14	20	
-	-	-	-	-	-	-	-	1	-	-	3	2	4	3	680-686
-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	
-	-	-	-	-	-	-	-	1	-	-	3	2	3	3	682
-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	686
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	690-698
-	-	-	1	-	-	-	-	-	-	1	-	-	3	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	695
-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	696
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	2	5	5	8	2	700-709
-	-	-	-	-	-	-	-	-	-	1	6	6	9	15	
-	-	-	-	-	-	-	-	-	-	2	5	5	8	2	707
-	-	-	-	-	-	-	-	-	-	1	6	6	9	15	
1	-	-	2	1	-	2	-	5	4	7	5	13	8	5	710-739
-	-	1	1	-	1	-	2	4	6	8	16	33	19	35	
1	-	-	1	-	-	2	-	5	1	7	5	10	3	3	710-719
1	-	-	1	-	1	-	1	3	5	7	14	27	12	21	
-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	710
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	711
-	-	-	-	-	-	1	-	2	1	4	2	4	-	-	
-	-	-	-	-	1	-	1	-	3	3	10	21	4	5	714
-	-	-	-	-	-	1	-	3	-	2	1	1	1	2	
-	-	-	-	-	-	-	-	-	-	1	1	4	4	13	715

Table 19 (contd.) - Deaths in 1995 classified by cause (International detailed)

Detailed ICD-9 Code	Cause of Death		All Ages	Under 1	1	2	3	4	Under 5	5-9	10-14
716	Other and Unspecified Arthropathies	M	6	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
719	Other and Unspecified Disorder of Joint	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
720-724	Dorsopathies	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
721	Spondylosis and Allied Disorders	M	4	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
725-729	Rheumatism, Excluding The Back	M	3	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	1	-	-
725	Polymyalgia Rheumatica	M	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
728	Disorders of Muscle, Ligament and Fascia	M	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
729	Other Disorders of Soft Tissues	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
730-739	Osteopathies, Chondropathies and Acquired Musculoskeletal Deformities	M	8	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-
730	Osteomyelitis, Periostitis and Other Infections Involving Bone	M	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
731	Osteitis Deformans and Osteopathies Associated With Other Disorders Classified Elsewhere	M	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
733	Other Disorders of Bone and Cartilage	M	1	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-
737	Curvature of Spine	M	3	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-
738	Other Acquired Deformity	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
740-759	14. Congenital Anomalies	M	90	52	2	2	1	1	57	5	2
		F	91	55	-	2	1	1	59	3	2
740	Anencephalus and Similar Anomalies	M	3	3	-	-	-	-	3	-	-
		F	2	2	-	-	-	-	2	-	-
741.0	Spina Bifida With Hydrocephalus	M	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
741.9	Spina Bifida Without Mention of Hydrocephalus	M	1	1	-	-	-	-	1	-	-
		F	7	3	-	-	-	-	3	1	1
742	Other Congenital Anomalies of Nervous System	M	21	3	-	1	-	-	4	2	-
		F	9	4	-	-	-	-	4	-	-
742.3	Congenital Hydrocephalus	M	1	1	-	-	-	-	1	-	-
		F	2	1	-	-	-	-	1	-	-
745	Bulbus Cordis Anomalies and Anomalies of Cardiac Septal Closure	M	6	5	1	-	-	-	6	-	-
		F	5	1	-	2	-	-	3	-	-
746	Other Congenital Anomalies of Heart	M	12	7	-	1	-	-	8	2	-
		F	16	9	-	-	1	1	11	1	1
747	Other Congenital Anomalies of Circulatory System	M	5	2	-	-	-	-	2	-	-
		F	7	4	-	-	-	-	4	1	-
748	Congenital Anomalies of Respiratory System	M	4	3	-	-	-	-	3	-	-
		F	2	2	-	-	-	-	2	-	-
750	Other Congenital Anomalies of Upper Alimentary Tract	M	-	-	-	-	-	-	-	-	-
		F	3	2	-	-	-	-	2	-	-
751	Other Congenital Anomalies of Digestive System	M	-	-	-	-	-	-	-	-	-
		F	5	4	-	-	-	-	4	-	-
753	Congenital Anomalies of Urinary System	M	8	7	-	-	-	-	7	-	-
		F	1	1	-	-	-	-	1	-	-
754	Certain Congenital Musculoskeletal Deformities	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
756	Other Congenital Musculoskeletal Anomalies	M	9	7	1	-	-	-	8	1	-
		F	5	4	-	-	-	-	4	-	-

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	758
-	1	-	-	-	2	-	-	1	1	-	-	-	-	-	759
-	-	1	1	1	-	-	-	-	-	-	-	1	-	2	760-779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
1	1	1	-	-	-	1	-	2	1	-	5	10	12	39	780-799
1	-	-	2	-	2	-	1	-	1	3	4	8	11	80	780-789
-	-	-	1	-	-	-	-	-	1	1	1	5	4	18	780
-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	781
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	782
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	783
-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	784
-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	785
-	-	-	-	-	-	-	-	-	1	1	2	3	9	-	786
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	787
-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	788
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
2	2	2	2	1	1	-	1	1	-	-	-	2	-	-	900-904
-	1	1	1	-	1	1	-	-	1	-	-	1	-	1	900
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	901
1	2	1	1	1	1	-	1	1	-	-	-	2	-	-	902
-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	904
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	905-909
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	905
-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	907
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	909
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	920-924
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	922
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	925-929
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	925
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	930-939
1	2	1	3	-	1	1	-	-	2	1	-	1	-	-	933
-	-	-	-	-	2	-	-	-	2	1	1	-	-	1	934
1	1	1	3	-	-	1	-	-	2	1	1	-	-	-	940-949
-	1	-	-	-	2	1	-	-	2	1	1	1	4	3	941
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	945
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	948
-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	949
-	-	1	2	1	2	1	-	1	1	1	1	1	1	2	950-957
-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	952
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	956
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	958-959
3	3	2	4	-	1	1	1	-	7	2	1	1	-	-	958
-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	959
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	960-979
3	2	2	4	-	1	1	1	-	7	2	1	1	-	-	960
-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	960
3	4	3	7	9	5	6	1	3	1	-	2	-	1	-	960
2	3	5	2	1	7	6	7	-	1	3	3	1	-	-	960
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	960
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	960

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	962
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	4	1	2	-	1	-	-	-	-	-	-	965
1	-	2	-	-	-	2	1	-	-	-	1	-	-	-	966
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	967
-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	967
-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	969
2	2	2	3	2	2	4	-	1	-	-	-	-	-	-	969
1	1	2	1	-	3	4	5	-	1	1	2	1	-	-	971
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	971
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	974
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	974
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	975
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	977
-	1	1	-	2	2	-	1	1	-	-	-	-	-	-	977
-	1	1	-	1	3	-	-	-	-	1	-	-	-	-	980-989
2	8	10	7	7	10	3	6	2	2	5	2	1	1	1	980-989
-	2	-	1	1	2	3	1	-	-	1	1	-	1	-	980
-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	980
-	1	-	-	-	-	3	1	-	-	-	-	-	-	-	983
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	983
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	985
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	985
-	4	8	3	6	8	2	2	2	1	1	-	-	-	-	986
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	986
1	1	1	2	-	1	-	1	-	-	1	1	1	1	1	987
-	1	-	1	-	1	-	-	-	-	1	1	-	1	-	987
1	1	1	2	-	1	1	2	-	1	2	1	-	-	-	989
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	990-995
33	43	32	32	25	28	20	19	13	13	15	10	8	9	7	990-995
4	2	5	7	3	7	4	6	6	7	1	4	3	-	3	990-995
-	-	-	-	-	2	-	-	1	1	1	1	-	3	3	991
-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	991
33	43	32	32	25	25	20	19	12	12	14	9	8	6	4	994
4	2	5	7	3	7	4	6	6	7	-	2	3	-	-	994
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	995
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	996-999
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	996-999
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	996
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	997
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	997
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	997
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	998
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	998
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	999
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	999
90	145	99	89	84	81	62	45	46	42	42	43	37	40	33	E800-E999
20	28	21	17	17	24	28	26	16	18	20	25	34	41	74	E800-E999
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E800-E807
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E805
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E805

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
-	4	1	5	2	-	1	-	-	-	-	-	-	-	-	E853
-	1	-	1	-	1	1	4	-	-	-	1	1	-	-	E854
2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	E855
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E856
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E858
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E858
1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	E860-E869
2	3	2	1	1	1	-	1	1	-	1	-	-	-	-	E860-E869
-	1	-	-	-	-	3	1	-	1	-	1	-	-	-	E860
-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	E860
1	1	-	-	-	-	3	1	-	-	-	1	-	-	-	E863
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E863
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E864
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E864
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E865
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E865
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E867
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E867
-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	E868
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E868
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E869
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E869
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	E870-E876
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E870-E876
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E873
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E873
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	E876
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E876
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	E878-E879
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E878-E879
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E878
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E878
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E879
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E879
3	1	4	4	2	9	3	3	11	3	9	9	8	21	17	E880-E888
2	3	1	-	-	1	3	1	3	3	5	6	17	31	62	E880-E888
-	-	-	1	2	1	-	-	6	1	1	2	2	-	2	E880
-	-	-	-	-	1	2	-	2	-	-	1	-	1	1	E880
-	-	1	1	-	-	-	-	-	-	-	1	-	2	-	E881
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E881
2	1	3	2	-	3	1	1	-	-	-	1	-	-	-	E882
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E882
-	-	-	-	-	4	-	1	2	-	2	-	1	2	-	E884
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E884
2	2	1	-	-	-	-	-	1	-	1	1	3	4	7	E884

List, 9th Revision, 1975) and by sex and age

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and Over	Detailed ICD-9 code
1	-	-	-	-	-	-	-	-	-	2	1	-	3	2	E885
-	-	-	-	-	-	-	-	-	-	1	1	4	9	13	E886
-	-	-	-	-	-	-	-	-	-	2	2	3	7	7	E887
-	-	-	-	-	-	-	1	-	2	1	3	5	10	23	E888
-	-	-	-	-	1	2	1	3	2	2	2	2	7	6	E889
-	-	-	-	-	-	1	-	-	1	2	-	5	7	18	E890-E899
-	1	2	1	1	1	-	2	2	2	2	2	2	6	4	E890-E899
-	1	-	1	2	3	-	-	2	-	4	1	1	1	5	E890
-	1	-	1	1	1	-	2	1	1	2	1	2	1	2	E890
-	1	-	1	1	3	-	-	1	-	2	1	1	1	2	E891
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E891
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E892
-	-	1	-	-	-	-	-	1	1	-	-	-	3	1	E893
-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	E894
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E894
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E895
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	E896
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	E897
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E898
-	-	-	-	-	2	-	-	1	2	2	2	-	2	5	E900-E909
-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	E900-E909
-	-	-	-	-	2	-	-	1	1	-	1	-	2	4	E901
-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	E902
-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	E903
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E904
11	11	8	11	-	4	6	5	3	5	1	2	3	2	1	E910-E915
-	-	1	1	-	3	3	1	2	2	1	1	-	-	1	E910-E915
10	10	8	7	-	3	6	5	3	3	1	2	2	2	-	E910
-	-	1	1	-	1	2	1	2	1	-	1	-	-	-	E911
1	1	-	3	-	1	-	-	-	2	-	-	1	-	-	E911
-	-	-	-	-	2	1	-	-	1	1	-	-	-	1	E912
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E913
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E913
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E914
-	4	2	2	4	5	7	1	3	5	1	-	1	-	-	E916-E928
1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	E916-E928
-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	E916
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E917
-	-	1	-	-	3	2	-	-	-	-	-	-	-	-	E917
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E918
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	E918
-	1	-	2	4	1	2	-	2	4	1	-	-	-	-	E919
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E920
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E921
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	E922
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E923
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	E924
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E925
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	E925
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E928
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E929
-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	E929

Table 19A Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E805	Hit by rolling stock, of which:	854	Intracranial injury of other and unspecified nature	1	-
E810	Motor vehicle traffic accident involving collision with train, of which:	869	Internal injury to unspecified or ill-defined organs	1	-
E811	Motor vehicle traffic accident involving re-entrant collision with another motor vehicle, of which:	800	Fracture of vault of skull	1	-
		803	Other and unqualified skull fractures	-	1
		863	Injury to gastrointestinal tract	1	-
		869	Internal injury to unspecified or ill-defined organs.	-	1
E812	Other motor vehicle traffic accident involving collision with another motor vehicle, of which:	800	Fracture of vault of skull	1	-
		801	Fracture of base of skull	1	1
		803	Other and unqualified skull fractures	14	4
		804	Multiple fractures involving skull or face with other bones	-	1
		805	Fracture of vertebral column without mention of spinal cord lesion	3	1
		807	Fracture of rib(s), sternum, larynx and trachea	1	4
		809	Ill-defined fractures of trunk	1	-
		811	Fracture of scapula	1	-
		814	Fracture of carpal bone(s)	-	1
		829	Fracture of unspecified bones	2	-
		853	Other and unspecified intracranial haemorrhage following injury	-	1
		854	Intracranial injury of other and unspecified nature	12	2
		861	Injury to heart and lung	3	-
		862	Injury to other and unspecified intrathoracic organs	2	1
		864	Injury to liver	2	-
		868	Injury to other intraabdominal organs	3	1
		869	Internal injury to unspecified or ill-defined organs	48	21
		875	Open wound of chest (wall)	3	-
		879	Open wound of other and unspecified sites, except limbs.	1	-
		891	Open wound of knee, leg (except thigh) and ankle	1	-
901	Injury to blood vessels of thorax	6	-		
902	Injury to blood vessels of abdomen and pelvis	1	-		
922	Contusion of trunk	-	1		
933	Foreign body in pharynx and larynx	1	-		
958	Certain early complications of trauma	1	-		
959	Injury, other and unspecified	6	1		
E813	Motor vehicle traffic accident involving collision with other vehicle, of which:	803	Other and unqualified skull fractures	7	1
		805	Fracture of vertebral column without mention of spinal cord lesion	2	-
		824	Fracture of ankle	-	1
		829	Fracture of unspecified bones	1	-
		854	Intracranial injury of other and unspecified nature	4	3
		861	Injury to heart and lung	1	-
		869	Internal injury to unspecified or ill-defined organs	2	1
		873	Other open wound of head	1	-
		900	Injury to blood vessels of head and neck	-	1
E814	Motor vehicle traffic accident involving collision with pedestrian, of which:	803	Other and unqualified skull fractures	15	3
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		807	Fracture of rib(s), sternum, larynx and trachea	1	1
		808	Fracture of pelvis	1	-
		827	Other, multiple and ill-defined fractures of lower limb	1	-

Table 19A (contd.)

Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E814	Motor vehicle traffic accident involving collision with pedestrian, of which:	829	Fracture of unspecified bones	1	-
		851	Cerebral laceration and contusion	2	1
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	-
		854	Intracranial injury of other and unspecified nature	18	9
		860	Traumatic pneumothorax and haemothorax	-	1
		861	Injury to heart and lung	1	1
		869	Internal injury to unspecified or ill-defined organs	27	16
		891	Open wound of knee, leg (except thigh) and ankle	1	-
		901	Injury to blood vessels of thorax	1	-
		902	Injury to blood vessels of abdomen and pelvis	1	-
		959	Injury, other and unspecified	3	1
E815	Other motor vehicle traffic accident involving collision on the highway, of which:	803	Other and unqualified skull fractures	12	3
		805	Fracture of vertebral column without mention of spinal cord lesion	3	2
		807	Fracture of rib(s), sternum, larynx and trachea	2	-
		851	Cerebral laceration and contusion	1	-
		853	Other and unspecified intracranial haemorrhage following injury	1	-
		854	Intracranial injury of other and unspecified nature	7	1
		861	Injury to heart and lung	1	-
		864	Injury to liver	2	2
		869	Internal injury to unspecified or ill-defined organs	15	2
		875	Open wound of chest (wall)	-	2
		901	Injury to blood vessels of thorax	2	2
		933	Foreign body in pharynx and larynx	1	-
		949	Burn, unspecified	1	1
		956	Injury to peripheral nerve(s) of pelvic girdle and lower limb	1	-
		959	Injury, other and unspecified	4	1
994	Effects of other external causes	4	-		
E816	Motor vehicle traffic accident due to loss of control, without collision on the highway, of which:	801	Fracture of base of skull	1	-
		803	Other and unqualified skull fractures	8	-
		805	Fracture of vertebral column without mention of spinal cord lesion	2	-
		854	Intracranial injury of other and unspecified nature	11	1
		860	Traumatic pneumothorax and haemothorax	1	-
		862	Injury to other and unspecified intrathoracic organs	-	1
		869	Internal injury to unspecified or ill-defined organs	6	4
		901	Injury to blood vessels of thorax	1	1
		933	Foreign body in pharynx and larynx	1	-
		952	Spinal cord lesion without evidence of spinal bone injury	2	-
		959	Injury, other and unspecified	1	-
969	Poisoning by psychotropic agents	1	-		
994	Effects of other external causes	3	-		
E818	Other noncollision motor vehicle traffic accident, of which:	803	Other and unqualified skull fractures	2	1
		839	Other, multiple and ill-defined dislocations	-	1
		854	Intracranial injury of other and unspecified nature	1	-
E819	Motor vehicle traffic accident of unspecified nature, of which:	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	1	-
E821	Nontraffic accident involving other off-road motor vehicle, of which:	808	Fracture of pelvis	1	-

Table 19A (contd.) Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E822	Other motor vehicle nontraffic accident involving collision with moving object, of which:	959	Injury, other and unspecified	-	1
E823	Other motor vehicle nontraffic accident involving collision with stationary object, of which:	802	Fracture of face bones	1	-
E825	Other motor vehicle nontraffic accident of other and unspecified nature, of which:	805	Fracture of vertebral column without mention of spinal cord lesion	1	-
E826	Pedal cycle accident, of which:	852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	1
		869	Internal injury to unspecified or ill-defined organs	-	1
		875	Open wound of chest (wall)	1	-
E827	Animal-drawn vehicle accident, of which:	803	Other and unqualified skull fractures	1	-
E828	Accident involving animal being ridden, of which:	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	1	-
E830	Accident to watercraft causing submersion, of which:	994	Effects of other external causes	3	-
E832	Other accidental submersion or drowning in water transport accident, of which:	994	Effects of other external causes	3	-
E838	Other and unspecified water transport accident, of which:	994	Effects of other external causes	4	-
E850	Accidental poisoning by analgesics, antipyretics, antirheumatics, of which:	304	Drug dependence	18	1
		965	Poisoning by analgesics, antipyretics and antirheumatics	7	5
E851	Accidental poisoning by barbiturates, of which:	967	Poisoning by sedatives and hypnotics	-	2
E853	Accidental poisoning by tranquillizers, of which:	304	Drug dependence	7	2
		969	Poisoning by psychotropic agents	6	8
E854	Accidental poisoning by other psychotropic agents, of which:	304	Drug dependence	1	-
		969	Poisoning by psychotropic agents	6	2
E855	Accidental poisoning by other drugs acting on central and autonomic nervous systems, of which:	966	Poisoning by anticonvulsants and anti-parkinsonism drugs	1	-
E856	Accidental poisoning by antibiotics, of which:	960	Poisoning by antibiotics	-	1
E858	Accidental poisoning by other drugs, of which:	304	Drug dependence	2	-
		975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system	1	-
		977	Poisoning by other and unspecified drugs and medicaments	-	1
E860	Accidental poisoning by alcohol, not elsewhere classified of which:	303	Alcohol dependence syndrome	-	1
		933	Foreign body in pharynx and larynx	-	1
		980	Toxic effect of alcohol	3	4
E863	Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers, of which:	989	Toxic effect of other substances, chiefly nonmedicinal as to source	2	-
E864	Accidental poisoning by corrosives and caustics, not elsewhere classified, of which:	983	Toxic effect of corrosive aromatics, acids and caustic alkalis	1	-
E865	Accidental poisoning from foodstuffs and poisonous plants, of which:	933	Foreign body in pharynx and larynx	-	1
		987	Toxic effect of other gases, fumes or vapours	1	-

Table 19A (contd.) Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E867	Accidental poisoning by gas distributed by pipeline	986	Toxic effect of carbon monoxide	1	-
E868	Accidental poisoning by other utility gas and other carbon monoxide, of which:	986	Toxic effect of carbon monoxide	5	-
E869	Accidental poisoning by other gases and vapours, of which:	987	Toxic effect of other gases, fumes or vapours	1	-
E873	Failure in dosage, of which:	909	Late effects of other and unspecified external causes	-	1
E876	Other and unspecified misadventure during medical care, of which:	995	Certain adverse effects not elsewhere classified	1	-
		998	Other complications of procedures, not elsewhere classified	-	1
		999	Complications of medical care, not elsewhere classified	1	-
E878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation, of which:	904	Injury to blood vessels of lower extremity and unspecified sites	-	1
		997	Complications affecting specified body systems, not elsewhere classified	1	-
E879	Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication, of which:	996	Complications peculiar to certain specified procedures	1	-
E880	Fall on or from stairs or steps	801	Fracture of base of skull	-	1
		803	Other and unqualified skull fractures	8	2
		805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		807	Fracture of ribs(s), sternum, larynx and trachea	1	-
		820	Fracture of neck of femur	-	1
		821	Fracture of other and unspecified parts of femur	-	1
		851	Cerebral laceration and contusion	-	1
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	1
		854	Intracranial injury of other and unspecified nature	7	1
		E881	Fall on or from ladders or scaffolding	805	Fracture of vertebral column without mention of spinal cord lesion
854	Intracranial injury of other and unspecified nature			3	-
863	Injury to gastrointestinal tract			1	-
E882	Fall from or out of building or other structure, of which:-	304	Drug dependence	1	-
		431	Intracerebral haemorrhage	1	-
		803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	4	-
		864	Injury to liver	1	-
		869	Internal injury to unspecified or ill-defined organs	3	-
		900	Injury to blood vessels of head and neck	-	1
		959	Injury, other and unspecified	2	-
E884	Other fall from one level to another, of which:	994	Effects of other external causes	1	-
		803	Other and unqualified skull fractures	1	4
		805	Fracture of vertebral column without mention of spinal cord lesion	1	2
		807	Fracture of rib(s), sternum, larynx and trachea	-	2
		820	Fracture of neck of femur	1	4
		821	Fracture of other and unspecified parts of femur	1	6
		851	Cerebral laceration and contusion	1	-
		854	Intracranial injury of other and unspecified nature	7	4
		869	Internal injury to unspecified or ill-defined organs	1	-
		959	Injury, other and unspecified	1	-
E885	Fall on same level from slipping, tripping or stumbling, of which:	803	Other and unqualified skull fractures	1	1
		807	Fracture of rib(s), sternum, larynx and trachea	-	1
		808	Fracture of pelvis	-	2
		812	Fracture of humerus	-	1

Table 19A (contd.)

Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death Description	I.C.D. - 9 code	Nature of Injury or Poisoning Description	Number of Deaths	
				Males	Females
E885	Fall on same level from slipping, tripping or stumbling, of which:	813	Fracture of radius and ulna	-	1
		820	Fracture of neck of femur	1	13
		821	Fracture of other and unspecified parts of femur	3	6
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	-
		853	Other and unspecified intracranial haemorrhage following injury	1	-
		854	Intracranial injury of other and unspecified nature	1	2
		874	Open wound of neck	1	-
		959	Injury, other and unspecified	-	1
E887	Fracture, cause unspecified, of which:	807	Fracture of rib(s), sternum, larynx and trachea	2	-
		808	Fracture of pelvis	-	1
		812	Fracture of humerus	-	2
		813	Fracture of radius and ulna	1	-
		820	Fracture of neck of femur	12	23
		821	Fracture of other and unspecified parts of femur	5	14
		822	Fracture of patella	-	1
		823	Fracture of tibia and fibula	1	-
		827	Other, multiple and ill-defined fractures of lower limb	-	1
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	-	1
		862	Injury to other and unspecified intrathoracic organs	-	1
		869	Internal injury to unspecified or ill-defined organs	-	1
E888	Other and unspecified fall, of which:	803	Other and unqualified skull fractures	3	2
		807	Fracture of rib(s), sternum, larynx and trachea	2	-
		808	Fracture of pelvis	-	1
		820	Fracture of neck of femur	7	17
		821	Fracture of other and unspecified parts of femur	7	7
		851	Cerebral laceration and contusion	1	-
		852	Subarachnoid, subdural and extradural haemorrhage, following injury	1	1
		854	Intracranial injury of other and unspecified nature	6	6
		866	Injury to kidney	1	-
		902	Injury to blood vessels of abdomen and pelvis	-	1
991	Effects of reduced temperature	1	-		
E890	Conflagration in private dwelling, of which:	949	Burn, unspecified	6	9
		986	Toxic effect of carbon monoxide	4	-
		987	Toxic effect of other gases, fumes or vapours	9	6
E891	Conflagration in other and unspecified building or structure, of which:	949	Burn, unspecified	-	1
		987	Toxic effect of other gases, fumes or vapours	1	-
E893	Accident caused by ignition of clothing, of which:	854	Intracranial injury of other and unspecified nature	1	-
		941	Burn of face, head and neck	1	-
		948	Burns classified according to extent of body surface involved	1	1
		949	Burn, unspecified	3	4
		986	Toxic effect of carbon monoxide	1	-
E894	Ignition of highly inflammable material, of which:	949	Burn, unspecified	1	-
E895	Accident caused by controlled fire in private dwelling, of which:	821	Fracture of other and unspecified parts of femur	-	1
		948	Burns classified according to extent of body surface involved	1	-
		949	Burn, unspecified	-	1
E899	Accident caused by unspecified fire, of which:	945	Burn of lower limb(s)	1	-
		948	Burns classified according to extent of body surface involved	1	-
E901	Excessive cold, of which:	991	Effects of reduced temperature	10	6
		994	Effects of other external causes	1	-
E906	Other injury caused by animals, of which:	854	Intracranial injury of other and unspecified nature	3	-
		862	Injury to other and unspecified intrathoracic organs	1	-

Table 19A (contd.) Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death	I.C.D. - 9 code	Nature of Injury or Poisoning	Number of Deaths	
	Description		Description	Males	Females
E906	Other injury caused by animals, of which:	959	Injury, other and unspecified	1	-
E910	Accidental drowning and submersion, of which:	933	Foreign body in pharynx and larynx	1	-
		994	Effects of other external causes	66	12
E911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation, of which:	303	Alcohol dependence syndrome	-	1
		933	Foreign body in pharynx and larynx	7	5
		934	Foreign body in trachea, bronchus and lung	2	1
E912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation:	994	Effects of other external causes	1	-
E913	Accidental mechanical suffocation, of which:	994	Effects of other external causes	2	-
E916	Struck accidentally by falling object, of which:	854	Intracranial injury of other and unspecified nature	1	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		865	Injury to spleen	1	-
E917	Striking against or struck accidentally by objects or persons, of which:	801	Fracture of base of skull	1	-
		803	Other and unqualified skull fractures	2	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	2	-
E918	Caught accidentally in or between objects, of which:	854	Intracranial injury of other and unspecified nature	1	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		959	Injury, other and unspecified	2	-
		994	Effects of other external causes	-	2
E919	Accidents caused by machinery, of which:	805	Fracture of vertebral column without mention of spinal cord lesion	1	-
		807	Fracture of rib(s), sternum, larynx and trachea	2	-
		854	Intracranial injury of other and unspecified nature	4	-
		862	Injury to other and unspecified intrathoracic organs	3	-
		864	Injury to liver	1	-
		869	Internal injury to unspecified or ill-defined organs	2	-
		959	Injury, other and unspecified	4	-
994	Effects of other external causes	1	-		
E920	Accidents caused by cutting and piercing instruments or objects, of which:	864	Injury to liver	1	-
E922	Accident caused by firearm missile, of which:	854	Intracranial injury of other and unspecified nature	-	1
		861	Injury to heart and lung	1	-
		874	Open wound of neck	1	-
		879	Open wound of other and unspecified sites, except limbs	-	1
E924	Accident caused by hot substance or object, caustic or corrosive material and steam, of which:	949	Burn, unspecified	-	2
E925	Accident caused by electric current, of which:	994	Effects of other external causes	3	-
E928	Other and unspecified environmental and accidental causes, of which:	803	Other and unqualified skull fractures	1	-
		925	Crushing injury of face, scalp and neck	-	1
E929	Late effects of accidental injury, of which:	854	Intracranial injury of other and unspecified nature	1	-
		905	Late effects of musculoskeletal and connective tissue injuries	-	1
		907	Late effects of injuries to the nervous system	1	-
		949	Burn, unspecified	1	-

Table 19A (contd.) Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death Description	I.C.D. - 9 code	Nature of Injury or Poisoning Description	Number of Deaths	
				Males	Females
E950	Suicide and self-inflicted poisoning by solid or liquid substances, of which:	304	Drug dependence	1	-
		962	Poisoning by hormones and synthetic substitutes	1	1
		965	Poisoning by analgesics, antipyretics and antirheumatics	4	4
		967	Poisoning by sedatives and hypnotics	3	1
		969	Poisoning by psychotropic agents	6	11
		971	Poisoning by drugs primarily affecting the autonomic nervous system	1	-
		974	Poisoning by water, mineral and uric acid metabolism drugs	1	-
		977	Poisoning by other and unspecified drugs and medicaments	7	6
		985	Toxic effect of other metals	1	-
		989	Toxic effect of other substances, chiefly non-medicinal as to source	11	-
		997	Complications affecting specified body systems not elsewhere classified	-	1
E951	Suicide and self inflicted poisoning by gases in domestic use, of which:	987	Toxic effect of other gases, fumes or vapours	1	-
E952	Suicide and self inflicted poisoning by other gases and vapours, of which:	986	Toxic effect of carbon monoxide	26	2
		987	Toxic effect of other gases, fumes or vapours	2	-
E953	Suicide and self inflicted injury by hanging, strangulation and suffocation	994	Effects of other external causes	126	17
E954	Suicide and self inflicted injury by submersion (drowning), of which:	994	Effects of other external causes	80	28
E955	Suicide and self inflicted injury by firearms and explosives, of which:	803	Other and unqualified skull fractures	3	1
		851	Cerebral laceration and contusion	6	1
		853	Other and unspecified intracranial haemorrhage following injury	1	-
		854	Intracranial injury of other and unspecified nature	9	1
		861	Injury to heart and lung	1	-
		869	Internal injury to unspecified or ill-defined organs	1	-
		873	Other open wound of head	6	-
		879	Open wound of other and unspecified sites, except limbs	3	1
E956	Suicide and self inflicted injury by cutting and piercing instruments, of which:	874	Open wound of neck	1	1
		879	Open wound of other and unspecified sites, except limbs	1	-
		904	Injury to blood vessels of lower extremity and unspecified sites	-	1
		959	Injury, other and unspecified	1	-
E957	Suicide and self inflicted injuries by jumping from high place, of which:	829	Fracture of unspecified bones	1	-
		854	Intracranial injury of other and unspecified nature	1	-
		869	Internal injury to unspecified or ill-defined organs	5	2
		959	Injury, other and unspecified	-	1
E958	Suicide and self inflicted injury by other and unspecified means, of which:	803	Other and unqualified skull fractures	1	-
		807	Fracture of rib(s), sternum, larynx and trachea	1	-
		869	Internal injury to unspecified or ill-defined organs	1	1
		874	Open wound of neck	1	-
		948	Burns classified according to extent of body surface involved	-	1
		949	Burn, unspecified	3	1
		994	Effects of other external causes	3	-
E960	Fight, brawl, rape, of which:	803	Other and unqualified skull fractures	1	-
		853	Other and unspecified intracranial haemorrhage following injury	-	1
		854	Intracranial injury of other and unspecified nature	-	1
		959	Injury, other and unspecified	1	-
E963	Assault by hanging and strangulation	994	Effects of other external causes	1	-

Table 19A (contd.) Deaths from external causes in 1995 classified by nature of the injury or poisoning and by sex

I.C.D. - 9 code	External Cause of Death Description	I.C.D. - 9 code	Nature of Injury or Poisoning Description	Number of Deaths	
				Males	Females
E965	Assault by firearms and explosives, of which:	851	Cerebral laceration and contusion	1	-
		854	Intracranial injury of other and unspecified nature	1	1
		862	Injury to other and unspecified intrathoracic organs	1	-
		864	Injury to liver	1	-
		874	Open wound of neck	1	-
		875	Open wound of chest (wall)	5	-
		879	Open wound of other and unspecified sites, except limbs	1	-
E966	Assault by cutting and piercing instrument, of which:	861	Injury to heart and lung	1	-
		862	Injury to other and unspecified intrathoracic organs	1	-
		874	Open wound of neck	1	-
		875	Open wound of chest (wall)	1	-
		880	Open wound of shoulder and upper arm	1	-
		904	Injury to blood vessels of lower extremity and unspecified sites	1	-
		959	Injury, other and unspecified	1	-
E968	Assault by other and unspecified means, of which:	803	Other and unqualified skull fractures	1	-
		854	Intracranial injury of other and unspecified nature	-	-
		987	Toxic effect of other gases, fumes or vapours	-	1
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	969	Poisoning by psychotropic agents	-	1
		977	Poisoning by other and unspecified drugs and medicaments	1	-
		980	Toxic effect of alcohol	-	1
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted, of which:	994	Effects of other external causes	3	1
E986	Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted	875	Open wound of chest (wall)	1	-
E987	Falling from high place, undetermined whether accidentally or purposely inflicted	839	Other, multiple and ill-defined dislocations	-	1
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	991	Effects of reduced temperature	1	-

Table 20 - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Detailed ICD-9 code	Mortality List No.	Cause of Death		Total	Uncertified
		Total	M	17,075	45
			F	15,184	36
001-139	01-07	Infectious and Parasitic Diseases	M	86	-
			F	85	-
001-009	01	Intestinal Infectious Diseases	M	5	-
			F	11	-
010-018	02	Tuberculosis	M	20	-
			F	16	-
033	034	Whooping Cough	M	1	-
			F	-	-
036	036	Meningococcal Infection	M	6	-
			F	15	-
037	037	Tetanus	M	-	-
			F	-	-
038	038	Septicaemia	M	29	-
			F	19	-
050	041	Smallpox	M	-	-
			F	-	-
055	042	Measles	M	1	-
			F	-	-
084	052	Malaria	M	-	-
			F	-	-
Rem(001-139)		Other Infectious and Parasitic Diseases	M	24	-
			F	24	-
140-208	08-14	Malignant Neoplasms:-	M	4,097	8
			F	3,422	7
151	091	Of Stomach	M	259	-
			F	151	-
153	093	Colon	M	397	2
			F	331	1
154	094	Rectum, Rectosigmoid Junction and Anus	M	153	-
			F	93	-
162	101	Trachea, Bronchus and Lung	M	1,035	-
			F	539	-
174	113	Female Breast	F	654	2
180	120	Cervix Uteri	F	72	-
204-208	141	Leukaemia	M	101	1
			F	79	-
Rem(140-208)		Other Malignant Neoplasms	M	2,152	5
			F	1,503	4
250	181	Diabetes Mellitus	M	213	2
			F	174	1
261	191	Nutritional Marasmus	M	-	-
			F	-	-
262,263	192	Other Protein-calorie Malnutrition	M	1	-
			F	-	-
280-285	200	Anaemias	M	33	-
			F	47	-
320-322	220	Meningitis	M	3	-
			F	1	-
390-459	25-30	Diseases of the Circulatory System	M	7,434	22
			F	6,833	16
390-392	250	Acute Rheumatic Fever	M	5	-
			F	3	-
393-398	251	Chronic Rheumatic Heart Disease	M	14	-
			F	36	-
401-405	26	Hypertensive Disease	M	84	1
			F	126	1
410-414	27	Ischaemic Heart Disease	M	4,635	13
			F	3,291	10
(410)	270	(Acute Myocardial Infarction)	M	3,248	12
			F	2,238	8
430-438	29	Cerebrovascular Disease	M	1,213	2
			F	1,679	2
440	300	Atherosclerosis	M	120	-
			F	170	-
Rem(390-459)		Other Diseases of the Circulatory System	M	1,363	6
			F	1,528	3

Table 20 - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Detailed ICD-9 code	Mortality List No.	Cause of Death		Total	Uncertified
480-486	321	Pneumonia	M	1,035	1
			F	1,308	3
487	322	Influenza	M	6	-
			F	12	-
490-493	323	Bronchitis, Emphysema and Asthma	M	224	1
			F	167	2
531-533	341	Ulcer of Stomach and Duodenum	M	99	-
			F	80	1
540-543	342	Appendicitis	M	5	-
			F	3	-
571	347	Chronic Liver Disease and Cirrhosis	M	48	-
			F	53	-
580-589	350	Nephritis, Nephrotic Syndrome and Nephrosis	M	191	1
			F	210	-
600	360	Hyperplasia of Prostate	M	20	-
630-639	38	Abortion	F	-	-
640-646,651-676	39	Direct Obstetric Deaths	F	-	-
740-759	44	Congenital Anomalies	M	90	-
			F	91	-
760-779	45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	85	-
			F	47	-
(767)	453		M	4	-
			F	1	-
780-799	46	Signs, Symptoms and Ill-Defined Conditions	M	92	2
			F	125	1
800-999	47-56	Injury and Poisoning	M	994	4
			F	424	2
800-829	47	Fractures	M	167	1
			F	144	1
850-869,950-957	49	Intracranial and Internal Injuries, Including Nerves	M	281	-
			F	101	-
940-949	52	Burns	M	20	-
			F	21	1
960-989	53	Poisonings and Toxic Effects	M	116	1
			F	57	-
Rem(800-999)		Other Injuries and Poisonings	M	410	2
			F	101	-
Rem(001-999)		All Other Diseases	M	2,319	4
			F	2,102	3
		External Causes (Included in the Foregoing)			
E800-E949	E47-E53	Accidents and Adverse Effects	M	675	1
			F	339	2
E810-E819	E471	Motor Vehicle Traffic Accidents	M	312	1
			F	108	-
E880-E888	E50	Accidental Falls	M	110	-
			F	139	1
E950-E959	E54	Suicide	M	321	3
			F	83	-
E960-E969	E55	Homicide	M	23	-
			F	4	-
Rem(E800-E999)		All Other External Causes	M	6	-
			F	4	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	7,821	12	5,166	2	2,745	29	1,343	2
		F	7,445	11	4,525	-	2,141	25	1,073	-
01-07	Infectious and Parasitic Diseases	M	38	-	24	-	16	-	8	-
		F	40	-	29	-	12	-	4	-
01	Intestinal Infectious Diseases	M	5	-	-	-	-	-	-	-
		F	7	-	2	-	1	-	1	-
02	Tuberculosis	M	6	-	6	-	5	-	3	-
		F	6	-	6	-	2	-	2	-
034	Whooping Cough	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	3	-	2	-	1	-	-	-
		F	8	-	5	-	2	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	10	-	8	-	8	-	3	-
		F	8	-	7	-	4	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	13	-	7	-	2	-	2	-
		F	11	-	9	-	3	-	1	-
08-14	Malignant Neoplasms:-	M	2,024	3	1,197	1	587	4	289	-
		F	1,804	2	985	-	434	5	199	-
091	Of Stomach	M	129	-	69	-	38	-	23	-
		F	80	-	40	-	23	-	8	-
093	Colon	M	177	1	128	-	62	1	30	-
		F	190	-	77	-	40	1	24	-
094	Rectum, Rectosigmoid Junction and Anus	M	70	-	52	-	22	-	9	-
		F	38	-	40	-	6	-	9	-
101	Trachea, Bronchus and Lung	M	569	-	281	-	121	-	64	-
		F	327	-	120	-	60	-	32	-
113	Female Breast	F	351	-	192	-	82	2	29	-
120	Cervix Uteri	F	32	-	22	-	14	-	4	-
141	Leukaemia	M	37	-	37	-	19	1	8	-
		F	40	-	23	-	11	-	5	-
	Other Malignant Neoplasms	M	1,042	2	630	1	325	2	155	-
		F	746	2	471	-	198	2	88	-
181	Diabetes Mellitus	M	103	-	63	-	37	1	10	1
		F	88	-	44	-	26	1	16	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	15	-	6	-	8	-	4	-
		F	15	-	16	-	11	-	5	-
220	Meningitis	M	-	-	2	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	3,297	4	2,314	1	1,225	17	598	-
		F	3,223	3	2,085	-	997	13	528	-
250	Acute Rheumatic Fever	M	2	-	1	-	2	-	-	-
		F	2	-	1	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	11	-	1	-	1	-	1	-
		F	23	-	7	-	3	-	3	-
26	Hypertensive Disease	M	37	-	23	-	16	1	8	-
		F	69	-	22	-	25	1	10	-
27	Ischaemic Heart Disease	M	2,077	3	1,437	-	725	10	396	-
		F	1,547	2	1,008	-	470	8	266	-
270	(Acute Myocardial Infarction)	M	1,380	3	1,026	-	543	9	299	-
		F	1,038	2	680	-	321	6	199	-
29	Cerebrovascular Disease	M	548	1	369	-	210	1	86	-
		F	803	1	505	-	237	1	134	-
300	Atherosclerosis	M	39	-	58	-	16	-	7	-
		F	63	-	79	-	21	-	7	-
	Other Diseases of the Circulatory System	M	583	-	425	1	255	5	100	-
		F	716	-	463	-	241	3	108	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	441	1	306	-	194	-	94	-
		F	614	2	390	-	194	1	110	-
322	Influenza	M	1	-	-	-	3	-	2	-
		F	6	-	2	-	3	-	1	-
323	Bronchitis, Emphysema and Asthma	M	88	-	75	-	41	1	20	-
		F	90	-	50	-	21	2	6	-
341	Ulcer of Stomach and Duodenum	M	39	-	28	-	20	-	12	-
		F	40	1	23	-	13	-	4	-
342	Appendicitis	M	3	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	1	-
347	Chronic Liver Disease and Cirrhosis	M	30	-	9	-	3	-	6	-
		F	29	-	13	-	8	-	3	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	62	-	80	-	30	1	19	-
		F	112	-	46	-	33	-	19	-
360	Hyperplasia of Prostate	M	5	-	8	-	4	-	3	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	48	-	28	-	8	-	6	-
		F	44	-	25	-	16	-	6	-
45	Certain Conditions Originating in the Perinatal Period +	M	52	-	22	-	5	-	6	-
	(Birth Trauma)	F	24	-	14	-	4	-	5	-
453		M	2	-	-	-	-	-	2	-
		F	1	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	31	2	38	-	17	-	6	-
		F	47	1	54	-	15	-	9	-
47-56	Injury and Poisoning	M	466	1	300	-	150	3	78	-
		F	221	1	117	-	59	1	27	-
47	Fractures	M	65	-	57	-	33	1	12	-
		F	65	1	41	-	23	-	15	-
49	Intracranial and Internal Injuries, Including Nerves	M	128	-	89	-	33	-	31	-
		F	52	-	31	-	12	-	6	-
52	Burns	M	8	-	7	-	5	-	-	-
		F	9	-	9	-	3	1	-	-
53	Poisonings and Toxic Effects	M	63	-	33	-	13	1	7	-
		F	39	-	7	-	7	-	4	-
	Other Injuries and Poisonings	M	202	1	114	-	66	1	28	-
		F	56	-	29	-	14	-	2	-
	All Other Diseases	M	1,077	1	665	-	396	2	181	1
		F	1,046	1	631	-	295	2	130	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	326	-	195	-	101	1	53	-
		F	168	1	98	-	48	1	25	-
E471	Motor Vehicle Traffic Accidents	M	154	-	83	-	48	1	27	-
		F	46	-	35	-	18	-	9	-
E50	Accidental Falls	M	48	-	35	-	15	-	12	-
		F	66	1	43	-	18	-	12	-
E54	Suicide	M	151	1	97	-	48	2	25	-
		F	51	-	19	-	11	-	2	-
E55	Homicide	M	14	-	9	-	-	-	-	-
		F	4	-	-	-	-	-	-	-
	All Other External Causes	M	4	-	1	-	1	-	-	-
		F	4	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Carlow County		Dublin C.B.		Dublin Belgard		Dublin Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	196	-	2,459	-	446	-	348	-
		F	201	-	2,566	-	417	-	351	-
01-07	Infectious and Parasitic Diseases	M	2	-	13	-	3	-	1	-
		F	1	-	19	-	4	-	3	-
01	Intestinal Infectious Diseases	M	-	-	-	-	1	-	-	-
		F	-	-	3	-	1	-	-	-
02	Tuberculosis	M	-	-	2	-	1	-	-	-
		F	-	-	5	-	1	-	-	-
034	Whooping Cough	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	1	-	-	-	-	-
		F	-	-	4	-	1	-	2	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	4	-	-	-	-	-
		F	-	-	3	-	1	-	1	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	1	-	6	-	1	-	1	-
		F	1	-	4	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	49	-	694	-	130	-	91	-
		F	56	-	621	-	112	-	94	-
091	of Stomach	M	2	-	44	-	10	-	3	-
		F	3	-	29	-	6	-	3	-
093	Colon	M	5	-	54	-	9	-	10	-
		F	3	-	69	-	7	-	12	-
094	Rectum, Rectosigmoid Junction and Anus	M	1	-	25	-	5	-	4	-
		F	1	-	14	-	5	-	2	-
101	Trachea, Bronchus and Lung	M	11	-	237	-	41	-	25	-
		F	8	-	130	-	18	-	22	-
113	Female Breast	F	13	-	111	-	27	-	25	-
120	Cervix Uteri	F	3	-	11	-	3	-	2	-
141	Leukaemia	M	1	-	9	-	2	-	-	-
		F	1	-	11	-	1	-	1	-
	Other Malignant Neoplasms	M	29	-	325	-	63	-	49	-
		F	24	-	246	-	45	-	27	-
181	Diabetes Mellitus	M	3	-	25	-	4	-	3	-
		F	2	-	31	-	3	-	2	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	4	-	-	-	-	-
		F	-	-	6	-	1	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	78	-	1,019	-	160	-	151	-
		F	83	-	1,114	-	159	-	148	-
250	Acute Rheumatic Fever	M	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	3	-	1	-	1	-
		F	2	-	6	-	1	-	1	-
26	Hypertensive Disease	M	2	-	14	-	-	-	1	-
		F	2	-	28	-	2	-	3	-
27	Ischaemic Heart Disease	M	42	-	640	-	96	-	98	-
		F	43	-	524	-	74	-	70	-
270	(Acute Myocardial Infarction)	M	33	-	381	-	60	-	58	-
		F	32	-	323	-	45	-	43	-
29	Cerebrovascular Disease	M	15	-	159	-	29	-	20	-
		F	18	-	265	-	42	-	37	-
300	Atherosclerosis	M	2	-	15	-	2	-	1	-
		F	1	-	17	-	4	-	1	-
	Other Diseases of the Circulatory System	M	17	-	187	-	32	-	30	-
		F	17	-	273	-	36	-	36	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Carlow County		Dublin C.B.		Dublin Belgard		Dublin Fingal	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	5	-	125	-	23	-	17	-
		F	12	-	204	-	32	-	31	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	6	-	29	-	5	-	3	-
		F	2	-	38	-	6	-	1	-
341	Ulcer of Stomach and Duodenum	M	1	-	15	-	2	-	1	-
		F	3	-	13	-	1	-	1	-
342	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	13	-	3	-	2	-
		F	-	-	13	-	7	-	2	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	-	-	17	-	2	-	2	-
		F	1	-	28	-	7	-	5	-
360	Hyperplasia of Prostate	M	1	-	2	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	1	-	11	-	5	-	2	-
		F	-	-	15	-	3	-	5	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	2	-	13	-	6	-	5	-
		F	1	-	7	-	2	-	1	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	-	-	13	-	3	-	2	-
		F	1	-	21	-	3	-	2	-
47-56	Injury and Poisoning	M	18	-	125	-	29	-	23	-
		F	5	-	79	-	18	-	9	-
47	Fractures	M	3	-	14	-	-	-	3	-
		F	4	-	22	-	1	-	5	-
49	Intracranial and Internal Injuries, Including Nerves	M	5	-	29	-	11	-	10	-
		F	-	-	17	-	6	-	1	-
52	Burns	M	-	-	4	-	2	-	-	-
		F	-	-	7	-	-	-	-	-
53	Poisonings and Toxic Effects	M	3	-	24	-	4	-	4	-
		F	1	-	16	-	5	-	1	-
	Other Injuries and Poisonings	M	7	-	54	-	12	-	6	-
		F	-	-	17	-	6	-	2	-
	All Other Diseases	M	30	-	340	-	71	-	44	-
		F	34	-	356	-	59	-	47	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	11	-	99	-	20	-	18	-
		F	4	-	60	-	14	-	7	-
E471	Motor Vehicle Traffic Accidents	M	8	-	23	-	10	-	8	-
		F	-	-	17	-	4	-	1	-
E50	Accidental Falls	M	1	-	21	-	-	-	3	-
		F	4	-	21	-	1	-	5	-
E54	Suicide	M	7	-	40	-	7	-	6	-
		F	1	-	19	-	5	-	1	-
E55	Homicide	M	-	-	7	-	3	-	2	-
		F	-	-	2	-	1	-	-	-
	All Other External Causes	M	-	-	2	-	-	-	-	-
		F	-	-	2	-	-	-	1	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	735	-	406	3	348	2	285	-
		F	786	-	402	2	290	3	195	-
01-07	Infectious and Parasitic Diseases	M	3	-	1	-	2	-	2	-
		F	4	-	-	-	1	-	-	-
01	Intestinal Infectious Diseases	M	1	-	-	-	1	-	-	-
		F	1	-	-	-	1	-	-	-
02	Tuberculosis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	1	-	1	-
		F	3	-	-	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	206	-	109	-	68	-	70	-
		F	197	-	88	-	49	1	49	-
091	Of Stomach	M	12	-	4	-	6	-	3	-
		F	12	-	3	-	1	-	1	-
093	Colon	M	17	-	11	-	6	-	5	-
		F	23	-	7	-	3	-	3	-
094	Rectum, Rectosigmoid Junction and Anus	M	6	-	7	-	2	-	4	-
		F	6	-	2	-	-	-	-	-
101	Trachea, Bronchus and Lung	M	50	-	27	-	19	-	10	-
		F	44	-	16	-	4	-	7	-
113	Female Breast	F	31	-	12	-	7	-	6	-
120	Cervix Uteri	F	2	-	-	-	-	-	3	-
141	Leukaemia	M	6	-	1	-	3	-	2	-
		F	5	-	2	-	2	-	4	-
	Other Malignant Neoplasms	M	115	-	59	-	32	-	46	-
		F	74	-	46	-	32	1	25	-
181	Diabetes Mellitus	M	10	-	9	-	5	-	6	-
		F	5	-	4	-	6	-	1	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	2	-	1	-	-	-	-	-
		F	-	-	1	-	1	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	314	-	173	2	168	1	110	-
		F	343	-	196	1	145	1	71	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	-	-	-	-
		F	2	-	3	-	-	-	-	-
26	Hypertensive Disease	M	2	-	4	-	2	-	1	-
		F	9	-	7	-	2	-	2	-
27	Ischaemic Heart Disease	M	184	-	114	1	115	1	71	-
		F	142	-	100	1	78	1	39	-
270	(Acute Myocardial Infarction)	M	120	-	74	1	77	1	61	-
		F	100	-	67	1	59	1	29	-
29	Cerebrovascular Disease	M	63	-	25	1	26	-	19	-
		F	105	-	49	-	40	-	15	-
300	Atherosclerosis	M	6	-	3	-	1	-	2	-
		F	13	-	3	-	3	-	4	-
	Other Diseases of the Circulatory System	M	59	-	27	-	24	-	17	-
		F	72	-	34	-	21	-	11	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Dun Laoghaire Rathdown		Kildare County		Kilkenny County		Laois County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	37	-	16	-	20	-	26	-
		F	64	-	19	-	24	1	29	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	3	-	5	-	8	-	5	-
		F	8	-	3	-	10	-	-	-
341	Ulcer of Stomach and Duodenum	M	2	-	1	-	3	-	-	-
		F	4	-	1	-	-	-	2	-
342	Appendicitis	M	1	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	4	-	2	-	2	-	1	-
		F	3	-	1	-	1	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	9	-	2	-	3	-	2	-
		F	10	-	4	-	2	-	5	-
360	Hyperplasia of Prostate	M	-	-	-	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	7	-	1	-	6	-	2	-
		F	3	-	7	-	1	-	1	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	6	-	2	-	-	-	1	-
		F	4	-	3	-	-	-	3	-
453		M	-	-	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	2	-	4	1	-	-	2	-
		F	-	-	4	1	-	-	1	-
47-56	Injury and Poisoning	M	26	-	35	-	16	1	15	-
		F	24	-	19	-	8	-	5	-
47	Fractures	M	1	-	5	-	3	-	4	-
		F	8	-	7	-	1	-	-	-
49	Intracranial and Internal Injuries, Including Nerves	M	12	-	11	-	2	-	1	-
		F	3	-	2	-	2	-	3	-
52	Burns	M	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	2	-	8	-	2	-	3	-
		F	5	-	4	-	2	-	-	-
	Other Injuries and Poisonings	M	11	-	11	-	9	1	6	-
		F	6	-	6	-	3	-	2	-
	All Other Diseases	M	103	-	45	-	46	-	43	-
		F	114	-	51	-	42	-	28	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	21	-	20	-	8	-	8	-
		F	19	-	17	-	5	-	2	-
E471	Motor Vehicle Traffic Accidents	M	10	-	13	-	3	-	6	-
		F	1	-	1	-	2	-	1	-
E50	Accidental Falls	M	5	-	2	-	1	-	-	-
		F	8	-	7	-	-	-	1	-
E54	Suicide	M	6	-	14	-	8	1	7	-
		F	5	-	1	-	2	-	3	-
E55	Homicide	M	1	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
	All Other External Causes	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	186	-	394	2	410	1	324	-
		F	153	-	403	1	338	-	241	1
01-07	Infectious and Parasitic Diseases	M	-	-	1	-	1	-	1	-
		F	-	-	-	-	3	-	1	-
01	Intestinal Infectious Diseases	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
02	Tuberculosis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	-	-	1	-	1	-
		F	-	-	-	-	1	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	39	-	92	-	96	-	83	-
		F	44	-	86	-	100	-	50	-
091	Of Stomach	M	3	-	5	-	4	-	9	-
		F	1	-	8	-	3	-	4	-
093	Colon	M	3	-	9	-	10	-	10	-
		F	2	-	11	-	13	-	7	-
094	Rectum, Rectosigmoid Junction and Anus	M	-	-	6	-	-	-	2	-
		F	-	-	2	-	-	-	-	-
101	Trachea, Bronchus and Lung	M	12	-	23	-	28	-	13	-
		F	8	-	12	-	21	-	7	-
113	Female Breast	F	11	-	21	-	25	-	7	-
120	Cervix Uteri	F	1	-	1	-	1	-	1	-
141	Leukaemia	M	2	-	-	-	2	-	-	-
		F	2	-	1	-	-	-	1	-
	Other Malignant Neoplasms	M	19	-	49	-	52	-	49	-
		F	19	-	30	-	37	-	23	-
181	Diabetes Mellitus	M	1	-	3	-	9	-	3	-
		F	3	-	3	-	5	-	7	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	1	-	3	-	-	-
		F	-	-	2	-	1	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	77	-	156	1	196	-	120	-
		F	55	-	182	-	127	-	101	-
250	Acute Rheumatic Fever	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
26	Hypertensive Disease	M	-	-	4	-	2	-	-	-
		F	1	-	4	-	3	-	1	-
27	Ischaemic Heart Disease	M	55	-	106	1	138	-	84	-
		F	27	-	92	-	76	-	52	-
270	(Acute Myocardial Infarction)	M	44	-	81	1	78	-	72	-
		F	12	-	75	-	42	-	36	-
29	Cerebrovascular Disease	M	12	-	27	-	26	-	15	-
		F	13	-	41	-	26	-	26	-
300	Atherosclerosis	M	1	-	-	-	2	-	-	-
		F	2	-	3	-	3	-	2	-
	Other Diseases of the Circulatory System	M	9	-	19	-	26	-	21	-
		F	12	-	41	-	19	-	20	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Longford County		Louth County		Meath County		Offaly County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	28	-	28	-	15	-	23	-
		F	25	-	41	-	18	-	21	-
322	Influenza	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	4	-	3	-	4	-	3	-
		F	3	-	2	-	2	-	2	-
341	Ulcer of Stomach and Duodenum	M	2	-	5	-	1	-	2	-
		F	1	-	5	1	1	-	-	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	-	-	2	-	2	-	3	-
		F	2	-	9	-	10	-	6	-
360	Hyperplasia of Prostate	M	-	-	1	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	-	-	2	-	4	-	1	-
		F	-	-	3	-	2	-	-	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	-	-	5	-	3	-	1	-
		F	-	-	-	-	-	-	1	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	-	-	3	-	1	1	-	-
		F	-	-	3	-	2	-	2	-
47-56	Injury and Poisoning	M	16	-	29	-	33	-	19	-
		F	2	-	10	-	13	-	6	1
47	Fractures	M	5	-	4	-	5	-	4	-
		F	1	-	2	-	5	-	3	1
49	Intracranial and Internal Injuries, Including Nerves	M	2	-	7	-	12	-	3	-
		F	1	-	5	-	4	-	1	-
52	Burns	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	-	-	4	-	4	-	2	-
		F	-	-	-	-	1	-	-	-
	Other Injuries and Poisonings	M	8	-	14	-	12	-	10	-
		F	-	-	3	-	3	-	2	-
	All Other Diseases	M	17	-	62	1	41	-	65	-
		F	18	-	56	-	54	-	44	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	14	-	20	-	22	-	9	-
		F	2	-	9	-	10	-	5	1
E471	Motor Vehicle Traffic Accidents	M	12	-	6	-	15	-	6	-
		F	-	-	7	-	2	-	2	-
E50	Accidental Falls	M	-	-	4	-	2	-	2	-
		F	2	-	2	-	7	-	3	1
E54	Suicide	M	2	-	8	-	11	-	10	-
		F	-	-	1	-	3	-	1	-
E55	Homicide	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	314	-	549	4	421	-	506	1
		F	264	-	445	3	393	1	381	-
01-07	Infectious and Parasitic Diseases	M	4	-	2	-	2	-	2	-
		F	-	-	2	-	2	-	1	-
01	Intestinal Infectious Diseases	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
02	Tuberculosis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	1	-	1	-	1	-	1	-
		F	-	-	1	-	1	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	76	-	120	3	101	-	105	1
		F	72	-	109	1	77	-	65	-
091	Of Stomach	M	6	-	8	-	10	-	5	-
		F	1	-	1	-	4	-	3	-
093	Colon	M	7	-	12	1	9	-	4	-
		F	6	-	16	-	8	-	5	-
094	Rectum, Rectosigmoid Junction and Anus	M	1	-	5	-	2	-	7	-
		F	1	-	3	-	2	-	3	-
101	Trachea, Bronchus and Lung	M	18	-	26	-	29	-	32	-
		F	7	-	15	-	8	-	4	-
113	Female Breast	F	24	-	14	-	17	-	6	-
120	Cervix Uteri	F	1	-	1	-	2	-	5	-
141	Leukaemia	M	-	-	6	-	3	-	2	-
		F	2	-	4	-	3	-	1	-
	Other Malignant Neoplasms	M	44	-	63	2	48	-	55	1
		F	30	-	55	1	33	-	38	-
181	Diabetes Mellitus	M	5	-	7	-	10	-	9	-
		F	4	-	6	-	6	-	2	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	1	-	3	-	-	-	-	-
		F	-	-	3	-	-	-	1	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	148	-	239	-	188	-	202	-
		F	118	-	192	-	189	1	165	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	1	-	2	-	2	-	-	-
		F	2	-	-	-	5	-	3	-
26	Hypertensive Disease	M	1	-	3	-	1	-	3	-
		F	3	-	-	-	2	-	-	-
27	Ischaemic Heart Disease	M	80	-	145	-	109	-	117	-
		F	60	-	89	-	81	-	65	-
270	(Acute Myocardial Infarction)	M	67	-	97	-	77	-	91	-
		F	49	-	58	-	68	-	52	-
29	Cerebrovascular Disease	M	29	-	40	-	43	-	32	-
		F	19	-	53	-	54	1	39	-
300	Atherosclerosis	M	3	-	1	-	-	-	3	-
		F	-	-	3	-	4	-	2	-
	Other Diseases of the Circulatory System	M	34	-	48	-	33	-	47	-
		F	34	-	47	-	43	-	56	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Westmeath County		Wexford County		Wicklow County		Clare County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	14	-	39	1	25	-	49	-
		F	23	-	34	1	37	-	55	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-
323	Bronchitis, Emphysema and Asthma	M	3	-	4	-	3	-	6	-
		F	-	-	10	-	3	-	5	-
341	Ulcer of Stomach and Duodenum	M	1	-	1	-	2	-	2	-
		F	1	-	5	-	2	-	3	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	-	-	-	-	1	-
		F	1	-	1	-	-	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	4	-	7	-	7	-	12	-
		F	3	-	10	-	10	-	3	-
360	Hyperplasia of Prostate	M	-	-	1	-	-	-	2	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	1	-	2	-	3	-	4	-
		F	1	-	1	-	2	-	2	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	1	-	4	-	3	-	1	-
		F	-	-	2	-	-	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	-	-	1	-	-	-	5	-
		F	3	-	4	-	1	-	8	-
47-56	Injury and Poisoning	M	22	-	42	-	18	-	38	-
		F	9	-	6	-	8	-	12	-
47	Fractures	M	4	-	10	-	-	-	7	-
		F	3	-	1	-	2	-	4	-
49	Intracranial and Internal Injuries, Including Nerves	M	7	-	9	-	7	-	12	-
		F	3	-	1	-	3	-	5	-
52	Burns	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	1	-
53	Poisonings and Toxic Effects	M	-	-	-	-	3	-	3	-
		F	1	-	-	-	3	-	-	-
	Other Injuries and Poisonings	M	11	-	23	-	8	-	15	-
		F	2	-	4	-	-	-	2	-
	All Other Diseases	M	34	-	77	-	59	-	68	-
		F	29	-	60	1	54	-	58	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	15	-	30	-	11	-	25	-
		F	7	-	2	-	5	-	11	-
E471	Motor Vehicle Traffic Accidents	M	10	-	17	-	7	-	8	-
		F	4	-	1	-	3	-	2	-
E50	Accidental Falls	M	1	-	6	-	-	-	3	-
		F	2	-	1	-	2	-	7	-
E54	Suicide	M	7	-	12	-	6	-	13	-
		F	2	-	4	-	3	-	1	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Cork C.B.		Cork County		Kerry County		Limerick C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	611	-	1,367	1	778	-	260	-
		F	681	-	1,129	-	600	-	274	-
01-07	Infectious and Parasitic Diseases	M	2	-	4	-	1	-	2	-
		F	5	-	8	-	5	-	3	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
02	Tuberculosis	M	2	-	2	-	-	-	-	-
		F	1	-	2	-	1	-	1	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	1	-
		F	1	-	2	-	1	-	1	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	2	-	-	-	-	-
		F	-	-	1	-	2	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	1	-	1	-
		F	3	-	2	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	157	-	308	-	177	-	70	-
		F	176	-	242	-	122	-	68	-
091	Of Stomach	M	12	-	16	-	14	-	4	-
		F	3	-	8	-	4	-	3	-
093	Colon	M	15	-	29	-	17	-	13	-
		F	12	-	14	-	10	-	6	-
094	Rectum, Rectosigmoid Junction and Anus	M	6	-	12	-	5	-	3	-
		F	7	-	12	-	4	-	-	-
101	Trachea, Bronchus and Lung	M	34	-	79	-	38	-	13	-
		F	26	-	28	-	13	-	9	-
113	Female Breast	F	35	-	57	-	25	-	15	-
120	Cervix Uteri	F	3	-	3	-	1	-	1	-
141	Leukaemia	M	6	-	8	-	9	-	1	-
		F	6	-	1	-	6	-	2	-
	Other Malignant Neoplasms	M	84	-	164	-	94	-	36	-
		F	84	-	119	-	59	-	32	-
181	Diabetes Mellitus	M	7	-	17	-	11	-	3	-
		F	10	-	12	-	3	-	3	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	2	-	1	-	1	-
		F	2	-	4	-	3	-	-	-
220	Meningitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	277	-	627	1	369	-	104	-
		F	299	-	528	-	301	-	119	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-
26	Hypertensive Disease	M	2	-	7	-	5	-	-	-
		F	3	-	8	-	4	-	-	-
27	Ischaemic Heart Disease	M	183	-	395	-	209	-	67	-
		F	168	-	258	-	139	-	51	-
270	(Acute Myocardial Infarction)	M	129	-	278	-	162	-	33	-
		F	118	-	168	-	90	-	28	-
29	Cerebrovascular Disease	M	31	-	95	-	79	-	15	-
		F	68	-	129	-	74	-	22	-
300	Atherosclerosis	M	7	-	26	-	7	-	1	-
		F	15	-	39	-	6	-	4	-
	Other Diseases of the Circulatory System	M	54	-	104	1	69	-	21	-
		F	43	-	92	-	78	-	42	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Cork C.B.		Cork County		Kerry County		Limerick C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	33	-	82	-	36	-	6	-
		F	61	-	110	-	34	-	25	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-
323	Bronchitis, Emphysema and Asthma	M	12	-	18	-	14	-	1	-
		F	4	-	10	-	8	-	10	-
341	Ulcer of Stomach and Duodenum	M	1	-	10	-	5	-	1	-
		F	4	-	7	-	3	-	-	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	1	-	2	-	-	-	-	-
		F	3	-	5	-	1	-	1	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	5	-	18	-	22	-	4	-
		F	6	-	8	-	10	-	1	-
360	Hyperplasia of Prostate	M	-	-	3	-	1	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	3	-	8	-	-	-	3	-
		F	2	-	6	-	4	-	3	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	4	-	11	-	3	-	1	-
		F	3	-	3	-	-	-	1	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	3	-	5	-	4	-	8	-
		F	3	-	12	-	6	-	6	-
47-56	Injury and Poisoning	M	39	-	79	-	39	-	20	-
		F	17	-	30	-	21	-	5	-
47	Fractures	M	6	-	14	-	10	-	3	-
		F	6	-	15	-	5	-	2	-
49	Intracranial and Internal Injuries, Including Nerves	M	8	-	31	-	14	-	3	-
		F	2	-	6	-	7	-	2	-
52	Burns	M	2	-	1	-	-	-	3	-
		F	1	-	4	-	-	-	-	-
53	Poisonings and Toxic Effects	M	4	-	6	-	2	-	2	-
		F	2	-	-	-	2	-	-	-
	Other Injuries and Poisonings	M	19	-	27	-	13	-	9	-
		F	6	-	5	-	7	-	1	-
	All Other Diseases	M	67	-	173	-	95	-	35	-
		F	86	-	144	-	78	-	29	-
External Causes (Included in the Foregoing)										
E47-E53	Accidents and Adverse Effects	M	22	-	50	-	27	-	11	-
		F	13	-	26	-	18	-	5	-
E471	Motor Vehicle Traffic Accidents	M	9	-	24	-	11	-	5	-
		F	3	-	9	-	9	-	1	-
E50	Accidental Falls	M	6	-	11	-	7	-	-	-
		F	7	-	13	-	4	-	3	-
E54	Suicide	M	16	-	26	-	13	-	6	-
		F	4	-	4	-	3	-	-	-
E55	Homicide	M	2	-	3	-	-	-	3	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Limerick County		Tipperary N.R.		Tipperary S.R.		Waterford C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	440	-	329	-	433	-	168	-
		F	427	-	268	-	340	-	189	-
01-07	Infectious and Parasitic Diseases	M	2	-	3	-	1	-	3	-
		F	3	-	-	-	1	-	1	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
02	Tuberculosis	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	-	-	2	-	-	-	2	-
		F	1	-	-	-	1	-	1	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	1	-	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	98	-	64	-	110	-	43	-
		F	94	-	64	-	60	-	39	-
091	Of Stomach	M	3	-	1	-	8	-	-	-
		F	6	-	7	-	3	-	1	-
093	Colon	M	9	-	14	-	14	-	9	-
		F	11	-	8	-	3	-	4	-
094	Rectum, Rectosigmoid Junction and Anus	M	5	-	1	-	6	-	3	-
		F	4	-	1	-	5	-	1	-
101	Trachea, Bronchus and Lung	M	15	-	11	-	31	-	12	-
		F	7	-	8	-	9	-	7	-
113	Female Breast	F	16	-	14	-	11	-	5	-
120	Cervix Uteri	F	-	-	5	-	1	-	1	-
141	Leukaemia	M	2	-	3	-	3	-	2	-
		F	1	-	1	-	-	-	1	-
	Other Malignant Neoplasms	M	64	-	34	-	48	-	17	-
		F	49	-	20	-	28	-	19	-
181	Diabetes Mellitus	M	4	-	2	-	6	-	1	-
		F	2	-	2	-	7	-	2	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	-	-	1	-	-	-	-	-
		F	-	-	4	-	1	-	1	-
220	Meningitis	M	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	198	-	164	-	183	-	74	-
		F	186	-	130	-	172	-	80	-
250	Acute Rheumatic Fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
26	Hypertensive Disease	M	1	-	2	-	1	-	-	-
		F	1	-	3	-	3	-	-	-
27	Ischaemic Heart Disease	M	111	-	97	-	128	-	52	-
		F	93	-	54	-	87	-	34	-
270	(Acute Myocardial Infarction)	M	73	-	67	-	96	-	34	-
		F	51	-	33	-	67	-	25	-
29	Cerebrovascular Disease	M	33	-	25	-	28	-	12	-
		F	40	-	35	-	50	-	22	-
300	Atherosclerosis	M	3	-	3	-	5	-	-	-
		F	3	-	4	-	1	-	2	-
	Other Diseases of the Circulatory System	M	49	-	37	-	21	-	10	-
		F	49	-	34	-	31	-	22	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Limerick County		Tipperary N.R.		Tipperary S.R.		Waterford C.B.	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	22	-	16	-	28	-	10	-
		F	27	-	12	-	32	-	11	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	11	-	3	-	4	-	2	-
		F	4	-	2	-	3	-	3	-
341	Ulcer of Stomach and Duodenum	M	3	-	1	-	4	-	-	-
		F	3	-	-	-	1	-	2	-
342	Appendicitis	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	1	-	1	-	2	-	1	-
		F	1	-	-	-	-	-	2	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	4	-	3	-	8	-	3	-
		F	6	-	3	-	8	-	1	-
360	Hyperplasia of Prostate	M	1	-	-	-	-	-	-	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	2	-	3	-	1	-	3	-
		F	3	-	1	-	2	-	-	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	-	-	-	-	1	-	-	-
		F	5	-	-	-	1	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	7	-	1	-	-	-	3	-
		F	10	-	3	-	4	-	-	-
47-56	Injury and Poisoning	M	18	-	17	-	29	-	5	-
		F	9	-	3	-	4	-	6	-
47	Fractures	M	6	-	2	-	3	-	-	-
		F	2	-	2	-	2	-	1	-
49	Intracranial and Internal Injuries, Including Nerves	M	6	-	5	-	8	-	-	-
		F	2	-	1	-	1	-	2	-
52	Burns	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-
53	Poisonings and Toxic Effects	M	2	-	3	-	7	-	2	-
		F	1	-	-	-	-	-	1	-
	Other Injuries and Poisonings	M	4	-	7	-	11	-	3	-
		F	4	-	-	-	1	-	-	-
	All Other Diseases	M	67	-	50	-	56	-	20	-
		F	73	-	44	-	44	-	41	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	16	-	12	-	18	-	3	-
		F	5	-	3	-	4	-	5	-
E471	Motor Vehicle Traffic Accidents	M	11	-	3	-	7	-	-	-
		F	2	-	2	-	1	-	1	-
E50	Accidental Falls	M	1	-	1	-	4	-	-	-
		F	2	-	1	-	3	-	2	-
E54	Suicide	M	1	-	5	-	11	-	2	-
		F	4	-	-	-	-	-	1	-
E55	Homicide	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Waterford County		Galway C.B.		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	274	-	175	1	873	16	219	-
		F	236	-	169	-	599	16	164	-
01-07	Infectious and Parasitic Diseases	M	4	-	2	-	4	-	-	-
		F	2	-	-	-	4	-	2	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
02	Tuberculosis	M	1	-	1	-	2	-	-	-
		F	-	-	-	-	-	-	2	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	2	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	1	-	1	-	1	-	-	-
		F	1	-	-	-	2	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	2	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
08-14	Malignant Neoplasms:-	M	65	-	40	1	190	2	51	-
		F	55	-	28	-	130	3	27	-
091	Of Stomach	M	6	-	1	-	15	-	-	-
		F	2	-	-	-	6	-	3	-
093	Colon	M	4	-	2	1	15	-	13	-
		F	4	-	1	-	17	1	4	-
094	Rectum, Rectosigmoid Junction and Anus	M	4	-	1	-	9	-	-	-
		F	3	-	-	-	-	-	-	-
101	Trachea, Bronchus and Lung	M	16	-	13	-	37	-	9	-
		F	9	-	6	-	16	-	3	-
113	Female Breast	F	8	-	6	-	21	-	6	-
120	Cervix Uteri	F	2	-	1	-	2	-	2	-
141	Leukaemia	M	1	-	2	-	6	1	2	-
		F	4	-	1	-	1	-	-	-
	Other Malignant Neoplasms	M	34	-	21	-	108	1	27	-
		F	23	-	13	-	67	2	9	-
181	Diabetes Mellitus	M	3	-	2	-	10	-	2	-
		F	1	-	2	-	9	-	-	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	1	-	-	-	2	-	1	-
		F	-	-	1	-	2	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	116	-	71	-	394	10	87	-
		F	105	-	81	-	278	8	86	-
250	Acute Rheumatic Fever	M	1	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-
26	Hypertensive Disease	M	2	-	-	-	6	1	-	-
		F	-	-	3	-	6	1	1	-
27	Ischaemic Heart Disease	M	78	-	51	-	232	4	50	-
		F	59	-	43	-	131	4	36	-
270	(Acute Myocardial Infarction)	M	63	-	34	-	172	4	38	-
		F	48	-	30	-	91	3	22	-
29	Cerebrovascular Disease	M	19	-	9	-	65	1	10	-
		F	26	-	19	-	65	-	20	-
300	Atherosclerosis	M	3	-	1	-	3	-	7	-
		F	3	-	-	-	5	-	10	-
	Other Diseases of the Circulatory System	M	13	-	10	-	88	4	19	-
		F	16	-	15	-	71	3	19	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Waterford County		Galway C.B.		Galway County		Leitrim County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	24	-	12	-	62	-	25	-
		F	23	-	10	-	57	1	20	-
322	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	2	-	-	-
323	Bronchitis, Emphysema and Asthma	M	4	-	3	-	13	1	3	-
		F	1	-	5	-	6	2	2	-
341	Ulcer of Stomach and Duodenum	M	1	-	-	-	6	-	2	-
		F	-	-	3	-	5	-	-	-
342	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	-	-	1	-	-	-
		F	-	-	1	-	3	-	1	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	1	-	2	-	5	-	4	-
		F	-	-	1	-	10	-	-	-
360	Hyperplasia of Prostate	M	1	-	-	-	1	-	1	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	1	-	1	-	3	-	-	-
		F	2	-	5	-	3	-	1	-
45	Certain Conditions Originating in the Perinatal Period +	M	1	-	1	-	3	-	-	-
	(Birth Trauma)	F	1	-	-	-	1	-	-	-
453		M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	2	-	1	-	5	-	2	-
		F	2	-	1	-	4	-	-	-
47-56	Injury and Poisoning	M	16	-	18	-	58	2	10	-
		F	10	-	8	-	19	-	5	-
47	Fractures	M	6	-	2	-	17	1	-	-
		F	2	-	3	-	7	-	3	-
49	Intracranial and Internal Injuries, Including Nerves	M	2	-	6	-	10	-	5	-
		F	3	-	2	-	4	-	2	-
52	Burns	M	-	-	-	-	1	-	-	-
		F	1	-	-	-	1	-	-	-
53	Poisonings and Toxic Effects	M	2	-	1	-	7	1	1	-
		F	1	-	1	-	4	-	-	-
	Other Injuries and Poisonings	M	6	-	9	-	23	-	4	-
		F	3	-	2	-	3	-	-	-
	All Other Diseases	M	34	-	22	-	116	1	31	-
		F	34	-	23	-	66	2	20	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	11	-	12	-	40	1	8	-
		F	8	-	5	-	16	-	5	-
E471	Motor Vehicle Traffic Accidents	M	5	-	6	-	20	1	4	-
		F	5	-	3	-	8	-	2	-
E50	Accidental Falls	M	2	-	1	-	6	-	-	-
		F	1	-	2	-	3	-	3	-
E54	Suicide	M	4	-	6	-	18	1	2	-
		F	2	-	3	-	3	-	-	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M	807	12	353	-	318	-	326	-
		F	656	9	252	-	301	-	244	-
01-07	Infectious and Parasitic Diseases	M	6	-	1	-	3	-	2	-
		F	4	-	1	-	1	-	1	-
01	Intestinal Infectious Diseases	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
02	Tuberculosis	M	1	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
034	Whooping Cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
036	Meningococcal Infection	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
037	Tetanus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
038	Septicaemia	M	4	-	-	-	2	-	-	-
		F	2	-	-	-	-	-	-	-
041	Smallpox	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
042	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
052	Malaria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	-	-	1	-	1	-
		F	1	-	1	-	1	-	1	-
08-14	Malignant Neoplasms:-	M	183	1	63	-	60	-	67	-
		F	134	2	47	-	68	-	53	-
091	Of Stomach	M	10	-	5	-	7	-	4	-
		F	6	-	3	-	5	-	3	-
093	Colon	M	17	-	8	-	7	-	8	-
		F	9	-	5	-	4	-	6	-
094	Rectum, Rectosigmoid Junction and Anus	M	7	-	2	-	3	-	3	-
		F	5	-	-	-	1	-	4	-
101	Trachea, Bronchus and Lung	M	31	-	13	-	18	-	15	-
		F	17	-	6	-	12	-	7	-
113	Female Breast	F	28	2	8	-	13	-	8	-
120	Cervix Uteri	F	4	-	4	-	1	-	-	-
141	Leukaemia	M	6	-	1	-	2	-	3	-
		F	5	-	1	-	3	-	1	-
	Other Malignant Neoplasms	M	112	1	34	-	23	-	34	-
		F	60	-	20	-	29	-	24	-
181	Diabetes Mellitus	M	12	1	5	-	6	-	2	-
		F	9	1	3	-	3	-	2	-
191	Nutritional Marasmus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
200	Anaemias	M	4	-	-	-	1	-	2	-
		F	4	-	2	-	2	-	-	-
220	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
25-30	Diseases of the Circulatory System	M	357	7	178	-	138	-	156	-
		F	289	5	127	-	136	-	122	-
250	Acute Rheumatic Fever	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-	1	-	1	-
		F	1	-	-	-	1	-	1	-
26	Hypertensive Disease	M	6	-	1	-	3	-	2	-
		F	9	-	1	-	5	-	4	-
27	Ischaemic Heart Disease	M	208	6	113	-	71	-	103	-
		F	142	4	78	-	40	-	57	-
270	(Acute Myocardial Infarction)	M	152	5	88	-	59	-	71	-
		F	108	3	41	-	29	-	42	-
29	Cerebrovascular Disease	M	66	-	33	-	27	-	20	-
		F	67	1	30	-	36	-	31	-
300	Atherosclerosis	M	3	-	1	-	1	-	-	-
		F	5	-	1	-	-	-	-	-
	Other Diseases of the Circulatory System	M	74	1	29	-	35	-	30	-
		F	65	-	17	-	54	-	29	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Mayo County		Roscommon County		Sligo County		Cavan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
321	Pneumonia	M	38	-	34	-	23	-	13	-
		F	43	-	31	-	33	-	22	-
322	Influenza	M	3	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	1	-
323	Bronchitis, Emphysema and Asthma	M	17	-	2	-	3	-	8	-
		F	5	-	3	-	-	-	2	-
341	Ulcer of Stomach and Duodenum	M	5	-	3	-	4	-	2	-
		F	4	-	1	-	-	-	-	-
342	Appendicitis	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
347	Chronic Liver Disease and Cirrhosis	M	-	-	2	-	-	-	-	-
		F	1	-	1	-	1	-	2	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	12	1	4	-	3	-	7	-
		F	16	-	2	-	4	-	1	-
360	Hyperplasia of Prostate	M	1	-	-	-	1	-	2	-
38	Abortion	F	-	-	-	-	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-	-	-	-	-
44	Congenital Anomalies	M	4	-	-	-	-	-	1	-
		F	5	-	1	-	1	-	1	-
45	Certain Conditions Originating in the Perinatal Period +	M	-	-	-	-	1	-	1	-
	(Birth Trauma)	F	2	-	-	-	1	-	2	-
453		M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	3	-	3	-	3	-	2	-
		F	6	-	4	-	-	-	3	-
47-56	Injury and Poisoning	M	36	1	14	-	14	-	20	-
		F	17	1	4	-	6	-	7	-
47	Fractures	M	12	-	2	-	-	-	3	-
		F	8	-	1	-	1	-	3	-
49	Intracranial and Internal Injuries, Including Nerves	M	4	-	3	-	5	-	7	-
		F	-	-	1	-	3	-	2	-
52	Burns	M	1	-	1	-	2	-	-	-
		F	2	1	-	-	-	-	-	-
53	Poisonings and Toxic Effects	M	1	-	2	-	1	-	3	-
		F	2	-	-	-	-	-	1	-
	Other Injuries and Poisonings	M	18	1	6	-	6	-	7	-
		F	5	-	2	-	2	-	1	-
	All Other Diseases	M	125	1	44	-	58	-	40	-
		F	116	-	25	-	45	-	25	-
	External Causes (Included in the Foregoing)									
E47-E53	Accidents and Adverse Effects	M	26	-	6	-	9	-	12	-
		F	14	1	4	-	4	-	6	-
E471	Motor Vehicle Traffic Accidents	M	11	-	2	-	5	-	8	-
		F	2	-	2	-	1	-	2	-
E50	Accidental Falls	M	7	-	1	-	-	-	2	-
		F	6	-	2	-	2	-	3	-
E54	Suicide	M	9	1	8	-	5	-	8	-
		F	3	-	-	-	2	-	1	-
E55	Homicide	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	All Other External Causes	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

+ Stillbirths not included

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
	Total	M	739	1	278	1
		F	645	-	184	-
01-07	Infectious and Parasitic Diseases	M	5	-	1	-
		F	2	-	1	-
01	Intestinal Infectious Diseases	M	-	-	-	-
		F	-	-	1	-
02	Tuberculosis	M	2	-	-	-
		F	2	-	-	-
034	Whooping Cough	M	-	-	-	-
		F	-	-	-	-
036	Meningococcal Infection	M	-	-	-	-
		F	-	-	-	-
037	Tetanus	M	-	-	-	-
		F	-	-	-	-
038	Septicaemia	M	3	-	-	-
		F	-	-	-	-
041	Smallpox	M	-	-	-	-
		F	-	-	-	-
042	Measles	M	-	-	-	-
		F	-	-	-	-
052	Malaria	M	-	-	-	-
		F	-	-	-	-
	Other Infectious and Parasitic Diseases	M	-	-	1	-
		F	-	-	-	-
08-14	Malignant Neoplasms:-	M	153	-	69	-
		F	113	-	33	-
091	Of Stomach	M	12	-	7	-
		F	4	-	1	-
093	Colon	M	12	-	10	-
		F	17	-	1	-
094	Rectum, Rectosigmoid Junction and Anus	M	4	-	2	-
		F	4	-	1	-
101	Trachea, Bronchus and Lung	M	31	-	18	-
		F	18	-	7	-
113	Female Breast	F	16	-	5	-
120	Cervix Uteri	F	4	-	-	-
141	Leukaemia	M	4	-	1	-
		F	2	-	2	-
	Other Malignant Neoplasms	M	90	-	31	-
		F	48	-	16	-
181	Diabetes Mellitus	M	7	1	1	-
		F	12	-	2	-
191	Nutritional Marasmus	M	-	-	-	-
		F	-	-	-	-
192	Other Protein-calorie Malnutrition	M	-	-	-	-
		F	-	-	-	-
200	Anaemias	M	1	-	1	-
		F	5	-	-	-
220	Meningitis	M	1	-	-	-
		F	-	-	-	-
25-30	Diseases of the Circulatory System	M	315	-	127	-
		F	311	-	95	-
250	Acute Rheumatic Fever	M	-	-	-	-
		F	-	-	-	-
251	Chronic Rheumatic Heart Disease	M	-	-	-	-
		F	2	-	-	-
26	Hypertensive Disease	M	4	-	2	-
		F	5	-	1	-
27	Ischaemic Heart Disease	M	193	-	100	-
		F	154	-	55	-
270	(Acute Myocardial Infarction)	M	160	-	68	-
		F	130	-	27	-
29	Cerebrovascular Disease	M	54	-	12	-
		F	83	-	20	-
300	Atherosclerosis	M	4	-	3	-
		F	1	-	6	-
	Other Diseases of the Circulatory System	M	60	-	10	-
		F	66	-	13	-

Table 20 (contd.) - Deaths of residents of each county and county borough in 1995 classified by cause and showing the number of uncertified deaths

Mortality List Number	Cause of Death		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified
321	Pneumonia	M	68	-	13	-
		F	75	-	13	-
322	Influenza	M	1	-	-	-
		F	-	-	-	-
323	Bronchitis, Emphysema and Asthma	M	8	-	4	-
		F	3	-	1	-
341	Ulcer of Stomach and Duodenum	M	5	-	5	-
		F	3	-	1	-
342	Appendicitis	M	-	-	-	-
		F	-	-	1	-
347	Chronic Liver Disease and Cirrhosis	M	5	-	1	-
		F	1	-	-	-
350	Nephritis, Nephrotic Syndrome and Nephrosis	M	7	-	5	-
		F	15	-	3	-
360	Hyperplasia of Prostate	M	-	-	1	-
38	Abortion	F	-	-	-	-
39	Direct Obstetric Deaths	F	-	-	-	-
44	Congenital Anomalies	M	3	-	2	-
		F	3	-	2	-
45	Certain Conditions Originating in the Perinatal Period + (Birth Trauma)	M	3	-	2	-
		F	3	-	-	-
453		M	-	-	1	-
		F	-	-	-	-
46	Signs, Symptoms and Ill-Defined Conditions	M	4	-	-	-
		F	4	-	2	-
47-56	Injury and Poisoning	M	41	-	17	-
		F	13	-	7	-
47	Fractures	M	4	-	5	-
		F	7	-	5	-
49	Intracranial and Internal Injuries, Including Nerves	M	16	-	8	-
		F	2	-	2	-
52	Burns	M	-	-	-	-
		F	-	-	-	-
53	Poisonings and Toxic Effects	M	4	-	-	-
		F	3	-	-	-
	Other Injuries and Poisonings	M	17	-	4	-
		F	1	-	-	-
	All Other Diseases	M	112	-	29	1
		F	82	-	23	-
External Causes (Included in the Foregoing)						
E47-E53	Accidents and Adverse Effects	M	28	-	13	-
		F	12	-	7	-
E471	Motor Vehicle Traffic Accidents	M	11	-	8	-
		F	2	-	5	-
E50	Accidental Falls	M	7	-	3	-
		F	7	-	2	-
E54	Suicide	M	13	-	4	-
		F	1	-	-	-
E55	Homicide	M	-	-	-	-
		F	-	-	-	-
	All Other External Causes	M	-	-	-	-
		F	-	-	-	-

+ Stillbirths not included

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts

DUBLIN COUNTY BOROUGH

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES		5,025	50	10	9	50	101	121	237	560	1,290	2,597
Infectious and parasitic diseases:-												
M	01-07	13	1	1	-	-	2	2	-	2	2	3
F		19	1	1	1	-	1	1	1	5	3	5
Intestinal infectious diseases												
M	01	-	-	-	-	-	-	-	-	-	-	-
F		3	1	-	-	-	-	-	-	-	-	2
Tuberculosis												
M	02	2	-	-	-	-	-	-	-	-	1	1
F		5	-	-	-	-	-	-	-	3	1	1
Whooping cough												
M	034	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection												
M	036	1	-	1	-	-	-	-	-	-	-	-
F		4	-	1	1	-	-	-	-	2	-	-
Tetanus												
M	037	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia												
M	038	4	1	-	-	-	-	-	-	1	1	1
F		3	-	-	-	-	-	-	-	-	2	1
Smallpox												
M	041	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Measles												
M	042	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Malaria												
M	052	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases												
M		6	-	-	-	-	2	2	-	1	-	1
F		4	-	-	-	-	1	1	1	-	-	1
Malignant neoplasms:-												
M	08-14	694	-	1	1	2	4	17	39	129	250	251
F		621	-	-	1	1	8	15	41	95	192	268
of stomach												
M	091	44	-	-	-	-	-	1	2	8	20	13
F		29	-	-	-	-	-	-	1	5	7	16
colon												
M	093	54	-	-	-	-	-	1	4	13	19	17
F		69	-	-	-	-	-	2	4	7	23	33
rectum, rectosigmoid junction and anus												
M	094	25	-	-	-	-	-	-	-	8	12	5
F		14	-	-	-	-	-	1	-	3	3	7
trachea, bronchus & lung												
M	101	237	-	-	-	-	-	3	9	40	101	84
F		130	-	-	-	-	-	2	6	21	45	56
female breast												
M	113	-	-	-	-	-	-	-	-	-	-	-
F		111	-	-	-	-	-	4	14	24	33	36
cervix uteri												
M	120	-	-	-	-	-	-	-	-	-	-	-
F		11	-	-	-	1	-	2	1	3	2	2
Leukaemia												
M	141	9	-	-	-	-	-	1	-	5	3	-
F		11	-	-	1	-	2	-	-	3	1	4

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

DUBLIN COUNTY BOROUGH

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Other malignant neoplasms													
M		325	-	1	1	2	4	11	24	55	95	132	
F		246	-	-	-	-	6	4	15	29	78	114	
Diabetes mellitus													
M	181	25	-	-	-	-	-	-	1	5	8	11	
F		31	-	-	-	-	-	1	1	2	6	21	
Nutritional marasmus													
M	191	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Other protein-calorie malnutrition													
M	192	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Anaemias													
M	200	4	-	-	-	-	-	-	-	-	1	3	
F		6	-	-	-	-	-	-	-	-	2	4	
Meningitis													
M	220	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Diseases of the circulatory system:-													
M	25-30	1,019	1	-	1	3	3	12	58	156	346	439	
F		1,114	1	-	-	2	8	5	20	71	218	789	
Acute rheumatic fever													
M	250	1	-	-	-	-	-	-	-	1	-	-	
F		1	-	-	-	-	-	-	-	-	1	-	
Chronic rheumatic heart disease													
M	251	3	-	-	-	-	-	1	-	1	1	-	
F		6	-	-	-	-	-	-	-	2	1	3	
Hypertensive disease													
M	26	14	-	-	-	-	-	1	-	2	4	7	
F		28	-	-	-	-	-	-	-	4	4	20	
Ischaemic heart disease													
M	27	640	-	-	-	-	1	8	46	116	227	242	
F		524	-	-	-	-	2	2	8	30	135	347	
- of which (Acute myocardial infarction)+													
M	(270)	381	-	-	-	-	1	5	31	66	131	147	
F		323	-	-	-	-	1	-	4	13	90	215	
Cerebrovascular disease													
M	29	159	-	-	-	-	-	1	6	13	50	89	
F		265	-	-	-	1	2	2	8	20	35	197	
Atherosclerosis													
M	300	15	-	-	-	-	-	-	1	3	3	8	
F		17	-	-	-	-	-	-	-	2	1	14	
Other diseases of circulatory system													
M		187	1	-	1	3	2	1	5	20	61	93	
F		273	1	-	-	1	4	1	4	13	41	208	
Pneumonia													
M	321	125	-	-	-	-	1	5	4	4	28	83	
F		204	-	-	-	-	-	3	2	4	16	179	
Influenza													
M	322	-	-	-	-	-	-	-	-	-	-	-	
F		1	-	-	-	-	-	-	-	-	-	1	
Bronchitis, emphysema and asthma													
M	323	29	-	-	-	-	-	1	-	5	7	16	
F		38	-	-	-	-	-	-	3	6	12	17	
Ulcer of stomach and duodenum													
M	341	15	-	-	-	-	-	-	1	5	3	6	
F		13	-	-	-	-	-	-	1	-	4	8	
Appendicitis													
M	342	1	-	-	-	-	-	-	-	1	-	-	

+ Included in Mortality List Number 27

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

DUBLIN COUNTY BOROUGH

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Appendicitis													
F		-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis													
M	347	13	-	-	-	-	-	2	5	1	5	-	-
F		13	-	-	-	-	-	3	2	2	3	3	-
Nephritis, nephrotic syndrome and nephrosis													
M	350	17	-	-	-	-	-	-	-	2	3	12	-
F		28	-	-	-	-	-	-	-	1	5	22	-
Hyperplasia of prostate													
M	360	2	-	-	-	-	-	-	-	-	2	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Abortion													
M	38	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Direct obstetric deaths													
M	39	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies													
M	44	11	7	2	-	1	-	-	-	-	-	-	1
F		15	8	1	-	-	2	1	-	-	1	2	-
Certain conditions originating in the perinatal period*													
M	45	13	13	-	-	-	-	-	-	-	-	-	-
F		7	7	-	-	-	-	-	-	-	-	-	-
(Birth trauma) [®]													
M	(453)	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Signs, symptoms and ill-defined conditions													
M	46	13	3	1	-	-	-	-	1	-	2	6	-
F		21	4	-	-	-	1	-	-	-	1	15	-
Injury and poisoning:-													
M	47-56	125	-	1	3	19	24	25	17	16	6	14	-
F		79	-	-	-	9	9	8	12	3	12	26	-
Fractures													
M	47	14	-	-	1	1	-	-	1	1	-	10	-
F		22	-	-	-	2	-	-	-	1	1	18	-
Intracranial and internal injuries, inc. nerves													
M	49	29	-	1	2	3	5	4	4	5	3	2	-
F		17	-	-	-	3	1	3	2	-	5	3	-
Burns													
M	52	4	-	-	-	-	-	2	-	2	-	-	-
F		7	-	-	-	-	-	2	-	1	2	2	-
Poisonings and toxic effects													
M	53	24	-	-	-	2	5	9	4	2	2	-	-
F		16	-	-	-	3	3	2	5	-	3	-	-
Other injuries and poisonings													
M		54	-	-	-	13	14	10	8	6	1	2	-
F		17	-	-	-	1	5	1	5	1	1	3	-
All other diseases													
M		340	2	-	-	10	29	18	12	22	83	164	-
F		356	2	2	2	3	9	2	16	23	69	228	-

* Stillbirths not included

® Included in Mortality List Number 45

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

DUBLIN COUNTY BOROUGH

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
EXTERNAL CAUSES (included in the foregoing)												
Accidents and adverse effects												
M	E47-53	99	-	1	3	18	22	15	9	13	5	13
F		59	-	-	-	5	2	4	10	2	11	25
Motor vehicle traffic accidents												
M	E471	23	-	-	3	3	5	2	3	5	1	1
F		17	-	-	-	3	1	2	2	1	5	3
Accidental falls												
M	E50	21	-	-	-	1	1	2	-	3	2	12
F		21	-	-	-	1	-	-	1	-	2	17
Suicide												
M	E54	40	-	-	-	9	8	14	5	3	1	-
F		19	-	-	-	3	8	3	4	-	-	1
Homicide												
M	E55	7	-	-	-	1	3	-	2	-	-	1
F		2	-	-	-	1	-	-	-	-	1	-
All other external causes												
M		2	-	-	-	-	-	1	1	-	-	-
F		2	-	-	-	-	-	1	-	1	-	-

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

REMAINING URBAN DISTRICTS¹

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES		10446	114	20	36	131	138	214	471	1,023	2,529	5,770
Infectious and parasitic diseases:-												
M	01-07	28	-	2	-	2	-	-	1	4	2	17
F		23	-	3	-	1	1	-	1	3	4	10
Intestinal infectious diseases												
M	01	4	-	-	-	-	-	-	-	-	-	4
F		4	-	-	-	-	-	-	-	1	1	2
Tuberculosis												
M	02	5	-	-	-	1	-	-	1	-	-	3
F		3	-	-	-	-	-	-	-	-	1	2
Whooping cough												
M	034	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection												
M	036	2	-	2	-	-	-	-	-	-	-	-
F		5	-	3	-	1	-	-	1	-	-	-
Tetanus												
M	037	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia												
M	038	11	-	-	-	-	-	-	-	2	2	7
F		2	-	-	-	-	-	-	-	-	-	2
Smallpox												
M	041	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Measles												
M	042	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Malaria												
M	052	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases												
M		6	-	-	-	1	-	-	-	2	-	3
F		9	-	-	-	-	1	-	-	2	2	4
Malignant neoplasms:-												
M	08-14	1,283	-	-	1	7	7	22	107	210	424	505
F		1,198	2	1	2	1	8	45	118	166	342	513
of stomach												
M	091	76	-	-	-	-	-	1	3	21	20	31
F		52	-	-	-	-	1	-	3	7	15	26
colon												
M	093	138	-	-	-	-	1	3	11	24	42	57
F		108	-	-	-	-	1	8	18	30	30	51
rectum, rectosigmoid junction and anus												
M	094	49	-	-	-	-	1	1	5	13	11	18
F		34	-	-	-	-	1	-	3	3	8	19
trachea, bronchus & lung												
M	101	308	-	-	-	-	-	2	27	64	111	104
F		190	-	-	-	-	-	4	12	29	66	79
female breast												
M	113	-	-	-	-	-	-	-	-	-	-	-
F		227	-	-	-	-	1	17	35	45	50	79
cervix uteri												
M	120	-	-	-	-	-	-	-	-	-	-	-
F		20	-	-	-	-	1	8	-	4	3	4
Leukaemia												
M	141	36	-	-	-	2	1	2	2	3	17	9
F		36	1	-	-	-	1	1	7	1	7	18

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown except for Dublin County Borough.

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

REMAINING URBAN DISTRICTS¹

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Other malignant neoplasms													
M		676	-	-	1	5	4	13	59	85	223	286	
F		531	1	1	2	1	3	14	50	59	163	237	
Diabetes mellitus													
M	181	74	-	-	1	-	1	1	1	10	23	37	
F		52	-	-	-	-	1	-	1	4	13	33	
Nutritional marasmus													
M	191	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Other protein-calorie malnutrition													
M	192	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Anaemias													
M	200	11	-	-	-	-	-	-	-	2	2	7	
F		17	1	-	1	-	-	-	-	-	2	13	
Meningitis													
M	220	1	-	-	-	-	-	-	-	-	1	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Diseases of the circulatory system:-													
M	25-30	2,346	-	1	-	5	8	30	104	295	733	1,170	
F		2,318	-	1	3	3	4	13	37	105	432	1,720	
Acute rheumatic fever													
M	250	-	-	-	-	-	-	-	-	-	-	-	
F		2	-	-	-	-	-	-	-	-	-	2	
Chronic rheumatic heart disease													
M	251	3	-	-	-	-	-	-	1	-	1	1	
F		12	-	-	-	-	-	-	1	2	4	5	
Hypertensive disease													
M	26	25	-	-	-	-	-	-	-	1	8	16	
F		41	-	-	-	-	-	-	-	-	9	32	
Ischaemic heart disease													
M	27	1,475	-	-	-	-	3	16	76	228	512	640	
F		1,101	-	-	1	-	2	7	13	64	243	771	
- of which (Acute myocardial infarction) ⁺													
M	(270)	1,031	-	-	-	-	2	10	53	163	370	433	
F		784	-	-	-	-	1	3	8	46	185	541	
Cerebrovascular disease													
M	29	369	-	-	-	2	2	7	10	26	100	222	
F		582	-	-	2	2	1	4	13	18	92	450	
Atherosclerosis													
M	300	39	-	-	-	-	-	1	-	3	5	30	
F		71	-	-	-	-	-	-	-	1	9	61	
Other diseases of circulatory system													
M		435	-	1	-	3	3	6	17	37	107	261	
F		509	-	1	-	1	1	2	10	20	75	399	
Pneumonia													
M	321	299	1	-	1	3	1	4	6	10	52	221	
F		407	-	-	1	1	1	2	3	8	40	351	
Influenza													
M	322	1	-	-	-	-	-	-	-	-	-	1	
F		5	-	-	-	-	-	-	-	1	-	4	
Bronchitis, emphysema and asthma													
M	323	56	-	1	2	-	-	-	2	3	19	29	
F		58	-	-	-	1	-	1	-	12	16	28	
Ulcer of stomach and duodenum													
M	341	25	-	-	-	1	1	-	-	3	12	8	
F		35	-	-	-	-	-	1	2	2	6	24	

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown except for Dublin County Borough.

⁺ Included in Mortality List Number 27

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

REMAINING URBAN DISTRICTS¹

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Appendicitis													
M	342	1	-	-	-	-	-	-	-	-	-	-	1
F		1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis													
M	347	10	-	-	-	-	-	-	-	-	4	3	3
F		17	-	-	-	-	-	3	1	5	4	4	
Nephritis, nephrotic syndrome and nephrosis													
M	350	71	-	-	-	-	-	-	-	-	6	13	52
F		73	-	-	-	1	2	3	-	2	14	51	
Hyperplasia of prostate													
M	360	3	-	-	-	-	-	-	-	-	-	-	3
F		-	-	-	-	-	-	-	-	-	-	-	-
Abortion													
M	38	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Direct obstetric deaths													
M	39	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies													
M	44	35	20	1	3	-	1	1	1	-	4	4	
F		35	22	1	1	2	2	1	1	1	-	4	
Certain conditions originating in the perinatal period*													
M	45	36	36	-	-	-	-	-	-	-	-	-	-
F		12	12	-	-	-	-	-	-	-	-	-	-
(Birth trauma) [®]													
M	(453)	-	-	-	-	-	-	-	-	-	-	-	-
F		1	1	-	-	-	-	-	-	-	-	-	-
Signs, symptoms and ill-defined conditions													
M	46	28	7	-	-	-	-	-	-	3	2	16	
F		34	5	-	-	-	1	-	-	-	2	26	
Injury and poisoning:-													
M	47-56	305	1	1	13	73	65	47	24	23	29	29	
F		139	1	3	4	14	13	15	19	13	16	41	
Fractures													
M	47	51	-	-	4	9	3	5	2	4	6	18	
F		43	1	-	1	3	2	-	2	4	2	28	
Intracranial and internal injuries, inc. nerves													
M	49	88	-	1	3	31	19	13	3	5	7	6	
F		39	-	2	1	7	7	3	4	1	7	7	
Burns													
M	52	6	-	-	1	-	2	-	-	1	-	2	
F		8	-	-	-	1	-	1	1	1	2	2	
Poisonings and toxic effects													
M	53	29	-	-	-	2	10	10	2	2	3	-	
F		18	-	-	-	1	2	6	8	-	1	-	
Other injuries and poisonings													
M		131	1	-	5	31	31	19	17	11	13	3	
F		31	-	1	2	2	2	5	4	7	4	4	
All other diseases													
M		698	4	2	2	10	10	18	26	72	172	382	
F		711	2	3	1	6	11	7	16	56	147	462	

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown except for Dublin County Borough.

* Stillbirths not included

[®] Included in Mortality List Number 45

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

REMAINING URBAN DISTRICTS¹

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
EXTERNAL CAUSES (included in the foregoing)												
Accidents and adverse effects												
M	E47-53	198	-	1	11	51	34	22	14	17	20	28
F		112	1	3	4	13	8	5	11	11	15	41
Motor vehicle traffic accidents												
M	E471	101	-	1	4	39	19	13	4	6	7	8
F		41	-	2	2	10	6	3	6	2	7	3
Accidental falls												
M	E50	35	-	-	-	2	5	2	-	5	6	15
F		42	1	-	-	1	1	-	1	4	2	32
Suicide												
M	E54	99	-	-	2	22	30	22	8	5	9	1
F		25	-	-	-	1	4	10	7	2	1	-
Homicide												
M	E55	8	-	-	-	1	3	2	2	-	-	-
F		1	-	-	-	-	1	-	-	-	-	-
All other external causes												
M		3	1	-	-	-	-	1	-	1	-	-
F		1	-	-	-	-	-	-	1	-	-	-

¹ Includes county and municipal boroughs and Dun Laoghaire Rathdown except for Dublin County Borough.

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

RURAL DISTRICTS²

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ALL CAUSES		16788	147	32	66	224	197	333	720	1,520	3,769	9,780
Infectious and parasitic diseases:-												
M	01-07	45	1	-	1	4	1	4	1	3	11	19
F		43	-	2	3	2	3	1	1	3	12	16
Intestinal infectious diseases												
M	01	1	-	-	-	-	-	-	-	-	-	1
F		4	-	1	-	-	1	-	-	-	-	2
Tuberculosis												
M	02	13	-	-	-	-	1	-	-	-	6	6
F		8	-	-	-	-	-	-	-	1	2	5
Whooping cough												
M	034	1	1	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection												
M	036	3	-	-	1	2	-	-	-	-	-	-
F		6	-	1	3	2	-	-	-	-	-	-
Tetanus												
M	037	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Septicaemia												
M	038	14	-	-	-	-	-	-	-	2	1	11
F		14	-	-	-	-	-	-	-	2	5	7
Smallpox												
M	041	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Measles												
M	042	1	-	-	-	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Malaria												
M	052	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases												
M		12	-	-	-	1	-	4	1	1	4	1
F		11	-	-	-	-	2	1	1	-	5	2
Malignant neoplasms:-												
M	08-14	2,120	-	2	4	10	13	38	161	323	656	913
F		1,603	-	1	2	8	16	57	156	245	467	651
of stomach												
M	091	139	-	-	-	-	-	2	11	28	41	57
F		70	-	-	-	-	-	3	4	6	17	40
colon												
M	093	205	-	-	-	-	-	2	22	22	73	86
F		154	-	-	-	-	-	5	7	18	37	87
rectum, rectosigmoid junction and anus												
M	094	79	-	-	-	-	-	-	7	11	29	32
F		45	-	-	-	-	1	-	6	2	14	22
trachea, bronchus & lung												
M	101	490	-	-	1	-	-	5	35	92	181	176
F		219	-	-	-	-	-	4	18	26	97	74
female breast												
M	113	-	-	-	-	-	-	-	-	-	-	-
F		316	-	-	-	-	3	20	59	73	73	88
cervix uteri												
M	120	-	-	-	-	-	-	-	-	-	-	-
F		41	-	-	-	-	2	8	12	8	7	4
Leukaemia												
M	141	56	-	1	2	2	-	2	5	4	12	28
F		32	-	-	-	3	1	2	1	3	12	10

² Includes Dublin Belgard and Fingal.

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

RURAL DISTRICTS²

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Other malignant neoplasms													
M		1,151	-	1	1	8	13	27	81	166	320	534	
F		726	-	1	2	5	9	15	49	109	210	326	
Diabetes mellitus													
M	181	114	-	1	-	-	-	2	4	16	38	53	
F		91	-	-	-	-	-	-	2	6	15	68	
Nutritional marasmus													
M	191	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Other protein-calorie malnutrition													
M	192	1	-	-	-	-	-	-	-	-	-	1	
F		-	-	-	-	-	-	-	-	-	-	-	
Anaemias													
M	200	18	-	-	-	-	-	-	-	2	3	13	
F		24	-	-	-	-	-	-	-	-	6	18	
Meningitis													
M	220	2	-	-	-	-	-	-	-	2	-	-	
F		1	-	-	-	-	-	-	-	-	-	1	
Diseases of the circulatory system:-													
M	25-30	4,069	1	1	3	6	11	51	167	486	1,099	2,244	
F		3,401	4	1	1	1	13	15	60	148	569	2,589	
Acute rheumatic fever													
M	250	4	-	-	-	-	-	-	-	1	1	2	
F		-	-	-	-	-	-	-	-	-	-	-	
Chronic rheumatic heart disease													
M	251	8	-	-	-	-	-	-	3	2	1	2	
F		18	-	-	-	-	-	-	1	1	9	7	
Hypertensive disease													
M	26	45	-	-	-	-	-	-	2	2	16	25	
F		57	-	-	-	-	-	-	2	2	7	46	
Ischaemic heart disease													
M	27	2,520	-	-	-	1	1	35	116	354	764	1,249	
F		1,666	-	-	-	-	1	7	26	93	341	1,198	
- of which (Acute myocardial infarction)+													
M	(270)	1,836	-	-	-	-	1	24	83	259	607	862	
F		1,131	-	-	-	-	-	5	16	71	248	791	
Cerebrovascular disease													
M	29	685	-	-	-	-	2	6	17	62	155	443	
F		832	-	-	-	-	3	7	15	31	108	668	
Atherosclerosis													
M	300	66	-	-	-	-	-	-	-	-	9	57	
F		82	-	-	-	-	-	-	-	1	5	76	
Other diseases of circulatory system													
M		741	1	1	3	5	8	10	29	65	153	466	
F		746	4	1	1	1	9	1	16	20	99	594	
Pneumonia													
M	321	611	2	2	2	3	-	3	6	22	99	472	
F		697	2	1	1	4	1	3	2	13	57	613	
Influenza													
M	322	5	-	-	-	-	-	-	1	-	-	4	
F		6	-	-	-	-	-	1	-	1	-	4	
Bronchitis, emphysema and asthma													
M	323	139	-	-	-	1	1	2	4	9	38	84	
F		71	-	-	-	1	1	1	2	4	22	40	
Ulcer of stomach and duodenum													
M	341	59	-	-	-	-	-	2	-	4	14	39	
F		32	-	-	-	-	-	1	-	-	8	23	

² Includes Dublin Belgard and Fingal.

+ Included in Mortality List Number 27

Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts — Continued

RURAL DISTRICTS²

Cause of death	Mortality Code	Age at death											
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
Appendicitis													
M	342	3	-	-	-	-	-	-	-	-	-	1	2
F		2	-	-	-	-	-	-	-	-	-	1	1
Chronic liver disease and cirrhosis													
M	347	25	-	-	-	-	1	1	1	8	10	4	
F		23	-	-	-	-	1	3	1	5	9	4	
Nephritis, nephrotic syndrome and nephrosis													
M	350	103	-	-	-	1	1	-	2	6	23	70	
F		109	-	-	-	-	-	-	1	8	21	79	
Hyperplasia of prostate													
M	360	15	-	-	-	-	-	-	-	-	3	12	
F		-	-	-	-	-	-	-	-	-	-	-	
Abortion													
M	38	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Direct obstetric deaths													
M	39	-	-	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies													
M	44	44	25	2	4	-	4	-	2	1	2	4	
F		41	25	2	4	3	-	2	-	1	1	3	
Certain conditions originating in the perinatal period*													
M	45	36	36	-	-	-	-	-	-	-	-	-	
F		28	28	-	-	-	-	-	-	-	-	-	
(Birth trauma) [®]													
M	(453)	4	4	-	-	-	-	-	-	-	-	-	
F		-	-	-	-	-	-	-	-	-	-	-	
Signs, symptoms and ill-defined conditions													
M	46	51	8	-	-	2	1	-	-	-	1	39	
F		70	4	-	-	-	-	2	1	1	4	58	
Injury and poisoning:-													
M	47-56	564	-	6	22	131	86	88	65	49	50	67	
F		206	2	4	6	24	15	18	20	18	17	82	
Fractures													
M	47	102	-	-	8	20	12	14	10	6	12	20	
F		79	-	1	-	6	-	3	2	3	7	57	
Intracranial and internal injuries, inc. nerves													
M	49	164	-	2	7	41	22	28	21	16	17	10	
F		45	-	-	2	8	3	4	8	3	3	14	
Burns													
M	52	10	-	-	-	-	1	1	1	-	1	6	
F		6	-	1	-	-	-	1	1	-	-	3	
Poisonings and toxic effects													
M	53	63	-	3	1	13	12	12	10	4	4	4	
F		23	-	1	2	3	3	3	4	1	4	2	
Other injuries and poisonings													
M		225	-	1	6	57	39	33	23	23	16	27	
F		53	2	1	2	7	9	7	5	11	3	6	
All other diseases													
M		1,281	5	4	6	10	22	25	41	83	327	758	
F		1,035	4	3	7	13	6	13	19	53	185	732	

² Includes Dublin Belgard and Fingal.

* Stillbirths not included

® Included in Mortality List Number 45

**Table 21 Deaths occurring in 1995, classified by cause (International abbreviated list), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts —
Continued**

RURAL DISTRICTS²

Cause of death	Mortality Code	Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
EXTERNAL CAUSES (included in the foregoing)												
Accidents and adverse effects												
M	E47-53	378	-	6	20	84	57	51	39	33	35	53
F		167	2	4	4	18	6	13	15	10	15	80
Motor vehicle traffic accidents												
M	E471	188	-	1	15	56	31	27	21	10	15	12
F		50	-	1	2	12	1	6	8	5	3	12
Accidental falls												
M	E50	54	-	2	1	1	2	7	6	6	10	19
F		76	-	-	-	3	-	1	2	2	7	61
Suicide												
M	E54	182	-	-	2	45	29	36	27	15	15	13
F		39	-	-	2	7	8	5	5	8	2	2
Homicide												
M	E55	8	-	-	-	4	2	1	-	1	-	-
F		1	-	-	-	-	1	-	-	-	-	-
All other external causes												
M		1	-	-	-	-	-	-	-	-	-	1
F		1	-	-	-	-	-	-	1	-	-	-

² Includes Dublin Belgard and Fingal.

Table 22 Deaths of residents of each province, county and county borough in 1995, classified by place of occurrence

Province, county or county borough	ALL AGES		Place of Occurrence							
	Males	Females	General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
			Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	17,075	15,184	4,137	4,415	133	129	7,005	6,058	5,800	4,582
Leinster	7,821	7,445	2,803	2,975	72	68	2,609	2,411	2,337	1,991
Munster	5,166	4,525	905	999	29	41	2,381	2,041	1,851	1,444
Connacht	2,745	2,141	307	323	20	13	1,382	1,099	1,036	706
Ulster (part of)	1,343	1,073	122	118	12	7	633	507	576	441
LEINSTER:										
Carlow	196	201	26	30	2	1	97	121	71	49
Dublin County Borough	2,459	2,566	1,332	1,366	31	25	531	579	565	596
Dublin Belgard	446	417	162	167	1	-	200	164	83	86
Dublin Fingal	348	351	188	169	8	9	64	55	88	118
Dun Laoghaire Rathdown	735	786	462	510	7	9	93	87	173	180
Kildare	406	402	73	105	-	1	176	170	157	126
Kilkenny	348	290	35	49	5	4	160	134	148	103
Laois	285	195	31	34	1	-	131	102	122	59
Longford	186	153	19	32	1	-	87	82	79	39
Louth	394	403	117	112	2	3	135	173	140	115
Meath	410	338	105	91	1	1	157	123	147	123
Offaly	324	241	37	35	1	3	176	124	110	79
Westmeath	314	264	60	62	2	1	148	114	104	87
Wexford	549	445	55	88	2	6	282	220	210	131
Wicklow	421	393	101	125	8	5	172	163	140	100
MUNSTER:										
Clare	506	381	47	42	1	-	301	235	157	104
Cork County Borough	611	681	261	275	4	3	161	197	185	206
Cork County	1,367	1,129	219	238	4	10	581	513	563	368
Kerry	778	600	63	68	4	5	417	298	294	229
Limerick County Borough	260	274	80	101	-	4	123	110	57	59
Limerick County	440	427	78	90	3	2	194	207	165	128
Tipperary N.R.	329	268	63	66	4	3	135	111	127	88
Tipperary S.R.	433	340	55	81	4	10	224	158	150	91
Waterford County Borough	168	189	13	12	3	1	98	88	54	88
Waterford County	274	236	26	26	2	3	147	124	99	83
CONNACHT:										
Galway County Borough	175	169	8	14	1	-	106	94	60	61
Galway County	873	599	164	140	9	9	350	265	350	185
Leitrim	219	164	24	21	1	-	113	104	81	39
Mayo	807	656	48	60	8	2	459	352	292	242
Roscommon	353	252	41	55	-	-	165	115	147	82
Sligo	318	301	22	33	1	2	189	169	106	97
ULSTER (part of):										
Cavan	326	244	39	37	3	1	155	113	129	93
Donegal	739	645	61	67	8	3	349	317	321	258
Monaghan	278	184	22	14	1	3	129	77	126	90



Table 23 - Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Total												
Tuberculosis, All forms	M	25	-	-	-	1	1	-	1	1	9	12
	F	19	-	-	-	-	-	-	-	4	6	9
Other Infective and Parasitic Diseases	M	61	2	3	1	5	2	6	1	8	6	27
	F	66	1	6	4	3	5	2	3	7	13	22
Malignant Neoplasms	M	4097	-	3	6	19	24	77	307	662	1330	1669
	F	3422	2	2	5	10	32	117	315	506	1001	1432
Ischaemic and Other forms of Heart Disease	M	5626	2	2	4	11	16	76	282	783	1715	2735
	F	4555	4	2	2	2	17	17	72	228	879	3332
Hypertensive Disease	M	84	-	-	-	-	-	1	2	5	28	48
	F	126	-	-	-	-	-	-	2	6	20	98
Cerebrovascular Disease	M	1213	-	-	-	2	4	14	33	101	305	754
	F	1679	-	-	2	3	6	13	36	69	235	1315
Other Diseases of the Circulatory System	M	511	-	-	-	1	2	2	12	48	130	316
	F	473	1	-	-	1	2	3	7	21	85	353
Diseases of the Respiratory System	M	2518	4	4	5	8	4	23	40	139	586	1705
	F	2384	3	2	3	11	4	13	22	106	369	1851
Senility	M	24	-	-	-	-	-	-	-	-	1	23
	F	43	-	-	-	-	-	-	-	-	-	43
Other Diseases	M	1922	165	12	16	34	70	62	81	172	417	893
	F	1993	123	11	15	24	35	41	55	115	323	1251
Injury and Poisoning	M	994	1	8	38	223	175	160	106	88	85	110
	F	424	3	7	10	47	37	41	51	34	45	149
All Causes	M	17075	174	32	70	304	298	421	865	2007	4612	8292
	F	15184	137	30	41	101	138	247	563	1096	2976	9855
Leinster												
Tuberculosis, All forms	M	9	-	-	-	-	-	-	-	1	3	5
	F	8	-	-	-	-	-	-	-	3	2	3
Other Infective and Parasitic Diseases	M	29	2	2	1	1	2	5	-	4	2	10
	F	32	1	3	2	2	2	2	2	5	4	9
Malignant Neoplasms	M	2024	-	2	2	10	14	46	162	351	681	756
	F	1804	-	2	2	4	22	62	165	283	537	727
Ischaemic and Other forms of Heart Disease	M	2480	2	1	2	6	8	39	143	367	803	1109
	F	2148	4	2	2	2	9	8	33	103	471	1514
Hypertensive Disease	M	37	-	-	-	-	-	1	-	3	13	20
	F	69	-	-	-	-	-	-	1	5	12	51
Cerebrovascular Disease	M	548	-	-	-	-	2	8	16	50	152	320
	F	803	-	-	-	3	3	7	20	38	109	623
Other Diseases of the Circulatory System	M	232	-	-	-	1	1	1	3	23	70	133
	F	203	1	-	-	-	2	3	3	11	39	144
Diseases of the Respiratory System	M	1107	2	1	2	3	3	15	20	67	276	718
	F	1147	2	1	2	4	1	6	18	61	186	866
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	7	-	-	-	-	-	-	-	-	-	7
Other Diseases	M	887	94	9	8	19	53	33	46	75	190	360
	F	1003	57	6	6	15	25	23	37	66	172	596
Injury and Poisoning	M	466	1	6	20	120	84	71	54	42	25	43
	F	221	2	3	6	25	24	23	29	13	23	73
All Causes	M	7821	101	21	35	160	167	219	444	983	2215	3476
	F	7445	67	17	20	55	88	134	308	588	1555	4613

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Munster												
Tuberculosis, All forms	M	8	-	-	-	-	-	-	1	-	3	4
	F	6	-	-	-	-	-	-	-	1	2	3
Other Infective and Parasitic Diseases	M	16	-	1	-	2	-	-	-	2	3	8
	F	23	-	2	2	-	2	-	1	1	7	8
Malignant Neoplasms	M	1197	-	1	3	3	8	20	86	203	378	495
	F	985	2	-	1	3	7	32	105	141	284	410
Ischaemic and Other forms of Heart Disease	M	1753	-	-	1	4	6	14	78	245	544	861
	F	1396	-	-	-	-	6	2	22	81	251	1034
Hypertensive Disease	M	23	-	-	-	-	-	-	1	1	6	15
	F	22	-	-	-	-	-	-	1	-	2	19
Cerebrovascular Disease	M	369	-	-	-	2	2	4	9	27	93	232
	F	505	-	-	1	-	1	6	11	14	67	405
Other Diseases of the Circulatory System	M	169	-	-	-	-	1	1	6	14	36	111
	F	162	-	-	-	1	-	-	3	5	24	129
Diseases of the Respiratory System	M	755	2	-	2	4	-	4	11	50	183	499
	F	730	1	1	1	4	2	5	4	31	123	558
Senility	M	16	-	-	-	-	-	-	-	-	-	16
	F	30	-	-	-	-	-	-	-	-	-	30
Other Diseases	M	560	50	1	4	13	10	17	19	60	133	253
	F	549	42	1	5	9	6	7	13	28	80	358
Injury and Poisoning	M	300	-	1	11	55	56	50	29	26	35	37
	F	117	1	2	2	11	6	8	16	16	14	41
All Causes	M	5166	52	4	21	83	83	110	240	628	1414	2531
	F	4525	46	6	12	28	30	60	176	318	854	2995
Connacht												
Tuberculosis, All forms	M	5	-	-	-	1	-	-	-	-	3	1
	F	3	-	-	-	-	-	-	-	-	1	2
Other Infective and Parasitic Diseases	M	11	-	-	-	2	-	1	-	1	1	6
	F	9	-	1	-	1	1	-	-	1	1	4
Malignant Neoplasms	M	587	-	-	-	3	1	8	41	77	187	270
	F	434	-	-	1	2	2	14	31	47	131	206
Ischaemic and Other forms of Heart Disease	M	919	-	-	1	-	2	18	39	113	228	518
	F	660	-	-	-	-	-	2	13	28	93	524
Hypertensive Disease	M	16	-	-	-	-	-	-	-	1	4	11
	F	25	-	-	-	-	-	-	-	-	6	19
Cerebrovascular Disease	M	210	-	-	-	-	-	1	3	19	40	147
	F	237	-	-	1	-	1	-	3	7	43	182
Other Diseases of the Circulatory System	M	80	-	-	-	-	-	-	3	7	17	53
	F	75	-	-	-	-	-	-	-	4	16	55
Diseases of the Respiratory System	M	441	-	3	1	1	1	3	5	16	89	322
	F	337	-	-	-	3	1	2	-	13	40	278
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	5	-	-	-	-	-	-	-	-	-	5
Other Diseases	M	321	11	2	3	1	3	8	11	20	65	197
	F	297	13	3	4	-	3	7	4	11	52	200
Injury and Poisoning	M	150	-	-	6	31	23	21	16	14	18	21
	F	59	-	2	2	8	7	7	2	4	4	23
All Causes	M	2745	11	5	11	39	30	60	118	268	652	1551
	F	2141	13	6	8	14	15	32	53	115	387	1498

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Ulster (part of)												
Tuberculosis, All forms	M	3	-	-	-	-	1	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	1	1
Other Infective and Parasitic Diseases	M	5	-	-	-	-	-	-	1	1	-	3
	F	2	-	-	-	-	-	-	-	-	1	1
Malignant Neoplasms	M	289	-	-	1	3	1	3	18	31	84	148
	F	199	-	-	1	1	1	9	14	35	49	89
Ischaemic and Other forms of Heart Disease	M	474	-	1	-	1	-	5	22	58	140	247
	F	351	-	-	-	-	2	5	4	16	64	260
Hypertensive Disease	M	8	-	-	-	-	-	-	1	-	5	2
	F	10	-	-	-	-	-	-	-	1	-	9
Cerebrovascular Disease	M	86	-	-	-	-	-	1	5	5	20	55
	F	134	-	-	-	-	1	-	2	10	16	105
Other Diseases of the Circulatory System	M	30	-	-	-	-	-	-	-	4	7	19
	F	33	-	-	-	-	-	-	1	1	6	25
Diseases of the Respiratory System	M	215	-	-	-	-	-	1	4	6	38	166
	F	170	-	-	-	-	-	-	-	1	20	149
Senility	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	154	10	-	1	1	4	4	5	17	29	83
	F	144	11	1	-	-	1	4	1	10	19	97
Injury and Poisoning	M	78	-	1	1	17	12	18	7	6	7	9
	F	27	-	-	-	3	-	3	4	1	4	12
All Causes	M	1343	10	2	3	22	18	32	63	128	331	734
	F	1073	11	1	1	4	5	21	26	75	180	749
County Carlow												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	1	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	1	-	-	-	-
Malignant Neoplasms	M	49	-	-	-	-	-	-	2	13	18	16
	F	56	-	-	-	-	2	2	6	8	18	20
Ischaemic and Other forms of Heart Disease	M	55	-	-	1	-	-	-	2	3	16	33
	F	60	-	-	-	-	-	-	-	2	14	44
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	2	-
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular Disease	M	15	-	-	-	-	-	-	-	1	5	9
	F	18	-	-	-	-	-	-	-	-	3	15
Other Diseases of the Circulatory System	M	6	-	-	-	-	-	-	-	-	1	5
	F	3	-	-	-	-	-	-	-	-	-	3
Diseases of the Respiratory System	M	35	-	-	-	-	-	-	1	2	14	18
	F	33	1	-	-	-	-	-	1	2	3	26
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	14	3	-	-	-	2	-	-	1	3	5
	F	23	1	-	-	-	-	1	1	1	6	13
Injury and Poisoning	M	18	-	-	1	7	3	1	3	1	2	-
	F	5	-	-	1	-	-	-	-	-	-	4
All Causes	M	196	4	-	2	7	5	1	8	21	62	86
	F	201	2	-	1	-	2	4	8	13	44	127

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Dublin County Borough												
Tuberculosis, All forms	M	4	-	-	-	-	-	-	-	1	1	2
	F	6	-	-	-	-	-	-	-	3	1	2
Other Infective and Parasitic Diseases	M	9	1	1	-	-	2	2	-	1	1	1
	F	13	1	1	1	-	1	1	1	2	2	3
Malignant Neoplasms	M	694	-	1	1	2	4	17	39	129	250	251
	F	621	-	-	1	1	8	15	41	95	192	268
Ischaemic and Other forms of Heart Disease	M	768	1	-	1	3	3	10	51	132	259	308
	F	741	1	-	-	1	5	2	10	41	162	519
Hypertensive Disease	M	14	-	-	-	-	-	1	-	2	4	7
	F	28	-	-	-	-	-	-	-	4	4	20
Cerebrovascular Disease	M	159	-	-	-	-	-	1	6	13	50	89
	F	265	-	-	-	1	2	2	8	20	35	197
Other Diseases of the Circulatory System	M	78	-	-	-	-	-	-	1	9	33	35
	F	80	-	-	-	-	1	1	2	6	17	53
Diseases of the Respiratory System	M	320	-	-	-	-	2	6	7	24	87	194
	F	390	-	1	1	-	-	3	8	23	69	285
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other Diseases	M	288	25	3	-	11	28	20	17	21	55	108
	F	341	21	2	1	3	12	7	17	15	50	213
Injury and Poisoning	M	125	-	1	3	19	24	25	17	16	6	14
	F	79	-	-	-	9	9	8	12	3	12	26
All Causes	M	2459	27	6	5	35	63	82	138	348	746	1009
	F	2566	23	4	4	15	38	39	99	212	544	1588
Dublin Belgard												
Tuberculosis, All forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	1	-	-	-	1
	F	3	-	2	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	130	-	-	-	2	2	6	17	30	40	33
	F	112	-	-	-	-	4	4	22	22	28	32
Ischaemic and Other forms of Heart Disease	M	119	1	-	-	1	-	6	8	24	44	35
	F	107	2	-	-	-	-	2	6	6	26	65
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1
Cerebrovascular Disease	M	29	-	-	-	-	-	1	4	3	8	13
	F	42	-	-	-	-	1	1	4	1	3	32
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	-	-	3	9
	F	8	-	-	-	-	-	-	-	-	-	8
Diseases of the Respiratory System	M	57	-	-	-	-	-	1	1	10	13	32
	F	52	1	-	1	3	-	1	2	4	8	32
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	66	11	2	2	-	5	4	5	4	15	18
	F	71	5	1	1	4	2	3	8	6	6	35
Injury and Poisoning	M	29	-	1	1	7	6	5	4	2	3	-
	F	18	1	-	1	2	3	5	1	2	1	2
All Causes	M	446	12	3	3	10	13	24	39	73	127	142
	F	417	9	3	3	9	10	16	44	41	72	210

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Dublin Fingal												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	1	1	-	-	-	-	-	1
Malignant Neoplasms	M	91	-	1	-	-	2	5	14	21	22	26
	F	94	-	-	-	-	-	3	14	19	22	36
Ischaemic and Other forms of Heart Disease	M	118	-	-	-	-	-	3	11	20	31	53
	F	95	-	-	-	-	-	-	3	7	28	57
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	20	-	-	-	-	-	1	1	1	6	11
	F	37	-	-	-	-	-	1	1	2	4	29
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	1	2	4	5
	F	13	-	-	-	-	-	-	-	1	3	9
Diseases of the Respiratory System	M	42	1	-	-	-	-	2	-	4	7	28
	F	45	-	-	-	-	-	-	2	2	2	39
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	40	8	1	-	2	3	1	4	2	4	15
	F	52	4	1	1	1	1	2	1	5	8	28
Injury and Poisoning	M	23	-	2	3	9	3	1	1	2	2	-
	F	9	-	-	-	1	1	-	2	-	1	4
All Causes	M	348	9	4	3	12	8	13	32	52	76	139
	F	351	4	1	2	3	2	6	23	36	68	206
Dun Laoghaire Rathdown												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	-	1	-	-	-	-	-	-	-	2
	F	4	-	-	-	-	1	-	-	1	1	1
Malignant Neoplasms	M	206	-	-	-	4	3	2	13	37	61	86
	F	197	-	-	-	-	3	6	21	28	53	86
Ischaemic and Other forms of Heart Disease	M	225	-	1	-	-	1	4	8	27	90	94
	F	205	-	-	1	-	-	-	2	5	37	160
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	9	-	-	-	-	-	-	-	-	1	8
Cerebrovascular Disease	M	63	-	-	-	-	1	1	1	6	11	43
	F	105	-	-	-	-	-	-	1	5	10	89
Other Diseases of the Circulatory System	M	24	-	-	-	-	-	1	1	3	5	14
	F	24	-	-	-	-	-	-	-	-	5	19
Diseases of the Respiratory System	M	78	-	-	1	2	-	-	2	5	18	50
	F	125	-	-	-	-	-	1	2	8	17	97
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	108	11	2	-	2	4	2	6	9	25	47
	F	93	4	1	-	4	6	4	-	7	8	59
Injury and Poisoning	M	26	-	-	-	4	8	7	3	-	1	3
	F	24	-	-	-	1	1	3	6	1	1	11
All Causes	M	735	11	4	1	12	17	17	34	87	211	341
	F	786	4	1	1	5	11	14	32	55	133	530

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Kildare												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	109	-	-	-	-	1	-	16	17	32	43
	F	88	-	-	1	-	1	8	8	10	26	34
Ischaemic and Other forms of Heart Disease	M	132	-	-	-	-	-	2	7	24	35	64
	F	135	-	-	1	-	2	1	3	5	30	93
Hypertensive Disease	M	4	-	-	-	-	-	-	-	1	2	1
	F	7	-	-	-	-	-	-	-	-	2	5
Cerebrovascular Disease	M	25	-	-	-	-	-	1	-	6	7	11
	F	49	-	-	-	-	-	1	1	3	11	33
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	-	1	3	8
	F	5	-	-	-	-	-	-	-	-	1	4
Diseases of the Respiratory System	M	45	1	1	-	1	-	-	1	3	15	23
	F	38	-	-	-	1	-	-	-	3	7	27
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	43	6	-	-	3	1	2	3	3	11	14
	F	61	8	1	-	-	1	-	2	2	9	38
Injury and Poisoning	M	35	1	1	2	12	9	4	2	-	2	2
	F	19	1	2	-	1	4	2	-	1	3	5
All Causes	M	406	8	2	3	16	11	9	29	55	107	166
	F	402	9	3	2	2	8	12	14	24	89	239
County Kilkenny												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	1	-	-	-	1
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant Neoplasms	M	68	-	-	-	-	-	1	2	12	30	23
	F	49	-	-	-	1	-	3	2	6	17	20
Ischaemic and Other forms of Heart Disease	M	132	-	-	-	-	-	2	8	16	37	69
	F	98	-	-	-	-	-	-	2	6	21	69
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	2	-	-	-	-	-	-	-	-	2	-
Cerebrovascular Disease	M	26	-	-	-	-	-	-	-	3	5	18
	F	40	-	-	-	-	-	-	2	1	6	31
Other Diseases of the Circulatory System	M	8	-	-	-	-	-	-	-	1	1	6
	F	5	-	-	-	-	-	-	-	-	1	4
Diseases of the Respiratory System	M	52	-	-	-	-	-	-	1	2	15	34
	F	48	-	-	-	-	-	-	1	3	8	36
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	42	1	-	1	-	2	-	3	4	10	21
	F	39	1	-	-	-	-	-	-	3	11	24
Injury and Poisoning	M	16	-	-	-	5	2	1	3	1	-	4
	F	8	-	1	2	-	-	2	1	-	1	1
All Causes	M	348	1	-	1	5	4	5	17	39	99	177
	F	290	1	1	2	1	-	5	8	20	67	185

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Laois												
Tuberculosis, All forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	70	-	-	-	-	-	-	7	6	22	35
	F	49	-	-	-	1	-	1	7	7	12	21
Ischaemic and Other forms of Heart Disease	M	81	-	-	-	-	-	1	2	12	29	37
	F	48	-	-	-	-	-	-	-	3	12	33
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular Disease	M	19	-	-	-	-	-	1	-	-	4	14
	F	15	-	-	-	-	-	-	-	-	4	11
Other Diseases of the Circulatory System	M	9	-	-	-	-	-	-	-	-	1	8
	F	6	1	-	-	-	-	-	-	1	-	4
Diseases of the Respiratory System	M	56	-	-	-	-	1	-	1	1	10	43
	F	41	-	-	-	-	-	-	-	3	6	32
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	32	2	-	1	-	-	1	1	2	8	17
	F	29	4	-	-	-	-	-	-	3	5	17
Injury and Poisoning	M	15	-	-	1	7	1	1	1	3	1	-
	F	5	-	-	-	1	1	-	1	-	-	2
All Causes	M	285	2	-	2	7	2	5	12	24	77	154
	F	195	5	-	-	2	1	1	8	17	39	122
County Longford												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	39	-	-	-	-	1	3	2	2	14	17
	F	44	-	1	-	-	-	1	1	10	20	11
Ischaemic and Other forms of Heart Disease	M	62	-	-	-	-	-	1	2	10	22	27
	F	36	-	1	-	-	1	-	-	2	8	24
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular Disease	M	12	-	-	-	-	-	-	-	-	3	9
	F	13	-	-	-	-	-	-	-	-	1	12
Other Diseases of the Circulatory System	M	3	-	-	-	-	-	-	-	-	1	2
	F	5	-	-	-	-	-	-	-	-	1	4
Diseases of the Respiratory System	M	46	-	-	-	-	-	1	1	-	13	31
	F	36	-	-	-	-	-	-	-	1	10	25
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	8	1	-	-	-	-	-	-	1	2	4
	F	16	-	-	-	1	-	-	-	1	6	8
Injury and Poisoning	M	16	-	-	1	2	2	6	2	1	-	2
	F	2	-	-	-	-	-	-	-	-	-	2
All Causes	M	186	1	-	1	2	3	11	7	14	55	92
	F	153	-	2	-	1	1	1	1	14	47	86

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Louth												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	92	-	-	-	1	-	1	10	10	37	33
	F	86	-	-	-	1	1	2	12	9	23	38
Ischaemic and Other forms of Heart Disease	M	116	-	-	-	-	1	-	5	24	36	50
	F	124	-	-	-	-	-	3	-	3	29	89
Hypertensive Disease	M	4	-	-	-	-	-	-	-	-	1	3
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular Disease	M	27	-	-	-	-	-	1	-	2	7	17
	F	41	-	-	-	1	-	-	-	-	8	32
Other Diseases of the Circulatory System	M	9	-	-	-	-	-	-	-	2	4	3
	F	13	-	-	-	-	-	1	-	-	2	10
Diseases of the Respiratory System	M	66	-	-	-	-	-	2	2	3	18	41
	F	68	-	-	-	-	1	1	1	2	10	53
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	49	8	1	1	-	-	1	1	8	12	17
	F	56	1	-	2	-	-	1	2	3	5	42
Injury and Poisoning	M	29	-	-	2	8	9	3	3	1	-	3
	F	10	-	-	-	4	1	-	2	1	-	2
All Causes	M	394	8	1	3	9	10	8	21	50	115	169
	F	403	1	-	2	6	3	8	17	18	77	271
County Meath												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Malignant Neoplasms	M	96	-	-	-	-	1	2	8	11	30	44
	F	100	-	-	-	-	1	6	10	19	27	37
Ischaemic and Other forms of Heart Disease	M	159	-	-	-	1	1	1	7	14	45	90
	F	91	-	-	-	-	-	-	1	6	18	66
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	1	2	-
Cerebrovascular Disease	M	26	-	-	-	-	-	-	-	2	9	15
	F	26	-	-	-	-	-	1	-	-	2	23
Other Diseases of the Circulatory System	M	9	-	-	-	-	-	-	-	1	2	6
	F	7	-	-	-	-	-	-	-	1	1	5
Diseases of the Respiratory System	M	48	-	-	-	-	-	1	1	2	4	40
	F	48	-	-	-	-	-	-	-	2	10	36
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	36	5	-	1	-	2	-	3	2	8	15
	F	47	3	-	-	-	-	-	1	2	12	29
Injury and Poisoning	M	33	-	-	2	14	4	3	3	4	1	2
	F	13	-	-	2	2	1	-	1	-	2	5
All Causes	M	410	5	-	3	15	8	7	22	37	99	214
	F	338	3	-	2	2	2	7	13	31	74	204

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Offaly												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	83	-	-	-	-	-	2	9	14	25	33
	F	50	-	-	-	-	1	1	1	10	16	21
Ischaemic and Other forms of Heart Disease	M	98	-	-	-	1	-	-	6	8	33	50
	F	67	1	-	-	-	1	-	-	2	14	49
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	15	-	-	-	-	-	-	-	1	4	10
	F	26	-	-	-	1	-	-	-	2	5	18
Other Diseases of the Circulatory System	M	7	-	-	-	-	-	-	-	1	1	5
	F	7	-	-	-	-	-	1	1	1	-	4
Diseases of the Respiratory System	M	66	-	-	-	-	-	-	1	-	15	50
	F	49	-	-	-	-	-	-	-	1	10	38
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	35	2	-	-	-	1	-	-	6	8	18
	F	33	1	-	1	-	-	-	2	2	5	22
Injury and Poisoning	M	19	-	1	-	5	2	3	2	1	2	3
	F	6	-	-	-	-	1	-	-	2	-	3
All Causes	M	324	2	1	-	6	3	5	18	31	88	170
	F	241	2	-	1	1	3	2	4	20	51	157
County Westmeath												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	76	-	-	-	-	-	2	6	9	30	29
	F	72	-	1	-	-	-	1	4	15	25	26
Ischaemic and Other forms of Heart Disease	M	108	-	-	-	-	2	2	8	16	29	51
	F	91	-	-	-	-	-	-	1	4	20	66
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	29	-	-	-	-	-	-	1	6	8	14
	F	19	-	-	-	-	-	1	-	2	3	13
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	-	-	2	8
	F	5	-	-	-	-	-	-	-	-	3	2
Diseases of the Respiratory System	M	36	-	-	-	-	-	-	-	2	8	26
	F	38	-	-	-	-	-	-	-	2	5	31
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	28	2	-	1	-	-	2	1	3	6	13
	F	26	1	-	-	-	-	1	1	3	8	12
Injury and Poisoning	M	22	-	-	3	8	3	3	2	3	-	-
	F	9	-	-	-	2	1	-	1	1	1	3
All Causes	M	314	2	-	4	8	5	9	18	40	83	145
	F	264	1	1	-	2	1	3	7	27	65	157

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Wexford												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	1	-	1
	F	2	-	-	-	1	-	-	-	-	1	-
Malignant Neoplasms	M	120	-	-	1	-	-	2	8	25	37	47
	F	109	-	-	-	-	-	5	12	16	34	42
Ischaemic and Other forms of Heart Disease	M	175	-	-	-	-	-	5	10	24	48	88
	F	130	-	-	-	1	-	-	2	4	26	97
Hypertensive Disease	M	3	-	-	-	-	-	-	-	-	1	2
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	40	-	-	-	-	-	-	1	1	18	20
	F	53	-	-	-	-	-	-	-	-	8	45
Other Diseases of the Circulatory System	M	21	-	-	-	1	1	-	-	1	8	10
	F	9	-	-	-	-	1	-	-	1	1	6
Diseases of the Respiratory System	M	95	-	-	1	-	-	1	-	5	19	69
	F	66	-	-	-	-	-	-	1	2	11	52
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	51	5	-	-	-	4	-	-	5	13	24
	F	69	2	-	-	2	2	2	1	5	22	33
Injury and Poisoning	M	42	-	-	1	11	6	3	5	5	5	6
	F	6	-	-	-	-	1	1	1	2	-	1
All Causes	M	549	5	-	3	12	11	11	24	67	149	267
	F	445	2	-	-	4	4	8	17	30	103	277
County Wicklow												
Tuberculosis, All forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	1	1	-	-
Malignant Neoplasms	M	101	-	-	-	1	-	3	9	15	33	40
	F	77	-	-	-	-	1	4	4	9	24	35
Ischaemic and Other forms of Heart Disease	M	132	-	-	-	-	-	2	8	13	49	60
	F	120	-	1	-	-	-	-	3	7	26	83
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Cerebrovascular Disease	M	43	-	-	-	-	1	1	2	5	7	27
	F	54	-	-	-	-	-	-	3	2	6	43
Other Diseases of the Circulatory System	M	12	-	-	-	-	-	-	-	2	1	9
	F	13	-	-	-	-	-	-	-	-	4	9
Diseases of the Respiratory System	M	65	-	-	-	-	-	1	1	4	20	39
	F	70	-	-	-	-	-	-	-	3	10	57
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	47	4	-	1	1	1	-	2	4	10	24
	F	47	1	-	-	-	1	2	1	8	11	23
Injury and Poisoning	M	18	-	-	-	2	2	5	3	2	-	4
	F	8	-	-	-	2	-	2	1	-	1	2
All Causes	M	421	4	-	1	4	4	12	25	45	121	205
	F	393	1	1	-	2	2	8	13	30	82	254

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Clare												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	1	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant Neoplasms	M	105	-	-	-	-	1	-	9	14	38	43
	F	65	-	-	-	-	1	4	4	11	19	26
Ischaemic and Other forms of Heart Disease	M	156	-	-	-	-	2	1	8	22	40	83
	F	117	-	-	-	-	1	-	1	7	22	86
Hypertensive Disease	M	3	-	-	-	-	-	-	-	-	1	2
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	32	-	-	-	-	-	1	2	1	12	16
	F	39	-	-	-	-	-	2	2	-	4	31
Other Diseases of the Circulatory System	M	11	-	-	-	-	-	-	-	-	3	8
	F	9	-	-	-	-	-	-	-	-	1	8
Diseases of the Respiratory System	M	96	-	-	-	-	-	1	-	4	26	65
	F	86	-	-	-	1	1	-	-	1	14	69
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	5	-	-	-	-	-	-	-	-	-	5
Other Diseases	M	60	4	-	-	-	2	1	2	6	13	32
	F	47	3	-	1	1	-	-	-	1	4	37
Injury and Poisoning	M	38	-	-	-	6	6	9	5	3	3	6
	F	12	-	-	-	-	-	-	1	2	1	8
All Causes	M	506	4	-	-	7	11	13	26	50	137	258
	F	381	3	-	1	2	3	6	8	22	66	270
Cork County Borough												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	1	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	3
Malignant Neoplasms	M	157	-	-	-	1	1	5	18	32	41	59
	F	176	1	-	1	-	1	5	23	21	56	68
Ischaemic and Other forms of Heart Disease	M	224	-	-	-	1	-	2	16	36	65	104
	F	201	-	-	-	-	-	-	5	16	37	143
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	3	-	-	-	-	-	-	-	-	2	1
Cerebrovascular Disease	M	31	-	-	-	-	1	1	-	5	7	17
	F	68	-	-	1	-	-	-	1	2	14	50
Other Diseases of the Circulatory System	M	20	-	-	-	-	1	-	1	2	6	10
	F	27	-	-	-	-	-	-	2	-	5	20
Diseases of the Respiratory System	M	73	-	-	-	-	-	-	1	6	22	44
	F	102	-	-	1	2	-	2	1	4	20	72
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	62	7	-	-	4	1	3	4	7	12	24
	F	81	4	-	-	-	3	2	2	5	10	55
Injury and Poisoning	M	39	-	-	1	6	12	5	2	5	4	4
	F	17	-	-	-	3	1	1	2	5	1	4
All Causes	M	611	7	-	1	12	16	16	43	93	158	265
	F	681	5	1	3	5	5	10	36	53	145	418

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Cork												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	1	1
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	1	-	1
	F	6	-	1	1	-	2	-	-	-	1	1
Malignant Neoplasms	M	308	-	-	2	1	3	4	19	49	95	135
	F	242	-	-	-	1	2	7	31	34	70	97
Ischaemic and Other forms of Heart Disease	M	474	-	-	-	-	1	4	13	63	156	237
	F	324	-	-	-	-	2	1	4	15	57	245
Hypertensive Disease	M	7	-	-	-	-	-	-	-	1	2	4
	F	8	-	-	-	-	-	-	1	-	-	7
Cerebrovascular Disease	M	95	-	-	-	1	-	1	3	4	17	69
	F	129	-	-	-	-	-	1	2	5	22	99
Other Diseases of the Circulatory System	M	51	-	-	-	-	-	1	-	4	9	37
	F	67	-	-	-	1	-	-	-	4	9	53
Diseases of the Respiratory System	M	197	-	-	-	-	-	1	6	14	46	130
	F	183	-	-	-	1	1	1	1	5	24	150
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	3
Other Diseases	M	151	19	1	2	3	2	3	2	15	36	68
	F	135	14	-	1	1	2	4	5	9	29	70
Injury and Poisoning	M	79	-	-	2	17	9	15	2	7	12	15
	F	30	-	-	2	3	-	2	5	1	3	14
All Causes	M	1367	19	1	6	22	15	29	45	158	373	699
	F	1129	14	1	4	7	9	16	49	73	216	740
County Kerry												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	1	-	-
	F	4	-	-	1	-	-	-	-	1	2	-
Malignant Neoplasms	M	177	-	-	-	-	2	6	18	26	43	82
	F	122	-	-	-	-	-	2	7	19	38	56
Ischaemic and Other forms of Heart Disease	M	253	-	-	-	1	1	1	11	28	73	138
	F	204	-	-	-	-	1	1	3	9	25	165
Hypertensive Disease	M	5	-	-	-	-	-	-	-	-	2	3
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular Disease	M	79	-	-	-	-	-	-	2	9	16	52
	F	74	-	-	-	-	-	-	2	2	4	66
Other Diseases of the Circulatory System	M	32	-	-	-	-	-	-	-	-	7	25
	F	19	-	-	-	-	-	-	-	-	1	18
Diseases of the Respiratory System	M	100	-	-	-	1	-	-	-	5	24	70
	F	70	-	-	-	-	-	-	-	3	10	57
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	4
Other Diseases	M	91	4	-	-	3	1	2	4	6	17	54
	F	77	2	-	-	2	-	-	1	3	9	60
Injury and Poisoning	M	39	-	-	-	7	6	9	3	3	4	7
	F	21	-	1	-	2	4	2	3	1	3	5
All Causes	M	778	4	-	-	12	10	18	38	78	186	432
	F	600	2	1	1	4	5	5	16	39	92	435

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Limerick County Borough												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Infective and Parasitic Diseases	M	2	-	1	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	1	-	-	1
Malignant Neoplasms	M	70	-	-	-	-	1	-	4	15	26	24
	F	68	-	-	-	-	-	5	5	10	19	29
Ischaemic and Other forms of Heart Disease	M	82	-	-	-	-	-	2	5	17	20	38
	F	89	-	-	-	-	-	-	-	5	19	65
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	15	-	-	-	-	-	-	-	-	7	8
	F	22	-	-	-	-	-	-	1	-	4	17
Other Diseases of the Circulatory System	M	7	-	-	-	-	-	-	1	3	1	2
	F	8	-	-	-	-	-	-	-	1	1	6
Diseases of the Respiratory System	M	25	-	-	-	-	-	-	-	5	8	12
	F	47	-	-	-	-	-	-	1	9	15	22
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	6	-	-	-	-	-	-	-	-	-	6
Other Diseases	M	33	4	-	-	-	1	2	2	6	10	8
	F	26	3	-	-	-	-	-	2	-	4	17
Injury and Poisoning	M	20	-	-	2	3	6	4	2	-	2	1
	F	5	-	-	-	-	-	-	-	-	3	2
All Causes	M	260	4	1	2	3	8	8	14	46	74	100
	F	274	3	-	-	-	-	5	10	25	65	166
County Limerick												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-
Malignant Neoplasms	M	98	-	1	1	1	-	-	4	19	36	36
	F	94	-	-	-	1	2	4	9	16	19	43
Ischaemic and Other forms of Heart Disease	M	148	-	-	-	1	-	-	7	23	48	69
	F	135	-	-	-	-	-	-	3	5	26	101
Hypertensive Disease	M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular Disease	M	33	-	-	-	-	1	-	-	1	9	22
	F	40	-	-	-	-	-	-	-	3	4	33
Other Diseases of the Circulatory System	M	16	-	-	-	-	-	-	2	3	4	7
	F	10	-	-	-	-	-	-	1	-	1	8
Diseases of the Respiratory System	M	81	-	-	-	2	-	-	1	7	15	56
	F	72	1	1	-	-	-	2	-	3	9	56
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	10	-	-	-	-	-	-	-	-	-	10
Other Diseases	M	40	3	-	-	-	2	1	2	3	15	14
	F	53	8	1	2	1	1	-	-	3	5	32
Injury and Poisoning	M	18	-	-	1	1	4	-	7	2	2	1
	F	9	1	-	-	-	1	-	3	-	-	4
All Causes	M	440	3	1	2	5	7	1	24	58	131	208
	F	427	10	2	2	2	4	6	16	30	67	288

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Tipperary, N.R.												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	64	-	-	-	-	-	2	-	12	20	30
	F	64	-	-	-	-	-	1	13	9	14	27
Ischaemic and Other forms of Heart Disease	M	127	-	-	-	-	1	-	4	15	36	71
	F	88	-	-	-	-	1	-	-	6	11	70
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	25	-	-	-	1	-	-	1	2	10	11
	F	35	-	-	-	-	-	-	-	1	3	31
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	1	1	2	6
	F	4	-	-	-	-	-	-	-	-	1	3
Diseases of the Respiratory System	M	49	-	-	1	1	-	-	1	3	7	36
	F	36	-	-	-	-	-	-	-	2	8	26
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	31	1	-	1	1	1	2	-	1	5	19
	F	35	2	-	-	2	-	-	1	-	9	21
Injury and Poisoning	M	17	-	-	-	5	2	2	4	2	1	1
	F	3	-	-	-	-	-	-	-	1	1	1
All Causes	M	329	1	-	2	8	4	6	11	36	81	180
	F	268	2	-	-	2	1	1	14	19	47	182
Tipperary, S.R.												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	110	-	-	-	-	-	1	9	18	43	39
	F	60	-	-	-	-	1	2	6	7	21	23
Ischaemic and Other forms of Heart Disease	M	141	-	-	-	-	-	2	8	17	50	64
	F	113	-	-	-	-	-	-	1	8	27	77
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular Disease	M	28	-	-	-	-	-	-	1	2	7	18
	F	50	-	-	-	-	1	3	2	-	3	41
Other Diseases of the Circulatory System	M	13	-	-	-	-	-	-	1	-	1	11
	F	6	-	-	-	-	-	-	-	-	2	4
Diseases of the Respiratory System	M	66	1	-	-	-	-	1	1	1	18	44
	F	56	-	-	-	-	-	-	1	3	15	37
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	44	2	-	-	-	-	1	2	10	13	16
	F	46	3	-	1	-	-	-	-	4	8	30
Injury and Poisoning	M	29	-	1	2	5	6	5	3	3	4	-
	F	4	-	-	-	-	-	-	-	2	-	2
All Causes	M	433	3	1	2	6	6	10	25	51	136	193
	F	340	3	-	1	-	2	5	10	24	76	219

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Waterford County Borough												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	-	-	3
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	43	-	-	-	-	-	1	3	5	16	18
	F	39	1	-	-	-	-	-	2	8	12	16
Ischaemic and Other forms of Heart Disease	M	60	-	-	-	-	1	1	3	12	24	19
	F	50	-	-	-	-	1	-	3	5	13	28
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	12	-	-	-	-	-	1	-	-	5	6
	F	22	-	-	-	-	-	-	1	-	6	15
Other Diseases of the Circulatory System	M	2	-	-	-	-	-	-	-	-	2	-
	F	8	-	-	-	-	-	-	-	-	2	6
Diseases of the Respiratory System	M	23	1	-	1	-	-	1	1	3	3	13
	F	38	-	-	-	-	-	-	-	1	3	34
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	20	4	-	-	1	-	1	1	3	4	6
	F	25	-	-	-	-	-	-	-	-	1	24
Injury and Poisoning	M	5	-	-	1	2	1	-	1	-	-	-
	F	6	-	-	-	1	-	1	-	2	2	-
All Causes	M	168	5	-	2	3	2	5	9	23	54	65
	F	189	1	-	-	1	1	1	6	16	39	124
County Waterford												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	-	-	-	-	-	2	-
	F	2	-	-	-	-	-	-	-	-	1	1
Malignant Neoplasms	M	65	-	-	-	-	-	1	2	13	20	29
	F	55	-	-	-	1	-	2	5	6	16	25
Ischaemic and Other forms of Heart Disease	M	88	-	-	1	1	-	1	3	12	32	38
	F	75	-	-	-	-	-	-	2	5	14	54
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	19	-	-	-	-	-	-	-	3	3	13
	F	26	-	-	-	-	-	-	-	1	3	22
Other Diseases of the Circulatory System	M	7	-	-	-	-	-	-	-	1	1	5
	F	4	-	-	-	-	-	-	-	-	1	3
Diseases of the Respiratory System	M	45	-	-	-	-	-	-	-	2	14	29
	F	40	-	-	-	-	-	-	-	-	5	35
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	28	2	-	1	1	-	1	-	3	8	12
	F	24	3	-	-	2	-	1	2	3	1	12
Injury and Poisoning	M	16	-	-	2	3	4	1	-	1	3	2
	F	10	-	1	-	2	-	2	2	2	-	1
All Causes	M	274	2	-	4	5	4	4	5	35	84	131
	F	236	3	1	-	5	-	5	11	17	41	153

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Galway County Borough												
Tuberculosis, All forms	M	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	40	-	-	-	-	-	-	4	4	16	16
	F	28	-	-	-	-	-	2	4	2	9	11
Ischaemic and Other forms of Heart Disease	M	57	-	-	-	-	-	-	3	7	20	27
	F	50	-	-	-	-	-	1	-	1	12	36
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	2
Cerebrovascular Disease	M	9	-	-	-	-	-	-	-	1	1	7
	F	19	-	-	-	-	-	-	-	1	1	17
Other Diseases of the Circulatory System	M	5	-	-	-	-	-	-	-	-	1	4
	F	9	-	-	-	-	-	-	-	-	1	8
Diseases of the Respiratory System	M	26	-	1	-	1	1	-	1	1	4	17
	F	26	-	-	-	1	-	-	-	2	6	17
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	18	2	-	1	-	-	2	-	1	2	10
	F	26	4	-	-	-	1	1	2	1	3	14
Injury and Poisoning	M	18	-	-	1	8	2	4	-	-	1	2
	F	8	-	-	-	2	2	1	-	-	-	3
All Causes	M	175	2	1	2	10	3	6	8	15	45	83
	F	169	4	-	-	3	3	5	6	7	33	108
County Galway												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	2	-	-	-	1	-	-	-	-	-	1
	F	4	-	1	-	1	-	-	-	1	-	1
Malignant Neoplasms	M	190	-	-	-	1	-	2	10	24	56	97
	F	130	-	-	-	-	2	3	11	15	42	57
Ischaemic and Other forms of Heart Disease	M	304	-	-	-	-	1	5	16	42	67	173
	F	185	-	-	-	-	-	5	7	23	23	150
Hypertensive Disease	M	6	-	-	-	-	-	-	-	-	1	5
	F	6	-	-	-	-	-	-	-	-	2	4
Cerebrovascular Disease	M	65	-	-	-	-	-	-	-	4	15	46
	F	65	-	-	1	-	1	-	1	1	14	47
Other Diseases of the Circulatory System	M	19	-	-	-	-	-	-	2	2	1	14
	F	22	-	-	-	-	-	-	-	2	4	16
Diseases of the Respiratory System	M	132	-	-	1	-	-	-	2	4	26	99
	F	87	-	-	-	-	-	1	-	4	11	71
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	94	5	-	1	1	2	1	4	9	18	53
	F	81	3	-	2	-	1	2	-	1	10	62
Injury and Poisoning	M	58	-	-	2	9	9	6	11	7	10	4
	F	19	-	2	1	4	1	2	-	2	1	6
All Causes	M	873	5	-	4	12	12	14	45	92	195	494
	F	599	3	3	4	5	5	8	17	33	107	414

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Leitrim												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	51	-	-	-	-	-	1	3	7	21	19
	F	27	-	-	-	1	-	1	1	2	10	12
Ischaemic and Other forms of Heart Disease	M	67	-	-	-	-	-	2	3	6	17	39
	F	52	-	-	-	-	-	-	1	2	13	36
Hypertensive Disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular Disease	M	10	-	-	-	-	-	1	1	-	-	8
	F	20	-	-	-	-	-	-	-	-	2	18
Other Diseases of the Circulatory System	M	10	-	-	-	-	-	-	-	-	1	9
	F	13	-	-	-	-	-	-	-	-	1	12
Diseases of the Respiratory System	M	47	-	1	-	-	-	-	-	-	15	31
	F	32	-	-	-	1	-	-	-	1	4	26
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	24	-	-	1	-	-	-	1	1	5	16
	F	12	-	-	-	-	-	1	-	-	4	7
Injury and Poisoning	M	10	-	-	-	2	2	3	-	1	-	2
	F	5	-	-	-	-	1	-	-	-	-	4
All Causes	M	219	-	1	1	2	2	7	8	15	59	124
	F	164	-	-	-	2	1	2	2	5	35	117
County Mayo												
Tuberculosis, All forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	5	-	-	-	1	-	-	-	-	-	4
	F	4	-	-	-	-	1	-	-	-	-	3
Malignant Neoplasms	M	183	-	-	-	1	1	4	11	24	55	87
	F	134	-	-	-	-	-	6	11	12	43	62
Ischaemic and Other forms of Heart Disease	M	259	-	-	1	-	1	5	10	31	59	152
	F	191	-	-	-	-	-	1	6	6	28	150
Hypertensive Disease	M	6	-	-	-	-	-	-	-	-	1	5
	F	9	-	-	-	-	-	-	-	-	1	8
Cerebrovascular Disease	M	66	-	-	-	-	-	-	-	8	10	48
	F	67	-	-	-	-	-	-	1	1	10	55
Other Diseases of the Circulatory System	M	26	-	-	-	-	-	-	-	2	8	16
	F	22	-	-	-	-	-	-	-	-	9	13
Diseases of the Respiratory System	M	116	-	1	-	-	-	3	1	6	17	88
	F	91	-	-	-	-	-	1	-	3	9	78
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Other Diseases	M	109	3	2	-	-	1	1	3	5	21	73
	F	118	3	1	-	-	-	2	-	3	23	86
Injury and Poisoning	M	36	-	-	1	8	4	2	5	2	6	8
	F	17	-	-	1	-	2	1	2	2	2	7
All Causes	M	807	3	3	2	10	7	15	30	78	178	481
	F	656	3	1	1	-	3	11	20	27	125	465

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Roscommon												
Tuberculosis, All forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant Neoplasms	M	63	-	-	-	1	-	1	4	10	20	27
	F	47	-	-	-	-	-	1	2	5	13	26
Ischaemic and Other forms of Heart Disease	M	130	-	-	-	-	-	4	4	18	29	75
	F	92	-	-	-	-	-	-	1	5	8	78
Hypertensive Disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Cerebrovascular Disease	M	33	-	-	-	-	-	-	-	4	5	24
	F	30	-	-	-	-	-	-	-	1	6	23
Other Diseases of the Circulatory System	M	14	-	-	-	-	-	-	1	3	4	6
	F	4	-	-	-	-	-	-	-	1	-	3
Diseases of the Respiratory System	M	51	-	-	-	-	-	-	-	1	11	39
	F	42	-	-	-	-	1	-	-	1	2	38
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	-	2
Other Diseases	M	44	-	-	-	-	-	4	2	3	13	22
	F	29	1	1	2	-	-	1	2	2	4	16
Injury and Poisoning	M	14	-	-	1	1	2	4	-	3	-	3
	F	4	-	-	-	1	-	2	-	-	-	1
All Causes	M	353	-	-	1	2	2	13	11	42	84	198
	F	252	1	1	2	1	1	4	5	15	35	187
County Sligo												
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	1	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	60	-	-	-	-	-	-	9	8	19	24
	F	68	-	-	1	1	-	1	2	11	14	38
Ischaemic and Other forms of Heart Disease	M	102	-	-	-	-	-	2	3	9	36	52
	F	90	-	-	-	-	-	-	-	7	9	74
Hypertensive Disease	M	3	-	-	-	-	-	-	-	1	1	1
	F	5	-	-	-	-	-	-	-	-	-	5
Cerebrovascular Disease	M	27	-	-	-	-	-	-	2	2	9	14
	F	36	-	-	-	-	-	-	1	3	10	22
Other Diseases of the Circulatory System	M	6	-	-	-	-	-	-	-	-	2	4
	F	5	-	-	-	-	-	-	-	1	1	3
Diseases of the Respiratory System	M	69	-	-	-	-	-	-	1	4	16	48
	F	59	-	-	-	1	-	-	-	2	8	48
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	32	1	-	-	-	-	-	1	1	6	23
	F	31	2	1	-	-	1	-	-	4	8	15
Injury and Poisoning	M	14	-	-	1	3	4	2	-	1	1	2
	F	6	-	-	-	1	1	1	-	-	1	2
All Causes	M	318	1	-	1	3	4	5	16	26	91	171
	F	301	2	1	1	3	2	2	3	28	52	207

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
County Cavan												
Tuberculosis, All forms	M	1	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant Neoplasms	M	67	-	-	-	2	1	-	8	1	24	31
	F	53	-	-	-	-	1	4	4	10	14	20
Ischaemic and Other forms of Heart Disease	M	127	-	-	-	-	-	3	4	18	34	68
	F	82	-	-	-	-	-	-	1	2	15	64
Hypertensive Disease	M	2	-	-	-	-	-	-	-	-	2	-
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular Disease	M	20	-	-	-	-	-	1	2	1	6	10
	F	31	-	-	-	-	1	-	-	5	5	20
Other Diseases of the Circulatory System	M	7	-	-	-	-	-	-	-	1	3	3
	F	5	-	-	-	-	-	-	1	1	1	2
Diseases of the Respiratory System	M	48	-	-	-	-	-	-	1	2	15	30
	F	35	-	-	-	-	-	-	-	-	7	28
Senility	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other Diseases	M	32	2	-	-	1	-	-	-	4	9	16
	F	25	3	1	-	-	-	1	-	2	3	15
Injury and Poisoning	M	20	-	-	-	4	1	6	3	2	2	2
	F	7	-	-	-	1	-	1	2	1	-	2
All Causes	M	326	2	-	-	7	3	10	19	29	96	160
	F	244	3	1	-	1	2	6	8	21	46	156
County Donegal												
Tuberculosis, All forms	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	1	1
Other Infective and Parasitic Diseases	M	3	-	-	-	-	-	-	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasms	M	153	-	-	1	-	-	3	7	18	37	87
	F	113	-	-	1	1	-	4	8	19	24	56
Ischaemic and Other forms of Heart Disease	M	238	-	1	-	1	-	2	11	28	72	123
	F	204	-	-	-	-	2	1	3	10	40	148
Hypertensive Disease	M	4	-	-	-	-	-	-	-	-	3	1
	F	5	-	-	-	-	-	-	-	-	-	5
Cerebrovascular Disease	M	54	-	-	-	-	-	-	2	3	12	37
	F	83	-	-	-	-	-	-	2	4	9	68
Other Diseases of the Circulatory System	M	19	-	-	-	-	-	-	-	2	3	14
	F	19	-	-	-	-	-	-	-	-	3	16
Diseases of the Respiratory System	M	131	-	-	-	-	-	-	2	2	20	107
	F	111	-	-	-	-	-	-	-	-	10	101
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	94	4	-	1	-	3	4	5	9	14	54
	F	95	6	-	-	-	1	3	1	7	11	66
Injury and Poisoning	M	41	-	1	1	8	8	8	4	3	4	4
	F	13	-	-	-	1	-	1	2	-	2	7
All Causes	M	739	4	2	3	9	11	17	31	65	165	432
	F	645	6	-	1	2	3	9	16	40	100	468

Table 23 (contd)- Deaths in 1995 classified by principal groups of causes, sex and age, of residents in each county and county borough.

Cause of death		All Ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over	
County Monaghan													
Tuberculosis, All forms	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
Other Infective and Parasitic Diseases	M	1	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1
Malignant Neoplasms	M	69	-	-	-	1	-	-	3	12	23	30	30
	F	33	-	-	-	-	-	1	2	6	11	13	13
Ischaemic and Other forms of Heart Disease	M	109	-	-	-	-	-	-	7	12	34	56	56
	F	65	-	-	-	-	-	4	-	4	9	48	48
Hypertensive Disease	M	2	-	-	-	-	-	-	1	-	-	1	1
	F	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular Disease	M	12	-	-	-	-	-	-	1	1	2	8	8
	F	20	-	-	-	-	-	-	-	1	2	17	17
Other Diseases of the Circulatory System	M	4	-	-	-	-	-	-	-	1	1	2	2
	F	9	-	-	-	-	-	-	-	-	2	7	7
Diseases of the Respiratory System	M	36	-	-	-	-	-	1	1	2	3	29	29
	F	24	-	-	-	-	-	-	-	1	3	20	20
Senility	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases	M	28	4	-	-	-	1	-	-	4	6	13	13
	F	24	2	-	-	-	-	-	-	1	5	16	16
Injury and Poisoning	M	17	-	-	-	5	3	4	-	1	1	3	3
	F	7	-	-	-	1	-	1	-	-	2	3	3
All Causes	M	278	4	-	-	6	4	5	13	34	70	142	142
	F	184	2	-	-	1	-	6	2	14	34	125	125

Table 24 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to the principal towns, other urban districts and rural districts

Cause of Death	ICD-9 Code	TOTAL		Dublin County Borough and Dun Laoghaire Rathdown		Other County Boroughs		Remaining Principal Towns (c.f. Table 15)		Other Urban Districts		All Rural Districts	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES													
M		130	44	27	11	12	6	11	2	19	8	61	17
F		102	35	20	7	9	4	3	-	15	10	55	14
Enteritis and other diarrhoeal diseases													
M	008,009	-	-	-	-	-	-	-	-	-	-	-	-
F		-	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis, all forms													
M	010-018,137	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough													
M	033	-	1	-	-	-	-	-	-	-	-	-	1
F		-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases													
M	001-007,020-027,030-032	-	1	-	1	-	-	-	-	-	-	-	-
F	034-136,138-139	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis													
M	320-322	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system													
M	323-326	-	1	-	1	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia													
M	480-486	2	1	-	-	1	-	-	-	-	-	1	1
F		1	1	-	-	-	-	-	-	-	-	1	1
Influenza													
M	487	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma													
M	490-493	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system													
M	460-479,494-519	-	1	-	-	-	-	-	-	-	-	-	1
F		1	-	-	-	-	-	-	-	-	-	1	-
Diseases of digestive system													
M	520-579	-	-	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-	1	-
Congenital anomalies:													
Anencephalus and similar anomalies													
M	740	3	-	-	-	-	-	-	-	1	-	2	-
F		2	-	-	-	-	-	1	-	-	-	1	-
Spina Bifida													
M	741	2	-	-	-	-	-	-	-	-	-	2	-
F		3	-	1	-	-	-	1	-	-	-	1	-

See footnotes at end of table.

Table 24 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to the principal towns, other urban districts and rural districts — Continued

Cause of Death	ICD-9 Code	TOTAL		Dublin County Borough and Dun Laoghaire Rathdown		Other County Boroughs		Remaining Principal Towns (c.f. Table 15)		Other Urban Districts		All Rural Districts	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Other congenital anomalies of nervous system													
M	742	3	-	1	-	-	-	-	-	1	-	1	-
F		1	3	1	-	-	-	-	-	-	2	-	1
Congenital anomalies of the heart													
M	745,746	5	7	1	1	1	2	-	-	-	2	3	2
F		9	1	-	-	1	-	-	-	3	-	5	1
Other congenital anomalies													
M	743,744,747-759	27	5	7	1	4	1	-	-	3	1	13	2
F		25	11	4	2	3	2	1	-	4	4	13	3
Certain conditions originating in the Perinatal period:													
Foetus or newborn affected by complications of placenta, cord and membranes													
M	762	5	-	3	-	-	-	-	-	-	-	2	-
F		2	-	1	-	-	-	-	-	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight													
M	765	48	1	9	1	4	-	7	-	8	-	20	-
F		32	-	6	-	3	-	-	-	2	-	21	-
Birth injury and difficult labour													
M	763,767	4	-	-	-	-	-	-	-	-	-	4	-
F		1	-	1	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified													
M	768-770	13	-	2	-	1	-	1	-	4	-	5	-
F		7	-	1	-	-	-	-	-	1	-	5	-
Haemolytic disease of newborn													
M	773,774	1	-	-	-	-	-	-	-	-	-	1	-
F		1	-	-	-	1	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*													
M	760,761,764,766	10	3	3	1	1	-	2	-	1	1	3	1
F	771-779	3	1	2	-	-	-	-	-	-	-	1	1
All other causes													
M		7	23	1	5	-	3	1	2	1	4	4	9
F		13	17	3	4	1	2	-	-	4	4	5	7

¹ Includes Dublin Belgard and Fingal.
* Stillbirths not included

**Table 25 Infant mortality - deaths under one year,
(International**

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
ALL CAUSES											
M		174	17	39	56	25	13	10	6	4	-
F		137	13	33	46	10	5	7	2	2	4
Enteritis and other diarrhoeal diseases											
M	008,009	-	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms											
M	010-018,137	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	1	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	1	-	-	-	-	-	-	-	-	-
F	034-136,138-139	-	-	-	-	-	-	-	-	-	-
Meningitis											
M	320-322	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system											
M	323-326	1	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	3	-	1	1	1	-	-	-	-	-
F		2	-	-	-	-	-	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system											
M	460-479,494-519	1	-	-	-	-	-	-	-	-	-
F		1	-	-	-	-	-	-	-	-	-
Diseases of digestive system											
M	520-579	-	-	-	-	-	-	-	-	-	-
F		1	1	-	1	-	-	-	-	-	-
Congenital anomalies:											
Anencephalus and similar anomalies											
M	740	3	-	1	1	-	1	1	-	-	-
F		2	1	1	2	-	-	-	-	-	-
Spina Bifida											
M	741	2	-	-	-	-	-	-	-	-	-
F		3	-	-	-	-	-	-	-	-	-
Other congenital anomalies of nervous system											
M	742	3	1	2	3	-	-	-	-	-	-
F		4	-	1	1	-	-	-	-	-	-
Congenital anomalies of the heart											
M	745,746	12	-	1	1	2	-	-	-	1	-
F		10	-	-	-	2	1	1	-	-	-
Other congenital anomalies											
M	743,744,747-759	32	5	7	12	6	4	3	-	1	-
F		36	2	10	12	1	1	3	-	1	3

**in 1995, classified by sex, age and cause
Detailed List)**

	Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 mths	Months										
		7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
	114	6	8	2	130	13	5	9	3	5	2	2	-	1	2	2	
	76	18	4	4	102	9	3	7	5	2	3	2	-	1	1	2	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	
	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	
	4	1	-	-	5	2	-	1	-	1	1	-	-	-	1	1	
	4	4	1	-	9	-	-	1	-	-	-	-	-	-	-	-	
	26	1	-	-	27	2	-	2	-	1	-	-	-	-	-	-	
	21	4	-	-	25	1	2	5	1	-	1	-	-	-	1	-	

**Table 25 Infant mortality - deaths under one year,
(International**

Cause of Death	ICD-9 Code	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
						1	2	3	4	5	6
Certain conditions originating in the Perinatal period:											
Foetus or newborn affected by complications of placenta, cord and membranes											
M	762	5	2	2	4	-	-	-	1	-	-
F		2	-	1	1	1	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight											
M	765	49	9	16	25	9	3	4	2	1	-
F		32	7	12	19	3	1	1	-	1	-
Birth injury and difficult labour											
M	763,767	4	-	-	-	2	1	-	1	-	-
F		1	-	-	-	-	1	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified											
M	768-770	13	-	5	5	3	2	1	1	-	-
F		7	-	4	4	-	1	1	-	-	-
Haemolytic disease of newborn											
M	773,774	1	-	1	1	-	-	-	-	-	-
F		1	-	1	1	-	-	-	-	-	-
Other conditions originating in the Perinatal period*											
M	760,761,764,766	13	-	3	3	1	1	-	-	-	-
F	771-772,775-779	4	-	-	-	2	-	-	1	-	-
All other causes											
M		30	-	-	-	1	1	1	1	1	-
F		30	2	3	5	1	-	1	1	-	1

* Stillbirths not included

**in 1995, classified by sex, age and cause
Detailed List)**

	Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 mths	Months										
		7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	44	-	4	-	48	1	-	-	-	-	-	-	-	-	-	-	-
	25	5	1	1	32	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	12	-	-	1	13	-	-	-	-	-	-	-	-	-	-	-	-
	6	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	5	3	2	-	10	1	-	1	-	1	-	-	-	-	-	-	-
	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	5	-	1	1	7	4	4	5	3	2	-	2	-	1	1	1	1
	9	3	1	-	13	6	-	1	3	-	2	2	-	1	-	2	2

Table 26 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each province.

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES											
M		130	44	75	26	36	16	10	1	9	1
F		102	35	51	16	32	14	9	4	10	1
Enteritis and other diarrhoeal diseases											
M	008,009	-	-	-	-	-	-	-	-	-	-
F		-	1	-	1	-	-	-	-	-	-
Tuberculosis, all forms											
M	010-018,137	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Whooping cough											
M	033	-	1	-	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases											
M	001-007,020-027,030-032	-	1	-	1	-	-	-	-	-	-
F	034-136,138-139	-	-	-	-	-	-	-	-	-	-
Meningitis											
M	320-322	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system											
M	323-326	-	1	-	1	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Pneumonia											
M	480-486	2	1	1	1	1	-	-	-	-	-
F		1	1	1	1	-	-	-	-	-	-
Influenza											
M	487	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma											
M	490-493	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system											
M	460-479,494-519	-	1	-	-	-	1	-	-	-	-
F		1	-	-	-	1	-	-	-	-	-
Diseases of digestive system											
M	520-579	-	-	-	-	-	-	-	-	-	-
F		1	-	1	-	-	-	-	-	-	-
Congenital anomalies:											
Anencephalus and similar anomalies											
M	740	3	-	2	-	-	-	-	-	1	-
F		2	-	1	-	-	-	1	-	-	-
Spina Bifida											
M	741	2	-	-	-	1	-	-	-	1	-
F		3	-	2	-	1	-	-	-	-	-
Other congenital anomalies of nervous system											
M	742	3	-	2	-	1	-	-	-	-	-
F		1	3	1	1	-	1	-	-	-	1

Table 26 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each province. — Continued

Cause of Death	ICD-9 Code	TOTAL		Leinster		Munster		Connacht		Ulster (part of)	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart											
M	745,746	5	7	2	1	1	5	2	1	-	-
F		9	1	3	-	4	1	1	-	1	-
Other congenital anomalies											
M	743,744,747-759	27	5	15	1	9	3	2	-	1	1
F		25	11	11	5	7	4	3	2	4	-
Certain conditions originating in the Perinatal period:											
Foetus or newborn affected by complications of placenta, cord and membranes											
M	762	5	-	5	-	-	-	-	-	-	-
F		2	-	1	-	-	-	-	-	1	-
Disorders relating to short gestation and unspecified low birthweight											
M	765	48	1	28	1	14	-	3	-	3	-
F		32	-	17	-	12	-	1	-	2	-
Birth injury and difficult labour											
M	763,767	4	-	2	-	-	-	-	-	2	-
F		1	-	1	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified											
M	768-770	13	-	8	-	5	-	-	-	-	-
F		7	-	3	-	1	-	2	-	1	-
Haemolytic disease of newborn											
M	773,774	1	-	-	-	1	-	-	-	-	-
F		1	-	-	-	1	-	-	-	-	-
Other conditions originating in the Perinatal period*											
M	760,761,764,766	10	3	5	3	2	-	2	-	1	-
F	771-779	3	1	2	-	-	-	-	1	1	-
All other causes											
M		7	23	5	16	1	7	1	-	-	-
F		13	17	7	8	5	8	1	1	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough

Cause of Death	Carlow		Dublin County Borough		Dublin Belgard		Dublin Fingal		Dun Laoghaire Rathdown		Kildare		Kilkenny	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES														
M	3	1	19	8	9	3	6	3	8	3	3	5	1	-
F	2	-	16	7	4	5	3	1	4	-	8	1	1	-
Enteritis and other diarrhoeal diseases														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough														
M	-	1	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases														
M	-	-	-	1	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system														
M	-	-	-	1	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia														
M	-	-	-	-	-	-	1	-	-	-	-	1	-	-
F	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Influenza														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of digestive system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies:														
Anencephalus and similar anomalies														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Spina Bifida														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of nervous system														
M	-	-	-	-	-	-	-	-	1	-	-	-	-	-
F	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Carlow		Dublin County Borough		Dublin Belgard		Dublin Fingal		Dun Laoghaire Rathdown		Kildare		Kilkenny	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	1	-	1	-	-	-	-	1	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other congenital anomalies														
M	1	-	6	-	2	-	1	-	1	1	-	-	1	-
F	-	-	4	2	1	1	2	-	-	-	1	1	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	3	-	1	-	1	-	-	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	2	-	5	1	4	-	3	-	4	-	-	-	-	-
F	1	-	4	-	1	-	1	-	2	-	3	-	-	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	1	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	1	-	-	-	-	-	1	-	1	-	-	-
F	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	2	1	1	-	-	1	1	-	-	-	-	-
F	-	-	2	-	-	-	-	-	-	-	-	-	-	-
All other causes														
M	-	-	1	4	-	3	-	2	-	1	1	4	-	-
F	-	-	3	4	-	3	-	-	-	-	2	-	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Laois		Longford		Louth		Meath		Offaly		Westmeath		Wexford	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies														
M	-	-	-	-	1	-	1	-	-	-	1	-	-	-
F	1	-	-	-	1	-	1	1	-	-	-	-	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	-	-	-	-	4	-	3	-	-	-	-	-	2	-
F	2	-	-	-	-	-	-	-	1	-	-	-	2	-
Birth injury and difficult labour														
M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	-	-	-	-	-	-	1	-	1	-	2	-
F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	-	-	1	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes														
M	-	-	1	-	1	1	-	-	1	-	-	-	-	1
F	1	-	-	-	-	-	-	1	1	-	-	-	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Wicklow		Clare		Cork County Borough		Cork County		Kerry		Limerick County Borough		Limerick County	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
ALL CAUSES														
M	3	1	2	2	6	1	14	5	3	1	2	2	2	1
F	1	-	3	-	4	1	8	6	2	-	2	1	9	1
Enteritis and other diarrhoeal diseases														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory diseases of the central nervous system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, emphysema and asthma														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of digestive system														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies:														
Anencephalus and similar anomalies														
M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida														
M	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other congenital anomalies of nervous system														
M	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Wicklow		Clare		Cork County Borough		Cork County		Kerry		Limerick County Borough		Limerick County	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	-	1	-	-	-	2	-	-	-	-	1	-
F	1	-	1	-	-	-	1	-	-	-	1	-	1	-
Other congenital anomalies														
M	-	-	-	-	2	-	1	2	-	-	1	1	1	-
F	-	-	1	-	1	-	1	2	1	-	-	1	1	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	1	-	1	-	3	-	9	-	-	-	-	-	-	-
F	-	-	-	-	2	-	3	-	-	-	1	-	4	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	1	-	-	-	-	-	2	-	1	-	1	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	1	-	-	-	-	-
F	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	1	-	-	1	-	-	-	1	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes														
M	-	-	1	1	-	1	-	1	-	1	-	1	-	1
F	-	-	1	-	-	1	3	3	-	-	-	-	1	1

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Tipperary N.R.		Tipperary S.R.		Waterford County Borough		Waterford County		Galway County Borough		Galway County		Leitrim	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart														
M	-	-	-	-	-	2	-	-	1	-	1	-	-	-
F	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other congenital anomalies														
M	1	-	1	-	1	-	1	-	-	-	1	-	-	-
F	-	1	2	-	-	-	-	-	2	1	1	-	-	-
Certain conditions originating in the Perinatal period:														
Foetus or newborn affected by complications of placenta, cord and membranes														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight														
M	-	-	1	-	-	-	-	-	1	-	1	-	-	-
F	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Birth injury and difficult labour														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified														
M	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haemolytic disease of newborn														
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*														
M	-	-	-	-	-	-	-	-	-	-	2	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	1	-	-
All other causes														
M	-	-	-	-	-	1	-	-	-	-	-	-	-	-
F	-	1	-	-	-	1	-	1	1	-	-	-	-	-

* Stillbirths not included

Table 27 Infant mortality - deaths at ages under 4 weeks, 4 weeks and under 1 year, in 1995, classified by sex and cause assigned to each county and county borough — Continued

Cause of Death	Mayo		Roscommon		Sligo		Cavan		Donegal		Monaghan	
	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
Congenital anomalies of the heart												
M	-	1	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-
Other congenital anomalies												
M	1	-	-	-	-	-	1	-	-	1	-	-
F	-	1	-	-	-	-	1	-	2	-	1	-
Certain conditions originating in the Perinatal period:												
Foetus or newborn affected by complications of placenta, cord and membranes												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight												
M	-	-	-	-	1	-	-	-	3	-	-	-
F	-	-	-	-	1	-	1	-	1	-	-	-
Birth injury and difficult labour												
M	-	-	-	-	-	-	1	-	-	-	1	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia not elsewhere specified												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	2	-	-	-	-	-	1	-	-	-	-	-
Haemolytic disease of newborn												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the Perinatal period*												
M	-	-	-	-	-	-	-	-	-	-	1	-
F	-	-	-	-	-	-	-	-	1	-	-	-
All other causes												
M	1	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	1	-	-	-	-	-	-	-	-

* Stillbirths not included

Table 28 Stillbirths in 1995, classified by cause and sex

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
	Anencephalus and similar anomalies	2	3	5
740.0	Anencephalus	2	3	5
	Spina Bifida	-	3	3
741.9	without mention of Hydrocephalus	-	3	3
	Other congenital anomalies of nervous system	2	3	5
742.3	Congenital Hydrocephalus	2	3	5
	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	1	1
745.1	Transposition of great vessels	-	1	1
	Other congenital anomalies of heart	1	1	2
746.8	Other specified anomalies of heart	1	-	1
746.9	Unspecified anomalies of heart	-	1	1
	Congenital anomalies of urinary system	-	1	1
753.9	Unspecified anomalies of urinary system	-	1	1
	Other congenital musculoskeletal anomalies	-	3	3
756.1	Anomalies of spine	-	1	1
756.7	Anomalies of abdominal wall	-	1	1
756.8	Other specified anomalies of muscle, tendon, fascia and connective tissue	-	1	1
	Chromosomal anomalies	2	4	6
758.0	Down's syndrome	1	2	3
758.1	Patau's syndrome	1	-	1
758.2	Edwards's syndrome	-	1	1
758.6	Gonadal dysgenesis	-	1	1
	Other and unspecified congenital anomalies	1	3	4
759.7	Multiple congenital anomalies, so described	-	2	2
759.9	Congenital anomaly, unspecified	1	1	2
	Fetus or newborn affected by maternal conds. which may be unrelated to present pregnancy	3	7	10
760.0	Maternal hypertensive disorders	2	5	7

Table 28 Stillbirths in 1995, classified by cause and sex — Continued

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
760.3	Other chronic maternal circulatory and respiratory diseases	-	1	1
760.5	Maternal injury	1	1	2
	Fetus or newborn affected by maternal complications of pregnancy	8	7	15
761.1	Premature rupture of membranes	3	1	4
761.2	Oligohydramnios	-	1	1
761.3	Polyhydramnios	2	1	3
761.5	Multiple pregnancy	3	3	6
761.8	Other	-	1	1
	Fetus or newborn affected by complications of placenta, cord and membranes	60	43	103
762.0	Placenta praevia	1	-	1
762.1	Other forms of placental separation and haemorrhage	24	16	40
762.2	Other and unspecified morphological and functional abnormalities of placenta	19	9	28
762.3	Placental transfusion syndromes	1	1	2
762.4	Prolapsed cord	-	1	1
762.5	Other compression of umbilical cord	12	13	25
762.6	Other and unspecified conditions of umbilical cord	3	3	6
	Fetus or newborn affected by other complications of labour and delivery	3	1	4
763.1	Other malpresentations, malposition and disproportion during labour and delivery	1	1	2
763.9	Unspecified	2	-	2
	Slow fetal growth and fetal malnutrition	3	4	7
764.0	"Light-for-dates" without mention of fetal malnutrition	-	1	1
764.9	Fetal growth retardation, unspecified	3	3	6
	Disorders relating to short gestation and unspecified low birthweight	4	6	10
765.0	Extreme immaturity	3	1	4
765.1	Other preterm infants	1	5	6
	Birth trauma	1	-	1

Table 28 Stillbirths in 1995, classified by cause and sex — Continued

ICD-9 Codes	Cause of death	Sex		
		Male	Female	Total
767.0	Subdural and cerebral haemorrhage	1	-	1
	Intrauterine hypoxia and birth asphyxia	22	27	49
768.0	Fetal death from asphyxia or anoxia before onset of labour or at unspecified time	21	26	47
768.1	Fetal death from asphyxia or anoxia during labour	1	1	2
	Other respiratory conditions of fetus and newborn	-	1	1
770.1	Massive aspiration syndrome	-	1	1
	Infections specific to the perinatal period	1	1	2
771.1	Congenital cytomegalovirus infection	1	1	2
	Haemolytic disease of fetus or newborn due to isoimmunization	4	-	4
773.0	Haemolytic disease due to Rh isoimmunization	3	-	3
773.2	Haemolytic disease due to other and unspecified isoimmunization	1	-	1
	Endocrine and metabolic disturbances specific to the fetus and newborn	1	-	1
775.0	Syndrome of "infant of a diabetic mother"	1	-	1
	Perinatal disorders of digestive system	1	2	3
777.1	Other meconium obstruction	-	1	1
777.5	Necrotizing enterocolitis in Fetus or newborn	-	1	1
777.6	Perinatal intestinal perforation	1	-	1
	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	2
778.0	Hydrops fetalis not due to isoimmunization	1	1	2
	Other and ill-defined conditions originating in the perinatal period	48	40	88
779.9	Unspecified	48	40	88
TOTAL		168	162	330

Table 28A Stillbirths in 1995, classified by age of mother, sex of child and period of gestation

Age of mother and sex of child		Period of gestation					Total
		Under 24 weeks	24-27 weeks	28-36 weeks	37 weeks and over	Not stated	
Under 20	Males	1	4	4	2	-	11
	Females	1	1	-	6	-	8
20-24	Males	2	6	14	7	-	29
	Females	-	5	9	4	-	18
25-29	Males	1	3	17	8	-	29
	Females	-	13	11	20	-	44
30-34	Males	2	7	13	27	-	49
	Females	2	7	11	25	-	45
35-39	Males	-	6	12	10	-	28
	Females	1	2	15	6	-	24
40-44	Males	1	-	3	6	-	10
	Females	-	2	3	5	-	10
45 and over	Females	-	-	-	1	-	1
Not stated	Males	-	3	5	3	1	12
	Females	-	2	6	4	-	12
TOTAL	Males	7	29	68	63	1	168
	Females	4	32	55	71	-	162

Table 28B Stillbirths in 1995, classified by age of mother and number of previous live and stillborn children

Previous children	Age at Maternity								Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated	
Number of previous children									
0	16	27	37	37	11	-	-	4	132
1	3	11	18	25	11	3	-	2	73
2	-	5	9	15	10	2	-	-	41
3	-	2	4	8	5	2	1	2	24
4 or 5	-	-	4	5	11	6	-	1	27
6 or more	-	-	-	2	3	7	-	-	12
Not stated	-	2	1	2	1	-	-	15	21
Total	19	47	73	94	52	20	1	24	330

Table 29 Stillbirths in 1995, classified by cause and period of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740	Anencephalus and similar anomalies	-	-	2	3	-	-	5
741	Spina Bifida	-	2	1	-	-	-	3
742	Other congenital anomalies of nervous system	-	1	1	2	1	-	5
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	-	-	1	-	-	1
746	Other congenital anomalies of heart	-	-	1	1	-	-	2
753	Congenital anomalies of urinary system	-	-	-	1	-	-	1
756	Other congenital musculoskeletal anomalies	1	2	-	-	-	-	3
758	Chromosomal anomalies	1	1	1	3	-	-	6
759	Other and unspecified congenital anomalies	1	1	1	1	-	-	4
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	4	1	3	1	-	1	10
761	Fetus or newborn affected by maternal complications of pregnancy	8	2	3	2	-	-	15
762	Fetus or newborn affected by complications of placenta cord and membranes	20	15	25	41	2	-	103
763	Fetus or newborn affected by other complications of labour and delivery	2	-	-	1	1	-	4
764	Slow fetal growth and fetal malnutrition	2	2	3	-	-	-	7
765	Disorders relating to short gestation and unspecified low birthweight	9	1	-	-	-	-	10
767	Birth trauma	-	-	-	1	-	-	1
768	Intrauterine hypoxia and birth asphyxia	8	8	5	27	1	-	49
770	Other respiratory conditions of fetus and newborn	-	-	-	1	-	-	1
771	Infections specific to the perinatal period	-	-	2	-	-	-	2
773	Haemolytic disease of fetus or newborn, due to isoimmunization	3	-	1	-	-	-	4
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	-	1	-	-	1
777	Perinatal disorders of digestive system	1	-	1	1	-	-	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	1	-	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	11	11	25	40	1	-	88
	TOTAL	72	48	75	128	6	1	330

Table 30 Stillbirths in 1995, classified by cause and number of previous children

ICD-9 Codes	Cause of death	Number of previous children							Total
		0	1	2	3	4 or 5	6 or more	Not stated	
740	Anencephalus and similar anomalies	2	3	-	-	-	-	-	5
741	Spina Bifida	1	2	-	-	-	-	-	3
742	Other congenital anomalies of nervous system	2	2	-	1	-	-	-	5
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	1	-	-	-	-	-	1
746	Other congenital anomalies of heart	1	1	-	-	-	-	-	2
753	Congenital anomalies of urinary system	1	-	-	-	-	-	-	1
756	Other congenital musculoskeletal anomalies	-	1	-	-	-	-	2	3
758	Chromosomal anomalies	2	-	1	2	1	-	-	6
759	Other and unspecified congenital anomalies	2	1	1	-	-	-	-	4
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	5	1	1	-	-	-	3	10
761	Fetus or newborn affected by maternal complications of pregnancy	3	2	6	2	1	1	-	15
762	Fetus or newborn affected by complications of placenta cord and membranes	41	19	10	5	14	8	6	103
763	Fetus or newborn affected by other complications of labour and delivery	1	2	1	-	-	-	-	4
764	Slow fetal growth and fetal malnutrition	3	2	1	1	-	-	-	7
765	Disorders relating to short gestation and unspecified low birthweight	6	2	2	-	-	-	-	10
767	Birth trauma	-	-	-	-	-	-	1	1
768	Intrauterine hypoxia and birth asphyxia	24	9	6	5	4	-	1	49
770	Other respiratory conditions of fetus and newborn	1	-	-	-	-	-	-	1
771	Infections specific to the perinatal period	2	-	-	-	-	-	-	2
773	Haemolytic disease of fetus or newborn, due to isoimmunization	-	-	1	3	-	-	-	4
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	-	-	-	1	-	1
777	Perinatal disorders of digestive system	1	2	-	-	-	-	-	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	-	-	2	-	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	34	23	9	5	7	2	8	88
	TOTAL	132	73	41	24	27	12	21	330

Table 31 Stillbirths in 1995, classified by cause and age group of mother

ICD-9 Codes	Cause of death	Age of mother							Total	
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over		Not stated
740	Anencephalus and similar anomalies	-	1	3	1	-	-	-	-	5
741	Spina Bifida	-	-	1	-	1	-	-	1	3
742	Other congenital anomalies of nervous system	-	1	2	2	-	-	-	-	5
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	-	-	1	-	-	-	-	1
746	Other congenital anomalies of heart	-	1	-	1	-	-	-	-	2
753	Congenital anomalies of urinary system	-	-	1	-	-	-	-	-	1
756	Other congenital musculoskeletal anomalies	-	-	-	1	-	-	-	2	3
758	Chromosomal anomalies	-	1	1	2	-	2	-	-	6
759	Other and unspecified congenital anomalies	-	-	-	2	1	1	-	-	4
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	-	2	2	2	1	-	-	3	10
761	Fetus or newborn affected by maternal complications of pregnancy	-	3	7	-	3	2	-	-	15
762	Fetus or newborn affected by complications of placenta cord and membranes	4	11	23	29	22	6	1	7	103
763	Fetus or newborn affected by other complications of labour and delivery	-	2	-	2	-	-	-	-	4
764	Slow fetal growth and fetal malnutrition	1	-	2	-	3	-	-	1	7
765	Disorders relating to short gestation and unspecified low birthweight	3	1	3	2	1	-	-	-	10
767	Birth trauma	-	-	-	-	-	-	-	1	1
768	Intrauterine hypoxia and birth asphyxia	4	8	10	17	5	2	-	3	49
770	Other respiratory conditions of fetus and newborn	-	-	1	-	-	-	-	-	1
771	Infections specific to the perinatal period	1	1	-	-	-	-	-	-	2
773	Haemolytic disease of fetus or newborn, due to isoimmunization	-	-	-	2	2	-	-	-	4
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	-	-	-	1	-	-	1
777	Perinatal disorders of digestive system	-	-	1	1	1	-	-	-	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	-	1	1	-	-	-	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	6	14	15	29	12	6	-	6	88
	TOTAL	19	47	73	94	52	20	1	24	330

Table 32 Stillbirths in 1995, classified by cause and weight

ICD-9 Codes	Cause of death	weight					Total
		Under 1000g	1000 - 1499g	1500 - 2499g	2500g & over	Not stated	
740	Anencephalus and similar anomalies	-	1	2	2	-	5
741	Spina Bifida	3	-	-	-	-	3
742	Other congenital anomalies of nervous system	-	1	1	3	-	5
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	-	-	1	-	-	1
746	Other congenital anomalies of heart	-	-	-	2	-	2
753	Congenital anomalies of urinary system	-	-	-	1	-	1
756	Other congenital musculoskeletal anomalies	1	2	-	-	-	3
758	Chromosomal anomalies	2	1	1	2	-	6
759	Other and unspecified congenital anomalies	1	-	2	-	1	4
760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	6	-	2	2	-	10
761	Fetus or newborn affected by maternal complications of pregnancy	8	2	5	-	-	15
762	Fetus or newborn affected by complications of placenta cord and membranes	27	13	24	39	-	103
763	Fetus or newborn affected by other complications of labour and delivery	2	-	-	2	-	4
764	Slow fetal growth and fetal malnutrition	5	2	-	-	-	7
765	Disorders relating to short gestation and unspecified low birthweight	9	1	-	-	-	10
767	Birth trauma	-	-	-	1	-	1
768	Intrauterine hypoxia and birth asphyxia	15	4	5	25	-	49
770	Other respiratory conditions of fetus and newborn	-	-	1	-	-	1
771	Infections specific to the perinatal period	-	-	2	-	-	2
773	Haemolytic disease of fetus or newborn, due to isoimmunization	2	1	-	1	-	4
775	Endocrine and metabolic disturbances specific to the fetus and newborn	-	-	1	-	-	1
777	Perinatal disorders of digestive system	-	-	1	2	-	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	-	1	-	-	2
779	Other and ill-defined conditions originating in the perinatal period	20	11	20	37	-	88
	TOTAL	102	39	69	119	1	330

Table 29A Stillbirths in 1995, classified by cause and age of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740-759	Congenital anomalies	3	7	7	12	1	-	30
760-779	Certain conditions originating in the perinatal period	69	41	68	116	5	1	300
	Total	72	48	75	128	6	1	330

Table 30A Stillbirths in 1995, classified by cause and previous number of children

ICD-9 Codes	Cause of death	Number of previous children							Total
		0	1	2	3	4 or 5	6 or more	Not stated	
740-759	Congenital anomalies	11	11	2	3	1	-	2	30
760-779	Certain conditions originating in the perinatal period	121	62	39	21	26	12	19	300
	Total	132	73	41	24	27	12	21	330

Table 31A Stillbirths in 1995, classified by cause and age of mother

ICD-9 Codes	Cause of death	Age of mother							Total	
		Under 20	20-24	25-29	30-34	35-39	40-44	45 & over		
740-759	Congenital anomalies	-	4	8	10	2	3	-	3	30
760-779	Certain conditions originating in the perinatal period	19	43	65	84	50	17	1	21	300
	Total	19	47	73	94	52	20	1	24	330

Table 32A Stillbirths in 1995, classified by cause and weight

ICD-9 Codes	Cause of death	weight					Total	
		Under 1000g	1000 - 1499g	1500 - 2499g	2500g & over	Not stated		
740-759	Congenital anomalies		7	5	7	10	1	30
760-779	Certain conditions originating in the perinatal period		95	34	62	109	-	300
	Total		102	39	69	119	1	330

Table 29B Stillbirth rate in 1995, classified by cause and age of gestation

ICD-9 Codes	Cause of death	Period of gestation in weeks						Total
		Under 28	28-31	32-36	37-41	42 & over	Not stated	
740-759	Congenital anomalies	19.7	19.6	3.6	0.3	0.3	-	0.6
760-779	Certain conditions originating in the perinatal period	316.5	104.9	33.6	2.7	1.4	1.5	6.1
Total		325.8	120.6	36.9	3.0	1.7	1.5	6.7

Table 30B Stillbirth rate in 1995, classified by cause and previous number of children

ICD-9 Codes	Cause of death	Number of previous children						Total	
		0	1	2	3	4 or 5	6 or more		Not stated
740-759	Congenital anomalies	0.6	0.8	0.2	0.7	0.4	-	11.6	0.6
760-779	Certain conditions originating in the perinatal period	6.8	4.2	4.4	5.0	10.2	14.2	100.0	6.1
Total		7.4	5.0	4.6	5.7	10.6	14.2	109.4	6.7

Table 31B Stillbirth rate in 1995, classified by cause and age of mother

ICD-9 Codes	Cause of death	Age of mother						Total		
		Under 20	20-24	25-29	30-34	35-39	40-44		45 & over	Not stated
740-759	Congenital anomalies	-	0.6	0.6	0.6	0.3	1.9	-	32.6	0.6
760-779	Certain conditions originating in the perinatal period	7.6	6.0	4.8	5.1	6.5	10.8	11.9	190.9	6.1
Total		7.6	6.5	5.4	5.7	6.8	12.7	11.9	212.4	6.7

Table 32B Stillbirth rate in 1995, classified by cause and weight

ICD-9 Codes	Cause of death	Weight				Total		
		Under 1000g	Under 1499g	1500-2499g	2500g & over		Not stated	
740-759	Congenital anomalies		44.3	19.5	3.7	0.2	3.5	0.6
760-779	Certain conditions originating in the perinatal period		386.2	118.9	31.6	2.4	-	6.1
Total			403.2	134.0	35.0	2.6	3.5	6.7

Table 33 Deaths showing the numbers occurring in each quarter in 1995 assigned to the counties and county boroughs

Province, county or county borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	4,785	4,271	4,087	3,653	3,736	3,287	4,467	3,973	17,075	15,184
LEINSTER	2,163	2,100	1,857	1,812	1,726	1,600	2,075	1,933	7,821	7,445
Carlow	56	66	47	54	38	29	55	52	196	201
Dublin Co. Borough	677	666	571	653	523	566	688	681	2,459	2,566
Dublin Belgard	136	131	99	93	94	96	117	97	446	417
Dublin Fingal	92	122	76	68	76	68	104	93	348	351
Dun Laoghaire Rathdown	194	231	171	186	174	155	196	214	735	786
Kildare	110	124	103	92	96	88	97	98	406	402
Kilkenny	106	81	90	68	73	71	79	70	348	290
Laois	83	58	63	50	63	38	76	49	285	195
Longford	54	51	52	27	31	33	49	42	186	153
Louth	105	115	125	80	71	93	93	115	394	403
Meath	121	87	90	79	92	77	107	95	410	338
Offaly	96	73	85	73	67	45	76	50	324	241
Westmeath	82	72	68	68	86	50	78	74	314	264
Wexford	138	115	117	119	140	105	154	106	549	445
Wicklow	113	108	100	102	102	86	106	97	421	393
MUNSTER	1,512	1,326	1,211	1,062	1,111	974	1,332	1,163	5,166	4,525
Clare	154	123	127	80	93	81	132	97	506	381
Cork Co. Borough	166	195	132	160	164	148	149	178	611	681
Cork County	413	317	312	271	300	236	342	305	1,367	1,129
Kerry	229	176	202	154	160	151	187	119	778	600
Limerick Co. Borough	67	72	51	58	70	54	72	90	260	274
Limerick County	118	133	110	88	84	81	128	125	440	427
Tipperary N.R.	105	88	84	64	58	51	82	65	329	268
Tipperary S.R.	125	95	107	78	72	75	129	92	433	340
Waterford Co. Borough	42	53	33	52	40	45	53	39	168	189
Waterford County	93	74	53	57	70	52	58	53	274	236
CONNACHT	744	546	673	528	591	461	737	606	2,745	2,141
Galway Co. Borough	47	43	39	39	38	42	51	45	175	169
Galway County	249	144	203	146	181	143	240	166	873	599
Leitrim	69	55	54	37	49	31	47	41	219	164
Mayo	193	161	223	166	171	134	220	195	807	656
Roscommon	93	66	89	71	81	52	90	63	353	252
Sligo	93	77	65	69	71	59	89	96	318	301
ULSTER (PART OF)	366	299	346	251	308	252	323	271	1,343	1,073
Cavan	90	73	85	55	81	62	70	54	326	244
Donegal	202	184	183	153	166	142	188	166	739	645
Monaghan	74	42	78	43	61	48	65	51	278	184




Table 34 Deaths, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	60	40	100	44	49	93	52	49	101
2nd	63	45	108	52	55	107	66	51	117
3rd	55	46	101	56	41	97	53	40	93
4th	54	57	111	64	54	118	51	44	95
5th	53	51	104	42	42	84	48	53	101
6th	57	43	100	51	40	91	59	50	109
7th	54	45	99	58	41	99	59	66	125
8th	43	45	88	43	45	88	52	60	112
9th	65	45	110	56	48	104	49	52	101
10th	43	36	79	47	51	98	50	52	102
11th	66	52	118	54	54	108	51	57	108
12th	55	42	97	52	44	96	53	49	102
13th	46	47	93	53	45	98	51	48	99
14th	48	46	94	44	33	77	52	45	97
15th	39	47	86	40	41	81	66	40	106
16th	47	69	116	49	37	86	59	55	114
17th	49	47	96	51	38	89	67	49	116
18th	55	47	102	52	43	95	48	61	109
19th	52	47	99	46	38	84	50	42	92
20th	57	53	110	57	38	95	53	58	111
21st	64	45	109	62	61	123	62	46	108
22nd	43	47	90	44	37	81	69	45	114
23rd	58	60	118	60	53	113	47	64	111
24th	47	53	100	62	51	113	54	54	108
25th	56	43	99	65	50	115	48	42	90
26th	40	52	92	49	40	89	70	39	109
27th	49	44	93	43	55	98	52	47	99
28th	61	48	109	50	40	90	69	50	119
29th	44	46	90	-	-	-	61	44	105
30th	55	38	93	-	-	-	49	33	82
31st	42	50	92	-	-	-	49	46	95
TOTAL	1,620	1,476	3,096	1,446	1,264	2,710	1,719	1,531	3,250

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	50	37	87	43	30	73	54	23	77
2nd	35	38	73	42	45	87	41	40	81
3rd	39	39	78	43	31	74	45	42	87
4th	36	31	67	43	45	88	44	31	75
5th	47	38	85	37	34	71	38	18	56
6th	46	38	84	48	36	84	38	48	86
7th	40	46	86	31	36	67	42	37	79
8th	36	43	79	45	32	77	36	44	80
9th	39	32	71	38	33	71	42	39	81
10th	42	41	83	40	33	73	37	40	77
11th	45	37	82	43	42	85	38	31	69
12th	36	32	68	29	38	67	38	33	71
13th	41	44	85	40	22	62	35	31	66
14th	54	39	93	30	31	61	37	32	69
15th	48	33	81	40	32	72	49	35	84
16th	40	32	72	36	34	70	41	37	78
17th	42	43	85	39	42	81	49	31	80
18th	47	31	78	44	39	83	36	48	84
19th	41	35	76	45	32	77	44	32	76
20th	32	41	73	47	28	75	42	39	81
21st	41	34	75	53	38	91	39	40	79
22nd	49	23	72	30	36	66	45	40	85
23rd	34	35	69	47	34	81	41	47	88
24th	38	30	68	30	33	63	35	31	66
25th	41	50	91	34	28	62	39	37	76
26th	40	45	85	31	30	61	42	40	82
27th	43	37	80	37	33	70	37	30	67
28th	45	27	72	36	40	76	52	26	78
29th	59	35	94	47	31	78	32	41	73
30th	47	32	79	35	37	72	30	42	72
31st	31	32	63	31	37	68	-	-	-
TOTAL	1,304	1,130	2,434	1,214	1,072	2,286	1,218	1,085	2,303

in each month during 1995

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	40	41	81	46	44	90	42	28	70
2nd	44	47	91	48	36	84	41	37	78
3rd	51	42	93	45	41	86	51	28	79
4th	49	55	104	50	47	97	48	51	99
5th	54	53	107	42	46	88	43	34	77
6th	38	38	76	51	45	96	36	44	80
7th	39	47	86	48	45	93	48	40	88
8th	40	39	79	50	30	80	38	40	78
9th	49	44	93	41	35	76	48	30	78
10th	32	50	82	53	43	96	48	41	89
11th	58	47	105	33	40	73	51	46	97
12th	52	46	98	37	42	79	42	44	86
13th	48	45	93	42	45	87	41	35	76
14th	48	32	80	39	39	78	46	40	86
15th	49	42	91	49	41	90	45	43	88
16th	59	44	103	47	40	87	45	41	86
17th	61	35	96	45	37	82	41	42	83
18th	46	40	86	41	41	82	39	22	61
19th	48	45	93	46	49	95	43	33	76
20th	47	43	90	44	36	80	28	36	64
21st	49	42	91	51	34	85	28	41	69
22nd	50	40	90	39	27	66	46	32	78
23rd	41	39	80	54	35	89	36	42	78
24th	54	40	94	41	39	80	41	39	80
25th	43	42	85	52	42	94	45	45	90
26th	46	36	82	48	52	100	48	45	93
27th	48	30	78	51	42	93	32	35	67
28th	37	33	70	46	32	78	38	41	79
29th	51	37	88	35	26	61	41	38	79
30th	48	52	100	49	36	85	42	55	97
31st	-	-	-	44	32	76	-	-	-
TOTAL	1,419	1,266	2,685	1,407	1,219	2,626	1,261	1,168	2,429

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	46	44	90	43	41	84	49	51	100
2nd	50	35	85	44	29	73	54	52	106
3rd	54	42	96	53	34	87	50	50	100
4th	50	40	90	55	27	82	54	44	98
5th	42	33	75	48	43	91	52	49	101
6th	39	36	75	54	40	94	37	37	74
7th	51	38	89	52	49	101	47	51	98
8th	31	36	67	48	47	95	64	45	109
9th	42	28	70	43	36	79	49	48	97
10th	38	43	81	46	32	78	63	51	114
11th	32	47	79	43	33	76	47	48	95
12th	46	32	78	40	30	70	53	51	104
13th	51	29	80	58	42	100	52	44	96
14th	34	45	79	48	33	81	57	46	103
15th	43	46	89	32	42	74	52	48	100
16th	43	34	77	41	38	79	53	57	110
17th	40	37	77	40	47	87	49	42	91
18th	32	50	82	43	40	83	50	65	115
19th	50	34	84	47	40	87	63	54	117
20th	43	45	88	51	36	87	56	48	104
21st	43	39	82	50	45	95	47	56	103
22nd	57	29	86	40	49	89	70	58	128
23rd	44	26	70	32	29	61	52	47	99
24th	48	44	92	46	62	108	50	54	104
25th	37	43	80	45	50	95	65	63	128
26th	43	25	68	41	37	78	72	52	124
27th	32	30	62	58	34	92	61	50	111
28th	49	41	90	51	42	93	61	73	134
29th	45	27	72	49	47	96	63	52	115
30th	40	39	79	58	52	110	74	76	150
31st	51	41	92	-	-	-	56	47	103
TOTAL	1,346	1,158	2,504	1,399	1,206	2,605	1,722	1,609	3,331

Table 35 Births showing the numbers in each quarter in 1995, assigned to the counties and county boroughs

Province, County or County Borough	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
TOTAL	6,157	5,795	6,447	6,121	6,556	6,013	5,993	5,705	25,153	23,634
LEINSTER	3,393	3,158	3,582	3,403	3,621	3,328	3,273	3,152	13,869	13,041
Carlow	81	64	81	64	67	72	58	61	287	261
Dublin Co. Borough	797	714	776	800	872	757	732	737	3,177	3,008
Dublin Belgard	407	375	450	361	441	403	464	428	1,762	1,567
Dublin Fingal	336	329	353	325	405	341	344	342	1,438	1,337
Dun Laoghaire Rathdown	286	285	382	361	379	334	299	266	1,346	1,246
Kildare	278	247	259	255	272	252	254	257	1,063	1,011
Kilkenny	113	107	133	137	119	112	120	102	485	458
Laois	88	91	88	88	74	99	81	83	331	361
Longford	39	44	44	41	61	51	55	46	199	182
Louth	147	158	173	175	143	142	153	126	616	601
Meath	198	182	187	179	185	174	168	163	738	698
Offaly	107	99	114	119	105	94	87	83	413	395
Westmeath	121	101	136	127	112	112	129	126	498	466
Wexford	204	187	197	172	192	198	169	159	762	716
Wicklow	191	175	209	199	194	187	160	173	754	734
MUNSTER	1,768	1,615	1,729	1,644	1,809	1,710	1,641	1,599	6,947	6,568
Clare	152	152	157	141	176	135	136	122	621	550
Cork Co. Borough	227	175	212	187	206	178	204	182	849	722
Cork County	521	496	534	497	538	518	476	507	2,069	2,018
Kerry	180	180	183	180	174	165	188	172	725	697
Limerick Co. Borough	79	90	80	90	89	97	86	101	334	378
Limerick County	201	176	178	185	222	216	171	166	772	743
Tipperary N.R.	111	82	107	90	95	104	96	85	409	361
Tipperary S.R.	138	121	116	97	130	151	113	125	497	494
Waterford Co. Borough	81	55	85	91	78	63	63	68	307	277
Waterford County	78	88	77	86	101	83	108	71	364	328
CONNACHT	631	626	742	680	692	629	689	594	2,754	2,529
Galway Co. Borough	91	82	105	107	116	89	88	78	400	356
Galway County	179	189	239	248	228	206	220	198	866	841
Leitrim	44	38	41	31	37	29	35	44	157	142
Mayo	160	161	189	162	159	152	191	138	699	613
Roscommon	57	75	72	62	86	74	53	56	268	267
Sligo	100	81	96	70	66	79	102	80	364	310
ULSTER (PART OF)	365	396	394	394	434	346	390	360	1,583	1,496
Cavan	80	89	81	88	107	92	88	95	356	364
Donegal	203	220	216	226	244	192	222	190	885	828
Monaghan	82	87	97	80	83	62	80	75	342	304

Table 35A Births in 1995, classified by period of gestation and age of mother at maternity

Age of mother at maternity	Period of gestation in weeks			
	Total	under 37	37 & over	Not stated
All ages	48,787	2,454	45,662	671
15 and under	53	6	47	-
16-19	2,456	196	2,221	39
20-24	7,161	422	6,623	116
25-29	13,470	592	12,695	183
30-34	16,352	763	15,407	182
35-39	7,613	374	7,141	98
40-44	1,552	97	1,431	24
45-49	83	6	73	4
50 years and over	-	-	-	-
Age not stated	89	2	62	25

Table 35B Births in 1995, classified by age of mother at maternity and by birthweight

Age of mother at maternity	Weight			
	Total	under 2500g	2500g & over	Not stated
All ages	48,787	2,306	46,197	284
15 and under	53	4	49	-
16-19	2,456	168	2,274	14
20-24	7,161	372	6,742	47
25-29	13,470	594	12,811	65
30-34	16,352	688	15,579	85
35-39	7,613	382	7,195	36
40-44	1,552	91	1,454	7
45-49	83	8	73	2
50 years and over	-	-	-	-
Age not stated	89	2	59	28

Table 35C Births in 1995, classified by period of gestation and birthweight

Gestation in weeks	Weight			
	Total	under 2500g	2500g & over	Not stated
Period of gestation in weeks				
Total	48,787	2,306	46,197	284
under 37	2,454	1,435	979	40
37 & over	45,662	847	44,695	120
Not stated	671	24	523	124

Table 36 Births in 1995 by day of occurrence and mothers usual residence

Province, County or County Borough	Day of occurrence						
	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
TOTAL	6,871	7,757	7,710	7,970	7,490	5,637	5,352
LEINSTER	3,712	4,281	4,182	4,256	4,219	3,211	3,049
Carlow	75	80	81	88	92	75	57
Dublin County Borough	803	1,023	934	990	947	744	744
Dublin Belgard	479	589	511	539	482	388	341
Dublin Fingal	388	420	431	428	444	354	310
Dun Laoghaire Rathdown	357	399	430	412	374	321	299
Kildare	300	320	324	309	323	251	247
Kilkenny	113	135	168	146	190	96	95
Laois	98	99	109	111	105	86	84
Longford	57	50	64	67	63	43	37
Louth	162	192	201	175	211	154	122
Meath	196	219	221	225	262	148	165
Offaly	123	122	128	132	131	93	79
Westmeath	143	134	139	160	155	118	115
Wexford	209	271	218	246	218	166	150
Wicklow	209	228	223	228	222	174	204
MUNSTER	1,985	2,216	2,190	2,337	1,964	1,403	1,420
Clare	155	188	220	208	183	113	104
Cork County Borough	254	257	222	264	258	159	157
Cork County	609	680	581	749	629	392	447
Kerry	215	248	221	216	207	168	147
Limerick County Borough	114	104	110	142	96	70	76
Limerick County	221	240	288	311	170	137	148
Tipperary N.R.	125	124	148	123	101	71	78
Tipperary S.R.	151	168	160	144	135	118	115
Waterford County Borough	48	105	106	67	89	85	84
Waterford County	93	102	134	113	96	90	64
CONNACHT	753	822	855	850	820	623	560
Galway County Borough	118	106	123	123	138	77	71
Galway County	249	253	289	295	265	199	157
Leitrim	35	47	54	44	37	41	41
Mayo	177	223	183	214	200	171	144
Roscommon	74	92	89	85	84	52	59
Sligo	100	101	117	89	96	83	88
ULSTER (part of)	421	438	483	527	487	400	323
Cavan	99	119	93	125	120	96	68
Donegal	224	222	269	296	280	231	191
Monaghan	98	97	121	106	87	73	64



Table 37 Births, by date of occurrence,

Date of occurrence	January			February			March		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	59	52	111	72	73	145	67	72	139
2nd	52	55	107	75	70	145	87	62	149
3rd	88	60	148	76	74	150	77	81	158
4th	76	66	142	60	56	116	62	68	130
5th	79	85	164	59	32	91	52	40	92
6th	68	72	140	60	57	117	76	65	141
7th	51	44	95	86	63	149	77	83	160
8th	51	52	103	64	57	121	75	78	153
9th	63	82	145	82	61	143	82	73	155
10th	77	78	155	71	68	139	73	76	149
11th	84	87	171	48	45	93	56	47	103
12th	71	61	132	46	48	94	49	50	99
13th	75	58	133	63	62	125	61	63	124
14th	51	49	100	76	66	142	62	79	141
15th	38	48	86	81	62	143	85	80	165
16th	65	52	117	65	66	131	84	73	157
17th	66	82	148	71	56	127	70	52	122
18th	81	79	160	56	54	110	53	42	95
19th	100	86	186	49	40	89	55	40	95
20th	75	70	145	69	70	139	75	67	142
21st	47	53	100	75	80	155	76	75	151
22nd	48	51	99	58	79	137	86	82	168
23rd	67	85	152	81	82	163	68	99	167
24th	80	81	161	65	75	140	57	54	111
25th	62	56	118	82	52	134	52	56	108
26th	84	68	152	54	56	110	45	36	81
27th	78	75	153	73	71	144	69	70	139
28th	47	52	99	88	77	165	77	59	136
29th	61	42	103	-	-	-	81	85	166
30th	83	61	144	-	-	-	78	74	152
31st	78	61	139	-	-	-	80	59	139
TOTAL	2,105	2,003	4,108	1,905	1,752	3,657	2,147	2,040	4,187

Date of occurrence	July			August			September		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	68	54	122	84	67	151	61	64	125
2nd	63	42	105	79	74	153	68	51	119
3rd	74	72	146	82	83	165	38	45	83
4th	79	84	163	83	58	141	69	57	126
5th	93	61	154	56	58	114	69	90	159
6th	89	87	176	70	47	117	63	71	134
7th	70	70	140	60	57	117	60	80	140
8th	66	52	118	90	65	155	73	69	142
9th	43	49	92	70	87	157	50	61	111
10th	79	66	145	73	66	139	42	35	77
11th	90	74	164	84	63	147	72	59	131
12th	66	76	142	58	63	121	76	55	131
13th	94	66	160	56	52	108	85	90	175
14th	96	89	185	68	53	121	82	68	150
15th	58	46	104	78	81	159	84	61	145
16th	51	53	104	92	61	153	53	55	108
17th	75	56	131	69	80	149	60	43	103
18th	71	74	145	60	72	132	63	75	138
19th	88	70	158	54	65	119	70	71	141
20th	81	58	139	43	47	90	88	71	159
21st	73	77	150	68	75	143	91	80	171
22nd	55	64	119	71	63	134	93	83	176
23rd	57	43	100	60	75	135	63	45	108
24th	88	69	157	66	63	129	62	57	119
25th	96	96	192	73	71	144	72	69	141
26th	84	78	162	53	43	96	87	95	182
27th	72	69	141	60	38	98	76	86	162
28th	81	71	152	56	66	122	91	87	178
29th	50	49	99	74	64	138	104	76	180
30th	48	57	105	80	71	151	73	43	116
31st	80	68	148	70	53	123	-	-	-
TOTAL	2,278	2,040	4,318	2,140	1,981	4,121	2,138	1,992	4,130

in each month during 1995

Date of occurrence	April			May			June		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	65	52	117	75	71	146	79	78	157
2nd	56	57	113	80	75	155	64	66	130
3rd	71	75	146	74	80	154	67	44	111
4th	78	59	137	86	81	167	49	56	105
5th	64	80	144	72	84	156	64	41	105
6th	80	73	153	58	51	109	78	79	157
7th	72	69	141	63	58	121	93	74	167
8th	48	54	102	74	66	140	90	69	159
9th	47	49	96	75	84	159	67	71	138
10th	68	55	123	80	68	148	60	61	121
11th	82	94	176	85	83	168	58	64	122
12th	73	76	149	52	82	134	75	64	139
13th	98	88	186	64	49	113	81	64	145
14th	87	70	157	60	59	119	73	47	120
15th	62	52	114	62	68	130	84	74	158
16th	46	46	92	91	63	154	86	67	153
17th	55	46	101	74	71	145	59	57	116
18th	72	79	151	94	88	182	62	60	122
19th	84	85	169	73	62	135	82	67	149
20th	75	91	166	60	45	105	85	73	158
21st	83	48	131	43	65	108	63	67	130
22nd	58	61	119	63	67	130	75	75	150
23rd	57	48	105	79	78	157	82	78	160
24th	63	58	121	69	84	153	48	49	97
25th	72	66	138	86	82	168	56	48	104
26th	74	83	157	64	75	139	69	63	132
27th	96	77	173	58	56	114	86	76	162
28th	85	92	177	50	55	105	72	67	139
29th	63	60	123	77	66	143	88	72	160
30th	64	59	123	74	68	142	68	98	166
31st				71	66	137			
TOTAL	2,098	2,002	4,100	2,186	2,150	4,336	2,163	1,969	4,132

Date of occurrence	October			November			December		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
1st	62	49	111	67	78	145	68	70	138
2nd	92	69	161	79	63	142	54	37	91
3rd	73	88	161	65	69	134	46	46	92
4th	75	77	152	40	52	92	56	67	123
5th	71	89	160	45	39	84	57	77	134
6th	79	73	152	73	58	131	73	72	145
7th	65	60	125	74	65	139	83	63	146
8th	58	57	115	100	56	156	73	66	139
9th	85	67	152	74	70	144	53	50	103
10th	82	71	153	66	64	130	55	41	96
11th	77	83	160	50	49	99	65	58	123
12th	69	62	131	52	51	103	72	70	142
13th	77	80	157	71	49	120	56	73	129
14th	44	54	98	60	92	152	70	86	156
15th	52	51	103	65	68	133	78	77	155
16th	69	64	133	76	60	136	55	48	103
17th	62	76	138	81	61	142	47	42	89
18th	77	60	137	47	53	100	74	80	154
19th	84	69	153	51	37	88	103	75	178
20th	63	77	140	67	58	125	89	79	168
21st	67	51	118	53	66	119	86	54	140
22nd	47	47	94	52	63	115	55	66	121
23rd	57	71	128	59	60	119	39	35	74
24th	74	71	145	67	51	118	49	44	93
25th	68	61	129	61	54	115	41	50	91
26th	82	66	148	50	39	89	39	35	74
27th	68	73	141	55	66	121	71	77	148
28th	55	40	95	74	69	143	72	85	157
29th	51	50	101	79	79	158	79	62	141
30th	52	50	102	66	69	135	63	43	106
31st	56	68	124				60	45	105
TOTAL	2,093	2,024	4,117	1,919	1,808	3,727	1,981	1,873	3,854

Table 38 Births in 1995 in each county and county borough showing place of occurrence and areas of normal residence

Area	Number Registered		Transferred from area of occurrence		Transferred to area of normal residence		Net Number	
	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary	Hospital*	Domi-ciliary
TOTAL	48,606	181	28,134	31	28,134	31	48,606	181
Carlow	-	-	-	-	547	1	547	1
Dublin County Borough	18,562	43	12,590	8	175	3	6,147	38
Dublin Belgard	1	5	-	2	3,318	7	3,319	10
Dublin Fingal	4	9	1	1	2,760	4	2,763	12
Dun Laoghaire Rathdown	1,027	17	657	3	2,208	-	2,578	14
Kildare	23	6	6	1	2,051	1	2,068	6
Kilkenny	1,141	4	441	1	238	2	938	5
Laois	1,028	-	467	-	130	1	691	1
Longford	-	1	-	-	380	-	380	1
Louth	2,178	2	1,013	-	50	-	1,215	2
Meath	1	6	-	-	1,429	-	1,430	6
Offaly	1	-	-	-	807	-	808	-
Westmeath	1,139	1	587	-	411	-	963	1
Wexford	1,292	4	44	-	225	1	1,473	5
Wicklow	2	4	-	-	1,482	-	1,484	4
Clare	5	12	-	-	1,153	1	1,158	13
Cork County Borough	6,341	8	4,783	1	5	1	1,563	8
Cork County	3	22	-	4	4,065	1	4,068	19
Kerry	970	8	79	1	522	2	1,413	9
Limerick County Borough	3,339	4	2,634	3	6	-	711	1
Limerick County	1	1	1	-	1,512	2	1,512	3
Tipperary N.R.	1	4	-	2	767	-	768	2
Tipperary S.R.	980	2	230	-	239	-	989	2
Waterford County Borough	1,440	1	867	1	11	-	584	-
Waterford County	-	2	-	-	690	-	690	2
Galway County Borough	2,486	6	1,737	3	4	-	753	3
Galway County	1,662	2	1,220	-	1,259	4	1,701	6
Leitrim	-	1	-	-	298	-	298	1
Mayo	1,148	1	33	-	196	-	1,311	1
Roscommon	1	-	-	-	534	-	535	-
Sligo	1,169	2	522	-	25	-	672	2
Cavan	827	1	215	-	107	-	719	1
Donegal	1,514	2	3	-	200	-	1,711	2
Monaghan	320	-	4	-	330	-	646	-

* Including registered private maternity homes.

Table 39 Births in 1995, classified by sex and age of mother at maternity and showing the number of births outside marriage

Age of mother at maternity	Total Births (including Births outside marriage)			Births outside marriage		
	Total	Males	Females	Total	Males	Females
ALL AGES	48,787	25,153	23,634	10,862	5,649	5,213
15 and under	53	25	28	53	25	28
16	206	107	99	200	105	95
17	431	214	217	415	206	209
18	782	405	377	747	387	360
19	995	537	458	922	498	424
under 20	2,467	1,288	1,179	2,337	1,221	1,116
20	1,172	622	550	1,006	532	474
21	1,312	683	629	1,030	537	493
22	1,389	719	670	914	482	432
23	1,533	774	759	822	420	402
24	1,755	910	845	700	368	332
20-24	7,161	3,708	3,453	4,472	2,339	2,133
25	1,992	996	996	568	277	291
26	2,310	1,179	1,131	448	222	226
27	2,729	1,440	1,289	425	213	212
28	3,024	1,533	1,491	368	195	173
29	3,415	1,791	1,624	333	178	155
25-29	13,470	6,939	6,531	2,142	1,085	1,057
30	3,696	1,935	1,761	340	181	159
31	3,591	1,865	1,726	270	143	127
32	3,330	1,680	1,650	215	120	95
33	3,018	1,571	1,447	195	107	88
34	2,717	1,408	1,309	174	92	82
30-34	16,352	8,459	7,893	1,194	643	551
35	2,279	1,171	1,108	139	68	71
36	1,830	946	884	121	75	46
37	1,476	732	744	114	58	56
38	1,162	587	575	87	37	50
39	866	427	439	97	44	53
35-39	7,613	3,863	3,750	558	282	276
40	606	310	296	46	23	23
41	446	220	226	48	21	27
42	265	145	120	21	10	11
43	144	74	70	11	7	4
44	91	46	45	5	3	2
40-44	1,552	795	757	131	64	67
45	46	26	20	3	-	3
46	25	14	11	1	1	-
47	11	4	7	-	-	-
48	-	-	-	-	-	-
49	1	1	-	-	-	-
45-49	83	45	38	4	1	3
50 and over	-	-	-	-	-	-
Age not stated	89	56	33	24	14	10

Table 40 Total Births (including outside marriage), in 1995, classified by age of mother at maternity and county of normal residence

Province, County or County Borough	Under 20		20-24		25-29		30-34		35-39		40-44		45 & over		Age not stated		ALL AGES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL	1,288	1,179	3,708	3,453	6,939	6,531	8,459	7,893	3,863	3,750	795	757	45	38	56	33	25153	23634
LEINSTER	771	699	2,154	1,993	3,850	3,614	4,682	4,338	1,994	1,977	373	385	15	18	30	17	13869	13041
Carlow	11	17	41	46	82	75	105	71	37	43	11	9	-	-	-	-	287	261
Dublin Co. Borough	234	213	673	602	868	800	942	899	395	414	62	75	1	3	2	2	3,177	3,008
Dublin Belgard	132	106	303	247	501	453	551	521	230	194	44	44	1	1	-	1	1,762	1,567
Dublin Fingal	53	54	171	157	412	419	546	479	216	196	38	31	1	1	1	-	1,438	1,337
Dun Laoghaire Rathdown	43	33	110	110	307	270	591	538	259	244	34	48	1	3	1	-	1,346	1,246
Kildare	59	39	114	126	304	302	385	356	162	160	33	26	1	1	5	1	1,063	1,011
Kilkenny	19	21	63	55	138	121	164	161	82	72	17	25	1	1	1	2	485	458
Laois	10	13	50	59	96	111	109	110	49	51	13	14	1	1	3	2	331	361
Longford	7	11	39	26	53	41	62	64	33	31	4	8	1	-	-	1	199	182
Louth	39	42	118	111	177	170	187	173	85	91	9	12	-	2	1	-	616	601
Meath	27	29	94	80	201	187	268	252	113	129	32	21	2	-	1	-	738	698
Offaly	26	21	66	61	135	114	116	110	52	72	13	15	2	-	3	2	413	395
Westmeath	26	19	96	77	132	130	160	160	61	63	17	13	1	1	5	3	498	466
Wexford	46	44	128	120	210	220	238	204	111	97	23	26	-	3	6	2	762	716
Wicklow	39	37	88	116	234	201	258	240	109	120	23	18	2	1	1	1	754	734
MUNSTER	350	306	978	942	1,905	1,835	2,350	2,217	1,101	1,063	231	185	15	11	17	9	6,947	6,568
Clare	27	17	77	75	164	150	211	196	99	93	38	18	3	-	2	1	621	550
Cork Co. Borough	64	65	160	130	225	192	264	238	113	79	21	15	1	1	1	2	849	722
Cork County	58	56	211	206	608	603	738	733	381	363	64	52	3	3	6	2	2,069	2,018
Kerry	31	31	109	106	185	178	259	242	111	109	25	28	1	1	4	2	725	697
Limerick Co. Borough	43	32	71	102	98	101	80	93	35	43	6	6	-	1	1	-	334	378
Limerick County	21	21	98	98	211	195	264	249	142	146	32	31	2	2	2	1	772	743
Tipperary N.R.	24	12	58	58	98	97	153	106	62	69	11	17	2	2	1	-	409	361
Tipperary S.R.	32	31	85	78	118	142	162	160	80	75	18	7	2	1	-	-	497	494
Waterford Co. Borough	30	19	60	44	93	88	91	88	27	33	5	4	1	-	-	1	307	277
Waterford County	20	22	49	45	105	89	128	112	51	53	11	7	-	-	-	-	364	328
CONNACHT	90	94	339	301	738	655	918	874	525	477	126	120	11	6	7	2	2,754	2,529
Galway Co. Borough	21	19	62	57	96	91	143	117	68	57	9	14	-	1	1	-	400	356
Galway County	20	26	106	97	243	209	280	289	171	169	40	47	3	2	3	2	866	841
Leitrim	2	3	17	24	42	30	55	48	31	28	9	9	1	-	-	-	157	142
Mayo	22	24	83	71	178	170	232	202	139	118	41	27	4	1	-	-	699	613
Roscommon	7	8	22	19	75	79	85	93	62	51	14	16	2	1	1	-	268	267
Sligo	18	14	49	33	104	76	123	125	54	54	13	7	1	1	2	-	364	310
ULSTER (part of)	77	80	237	217	446	427	509	464	243	233	65	67	4	3	2	5	1,583	1,496
Cavan	16	14	42	39	89	99	135	121	53	71	19	14	-	2	2	4	356	364
Donegal	45	52	150	142	253	241	262	231	135	118	37	42	3	1	-	1	885	828
Monaghan	16	14	45	36	104	87	112	112	55	44	9	11	1	-	-	-	342	304

Table 42 Total Births in 1995, classified by age of mother at maternity and number of previous liveborn children

Age of mother at maternity	Number of previous liveborn children												
	Total	0	1	2	3	4	5	6	7	8	9	10 or more	Not stated
ALL AGES	48,787	17,760	14,649	8,855	4,178	1,696	744	362	179	101	57	77	129
15 and under	53	53	-	-	-	-	-	-	-	-	-	-	-
16	206	199	7	-	-	-	-	-	-	-	-	-	-
17	431	402	27	1	-	-	-	-	-	-	-	-	1
18	782	723	54	2	-	-	-	-	-	-	-	-	3
19	995	862	115	15	-	-	-	-	-	-	-	-	3
under 20	2,467	2,239	203	18	-	-	-	-	-	-	-	-	7
20	1,172	908	223	31	5	1	-	-	-	-	-	-	4
21	1,312	893	337	71	7	1	-	-	-	-	-	-	3
22	1,389	793	438	113	30	9	2	-	-	-	-	-	4
23	1,533	739	558	180	43	9	-	-	-	-	-	-	4
24	1,755	869	592	206	65	18	2	-	-	-	-	-	3
20-24	7,161	4,202	2,148	601	150	38	4	-	-	-	-	-	18
25	1,992	920	645	301	86	25	11	3	-	-	-	-	1
26	2,310	1,095	749	291	122	30	15	4	1	-	-	-	3
27	2,729	1,177	939	386	145	55	18	3	-	-	-	-	6
28	3,024	1,265	1,022	456	175	61	24	6	2	1	2	1	9
29	3,415	1,361	1,193	561	167	84	28	12	3	1	1	1	3
25-29	13,470	5,818	4,548	1,995	695	255	96	28	6	2	3	2	22
30	3,696	1,236	1,325	701	268	101	38	15	4	3	-	1	4
31	3,591	1,079	1,265	764	318	94	33	16	7	3	2	-	10
32	3,330	826	1,169	804	321	122	44	23	6	4	2	3	6
33	3,018	593	1,020	825	384	117	37	27	9	-	1	-	5
34	2,717	476	803	798	380	131	62	31	14	8	3	4	7
30-34	16,352	4,210	5,582	3,892	1,671	565	214	112	40	18	8	8	32
35	2,279	375	657	652	329	143	59	26	14	11	4	6	3
36	1,830	281	484	508	335	118	55	21	12	8	1	1	6
37	1,476	213	334	385	265	145	55	29	19	8	6	13	4
38	1,162	133	264	282	226	124	66	31	12	10	6	5	3
39	866	98	165	200	174	102	54	34	13	10	3	8	5
35-39	7,613	1,100	1,904	2,027	1,329	632	289	141	70	47	20	33	21
40	606	61	98	137	123	78	42	25	14	13	4	9	2
41	446	64	68	76	97	50	30	25	19	4	4	9	-
42	265	32	38	49	45	32	28	14	10	8	4	4	1
43	144	17	21	18	28	21	15	4	9	3	2	4	2
44	91	9	11	9	16	11	8	7	5	3	6	5	1
40-44	1,552	183	236	289	309	192	123	75	57	31	20	31	6
45	46	2	5	5	8	7	8	5	4	-	1	1	-
46	25	2	3	1	3	3	5	-	1	1	3	2	1
47	11	-	2	-	3	1	3	-	-	1	1	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-
49	1	-	-	-	-	-	-	-	-	-	1	-	-
45-49	83	4	10	6	14	11	16	5	5	2	6	3	1
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated	89	4	18	27	10	3	2	1	1	1	-	-	22

Table 44 Births within marriage in 1995,classified

Age of mother at maternity	Births within marriage -										
	Total	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986
ALL AGES	37,925	634	3,274	3,637	3,790	3,718	3,574	3,184	2,850	2,396	1,940
15 and under	-	-	-	-	-	-	-	-	-	-	-
16	6	2	3	-	-	-	-	-	-	-	-
17	16	4	11	1	-	-	-	-	-	-	-
18	35	7	19	5	1	-	-	-	-	-	-
19	73	14	34	15	7	-	-	-	-	-	-
under 20	130	27	67	21	8	-	-	-	-	-	-
20	166	33	59	31	16	5	1	-	-	-	-
21	282	43	101	58	34	24	6	-	-	-	-
22	475	48	172	94	61	50	22	5	1	-	-
23	711	60	195	167	113	73	47	20	4	1	-
24	1,055	40	294	256	189	114	70	28	19	5	-
20-24	2,689	224	821	606	413	266	146	53	24	6	-
25	1,424	46	286	316	253	210	137	71	30	23	5
26	1,862	56	308	336	346	257	206	113	73	52	26
27	2,304	52	265	372	388	351	292	205	127	83	44
28	2,656	28	234	342	412	417	360	292	222	101	65
29	3,082	40	237	319	422	458	429	358	255	189	130
25-29	11,328	222	1,330	1,685	1,821	1,693	1,424	1,039	707	448	270
30	3,356	31	202	316	354	439	440	412	328	281	163
31	3,321	39	188	231	305	328	418	401	378	299	205
32	3,115	18	158	196	224	257	316	331	369	297	270
33	2,823	16	117	125	189	203	226	290	297	289	257
34	2,543	13	102	114	139	139	193	188	253	254	238
30-34	15,158	117	767	982	1,211	1,366	1,593	1,622	1,625	1,420	1,133
35	2,140	12	69	108	97	121	126	162	177	178	170
36	1,709	10	72	75	68	84	85	95	126	131	133
37	1,362	7	45	53	50	57	74	81	74	77	92
38	1,075	3	32	33	46	47	47	44	44	57	54
39	769	5	24	26	27	25	28	39	31	34	39
35-39	7,055	37	242	295	288	334	360	421	452	477	488
40	560	2	12	18	13	20	18	23	15	17	22
41	398	1	16	15	17	15	17	15	12	13	10
42	244	1	7	7	10	10	6	6	6	6	10
43	133	2	4	6	5	6	6	2	3	2	2
44	86	1	1	1	1	2	1	3	3	1	-
40-44	1,421	7	40	47	46	53	48	49	39	39	44
45	43	-	1	-	-	-	1	-	-	2	-
46	24	-	-	-	-	1	-	-	-	-	-
47	11	-	1	-	-	-	-	-	-	-	1
48	-	-	-	-	-	-	-	-	-	-	-
49	1	-	-	-	-	-	-	-	-	-	-
45-49	79	-	2	-	-	1	1	-	-	2	1
50 and over	-	-	-	-	-	-	-	-	-	-	-
Age not stated	65	-	5	1	3	5	2	-	3	4	4

by age of mother at maternity and year of marriage

the year of marriage being:											Age of mother at maternity
1985	1984	1983	1982	1981	1980	1979	1978	1973- 1977	1972 and earlier	Not stated	
1,553	1,166	1,029	857	621	550	418	326	733	122	1,553	ALL AGES
-	-	-	-	-	-	-	-	-	-	-	15 and under
-	-	-	-	-	-	-	-	-	-	1	16
-	-	-	-	-	-	-	-	-	-	3	17
-	-	-	-	-	-	-	-	-	-	3	18
-	-	-	-	-	-	-	-	-	-	7	19
-	-	-	-	-	-	-	-	-	-	7	under 20
-	-	-	-	1	-	-	-	-	-	20	20
-	-	-	-	-	-	-	-	-	-	16	21
-	-	-	-	-	-	-	-	-	-	22	22
-	-	-	-	-	-	-	-	-	-	31	23
-	-	-	-	-	-	-	-	-	-	40	24
-	-	-	-	1	-	-	-	-	-	129	20-24
-	-	-	-	-	-	-	-	-	-	47	25
5	1	-	-	-	-	-	-	-	1	82	26
21	5	-	-	-	-	-	-	-	-	99	27
44	19	7	1	-	-	-	-	-	1	111	28
73	38	14	10	1	-	-	-	-	1	108	29
143	63	21	11	1	-	-	-	-	3	447	25-29
106	75	46	19	7	-	-	-	-	1	136	30
164	100	81	38	25	7	1	-	-	-	113	31
193	112	108	57	46	22	9	1	-	1	130	32
210	146	128	94	47	41	16	1	3	-	128	33
215	163	142	114	68	63	38	17	8	-	82	34
888	596	505	322	193	133	64	19	11	2	589	30-34
167	156	139	115	86	75	48	40	26	1	67	35
115	110	132	116	91	74	50	38	30	-	74	36
86	79	85	96	71	86	56	46	80	3	64	37
58	66	60	79	70	66	60	59	99	2	49	38
46	34	35	51	51	43	45	39	111	3	33	39
472	445	451	457	369	344	259	222	346	9	287	35-39
28	30	26	30	28	35	39	35	113	8	28	40
11	15	13	19	10	20	28	23	94	18	16	41
6	5	5	6	12	5	16	12	74	19	15	42
2	5	3	4	4	7	7	5	38	16	4	43
1	2	1	3	1	4	4	5	27	19	5	44
48	57	48	62	55	71	94	80	346	80	68	40-44
1	-	-	-	-	-	-	2	21	12	3	45
-	1	-	1	-	-	-	3	5	11	2	46
-	1	-	-	-	-	-	-	4	3	1	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	1	-	49
1	2	-	1	-	-	-	5	30	27	6	45-49
-	-	-	-	-	-	-	-	-	-	-	50 and over
1	3	4	4	2	2	1	-	-	1	20	Age not stated

Table 45 Marriages registered in each

Province, county or county borough	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
TOTAL	15,604	14,158	1,446	425	76	25	1	28	891
LEINSTER	7,692	6,709	983	279	29	21	1	15	638
Carlow	207	198	9	4	-	1	-	-	4
Dublin County Borough	2,414	1,785	629	61	13	9	1	7	538
Dublin Belgard	637	622	15	12	-	1	-	2	-
Dublin Fingal	348	326	22	15	6	1	-	-	-
Dun Laoghaire Rathdown	623	563	60	49	6	4	-	1	-
Kildare	429	376	53	37	1	-	-	-	15
Kilkenny	356	342	14	3	1	-	-	-	10
Laois	241	216	25	12	-	1	-	-	12
Longford	116	106	10	7	-	2	-	-	1
Louth	380	366	14	4	1	-	-	1	8
Meath	462	448	14	5	-	-	-	-	9
Offaly	299	286	13	5	1	-	-	1	6
Westmeath	294	288	6	2	-	-	-	-	4
Wexford	454	436	18	10	-	1	-	1	6
Wicklow	432	351	81	53	-	1	-	2	25
MUNSTER	4,843	4,572	271	84	2	4	-	8	173
Clare	423	421	2	-	1	-	-	-	1
Cork County Borough	841	735	106	15	-	3	-	5	83
Cork County	1,075	1,030	45	42	-	1	-	2	-
Kerry	642	616	26	7	-	-	-	-	19
Limerick County Borough	217	193	24	-	-	-	-	1	23
Limerick County	543	532	11	2	1	-	-	-	8
Tipperary, N.R.	299	294	5	5	-	-	-	-	-
Tipperary, S.R.	364	350	14	3	-	-	-	-	11
Waterford County Borough	181	152	29	1	-	-	-	-	28
Waterford County	258	249	9	9	-	-	-	-	-
CONNACHT	1,955	1,863	92	21	12	-	-	2	57
Galway County Borough	335	297	38	4	2	-	-	-	32
Galway County	546	539	7	1	6	-	-	-	-
Leitrim	92	87	5	5	-	-	-	-	-
Mayo	629	600	29	5	4	-	-	-	20
Roscommon	221	217	4	4	-	-	-	-	-
Sligo	132	123	9	2	-	-	-	2	5
ULSTER (part of)	1,114	1,014	100	41	33	-	-	3	23
Cavan	251	231	20	13	1	-	-	2	4
Donegal	663	599	64	26	23	-	-	1	14
Monaghan	200	184	16	2	9	-	-	-	5

county and county borough during 1995

Total marriages registered in the quarter ended the last day of				Marriages contracted between				Province, county or county borough
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
1,751	3,711	6,451	3,691	15,417	42	86	59	TOTAL
894	1,804	3,109	1,885	7,563	25	59	45	LEINSTER
28	54	93	32	203	1	-	3	Carlow
287	612	1,001	514	2,370	11	22	11	Dublin County Borough
62	124	323	128	629	-	3	5	Dublin Belgard
42	91	58	157	343	1	4	-	Dublin Fingal
62	134	276	151	609	-	9	5	Dun Laoghaire Rathdown
153	74	54	148	421	4	3	1	Kildare
15	85	98	158	354	-	1	1	Kilkenny
24	51	117	49	239	-	-	2	Laois
8	40	52	16	113	-	3	-	Longford
43	100	148	89	376	2	1	1	Louth
28	128	199	107	455	-	3	4	Meath
21	42	141	95	295	1	2	1	Offaly
33	70	131	60	292	-	1	1	Westmeath
33	112	212	97	440	5	4	5	Wexford
55	87	206	84	424	-	3	5	Wicklow
530	1,147	2,145	1,021	4,804	10	19	10	MUNSTER
40	104	175	104	420	-	3	-	Clare
118	221	389	113	833	2	5	1	Cork County Borough
118	245	483	229	1,066	5	1	3	Cork County
87	128	255	172	638	1	2	1	Kerry
26	40	96	55	216	1	-	-	Limerick County Borough
61	133	235	114	541	-	2	-	Limerick County
29	77	142	51	297	-	2	-	Tipperary, N.R.
28	100	145	91	361	-	3	-	Tipperary, S.R.
7	33	103	38	178	1	1	1	Waterford County Borough
16	66	122	54	254	-	-	4	Waterford County
226	477	720	532	1,940	6	6	3	CONNACHT
52	62	109	112	334	1	-	-	Galway County Borough
46	115	239	146	540	2	4	-	Galway County
8	28	30	26	90	1	-	1	Leitrim
82	152	245	150	625	2	1	1	Mayo
19	51	97	54	219	-	1	1	Roscommon
19	69	-	44	132	-	-	-	Sligo
101	283	477	253	1,110	1	2	1	ULSTER (part of)
17	51	136	47	249	-	1	1	Cavan
66	173	258	166	663	-	-	-	Donegal
18	59	83	40	198	1	1	-	Monaghan

Table 46 Marriages registered in 1995 classified by age of

Age of groom	Age of bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	18	37	76	122	197	354	704	1,030	1,407	1,695	1,717	1,618	1,437	1,176	995	717	530	402	280
16 & under	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	7	9	2	3	1	1	1	-	-	-	-	1	-	-	-	-	-	-
19	2	5	10	9	2	5	2	-	2	-	1	-	-	-	-	-	-	-	-
20	2	6	6	16	15	8	7	4	3	1	4	1	2	-	-	1	1	-	-
21	2	2	6	18	26	28	21	20	11	9	5	3	2	-	1	-	-	-	1
22	2	1	7	16	21	57	54	45	37	23	16	7	5	3	3	-	2	1	-
23	1	2	8	9	29	58	116	132	85	43	30	24	16	10	7	6	-	2	-
24	-	1	5	13	24	40	120	155	180	126	79	53	36	16	21	3	4	3	1
25	1	1	7	5	19	32	72	144	243	274	193	77	55	38	23	11	11	2	4
26	1	1	-	7	15	30	72	138	244	278	306	180	113	52	49	32	9	9	6
27	1	1	2	5	8	24	70	100	164	273	247	261	151	96	70	37	18	14	4
28	1	-	5	7	9	22	43	84	125	169	211	282	202	124	91	55	43	21	6
29	-	1	1	3	8	17	31	42	95	149	186	211	213	181	113	66	34	22	11
30	-	1	1	3	3	7	27	47	72	115	138	140	180	168	145	104	52	44	16
31	-	-	-	2	7	4	20	32	43	68	79	114	131	124	121	70	66	36	31
32	-	1	1	3	3	4	16	29	28	47	68	73	103	101	86	89	52	36	28
33	-	-	-	-	1	4	15	16	19	38	52	60	75	72	62	53	55	33	27
34	-	-	-	2	1	4	6	12	21	25	32	35	42	57	66	51	50	37	25
35	-	-	-	-	1	2	3	7	13	15	16	25	31	37	40	34	20	33	26
36	-	-	-	-	-	-	3	3	4	15	16	28	21	26	22	32	23	19	15
37	-	-	-	-	-	2	1	5	2	8	10	11	12	17	20	20	28	27	19
38	-	1	1	-	-	2	-	1	4	7	8	6	11	24	13	8	17	11	13
39	-	-	-	1	-	-	1	3	2	-	1	10	10	8	14	12	6	15	13
40	-	-	-	-	-	1	1	1	2	1	5	8	8	4	6	9	11	10	6
41	-	-	-	-	1	-	-	2	1	1	4	2	7	3	5	10	8	4	7
42	1	-	-	-	1	-	1	2	-	3	-	3	3	4	4	5	4	5	5
43	-	-	-	1	-	1	-	1	-	-	2	-	3	3	4	-	5	5	4
44	1	-	-	-	-	-	-	1	1	2	-	1	1	3	1	3	2	2	1
45	-	-	-	-	-	-	-	1	1	2	1	-	-	2	3	1	-	1	-
46	-	-	-	-	-	1	-	1	1	-	1	-	1	2	1	-	2	1	3
47	-	-	-	-	-	-	-	-	2	1	2	-	1	1	2	-	1	1	3
48	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	3	-	2
49	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1
50-54	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	2	1	5	1
55-59	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-

groom and bride in single years. All marriages

Age of Bride																				ALL AGES	Age of groom			
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74			75 & over	Not stated	
223	157	132	104	73	46	38	42	27	22	26	17	16	11	11	39	36	20	15	10	5	22	15,604	ALL AGES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	20
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	578	23
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	883	24
1	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1,218	25
4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,550	26
1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,557	27
5	4	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,519	28
6	2	3	1	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1,404	29
12	9	4	3	2	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,298	30
21	7	6	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	991	31
17	8	4	10	1	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	816	32
16	11	2	6	6	3	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	632	33
21	7	9	4	6	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	521	34
21	12	6	5	2	4	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	357	35
11	16	14	4	5	3	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	284	36
22	11	12	7	4	4	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	247	37
12	13	9	10	2	2	3	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	183	38
11	9	7	6	7	2	-	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	145	39
9	3	13	4	5	-	1	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	117	40
6	4	7	9	8	1	5	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	101	41
3	3	3	6	5	3	3	4	-	1	-	3	2	-	-	1	-	-	-	-	-	-	-	78	42
2	6	3	-	3	-	1	4	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	54	43
3	10	4	3	-	2	2	3	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	51	44
1	6	3	1	2	-	2	3	2	1	1	1	1	1	1	2	-	-	-	-	-	-	-	40	45
2	4	2	4	3	3	3	2	1	-	2	-	-	1	-	1	1	-	-	-	-	-	-	43	46
4	1	-	3	-	3	1	1	4	2	2	-	1	-	-	2	1	-	-	-	-	-	-	39	47
-	1	3	1	2	2	2	1	2	1	5	2	2	-	-	1	1	-	-	-	-	-	-	37	48
3	-	4	-	-	1	2	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	24	49
5	-	2	3	4	3	1	-	3	3	4	-	1	6	3	4	4	1	-	-	-	-	-	60	50-54
1	1	1	3	-	-	-	3	2	-	3	2	3	1	2	9	4	2	1	-	-	-	-	44	55-59
2	1	2	-	-	-	1	1	-	2	-	1	-	-	4	7	12	6	-	-	-	-	-	39	60-64
1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	4	6	8	5	4	-	-	-	32	65-69
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	2	1	-	-	16	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	4	4	-	-	17	75 & over
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13	-	17	Not stated

Table 47 Marriages registered in 1995 classified by age of

Age of groom	Age of bride																		
	16 & under	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
ALL AGES	18	37	76	122	197	354	703	1,030	1,403	1,694	1,715	1,616	1,437	1,173	990	713	523	401	278
16 & under	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	7	9	2	3	1	1	1	-	-	-	-	1	-	-	-	-	-	-
19	2	5	10	9	2	5	2	-	2	-	1	-	-	-	-	-	-	-	-
20	2	6	6	16	15	8	7	4	3	1	4	1	2	-	-	1	1	-	-
21	2	2	6	18	26	28	21	20	11	9	5	3	2	-	1	-	-	-	1
22	2	1	7	16	21	57	54	45	37	23	16	7	5	3	3	-	2	1	-
23	1	2	8	9	29	58	116	132	85	43	30	24	16	10	7	6	-	2	-
24	-	1	5	13	24	40	120	155	179	126	79	53	36	16	21	3	4	3	1
25	1	1	7	5	19	32	72	144	243	274	192	77	55	38	23	11	11	2	4
26	1	1	-	7	15	30	72	138	244	278	306	180	113	52	49	32	9	9	6
27	1	1	2	5	8	24	70	100	164	273	247	261	151	96	70	37	18	14	4
28	1	-	5	7	9	22	43	84	125	169	211	281	202	124	91	55	43	21	6
29	-	1	1	3	8	17	31	42	95	149	186	211	213	180	113	66	34	22	11
30	-	1	1	3	3	7	27	47	72	115	138	139	180	168	145	103	52	44	16
31	-	-	-	2	7	4	20	32	43	68	79	114	131	124	121	70	66	36	31
32	-	1	1	3	3	4	15	29	28	47	68	73	103	100	85	89	50	36	28
33	-	-	-	-	1	4	15	16	19	38	52	60	75	72	62	52	55	33	27
34	-	-	-	2	1	4	6	12	21	25	32	35	42	57	66	51	50	37	25
35	-	-	-	-	1	2	3	7	13	15	16	25	31	37	39	34	20	33	26
36	-	-	-	-	-	-	3	3	3	15	16	28	21	25	22	32	23	19	15
37	-	-	-	-	-	2	1	5	2	8	10	11	12	17	20	19	26	27	19
38	-	1	1	-	-	2	-	1	4	7	7	6	11	24	13	8	17	11	13
39	-	-	-	1	-	-	1	3	2	-	1	10	10	8	14	12	6	14	13
40	-	-	-	-	-	1	1	1	2	1	5	8	8	4	6	9	11	10	6
41	-	-	-	-	1	-	-	2	1	1	4	2	7	3	5	9	8	4	7
42	1	-	-	-	1	-	1	2	-	3	-	3	3	4	4	5	4	5	5
43	-	-	-	1	-	1	-	1	-	-	2	-	3	3	3	-	4	5	4
44	1	-	-	-	-	-	-	1	-	1	-	1	1	3	1	3	2	2	1
45	-	-	-	-	-	-	-	1	1	2	1	-	-	2	2	1	-	1	-
46	-	-	-	-	-	1	-	1	1	-	1	1	2	-	1	-	1	1	3
47	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	1	1	2
48	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	3	-	2
49	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1
50-54	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	2	1	5	1
55-59	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-

groom and bride in single years. First marriages only

Age of Bride																					ALL AGES	Age of groom		
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over			Not stated	
219	152	129	102	60	42	33	38	23	22	22	15	11	7	4	16	14	3	2	1	-	22	15,417	ALL AGES	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	16 & under
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	578	23
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	881	24
1	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1,217	25
4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,550	26
1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,557	27
5	4	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,517	28
6	2	3	1	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1,403	29
12	9	4	3	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,295	30
21	7	6	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	991	31
17	8	4	10	1	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	810	32
16	11	2	6	5	3	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	630	33
21	7	9	4	5	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	520	34
21	12	6	5	2	4	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	356	35
11	16	14	4	3	3	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	280	36
22	11	12	7	4	4	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	244	37
12	13	9	10	2	1	3	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	181	38
11	9	7	6	7	2	-	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	144	39
9	3	13	4	5	-	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	116	40
5	4	7	9	7	1	5	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	98	41
3	3	3	6	5	3	3	4	-	1	-	3	2	-	-	1	-	-	-	-	-	-	-	78	42
2	5	3	-	2	-	1	4	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	50	43
2	10	4	3	-	1	2	3	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	47	44
1	5	3	1	2	-	2	2	2	1	1	1	1	1	-	1	-	-	-	-	-	-	-	35	45
2	4	1	4	1	3	2	2	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	37	46
4	1	-	3	-	3	1	1	4	2	1	-	1	-	-	1	1	-	-	-	-	-	-	34	47
-	-	2	1	1	1	1	-	1	1	4	2	1	-	-	1	-	-	-	-	-	-	-	27	48
3	-	3	-	-	1	1	2	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	20	49
5	-	2	3	1	3	1	-	2	3	3	-	1	3	2	3	2	-	-	-	-	-	-	47	50-54
1	1	1	2	-	-	-	2	1	-	2	2	-	-	-	1	3	-	1	-	-	-	-	22	55-59
1	1	2	-	-	-	-	-	2	-	-	-	-	-	1	3	5	2	-	-	-	-	-	17	60-64
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	6	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75 & over
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13	17	Not stated	

Table 48 Marriages registered in 1995 classified according to form of ceremony and age of groom

Form of ceremony	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	75	1,823	6,772	3,833	1,048	312	130	45	30	87	3	14,158	29.8
Church of Ireland	-	36	173	138	28	19	12	4	-	5	10	425	31.5
Presbyterian	-	14	32	13	7	5	3	1	-	-	1	76	30.5
Other Religious denominations	-	11	16	20	5	-	2	-	-	-	-	54	29.7
Civil marriages	4	110	255	254	128	65	36	10	14	12	3	891	32.9
TOTAL	79	1,994	7,248	4,258	1,216	401	183	60	44	104	17	15,604	30.0

Table 49 Marriages registered in 1995 classified according to form of ceremony and age of bride

Form of ceremony	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	222	3,396	7,084	2,600	548	138	58	29	30	44	9	14,158	27.9
Church of Ireland	4	80	200	87	27	9	4	-	2	2	10	425	28.9
Presbyterian	1	19	31	17	5	2	-	-	-	-	1	76	28.2
Other Religious denominations	2	16	25	5	3	1	2	-	-	-	-	54	27.8
Civil marriages	24	181	303	215	106	25	17	10	4	4	2	891	30.0
TOTAL	253	3,692	7,643	2,924	689	175	81	39	36	50	22	15,604	28.1

Table 50 Marriages registered in 1995 classified by socio-economic group and age of groom

Socio-economic group of groom	Age of groom												Average age	
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages		
Farmers, relatives assisting and farm managers		1	91	437	422	128	54	38	10	3	11	1	1,196	31.9
Other agricultural occupations and fishermen		-	49	144	69	18	6	11	1	1	1	-	300	29.8
Higher professional		-	70	680	510	126	51	11	6	4	6	-	1,464	30.9
Lower professional		-	50	374	314	107	37	16	2	4	6	4	914	31.5
Employers and managers		3	129	828	556	155	48	26	14	7	14	6	1,786	30.8
Salaried employees		-	57	393	237	61	16	4	1	2	3	-	774	30.1
Intermediate non - manual workers		5	200	807	404	119	33	18	4	2	5	-	1,597	29.6
Other non - manual workers		7	291	843	406	121	49	17	6	10	5	1	1,756	29.5
Skilled manual workers		7	581	1,883	1,014	267	75	26	11	8	13	4	3,889	29.4
Other manual workers		11	295	683	248	84	26	7	2	2	3	-	1,361	28.4
Not stated		45	181	176	78	30	6	9	3	1	37	1	567	29.8
TOTAL		79	1,994	7,248	4,258	1,216	401	183	60	44	104	17	15,604	30.0

Table 51 Marriages registered in 1995 classified by socio-economic group and age of bride

Socio-economic group of bride	Age of Bride											Average age	
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		All ages
Farmers, relatives assisting and farm managers	-	11	32	11	4	3	2	-	2	1	-	66	30.9
Other agricultural occupations and fishermen	1	7	12	4	4	-	1	-	-	-	-	29	28.4
Higher professional	-	70	531	208	38	12	4	1	2	-	-	866	29.1
Lower professional	5	344	1,362	645	172	34	9	8	7	6	4	2,596	29.2
Employers and managers	5	148	577	296	52	14	7	1	1	4	-	1,105	29.1
Salaried employees	3	66	253	118	26	5	1	-	-	2	1	475	28.9
Intermediate non - manual workers	17	1,083	2,431	813	192	40	17	4	4	6	12	4,619	27.9
Other non - manual workers	42	802	1,174	399	91	22	17	7	3	3	3	2,563	27.3
Skilled manual workers	6	165	350	125	21	6	2	1	-	3	-	679	27.8
Other manual workers	25	466	516	148	32	8	7	1	-	-	1	1,204	26.5
Not stated	149	530	405	157	57	31	14	16	17	25	1	1,402	27.5
TOTAL	253	3,692	7,643	2,924	689	175	81	39	36	50	22	15,604	28.1

Table 52 Marriages registered in 1995 classified by socio-economic group of bride and groom

Socio-economic group of groom	Socio-economic group of bride											TOTAL
	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non - manual workers	Other non - manual workers	Skilled manual workers	Other manual workers	Not stated	
Farmers, relatives assisting and farm managers	38	7	37	252	43	25	372	196	34	118	74	1,196
Other agricultural occupations and fishermen	2	7	11	34	5	4	84	82	8	33	30	300
Higher professional	1	2	355	378	135	58	376	70	29	19	41	1,464
Lower professional	2	1	77	407	58	34	180	63	40	23	29	914
Employers and managers	5	1	111	311	303	88	544	206	65	51	101	1,786
Salaried employees	-	2	38	156	71	84	253	92	25	31	22	774
Intermediate non - manual workers	6	-	57	204	104	46	686	245	56	100	93	1,597
Other non - manual workers	3	1	31	175	106	23	510	486	92	154	175	1,756
Skilled manual workers	8	4	123	561	226	97	1,213	765	263	314	315	3,889
Other manual workers	1	3	14	82	46	11	355	306	49	332	162	1,361
Not stated	-	1	12	36	8	5	46	52	18	29	360	567
TOTAL	66	29	866	2,596	1,105	475	4,619	2,563	679	1,204	1,402	15,604

Table 53 Marriages registered in 1995 classified by age and area of residence of groom before marriage

Area of residence of groom	Age of groom											Average age	
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		All ages
TOTAL	79	1,994	7,248	4,258	1,216	401	183	60	44	104	17	15,604	30.0
LEINSTER	39	889	3,335	1,901	537	179	83	37	29	68	8	7,105	30.2
Carlow	-	28	76	43	8	3	4	-	-	5	-	167	30.2
Dublin County Borough	6	218	974	560	159	56	22	15	8	20	1	2,039	30.4
Dublin Belgard	7	108	345	154	48	8	7	1	2	2	-	682	29.1
Dublin Fingal	3	49	235	109	46	13	4	1	2	4	1	467	30.2
Dun Laoghaire Rathdown	1	50	289	275	66	30	10	5	6	8	3	743	31.6
Kildare	3	61	212	113	27	11	7	1	1	-	2	438	29.5
Kilkenny	1	36	114	78	23	9	-	2	1	1	-	265	30.1
Laois	2	37	98	52	16	8	3	2	1	2	-	221	30.0
Longford	1	20	48	36	10	4	1	1	1	-	-	122	30.0
Louth	-	53	180	71	19	10	5	1	-	1	1	341	29.2
Meath	6	33	189	94	30	9	2	4	-	5	-	372	30.2
Offaly	4	52	101	52	14	3	4	2	2	4	-	238	29.6
Westmeath	2	36	127	73	23	3	5	-	2	2	-	273	30.0
Wexford	1	66	198	98	26	8	5	2	1	10	-	415	30.2
Wicklow	2	42	149	93	22	4	4	-	2	4	-	322	30.1
MUNSTER	16	623	1,862	982	282	96	52	9	7	18	4	3,951	29.6
Clare	-	47	149	91	27	7	6	-	1	-	-	328	29.7
Cork County Borough	2	101	355	157	45	19	5	-	1	3	1	689	29.4
Cork County	1	120	462	258	81	19	9	1	1	6	2	960	29.9
Kerry	3	96	200	100	27	18	6	4	-	1	-	455	29.4
Limerick County Borough	-	46	114	54	17	2	1	1	-	1	-	236	29.1
Limerick County	1	55	182	94	31	10	7	1	1	3	-	385	29.9
Tipperary, N.R.	3	28	122	75	23	5	1	-	-	1	-	258	29.5
Tipperary, S.R.	-	48	129	66	17	3	11	1	1	1	-	277	29.7
Waterford County Borough	5	48	70	35	3	8	2	-	-	2	1	174	28.4
Waterford County	1	34	79	52	11	5	4	1	2	-	-	189	29.8
CONNACHT	13	161	661	375	130	42	23	7	4	7	-	1,423	30.2
Galway County Borough	1	14	92	55	24	8	2	-	-	-	-	196	30.3
Galway County	3	62	214	129	46	9	9	2	2	2	-	478	30.1
Leitrim	1	6	32	22	8	3	2	-	2	-	-	76	31.2
Mayo	4	55	189	99	32	11	7	1	-	3	-	401	29.8
Roscommon	2	13	84	35	10	4	2	2	-	1	-	153	30.2
Sligo	2	11	50	35	10	7	1	2	-	1	-	119	30.9
ULSTER (part of)	2	160	365	164	66	21	12	3	1	-	-	794	29.1
Cavan	-	20	84	51	18	6	1	1	-	-	-	181	30.0
Donegal	2	101	222	83	33	8	8	1	1	-	-	459	28.7
Monaghan	-	39	59	30	15	7	3	1	-	-	-	154	29.3
IRELAND*	70	1,833	6,223	3,422	1,015	338	170	56	41	93	12	13,273	29.9
Northern Ireland	2	40	101	81	18	6	2	1	-	3	-	254	29.9
England and Wales	3	77	618	451	90	31	5	2	2	5	4	1,288	30.3
Scotland	-	8	30	21	7	2	1	-	-	-	-	69	30.2
Elsewhere	1	31	274	281	86	24	5	1	1	3	1	708	31.3
Not stated	3	5	2	2	-	-	-	-	-	-	-	12	23.7

* Exclusive of Northern Ireland

Table 54 Marriages registered in 1995 classified by age and area of residence of bride before marriage

Area of residence of bride	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
TOTAL	253	3,692	7,643	2,924	689	175	81	39	36	50	22	15,604	28.1
LEINSTER	99	1,711	3,512	1,392	323	83	44	18	25	39	9	7,255	28.2
Carlow	5	67	81	37	9	3	1	-	2	3	-	208	28.2
Dublin County Borough	16	383	999	461	120	31	12	7	8	10	1	2,048	28.8
Dublin Belgard	11	177	363	117	23	9	6	2	2	3	-	713	27.9
Dublin Fingal	8	102	236	87	20	1	1	1	2	2	1	461	28.1
Dun Laoghaire Rathdown	2	111	399	190	48	11	5	1	2	7	5	781	29.5
Kildare	7	109	169	72	14	5	5	-	2	-	-	383	27.8
Kilkenny	4	72	151	51	9	4	2	1	1	2	-	297	28.0
Laois	6	69	102	36	9	-	1	-	1	1	-	225	27.4
Longford	4	31	56	16	2	-	2	-	-	-	-	111	27.1
Louth	3	112	173	60	14	3	1	-	-	-	2	368	27.2
Meath	11	105	188	54	11	8	1	-	1	2	-	381	27.6
Offaly	6	85	106	33	17	-	-	-	1	3	-	251	27.6
Westmeath	4	78	125	57	10	-	1	-	1	1	-	277	27.6
Wexford	6	124	182	62	12	3	3	5	2	4	-	403	27.9
Wicklow	6	86	182	59	5	5	3	1	-	1	-	348	27.7
MUNSTER	78	1,140	1,942	690	175	51	13	13	4	5	5	4,116	27.6
Clare	6	99	148	56	16	4	4	2	-	-	-	335	27.7
Cork County Borough	6	190	342	121	39	5	-	3	-	1	1	708	27.8
Cork County	18	261	464	186	41	10	4	2	4	2	1	993	27.9
Kerry	12	134	226	99	20	8	1	3	-	-	2	505	27.7
Limerick County Borough	3	62	130	32	7	3	-	1	-	-	-	238	27.3
Limerick County	9	127	201	51	19	7	2	1	-	-	1	418	27.3
Tipperary, N.R.	10	54	132	37	10	4	-	-	-	-	-	247	27.4
Tipperary, S.R.	2	92	132	44	12	5	2	-	-	-	-	289	27.4
Waterford County Borough	7	55	73	25	6	3	-	1	-	1	-	171	27.2
Waterford County	5	66	94	39	5	2	-	-	-	1	-	212	27.2
CONNACHT	32	354	725	270	79	16	12	3	2	2	-	1,495	28.1
Galway County Borough	5	29	102	44	17	1	1	-	-	-	-	199	28.7
Galway County	6	119	249	83	28	7	2	3	1	-	-	498	28.1
Leitrim	2	21	37	19	4	3	2	-	-	-	-	88	28.4
Mayo	9	121	195	76	18	3	2	-	1	1	-	426	27.6
Roscommon	4	36	90	29	10	-	1	-	-	-	-	170	27.8
Sligo	6	28	52	19	2	2	4	-	-	1	-	114	28.4
ULSTER (part of)	34	268	392	135	37	7	8	-	-	2	-	883	27.2
Cavan	3	54	99	26	11	3	2	-	-	1	-	199	27.8
Donegal	27	167	213	77	20	2	5	-	-	1	-	512	26.9
Monaghan	4	47	80	32	6	2	1	-	-	-	-	172	27.4
IRELAND*	243	3,473	6,571	2,487	614	157	77	34	31	48	14	13,749	28.0
Northern Ireland	-	27	56	26	9	2	1	2	1	-	1	125	29.2
England and Wales	2	139	661	239	40	9	2	3	4	1	5	1,105	28.6
Scotland	-	8	25	14	1	-	-	-	-	-	-	48	28.1
Elsewhere	1	43	328	158	25	7	1	-	-	1	2	566	29.1
Not stated	7	2	2	-	-	-	-	-	-	-	-	11	19.9

* Exclusive of Northern Ireland

Table 55 Marriages registered in each county in 1995 classified by

Area of residence of groom	Area of residence of Bride																			
	TOTAL	Carlow	Dublin C.B.	Dub. Bel.	Dub. Fin.	Dun Laog. Rdo-wn	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Clare	Cork C. B.	Cork Co.	Kerry
TOTAL	15,604	208	2,048	713	461	781	383	297	225	111	368	381	251	277	403	348	335	708	993	505
Carlow	167	121	2	2	-	-	5	11	2	-	-	2	-	-	5	6	2	-	1	3
Dublin County Borough	2,039	8	1,510	99	77	94	22	8	6	6	16	26	5	12	8	18	4	10	13	11
Dublin Belgard	682	2	102	464	14	23	19	1	2	1	1	6	2	2	2	8	2	1	8	1
Dublin Fingal	467	5	86	8	294	17	7	-	-	1	6	9	1	2	2	7	-	1	6	2
Dun Laoghaire Rathdown	743	3	84	33	12	486	5	3	3	1	5	8	3	3	6	26	3	5	3	5
Kildare	438	13	29	27	6	7	264	2	10	1	2	11	6	5	6	7	2	3	5	1
Kilkenny	265	14	3	1	1	-	3	207	2	1	2	1	1	-	4	3	1	2	1	-
Laois	221	3	3	4	-	4	2	5	155	1	1	-	13	2	2	1	-	1	3	1
Longford	122	-	1	1	-	2	2	-	1	78	-	2	1	10	2	1	-	-	1	1
Louth	341	-	10	2	6	6	3	2	1	-	273	9	-	-	1	1	-	1	3	2
Meath	372	1	27	8	7	11	9	1	-	1	16	243	3	5	2	1	-	-	2	1
Offaly	238	1	6	1	1	2	4	1	14	-	-	2	167	11	-	2	1	-	2	3
Westmeath	273	1	7	3	3	2	1	-	5	1	1	14	19	184	-	1	1	1	3	-
Wexford	415	7	8	4	-	5	1	10	1	-	1	-	1	1	329	13	-	1	1	3
Wicklow	322	9	15	7	3	20	2	2	1	-	-	3	-	1	7	233	1	1	1	-
Clare	328	-	5	1	-	2	-	1	-	1	-	-	-	1	-	1	252	2	3	5
Cork County Borough	689	-	3	2	2	2	4	1	1	-	-	-	3	1	-	-	3	520	109	8
Cork County Kerry	960	2	9	3	2	3	1	6	2	-	-	3	-	4	1	1	6	110	718	25
Limerick County Borough	455	-	4	1	-	-	-	1	-	-	1	1	-	-	-	-	-	3	22	388
Limerick County	236	1	4	1	-	2	-	2	1	-	2	-	1	-	-	-	9	2	6	1
Tipperary N.R.	385	-	3	2	2	2	1	1	-	-	1	1	-	1	-	1	8	6	24	20
Tipperary S.R.	258	3	7	1	2	4	2	1	7	-	1	-	8	3	-	-	5	2	5	4
Waterford County Borough	277	-	2	-	3	5	1	6	1	1	1	3	1	1	3	1	-	3	6	-
Waterford County	174	-	3	-	-	-	1	6	-	-	-	-	-	2	5	-	-	-	1	-
Galway County Borough	189	1	-	-	-	3	2	8	2	-	-	-	-	1	1	-	2	3	13	-
Galway County Leitrim	196	-	4	2	-	4	1	-	1	-	-	-	1	1	-	-	3	-	-	2
Mayo	478	1	5	3	2	3	-	1	1	1	-	1	4	2	1	1	4	4	4	3
Roscommon	76	-	1	1	2	1	1	-	-	2	-	-	-	-	-	-	2	-	-	-
Sligo	401	1	9	3	-	5	1	2	-	2	1	1	-	3	-	1	10	1	-	-
Cavan	153	1	1	2	1	-	1	1	-	3	1	-	2	3	1	-	2	-	-	-
Donegal	119	-	2	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Monaghan	181	-	8	-	-	3	2	-	-	5	1	11	-	6	-	1	-	1	-	1
Ireland*	459	-	5	-	1	1	2	-	1	-	-	2	1	1	-	1	1	-	1	2
Monaghan	154	-	-	-	-	1	1	1	-	-	8	5	-	1	1	1	-	-	-	-
Ireland*	13,273	198	1,968	687	441	722	371	291	221	107	341	364	243	269	389	337	324	684	966	493
Northern Ireland	254	1	10	2	4	8	3	2	1	2	12	6	1	1	1	1	2	2	3	2
England and Wales	1,288	8	37	13	7	29	6	2	2	2	8	6	6	3	7	5	4	11	13	6
Scotland	69	-	4	3	4	1	1	-	-	-	-	-	-	-	3	-	1	2	2	-
Elsewhere	708	1	28	8	5	21	2	2	1	-	7	5	1	4	3	5	4	9	9	4
Not stated	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of Northern Ireland

area of residence of bride and groom before marriage

	Area of residence of Bride																				
	Li- me- rick C. B.	Li- me- rick Co.	Ti- pp N. R.	Ti- pp S. R.	Wa- ter- ford C. B.	Wa- ter- ford Co.	Ga- lw- ay C. B.	Ga- lw- ay Co.	Lei- trim	Ma- yo	Ros- com- mon	Sli- go	Ca- van	Do- ne- gal	M- on- ag- han	IRELA- ND*	Nth Irl	Eng & Wales	Scot	Else- where	Not stated
	238	418	247	289	171	212	199	498	88	426	170	114	199	512	172	13,749	125	1,105	48	566	11
	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	167	-	-	-	-	-
	5	6	6	5	1	5	4	7	4	8	2	2	4	6	3	2,021	3	10	1	4	-
	-	1	2	-	-	1	1	-	3	2	2	-	1	3	1	678	1	-	1	2	-
	-	2	-	1	-	2	-	1	-	2	-	1	1	1	1	466	-	1	-	-	-
	1	-	3	5	3	5	1	7	2	2	3	-	5	1	1	736	1	3	1	2	-
	1	1	2	6	2	-	1	4	1	3	3	1	2	1	-	435	1	2	-	-	-
	-	-	2	4	3	6	-	-	-	-	1	-	-	-	1	264	-	1	-	-	-
	2	1	4	2	-	-	3	2	-	-	-	-	1	1	-	217	1	2	-	1	-
	-	1	1	1	-	-	-	4	3	-	3	1	2	2	1	122	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	2	2	-	5	1	4	336	2	1	-	2	-
	-	-	-	-	1	-	3	-	-	1	1	2	17	3	1	367	-	4	-	1	-
	-	1	8	-	1	1	-	3	1	2	2	-	1	-	-	238	-	-	-	-	-
	1	3	1	1	-	-	1	6	-	3	2	-	1	2	2	270	-	2	-	1	-
	-	5	5	3	4	4	-	1	-	1	1	1	-	1	-	412	-	1	-	2	-
	-	3	-	-	1	-	1	4	-	-	-	1	2	1	-	319	-	2	-	1	-
	15	13	2	2	-	-	3	7	-	2	3	1	-	-	-	322	3	1	-	2	-
	5	2	2	3	1	10	-	1	-	2	1	-	-	-	-	686	-	1	-	2	-
	3	22	7	4	2	12	1	3	-	1	1	-	1	-	1	954	-	4	-	2	-
	1	21	1	1	-	1	1	2	-	4	-	-	-	1	-	454	-	1	-	-	-
	160	28	5	1	-	1	3	1	-	-	1	1	-	-	-	233	-	2	-	1	-
	29	253	6	9	-	4	-	4	-	3	-	1	1	-	2	385	-	-	-	-	-
	3	10	169	6	1	3	-	5	-	5	-	-	-	-	-	257	-	1	-	-	-
	1	13	6	207	1	3	1	2	1	-	1	-	-	-	-	274	2	-	-	1	-
	-	1	-	2	128	21	-	-	-	-	-	1	-	-	-	171	-	3	-	-	-
	-	2	1	9	14	125	-	-	-	1	-	-	1	-	-	189	-	-	-	-	-
	-	3	-	-	-	-	129	31	-	3	2	2	1	-	-	190	2	2	-	2	-
	2	4	2	3	-	-	33	344	1	24	13	3	2	2	-	474	1	1	-	2	-
	-	1	-	-	-	-	1	-	42	-	5	5	6	4	-	74	-	2	-	-	-
	1	2	-	-	-	-	5	12	-	312	8	9	2	2	1	394	-	6	-	1	-
	1	-	1	-	-	-	12	4	6	100	6	2	1	-	-	152	-	-	-	1	-
	-	-	-	1	1	-	3	2	9	17	5	65	2	4	-	117	2	-	-	-	-
	-	1	-	2	-	1	1	1	7	1	1	-	115	3	7	179	1	1	-	-	-
	-	-	1	1	-	-	-	3	2	1	2	2	1	409	2	443	10	2	2	2	-
	-	1	-	-	-	-	-	-	-	1	-	1	11	1	117	151	1	1	-	1	-
	232	401	238	281	165	205	196	471	80	409	165	106	187	450	145	13,147	31	57	5	33	-
	1	3	1	1	1	2	1	7	7	1	1	3	7	39	20	159	91	3	-	1	-
	3	10	3	1	1	2	2	11	1	7	2	2	2	16	3	241	3	1,040	-	4	-
	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	25	-	2	42	-	-
	2	3	5	6	4	3	-	8	-	7	2	3	3	6	4	175	-	3	1	528	1
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	10

* Exclusive of Northern Ireland

Table 56 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by age of groom

Country of future permanent residence	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	1	27	96	61	16	6	3	2	-	4	-	216	30.4
England and Wales	3	88	653	453	93	29	8	1	3	4	3	1,338	30.2
Scotland	-	8	31	18	6	1	1	-	-	-	-	66	30.0
Europe (remainder)	-	8	86	80	18	6	4	1	-	-	-	203	30.9
U.S.A	1	24	212	174	53	13	5	2	2	2	2	490	31.1
Canada	-	4	9	13	7	1	-	-	-	-	-	34	31.1
Australia and New Zealand	-	8	27	47	6	2	1	1	-	1	-	93	31.3
Elsewhere	-	-	20	31	8	3	-	-	-	-	-	62	31.8
TOTAL	5	167	1,134	877	207	61	22	8	5	11	5	2,502	30.5

Table 57 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by age of bride

Country of future permanent residence	Age of Bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Northern Ireland	4	57	93	40	14	2	1	1	1	2	1	216	28.4
England and Wales	6	178	787	295	48	12	2	3	2	1	4	1,338	28.5
Scotland	-	11	37	16	2	-	-	-	-	-	-	66	27.9
Europe (remainder)	-	29	119	46	4	3	1	1	-	-	-	203	28.5
U.S.A	1	48	264	139	25	7	1	1	-	1	3	490	29.3
Canada	-	4	16	9	5	-	-	-	-	-	-	34	29.3
Australia and New Zealand	-	9	45	31	5	1	1	-	-	1	-	93	30.0
Elsewhere	-	1	32	27	2	-	-	-	-	-	-	62	29.8
TOTAL	11	337	1,393	603	105	25	6	6	3	5	8	2,502	28.7

Table 58 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of groom

Country of future permanent residence	Farmers, relatives assisting and Farm managers	Other agricultural occupations & fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	TOTAL
Northern Ireland	10	2	30	15	26	7	28	28	57	8	5	216
England and Wales	6	10	272	113	212	79	96	109	369	49	23	1,338
Scotland	2	2	16	7	12	1	5	3	13	4	1	66
Europe (remainder)	-	-	36	22	36	14	23	18	41	8	5	203
U.S.A	3	7	75	38	62	26	33	38	180	21	7	490
Canada	-	-	6	3	4	2	2	5	11	1	-	34
Australia and New Zealand	2	3	18	8	11	4	5	10	30	1	1	93
Elsewhere	-	1	14	6	21	4	-	8	7	-	1	62
TOTAL	23	25	467	212	384	137	192	219	708	92	43	2,502

Table 59 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by socio-economic group of bride

Country of future permanent residence	Socio-economic group of bride											TOTAL
	Farmer-s, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated	
Northern Ireland	1	1	16	53	16	10	38	43	11	14	13	216
England and Wales	-	2	133	372	186	49	348	146	36	19	47	1,338
Scotland	-	-	7	17	4	3	16	9	6	2	2	66
Europe (remainder)	-	-	22	54	20	8	54	20	6	3	16	203
U.S.A	-	-	52	110	41	23	120	108	12	8	16	490
Canada	-	-	5	7	3	1	6	11	1	-	-	34
Australia and New Zealand	-	-	9	37	7	2	26	7	2	-	3	93
Elsewhere	-	-	5	24	8	4	11	5	1	-	4	62
TOTAL	1	3	249	674	285	100	619	349	75	46	101	2,502

Table 60 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified by form of ceremony

Country of future permanent residence	Total Marriages	Form of Ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Northern Ireland	216	181	10	12	2	-	2	9
England and Wales	1,338	1,235	58	6	3	-	1	35
Scotland	66	55	4	2	2	-	-	3
Europe (remainder)	203	180	9	1	1	-	-	12
U.S.A	490	465	9	6	-	1	1	8
Canada	34	31	2	-	1	-	-	-
Australia and New Zealand	93	77	6	-	-	-	-	10
Elsewhere	62	53	1	-	-	-	2	6
TOTAL	2,502	2,277	99	27	9	1	6	83

Table 61 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of groom before marriage

Country of future permanent residence	Total	Area of residence of groom						
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	216	8	6	-	2	17	182	1
England and Wales	1,338	44	42	34	22	12	1,184	-
Scotland	66	6	-	3	2	1	54	-
Europe (remainder)	203	20	13	14	4	3	149	-
U.S.A	490	24	20	37	16	9	384	-
Canada	34	-	1	2	1	-	30	-
Australia and New Zealand	93	8	9	9	4	-	63	-
Elsewhere	62	9	3	6	2	-	42	-
TOTAL	2,502	119	94	105	53	42	2,088	1

Table 62 Marriages registered in 1995 in which the future permanent residence was stated to be outside the country, classified according to the area of residence of bride before marriage

Country of future permanent residence	Total	Area of residence of bride						
		Dublin	Rest of Leinster	Munster	Connacht	Ulster (Part of)	Other countries	Not stated
Northern Ireland	216	19	23	9	10	56	99	-
England and Wales	1,338	104	79	73	43	29	1,010	-
Scotland	66	13	2	6	3	1	41	-
Europe (remainder)	203	34	20	32	9	5	103	-
U.S.A	490	43	34	44	21	14	333	1
Canada	34	5	1	3	1	1	23	-
Australia and New Zealand	93	12	7	12	7	-	55	-
Elsewhere	62	14	7	8	6	1	26	-
TOTAL	2,502	244	173	187	100	107	1,690	1

APPENDIX

Table A' Deaths which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1995, classified by principal groups of causes, sex and age

Cause of Death	Age at death																				All ages	
	Under one year	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94		95 & over
ALL CAUSES																						
M	14	4	5	2	9	13	9	5	8	4	8	3	5	9	10	27	27	30	16	8	2	218
F	7	4	3	2	2	4	3	5	5	6	4	7	7	16	16	25	21	25	28	12	11	213
Infective and parasitic diseases																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms																						
M	-	-	1	-	-	1	-	-	-	1	1	-	1	2	-	4	6	1	2	2	-	22
F	-	-	1	-	-	-	-	-	3	2	1	1	6	3	4	8	2	4	5	3	-	43
Ischaemic and other forms of heart disease																						
M	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	17	13	18	8	2	1	71
F	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	8	9	3	7	7	8	55
Hypertensive disease																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Cerebrovascular disease																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	5
F	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	5	5	-	1	15
Other diseases of the circulatory system																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	5
Diseases of the respiratory system																						
M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	1	-	1	15
F	-	-	-	1	-	-	-	-	-	1	-	2	-	-	3	1	1	6	7	2	1	25
Other diseases																						
M	14	-	-	1	1	-	2	2	1	2	2	1	-	1	-	2	2	2	4	2	-	39
F	7	-	-	-	-	1	1	3	2	-	1	1	-	2	2	4	3	4	3	-	1	35
Injury and poisoning																						
M	-	4	4	1	8	12	7	3	7	1	4	-	2	4	3	1	1	2	-	1	-	65
F	-	4	2	1	2	3	2	2	-	3	2	2	-	2	-	3	3	2	1	-	-	34

* See definition on page 9 - "issue of authority for registration"

Table B' Deaths which were registered on the authority of an t-Ard Chiaraitheoir (Registrar General) in 1995, classified by principal groups of causes, sex and year of occurrence

Cause of Death	Year of occurrence											
	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983 and earlier
ALL CAUSES												
M	22	59	34	27	7	5	7	5	3	1	2	45
F	22	47	28	29	13	9	6	7	4	2	5	38
Infective and parasitic diseases												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms												
M	4	6	3	2	2	-	1	-	1	-	-	3
F	7	6	2	3	4	4	2	1	2	1	2	8
Ischaemic and other forms of heart disease												
M	11	17	9	4	2	3	3	4	-	-	-	17
F	7	11	3	10	3	3	2	2	1	-	1	11
Hypertensive disease												
M	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	1	-	-	-	-	-	-	-	-	-
Cerebrovascular disease												
M	1	-	-	-	-	-	-	1	-	-	-	3
F	2	1	3	1	-	-	1	2	-	1	1	3
Other diseases of the circulatory system												
M	-	-	-	1	-	-	-	-	-	-	-	-
F	-	-	-	1	-	1	-	-	-	-	-	2
Diseases of the respiratory system												
M	1	3	2	2	-	1	2	-	-	-	-	4
F	4	5	-	3	3	-	1	2	1	-	-	6
Other diseases												
M	1	9	3	8	1	-	1	-	1	-	2	13
F	-	13	10	4	1	-	-	-	-	-	1	6
Injury and poisoning												
M	4	24	17	10	2	1	-	-	1	1	-	5
F	2	11	9	7	2	1	-	-	-	-	-	2

* See definition on page 9 - "issue of authority for registration"

Table C Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1995, classified by sex and age

Cause of Death	ICD-9 Code	Age at death										All ages
		0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90 & over	
TOTAL												
M		8	9	19	10	5	2	7	2	2	1	65
F		6	3	5	2	5	2	2	6	3	-	34
Railway accidents												
M	E800-807	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents												
M	E810-829	4	7	7	1	1	-	3	1	2	1	27
F		2	2	2	2	-	1	-	4	1	-	14
Accidental poisoning												
M	E850-869	-	-	1	2	-	-	1	-	-	-	4
F		-	-	-	-	1	1	-	-	-	-	2
Accidental falls												
M	E880-888	-	1	-	1	2	-	1	-	-	-	5
F		-	-	-	-	1	-	-	2	1	-	4
Accidents caused by fire, explosion and burns												
M	E890-899,	3	-	-	1	-	-	1	-	-	-	5
F	E921,923,924	2	-	-	-	-	-	-	-	1	-	3
Accidental drowning and submersion												
M	E910	-	-	1	1	1	-	-	-	-	-	3
F		1	-	-	-	1	-	-	-	-	-	2
Suicide and self-inflicted injury												
M	E950-959	-	1	4	3	-	1	-	1	-	-	10
F		-	-	2	-	1	-	-	-	-	-	3
Injury undetermined whether accidentally or purposely inflicted												
M	E980-989	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	1	-	-	-	-	-	1
Other accidents and external causes												
M	R(E800-999)	1	-	6	1	1	1	1	-	-	-	11
F		1	1	1	-	-	-	2	-	-	-	5

* See definition on page 9 - "issue of authority for registration"

Table D' Deaths from accidents, poisoning and violence which were registered on the authority of an t-Ard Chlaraitheoir (Registrar General) in 1995, classified by sex and year of occurrence

Cause of Death	ICD-9 Code	Year of occurrence											
		1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983- and earlier
TOTAL													
M		4	24	17	10	2	1	-	-	1	1	-	5
F		2	11	9	7	2	1	-	-	-	-	-	2
Railway accidents													
M	E800-807	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	-
Road vehicle accidents													
M	E810-829	2	9	7	5	1	-	-	-	-	1	-	2
F		1	4	4	4	1	-	-	-	-	-	-	-
Accidental poisoning													
M	E850-869	-	4	-	-	-	-	-	-	-	-	-	-
F		-	2	-	-	-	-	-	-	-	-	-	-
Accidental falls													
M	E880-888	-	2	1	1	-	-	-	-	-	-	-	1
F		-	2	-	1	1	-	-	-	-	-	-	-
Accidents caused by fire, explosion and burns													
M	E890-899,	-	2	2	1	-	-	-	-	-	-	-	-
F	E921,923,924	-	-	1	2	-	-	-	-	-	-	-	-
Accidental drowning and submersion													
M	E910	1	-	-	1	-	-	-	-	-	-	-	1
F		-	1	1	-	-	-	-	-	-	-	-	-
Suicide and self-inflicted injury													
M	E950-959	-	3	2	1	1	1	-	-	1	-	-	1
F		1	-	1	-	-	-	-	-	-	-	-	1
Injury undetermined whether accidentally or purposely inflicted													
M	E980-989	-	-	-	-	-	-	-	-	-	-	-	-
F		-	-	-	-	-	-	-	-	-	-	-	1
Other accidents and external causes													
M	R(E800-999)	1	4	5	1	-	-	-	-	-	-	-	-
F		-	2	2	-	-	1	-	-	-	-	-	-

* See definition on page 9 - "issue of authority for registration"

